

Kong-Peng Lam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3025599/publications.pdf>

Version: 2024-02-01

85
papers

9,096
citations

81743

39
h-index

54797

84
g-index

86
all docs

86
docs citations

86
times ranked

10943
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-Cell Atlas of Lineage States, Tumor Microenvironment, and Subtype-Specific Expression Programs in Gastric Cancer. <i>Cancer Discovery</i> , 2022, 12, 670-691.	7.7	165
2	The spliceosome component Usp39 controls B cell development by regulating immunoglobulin gene rearrangement. <i>Cell Reports</i> , 2022, 38, 110338.	2.9	11
3	Mechanism for the attenuation of neutrophil and complement hyperactivity by MSC exosomes. <i>Cytotherapy</i> , 2022, 24, 711-719.	0.3	24
4	Development of a T cell-redirecting bispecific antibody targeting B-cell maturation antigen for the suppression of multiple myeloma cell growth. <i>Antibody Therapeutics</i> , 2022, 5, 138-149.	1.2	1
5	Bruton's tyrosine kinase phosphorylates scaffolding and RNA-binding protein G3BP1 to induce stress granule aggregation during host sensing of foreign ribonucleic acids. <i>Journal of Biological Chemistry</i> , 2022, 298, 102231.	1.6	3
6	Development and validation of a serum microRNA biomarker panel for detecting gastric cancer in a high-risk population. <i>Gut</i> , 2021, 70, 829-837.	6.1	94
7	IL-10 Enhances Human Natural Killer Cell Effector Functions via Metabolic Reprogramming Regulated by mTORC1 Signaling. <i>Frontiers in Immunology</i> , 2021, 12, 619195.	2.2	29
8	Host-derived lipids orchestrate pulmonary $\gamma\delta$ T cell response to provide early protection against influenza virus infection. <i>Nature Communications</i> , 2021, 12, 1914.	5.8	22
9	Bruton's tyrosine kinase regulates gut immune homeostasis through attenuating Th1 response. <i>Cell Death and Disease</i> , 2021, 12, 431.	2.7	3
10	Low regulatory T-cells: A distinct immunological subgroup in minimal change nephrotic syndrome with early relapse following rituximab therapy. <i>Translational Research</i> , 2021, 235, 48-61.	2.2	7
11	DOK3 maintains intestinal homeostasis by suppressing JAK2/STAT3 signaling and S100a8/9 production in neutrophils. <i>Cell Death and Disease</i> , 2021, 12, 1054.	2.7	13
12	Conditional disruption of AMP kinase in dopaminergic neurons promotes Parkinson's disease-associated phenotypes in vivo. <i>Neurobiology of Disease</i> , 2021, 161, 105560.	2.1	11
13	TAC1 Constrains TH17 Pathogenicity and Protects against Gut Inflammation. <i>iScience</i> , 2020, 23, 101707.	1.9	2
14	Emerging Roles of Downstream of Kinase 3 in Cell Signaling. <i>Frontiers in Immunology</i> , 2020, 11, 566192.	2.2	10
15	Glycolysis and Oxidative Phosphorylation Play Critical Roles in Natural Killer Cell Receptor-Mediated Natural Killer Cell Functions. <i>Frontiers in Immunology</i> , 2020, 11, 202.	2.2	69
16	ASK1 Mediates Nur77 Expression in T-Cell Receptor Mediated Thymocyte Apoptosis. <i>Cells</i> , 2020, 9, 585.	1.8	3
17	Transmembrane Activator and CAML Interactor (TAC1): Another Potential Target for Immunotherapy of Multiple Myeloma?. <i>Cancers</i> , 2020, 12, 1045.	1.7	11
18	von Hippel-Lindau Protein Maintains Metabolic Balance to Regulate the Survival of Naive B Lymphocytes. <i>iScience</i> , 2019, 17, 379-392.	1.9	16

#	ARTICLE	IF	CITATIONS
19	FAIM: An Antagonist of Fas-Killing and Beyond. <i>Cells</i> , 2019, 8, 541.	1.8	10
20	The stress granule protein G3BP1 binds viral dsRNA and RIG-I to enhance interferon- β response. <i>Journal of Biological Chemistry</i> , 2019, 294, 6430-6438.	1.6	84
21	BCR-dependent lineage plasticity in mature B cells. <i>Science</i> , 2019, 363, 748-753.	6.0	76
22	Transcription factor YY1 is essential for iNKT cell development. <i>Cellular and Molecular Immunology</i> , 2019, 16, 547-556.	4.8	11
23	Dok3 protein phosphatase 1 interaction attenuates Card9 signaling and neutrophil-dependent antifungal immunity. <i>Journal of Clinical Investigation</i> , 2019, 129, 2717-2729.	3.9	32
24	Excessive interferon- β signaling in autoimmunity alters glycosphingolipid processing in B cells. <i>Journal of Autoimmunity</i> , 2018, 89, 53-62.	3.0	4
25	Tyrosine kinase c-Abl regulates the survival of plasma cells. <i>Scientific Reports</i> , 2017, 7, 40133.	1.6	3
26	miR-92a enhances recombinant protein productivity in CHO cells by increasing intracellular cholesterol levels. <i>Biotechnology Journal</i> , 2017, 12, 1600488.	1.8	26
27	Csk-binding protein controls red blood cell development via regulation of Lyn tyrosine kinase activity. <i>Experimental Hematology</i> , 2017, 46, 70-82.e10.	0.2	1
28	Analysis of Signaling Events in B-1a Cells. <i>Methods in Molecular Biology</i> , 2017, 1643, 75-83.	0.4	0
29	BTK blocks the inhibitory effects of MDM2 on p53 activity. <i>Oncotarget</i> , 2017, 8, 106639-106647.	0.8	25
30	BTK Modulates p53 Activity to Enhance Apoptotic and Senescent Responses. <i>Cancer Research</i> , 2016, 76, 5405-5414.	0.4	50
31	Loss of miR-182 affects B cell extrafollicular antibody response. <i>Immunology</i> , 2016, 148, 140-149.	2.0	18
32	Mir-17-92 regulates bone marrow homing of plasma cells and production of immunoglobulin G2c. <i>Nature Communications</i> , 2015, 6, 6764.	5.8	35
33	Bruton's Tyrosine Kinase Phosphorylates DDX41 and Activates Its Binding of dsDNA and STING to Initiate Type 1 Interferon Response. <i>Cell Reports</i> , 2015, 10, 1055-1065.	2.9	89
34	BTK: sensing pathogenic nucleic acids. <i>Oncotarget</i> , 2015, 6, 19948-19949.	0.8	1
35	Bruton's Tyrosine Kinase and Protein Kinase C μ Are Required for TLR7/9-Induced IKK β and IRF-1 Activation and Interferon- β Production in Conventional Dendritic Cells. <i>PLoS ONE</i> , 2014, 9, e105420.	1.1	17
36	Adaptor protein DOK3 promotes plasma cell differentiation by regulating the expression of programmed cell death 1 ligands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11431-11436.	3.3	23

#	ARTICLE	IF	CITATIONS
37	Aberrant Presentation of Self-Lipids by Autoimmune B Cells Depletes Peripheral iNKT Cells. <i>Cell Reports</i> , 2014, 9, 24-31.	2.9	17
38	Shp1 signalling is required to establish the long-lived bone marrow plasma cell pool. <i>Nature Communications</i> , 2014, 5, 4273.	5.8	32
39	Overexpression of microRNAs enhances recombinant protein production in Chinese hamster ovary cells. <i>Biotechnology Journal</i> , 2014, 9, 1140-1151.	1.8	42
40	DOK3 Is Required for IFN- $\hat{2}$ Production by Enabling TRAF3/TBK1 Complex Formation and IRF3 Activation. <i>Journal of Immunology</i> , 2014, 193, 840-848.	0.4	33
41	Proteomic Analysis of the SH2Domain-containing Leukocyte Protein of 76 kDa (SLP76) Interactome. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 2874-2889.	2.5	11
42	Bruton's tyrosine kinase phosphorylates Toll-like receptor 3 to initiate antiviral response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 5791-5796.	3.3	128
43	Comprehensive Analysis of CD4+ T Cells in the Decision between Tolerance and Immunity In Vivo Reveals a Pivotal Role for ICOS. <i>Journal of Immunology</i> , 2012, 189, 234-244.	0.4	20
44	The RNase III enzyme Dicer is essential for germinal center B-cell formation. <i>Blood</i> , 2012, 119, 767-776.	0.6	85
45	Deficiency in TNFRSF13B (TACI) expands T-follicular helper and germinal center B cells via increased ICOS-ligand expression but impairs plasma cell survival. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 15401-15406.	3.3	101
46	Identification of HEXIM1 as a Positive Regulator of p53. <i>Journal of Biological Chemistry</i> , 2012, 287, 36443-36454.	1.6	29
47	Production of Functional Soluble Dectin-1 Glycoprotein Using an IRES-Linked Destabilized-Dihydrofolate Reductase Expression Vector. <i>PLoS ONE</i> , 2012, 7, e52785.	1.1	14
48	Anti-Islet Autoantibodies Trigger Autoimmune Diabetes in the Presence of an Increased Frequency of Islet-Reactive CD4 T Cells. <i>Diabetes</i> , 2011, 60, 2102-2111.	0.3	54
49	RIG-I, MDA5 and TLR3 Synergistically Play an Important Role in Restriction of Dengue Virus Infection. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e926.	1.3	258
50	Macrophage polarization to a unique phenotype driven by B cells. <i>European Journal of Immunology</i> , 2010, 40, 2296-2307.	1.6	157
51	The ROQUIN family of proteins localizes to stress granules via the ROQ domain and binds target mRNAs. <i>FEBS Journal</i> , 2010, 277, 2109-2127.	2.2	69
52	Fas Apoptosis Inhibitory Molecule Regulates T Cell Receptor-mediated Apoptosis of Thymocytes by Modulating Akt Activation and Nur77 Expression. <i>Journal of Biological Chemistry</i> , 2010, 285, 11827-11835.	1.6	22
53	Pharmacologic Inhibition of MEK \hat{c} ERK Signaling Enhances Th17 Differentiation. <i>Journal of Immunology</i> , 2010, 184, 1849-1857.	0.4	46
54	Activated Dectin-1 Localizes to Lipid Raft Microdomains for Signaling and Activation of Phagocytosis and Cytokine Production in Dendritic Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 22005-22011.	1.6	67

#	ARTICLE	IF	CITATIONS
55	Phospholipase C β 2 Is Critical for Dectin-1-mediated Ca ²⁺ Flux and Cytokine Production in Dendritic Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 7038-7046.	1.6	144
56	Functional hierarchy and relative contribution of the CD28/B7 and ICOS/B7-H2 costimulatory pathways to T cell-mediated delayed-type hypersensitivity. <i>Cellular Immunology</i> , 2009, 256, 64-71.	1.4	14
57	Transmembrane activator, calcium modulator, and cyclophilin ligand interactor drives plasma cell differentiation in LPS-activated B cells. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 1277-1286.e5.	1.5	61
58	Bruton's Tyrosine Kinase Separately Regulates NF κ B p65/RelA Activation and Cytokine Interleukin (IL)-10/IL-12 Production in TLR9-stimulated B Cells. <i>Journal of Biological Chemistry</i> , 2008, 283, 11189-11198.	1.6	74
59	ICOS Controls the Pool Size of Effector-Memory and Regulatory T Cells. <i>Journal of Immunology</i> , 2008, 180, 774-782.	0.4	231
60	T Helper Cell-specific Regulation of Inducible Costimulator Expression via Distinct Mechanisms Mediated by T-bet and GATA-3. <i>Journal of Biological Chemistry</i> , 2008, 283, 128-136.	1.6	40
61	Leupaxin Negatively Regulates B Cell Receptor Signaling. <i>Journal of Biological Chemistry</i> , 2007, 282, 27181-27191.	1.6	24
62	Combined deficiencies in Bruton tyrosine kinase and phospholipase C β 2 arrest B-cell development at a pre-BCR ⁺ stage. <i>Blood</i> , 2007, 109, 3377-3384.	0.6	24
63	Dok-3 plays a nonredundant role in negative regulation of B-cell activation. <i>Blood</i> , 2007, 110, 259-266.	0.6	46
64	B Cell-Specific Deletion of Protein-Tyrosine Phosphatase Shp1 Promotes B-1a Cell Development and Causes Systemic Autoimmunity. <i>Immunity</i> , 2007, 27, 35-48.	6.6	231
65	Roquin represses autoimmunity by limiting inducible T-cell co-stimulator messenger RNA. <i>Nature</i> , 2007, 450, 299-303.	13.7	376
66	Phospholipase C β 2 Dosage Is Critical for B Cell Development in the Absence of Adaptor Protein BLNK. <i>Journal of Immunology</i> , 2006, 176, 4690-4698.	0.4	12
67	BAFF costimulation of Toll-like receptor-activated B-1 cells. <i>European Journal of Immunology</i> , 2006, 36, 1837-1846.	1.6	73
68	Regulation of Mouse Inducible Costimulator (ICOS) Expression by Fyn-NFATc2 and ERK Signaling in T Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 28666-28678.	1.6	38
69	Basal Immunoglobulin Signaling Actively Maintains Developmental Stage in Immature B Cells. <i>PLoS Biology</i> , 2005, 3, e82.	2.6	120
70	Cbp Deficiency Alters Csk Localization in Lipid Rafts but Does Not Affect T-Cell Development. <i>Molecular and Cellular Biology</i> , 2005, 25, 8486-8495.	1.1	72
71	TACI and BAFF-R mediate isotype switching in B cells. <i>Journal of Experimental Medicine</i> , 2005, 201, 35-39.	4.2	469
72	Stochastic pairing of Ig heavy and light chains frequently generates B cell antigen receptors that are subject to editing in vivo. <i>International Immunology</i> , 2005, 17, 343-350.	1.8	14

#	ARTICLE	IF	CITATIONS
73	Impaired germinal center formation and recall T-cell-dependent immune responses in mice lacking the costimulatory ligand B7-H2. <i>Blood</i> , 2003, 102, 1381-1388.	0.6	72
74	Delayed Cellular Maturation and Decreased Immunoglobulin κ Light Chain Production In Immature B Lymphocytes Lacking B Cell Linker Protein. <i>Journal of Experimental Medicine</i> , 2002, 196, 197-206.	4.2	20
75	Peritoneal CD5+ B-1 Cells Have Signaling Properties Similar to Tolerant B Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 30707-30715.	1.6	79
76	The Adaptor Protein BLNK Is Required for B Cell Antigen Receptor-induced Activation of Nuclear Factor- κ B and Cell Cycle Entry and Survival of B Lymphocytes. <i>Journal of Biological Chemistry</i> , 2001, 276, 20055-20063.	1.6	96
77	B-Cell Maturation Protein, Which Binds the Tumor Necrosis Factor Family Members BAFF and APRIL, Is Dispensable for Humoral Immune Responses. <i>Molecular and Cellular Biology</i> , 2001, 21, 4067-4074.	1.1	249
78	Memory B-cell persistence is independent of persisting immunizing antigen. <i>Nature</i> , 2000, 407, 636-642.	13.7	298
79	Cutting Edge: B Cell Linker Protein Is Dispensable for the Allelic Exclusion of Immunoglobulin Heavy Chain Locus But Required for the Persistence of CD5+ B Cells. <i>Journal of Immunology</i> , 2000, 165, 4153-4157.	0.4	22
80	B cell development and activation defects resulting in xid-like immunodeficiency in BLNK/SLP-65-deficient mice. <i>International Immunology</i> , 2000, 12, 397-404.	1.8	134
81	B Cell Antigen Receptor Specificity and Surface Density Together Determine B-1 versus B-2 Cell Development. <i>Journal of Experimental Medicine</i> , 1999, 190, 471-478.	4.2	196
82	A Conformational Change in Cytochrome c of Apoptotic and Necrotic Cells Is Detected by Monoclonal Antibody Binding and Mimicked by Association of the Native Antigen with Synthetic Phospholipid Vesicles. <i>Biochemistry</i> , 1999, 38, 3599-3609.	1.2	121
83	In Vivo Ablation of Surface Immunoglobulin on Mature B Cells by Inducible Gene Targeting Results in Rapid Cell Death. <i>Cell</i> , 1997, 90, 1073-1083.	13.5	1,017
84	B-1 Cells: unique origins and functions. <i>Seminars in Immunology</i> , 1996, 8, 45-59.	2.7	114
85	RAG-2-deficient mice lack mature lymphocytes owing to inability to initiate V(D)J rearrangement. <i>Cell</i> , 1992, 68, 855-867.	13.5	2,426