Marije L Van Der Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3025726/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Face-to-Face and Internet-Based Mindfulness-Based Cognitive Therapy Compared With Treatment as Usual in Reducing Psychological Distress in Patients With Cancer: A Multicenter Randomized Controlled Trial. Journal of Clinical Oncology, 2018, 36, 2413-2421.	0.8	151
2	Mindfulnessâ€based cognitive therapy reduces chronic cancerâ€related fatigue: a treatment study. Psycho-Oncology, 2012, 21, 264-272.	1.0	134
3	Euthanasia and Depression: A Prospective Cohort Study Among Terminally Ill Cancer Patients. Journal of Clinical Oncology, 2005, 23, 6607-6612.	0.8	117
4	What is the prevalence of fear of cancer recurrence in cancer survivors and patients? A systematic review and individual participant data metaâ€analysis. Psycho-Oncology, 2022, 31, 879-892.	1.0	85
5	Effectiveness of Two Web-Based Interventions for Chronic Cancer-Related Fatigue Compared to an Active Control Condition: Results of the "Fitter na kanker―Randomized Controlled Trial. Journal of Medical Internet Research, 2017, 19, e336.	2.1	78
6	Loneliness and belonging: Exploring experiences with the <scp>COVID</scp> â€19 pandemic in psychoâ€oncology. Psycho-Oncology, 2020, 29, 1399-1401.	1.0	48
7	Web-based individual Mindfulness-Based Cognitive Therapy for cancer-related fatigue — A pilot study. Internet Interventions, 2015, 2, 200-213.	1.4	43
8	Exploring the interconnectedness of fatigue, depression, anxiety and potential risk and protective factors in cancer patients: a network approach. Journal of Behavioral Medicine, 2020, 43, 553-563.	1.1	39
9	No effect of CBTâ€based online selfâ€help training to reduce fear of cancer recurrence: First results of the CAREST multicenter randomized controlled trial. Psycho-Oncology, 2020, 29, 86-97.	1.0	39
10	Consolidation and prediction of long-term treatment effect of group and online mindfulness-based cognitive therapy for distressed cancer patients. Acta Oncológica, 2018, 57, 1293-1302.	0.8	35
11	Study protocol of the CAREST-trial: a randomised controlled trial on the (cost-) effectiveness of a CBT-based online self-help training for fear of cancer recurrence in women with curatively treated breast cancer. BMC Cancer, 2016, 16, 527.	1.1	31
12	Experiencing and responding to chronic cancerâ€related fatigue: A metaâ€ethnography of qualitative research. Psycho-Oncology, 2020, 29, 241-250.	1.0	27
13	Coâ€morbidity of depression, anxiety and fatigue in cancer patients receiving psychological care. Psycho-Oncology, 2017, 26, 444-451.	1.0	26
14	Translation and validation of the Dutch version of the Fear of Cancer Recurrence Inventory (FCRI-NL). Journal of Psychosomatic Research, 2017, 102, 21-28.	1.2	26
15	Predictors and Effects of Usage of an Online Mindfulness Intervention for Distressed Cancer Patients: Usability Study. Journal of Medical Internet Research, 2020, 22, e17526.	2.1	25
16	Effectiveness, Mediators, and Effect Predictors of Internet Interventions for Chronic Cancer-Related Fatigue: The Design and an Analysis Plan of a 3-Armed Randomized Controlled Trial. JMIR Research Protocols, 2015, 4, e77.	0.5	25
17	Study protocol of a multicenter randomized controlled trial comparing the effectiveness of group and individual internet-based Mindfulness-Based Cognitive Therapy with treatment as usual in reducing psychological distress in cancer patients: the BeMind study. BMC Psychology, 2015, 3, 27.	0.9	24
18	Costâ€utility of individual internetâ€based and faceâ€toâ€face Mindfulnessâ€Based Cognitive Therapy compared with treatment as usual in reducing psychological distress in cancer patients. Psycho-Oncology, 2020, 29, 294-303.	1.0	24

MARIJE L VAN DER LEE

#	Article	IF	CITATIONS
19	Psychosocial factors and the course of cervical intra-epithelial neoplasia: A prospective study. Gynecologic Oncology, 2005, 97, 879-886.	0.6	22
20	Mindfulness-Based Cognitive Therapy for Cancer Patients Delivered via Internet: Qualitative Study of Patient and Therapist Barriers and Facilitators. Journal of Medical Internet Research, 2017, 19, e407.	2.1	21
21	Exploring associations between psychiatric disorder, psychological distress, and health care utilization in cancer patients. Psycho-Oncology, 2018, 27, 871-878.	1.0	20
22	Development of the Therapeutic Alliance and its Association With Internet-Based Mindfulness-Based Cognitive Therapy for Distressed Cancer Patients: Secondary Analysis of a Multicenter Randomized Controlled Trial. Journal of Medical Internet Research, 2019, 21, e14065.	2.1	20
23	Psychosocial factors and the grade of cervical intra-epithelial neoplasia: a semi-prospective study. Gynecologic Oncology, 2004, 92, 603-610.	0.6	18
24	Benefit finding trajectories in cancer patients receiving psychological care: Predictors and relations to depressive and anxiety symptoms. British Journal of Health Psychology, 2018, 23, 238-252.	1.9	18
25	Therapeutic alliance—not therapist competence or group cohesion—contributes to reduction of psychological distress in groupâ€based mindfulnessâ€based cognitive therapy for cancer patients. Clinical Psychology and Psychotherapy, 2019, 26, 309-318.	1.4	18
26	Bridging the distance: Continuing psychoâ€oncological care via videoâ€consults during the <scp>COVID</scp> â€19 pandemic. Psycho-Oncology, 2020, 29, 1421-1423.	1.0	17
27	The role of goal adjustment in symptoms of depression, anxiety and fatigue in cancer patients receiving psychosocial care: A longitudinal study. Psychology and Health, 2015, 30, 268-283.	1.2	16
28	Characteristics of patients in routine psycho-oncological care, and changes in outcome variables during and after their treatment. Psychology and Health, 2016, 31, 1237-1254.	1.2	13
29	Subtypes of depression in cancer patients: an empirically driven approach. Supportive Care in Cancer, 2016, 24, 1387-1396.	1.0	12
30	Capturing the complexity of mental disorders in the medically ill: the network approach on behavioral medicine. Translational Behavioral Medicine, 2020, 10, 812-816.	1.2	10
31	No Negative Impact of Palliative Sedation on Relatives' Experience of the Dying Phase and Their Wellbeing after the Patient's Death: An Observational Study. PLoS ONE, 2016, 11, e0149250.	1.1	9
32	Validation of the Dutch Freiburg Mindfulness Inventory in Patients With Medical Illness. SAGE Open, 2017, 7, 215824401770593.	0.8	8
33	Therapist behaviours in a web-based mindfulness-based cognitive therapy (eMBCT) for chronic cancer-related fatigue – Analyses of e-mail correspondence. Internet Interventions, 2020, 22, 100355.	1.4	8
34	Forming new habits in the face of chronic cancer-related fatigue: An interpretative phenomenological study. Supportive Care in Cancer, 2021, 29, 6651-6659.	1.0	7
35	Positive feelings among terminally ill cancer patients. European Journal of Cancer Care, 2006, 15, 51-55.	0.7	6
36	Problems Addressed During Psycho-Oncological Therapy: A Pilot Study. Journal of Psychosocial Oncology, 2011, 29, 657-663.	0.6	6

#	Article	IF	CITATIONS
37	Study protocol of the BLANKET trial: a cluster randomised controlled trial on the (cost-) effectiveness of a primary care intervention for fear of cancer recurrence in cancer survivors. BMJ Open, 2019, 9, e032616.	0.8	5
38	Exploring Fear of Cancer Recurrence in a Sample of Heterogeneous Distressed Cancer Patients with and Without a Psychiatric Disorder. Journal of Clinical Psychology in Medical Settings, 2021, 28, 419-426.	0.8	4
39	Personalizing psychological care for chronic cancer-related fatigue: A case study on symptom dynamics Journal for Person-Oriented Research, 2021, 7, 1-13.	1.6	4
40	Predictors of Returning to Work after Receiving Specialized Psycho-Oncological Care. Health Psychology Bulletin, 0, 4, .	0.3	4
41	Trajectories of personal control in cancer patients receiving psychological care. Psycho-Oncology, 2015, 24, 556-563.	1.0	3
42	Navigating severe chronic cancer-related fatigue: an interpretative phenomenological analysis. Psychology and Health, 2023, 38, 494-517.	1.2	3
43	Perspectives of bereaved partners of lung cancer patients on the role of mindfulness in dying and grieving: A qualitative study. Palliative Medicine, 2021, 35, 200-208.	1.3	3
44	Temporal Changes in Mindfulness Skills and Positive and Negative Affect and Their Interrelationships During Mindfulness-Based Cognitive Therapy for Cancer Patients. Mindfulness, 2022, 13, 1745-1756.	1.6	3
45	Factor structure of the Fear of Cancer Recurrence Inventory (FCRI): Comparison of international FCRI factor structure data and factor analysis of the Dutch FCRIâ€NL using three predominantly breast cancer samples. European Journal of Cancer Care, 2021, 30, e13431.	0.7	2
46	Depression and physician assisted dying. BMJ: British Medical Journal, 2008, 337, a1558-a1558.	2.4	2
47	Trajectories of fatigue in cancer patients during psychological care. Psychology and Health, 2022, 37, 1002-1021.	1.2	1
48	Personalized versus standard cognitive behavioral therapy for fear of cancer recurrence, depressive symptoms or cancer-related fatigue in cancer survivors: study protocol of a randomized controlled trial (MATCH-study). Trials, 2021, 22, 696.	0.7	1
49	What web-based intervention for chronic cancer-related fatigue works best for whom? Explorative moderation analyses of a randomized controlled trial. Supportive Care in Cancer, 0, , .	1.0	1
50	Reasons for early interventions by gynaecologists in a clinical follow-up study on cervical intraepithelial neoplasia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 132, 111-115.	0.5	0
51	Depression, Euthanasia, and Assisted Suicide. , 0, , 277-287.		0