

# Kiki D Chang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3025778/kiki-d-chang-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49  
papers

2,086  
citations

22  
h-index

45  
g-index

52  
ext. papers

2,348  
ext. citations

4.2  
avg, IF

4.55  
L-index

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 49 | Anomalous prefrontal-subcortical activation in familial pediatric bipolar disorder: a functional magnetic resonance imaging investigation. <i>Archives of General Psychiatry</i> , <b>2004</b> , 61, 781-92  |     | 248       |
| 48 | Reduced amygdalar gray matter volume in familial pediatric bipolar disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2005</b> , 44, 565-73  | 7.2 | 218       |
| 47 | Clinical evaluation of youth with pediatric acute-onset neuropsychiatric syndrome (PANS): recommendations from the 2013 PANS Consensus Conference. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2015</b> , 25, 3-13                    | 2.9 | 165       |
| 46 | Early intervention for symptomatic youth at risk for bipolar disorder: a randomized trial of family-focused therapy. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2013</b> , 52, 121-31                                | 7.2 | 146       |
| 45 | Decreased N-acetylaspartate in children with familial bipolar disorder. <i>Biological Psychiatry</i> , <b>2003</b> , 53, 1059-65   | 7.9 | 139       |
| 44 | An open-label study of lamotrigine adjunct or monotherapy for the treatment of adolescents with bipolar depression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2006</b> , 45, 298-304                                | 7.2 | 106       |
| 43 | Cortical magnetic resonance imaging findings in familial pediatric bipolar disorder. <i>Biological Psychiatry</i> , <b>2005</b> , 58, 197-203  | 7.9 | 100       |
| 42 | Reward processing in healthy offspring of parents with bipolar disorder. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 1148-56  | 8.4 | 70        |
| 41 | Divalproex monotherapy in the treatment of bipolar offspring with mood and behavioral disorders and at least mild affective symptoms. <i>Journal of Clinical Psychiatry</i> , <b>2003</b> , 64, 936-42   | 4.6 | 66        |
| 40 | A preliminary functional magnetic resonance imaging study of prefrontal-amygdalar activation changes in adolescents with bipolar depression treated with lamotrigine. <i>Bipolar Disorders</i> , <b>2008</b> , 10, 426-31                                | 3.8 | 63        |
| 39 | Bipolar offspring: a window into bipolar disorder evolution. <i>Biological Psychiatry</i> , <b>2003</b> , 53, 945-51   | 7.9 | 63        |
| 38 | Studies of offspring of parents with bipolar disorder. <i>American Journal of Medical Genetics Part A</i> , <b>2003</b> , 123C, 26-35  |     | 60        |
| 37 | Clinical Management of Pediatric Acute-Onset Neuropsychiatric Syndrome: Part II Use of Immunomodulatory Therapies. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2017</b> , 27, 574-593   | 2.9 | 46        |
| 36 | Temperament characteristics of child and adolescent bipolar offspring. <i>Journal of Affective Disorders</i> , <b>2003</b> , 77, 11-9  | 6.6 | 45        |
| 35 | Changes in brain activation following psychotherapy for youth with mood dysregulation at familial risk for bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2015</b> , 56, 215-20                            | 5.5 | 43        |
| 34 | Atomoxetine as an adjunct therapy in the treatment of co-morbid attention-deficit/hyperactivity disorder in children and adolescents with bipolar I or II disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2009</b> , 19, 547-51 | 2.9 | 41        |
| 33 | Asenapine for the Acute Treatment of Pediatric Manic or Mixed Episode of Bipolar I Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2015</b> , 54, 1032-41   | 7.2 | 38        |

|    |  |      |    |
|----|--|------|----|
| 32 | Prevention of pediatric bipolar disorder: integration of neurobiological and psychosocial processes. <i>Annals of the New York Academy of Sciences</i> , <b>2006</b> , 1094, 235-47  | 6.5  | 36 |
| 31 | Childhood-compared to adolescent-onset bipolar disorder has more statistically significant clinical correlates. <i>Journal of Affective Disorders</i> , <b>2015</b> , 179, 114-20  | 6.6  | 30 |
| 30 | Effect of divalproex on brain morphometry, chemistry, and function in youth at high-risk for bipolar disorder: a pilot study. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2009</b> , 19, 51-9   | 2.9  | 29 |
| 29 | Course and impact of bipolar disorder in young patients. <i>Journal of Clinical Psychiatry</i> , <b>2010</b> , 71, e05   | 4.6  | 27 |
| 28 | Anomalous prefrontal-limbic activation and connectivity in youth at high-risk for bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2017</b> , 222, 7-13  | 6.6  | 23 |
| 27 | Special issues in the treatment of paediatric bipolar disorder. <i>Expert Opinion on Pharmacotherapy</i> , <b>2001</b> , 2, 613-22   | 4    | 22 |
| 26 | Effects of Family-Focused Therapy vs Enhanced Usual Care for Symptomatic Youths at High Risk for Bipolar Disorder: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 455-463   | 14.5 | 21 |
| 25 | Long-term Safety of Asenapine in Pediatric Patients Diagnosed With Bipolar I Disorder: A 50-Week Open-Label, Flexible-Dose Trial. <i>Paediatric Drugs</i> , <b>2016</b> , 18, 367-78   | 4.2  | 20 |
| 24 | A Pharmacologic Algorithm for Youth Who Are at High Risk for Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2017</b> , 27, 796-805   | 2.9  | 19 |
| 23 | Adult bipolar disorder is continuous with pediatric bipolar disorder. <i>Canadian Journal of Psychiatry</i> , <b>2007</b> , 52, 418-25   | 4.8  | 18 |
| 22 | Challenges in the diagnosis and treatment of pediatric bipolar depression. <i>Dialogues in Clinical Neuroscience</i> , <b>2009</b> , 11, 73-80   | 5.7  | 18 |
| 21 | Early intervention for youth at high risk for bipolar disorder: A multisite randomized trial of family-focused treatment. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 208-216   | 3.3  | 18 |
| 20 | Psychotropic medication exposure and age at onset of bipolar disorder in offspring of parents with bipolar disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2010</b> , 20, 25-32   | 2.9  | 17 |
| 19 | Preliminary study of anxiety symptoms, family dysfunction, and the brain-derived neurotrophic factor (BDNF) Val66Met genotype in offspring of parents with bipolar disorder. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 61, 81-8   | 5.2  | 16 |
| 18 | Neurometabolite effects of response to quetiapine and placebo in adolescents with bipolar depression. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2012</b> , 22, 261-8  | 2.9  | 12 |
| 17 | The use of atypical antipsychotics in pediatric bipolar disorder. <i>Journal of Clinical Psychiatry</i> , <b>2008</b> , 69 Suppl 4, 4-8  | 4.6  | 12 |
| 16 | Early response or nonresponse at week 2 and week 3 predict ultimate response or nonresponse in adolescents with schizophrenia treated with olanzapine: results from a 6-week randomized, placebo-controlled trial. <i>European Child and Adolescent Psychiatry</i> , <b>2015</b> , 24, 1485-96 | 5.5  | 11 |
| 15 | Will neuroimaging ever be used to diagnose pediatric bipolar disorder?. <i>Development and Psychopathology</i> , <b>2006</b> , 18, 1133-46   | 4.3  | 11 |

|    |  |     |   |
|----|--|-----|---|
| 14 | Gender by onset age interaction may characterize distinct phenotypic subgroups in bipolar patients. <i>Journal of Psychiatric Research</i> , <b>2016</b> , 76, 128-35  | 5.2 | 9 |
| 13 | Special issue on pediatric acute-onset neuropsychiatric syndrome. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2015</b> , 25, 1-2  | 2.9 | 8 |
| 12 | The bipolar spectrum in children and adolescents: developmental issues. <i>Journal of Clinical Psychiatry</i> , <b>2008</b> , 69, e9   | 4.6 | 8 |
| 11 | Association of Anxiety Symptoms in Offspring of Bipolar Parents with Serotonin Transporter-Linked Polymorphic Region (5-HTTLPR) Genotype. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2015</b> , 25, 458-66   | 2.9 | 7 |
| 10 | Effects of family-focused therapy on suicidal ideation and behavior in youth at high risk for bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2020</b> , 275, 14-22   | 6.6 | 7 |
| 9  | Neurofunctional Correlates of Response to Quetiapine in Adolescents with Bipolar Depression. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2018</b> , 28, 379-386   | 2.9 | 7 |
| 8  | Inhibited Temperament and Hippocampal Volume in Offspring of Parents with Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , <b>2017</b> , 27, 258-265  | 2.9 | 7 |
| 7  | Diagnosing bipolar disorder in children and adolescents. <i>Journal of Clinical Psychiatry</i> , <b>2009</b> , 70, e41   | 4.6 | 5 |
| 6  | Amygdalar volumetric correlates of social anxiety in offspring of parents with bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2015</b> , 234, 252-8  | 2.9 | 4 |
| 5  | Baseline Characteristics and Early Response at Week 1 Predict Treatment Outcome in Adolescents With Bipolar Manic or Mixed Episode Treated With Olanzapine: Results From a 3-Week, Randomized, Placebo-Controlled Trial. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, e1158-e1166 | 4.6 | 3 |
| 4  | Characteristics of youth at high risk for bipolar disorder compared to youth with bipolar I or II disorder. <i>Journal of Psychiatric Research</i> , <b>2020</b> , 123, 48-53  | 5.2 | 2 |
| 3  | Amygdalar-Prefrontal Connectivity Changes During Adolescence: Implications for Development of Mood Disorders. <i>Biological Psychiatry</i> , <b>2017</b> , 82, 458-459   | 7.9 | 1 |
| 2  | Longitudinal trajectories of mood symptoms and global functioning in youth at high risk for bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2020</b> , 277, 394-401   | 6.6 | 1 |
| 1  | Aberrant Neural Response to Social Exclusion Without Significantly Greater Distress in Youth With Bipolar Disorder: Preliminary Findings.. <i>Frontiers in Psychiatry</i> , <b>2022</b> , 13, 687052   | 5   |   |