

Ann-Joy Cheng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3025881/ann-joy-cheng-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

1,084
citations

22
h-index

32
g-index

45
ext. papers

1,296
ext. citations

5.7
avg, IF

3.82
L-index

#	Paper	IF	Citations
38	Systematic Analysis and Identification of Dysregulated Panel lncRNAs Contributing to Poor Prognosis in Head-Neck Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 731752	5.3	2
37	Prognostic value of radiologic extranodal extension in patients with hypopharyngeal cancer treated with primary chemoradiation. <i>Radiotherapy and Oncology</i> , 2021 , 156, 217-222	5.3	0
36	Intensity Modulated Proton Beam Therapy versus Volumetric Modulated Arc Therapy for Patients with Nasopharyngeal Cancer: A Propensity Score-Matched Study. <i>Cancers</i> , 2021 , 13,	6.6	3
35	Molecular Interplays Between Cell Invasion and Radioresistance That Lead to Poor Prognosis in Head-Neck Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 681717	5.3	1
34	Panel biomarkers associated with cancer invasion and prognostic prediction for head-neck cancer. <i>Biomarkers in Medicine</i> , 2021 , 15, 861-877	2.3	
33	Lymph node-to-primary tumor standardized uptake value ratio on PET predicts distant metastasis in nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2020 , 110, 104756	4.4	5
32	A Combined Systemic Strategy for Overcoming Cisplatin Resistance in Head and Neck Cancer: From Target Identification to Drug Discovery. <i>Cancers</i> , 2020 , 12,	6.6	4
31	Discoidin Domain Receptor-1 (DDR1) is Involved in Angiolymphatic Invasion in Oral Cancer. <i>Cancers</i> , 2020 , 12,	6.6	9
30	Upregulated Expression of MicroRNA-204-5p Leads to the Death of Dopaminergic Cells by Targeting DYRK1A-Mediated Apoptotic Signaling Cascade. <i>Frontiers in Cellular Neuroscience</i> , 2019 , 13, 399	6.1	24
29	Utilization of HEPES for Enhancing Protein Transfection into Mammalian Cells. <i>Molecular Therapy - Methods and Clinical Development</i> , 2019 , 13, 99-111	6.4	8
28	Multifaceted Mechanisms of Areca Nuts in Oral Carcinogenesis: the Molecular Pathology from Precancerous Condition to Malignant Transformation. <i>Journal of Cancer</i> , 2019 , 10, 4054-4062	4.5	32
27	Prognostic signature associated with radioresistance in head and neck cancer via transcriptomic and bioinformatic analyses. <i>BMC Cancer</i> , 2019 , 19, 64	4.8	26
26	Piperlongumine inhibits cancer stem cell properties and regulates multiple malignant phenotypes in oral cancer. <i>Oncology Letters</i> , 2018 , 15, 1789-1798	2.6	8
25	The Endogenous GRP78 Interactome in Human Head and Neck Cancers: A Deterministic Role of Cell Surface GRP78 in Cancer Stemness. <i>Scientific Reports</i> , 2018 , 8, 536	4.9	8
24	Argininosuccinate synthetase 1 contributes to gastric cancer invasion and progression by modulating autophagy. <i>FASEB Journal</i> , 2018 , 32, 2601-2614	0.9	25
23	MiR-520b as a novel molecular target for suppressing stemness phenotype of head-neck cancer by inhibiting CD44. <i>Scientific Reports</i> , 2017 , 7, 2042	4.9	26
22	GDF15 contributes to radioresistance and cancer stemness of head and neck cancer by regulating cellular reactive oxygen species via a SMAD-associated signaling pathway. <i>Oncotarget</i> , 2017 , 8, 1508-1528	2.3	39

21	Proteomics Analysis Reveals Involvement of Krt17 in Areca Nut-Induced Oral Carcinogenesis. <i>Journal of Proteome Research</i> , 2016 , 15, 2981-97	5.6	23
20	Fatty acids and small organic compounds bind to mineralo-organic nanoparticles derived from human body fluids as revealed by metabolomic analysis. <i>Nanoscale</i> , 2016 , 8, 5537-45	7.7	26
19	Transketolase Serves a Poor Prognosticator in Esophageal Cancer by Promoting Cell Invasion via Epithelial-Mesenchymal Transition. <i>Journal of Cancer</i> , 2016 , 7, 1804-1811	4.5	10
18	miR-196, an Emerging Cancer Biomarker for Digestive Tract Cancers. <i>Journal of Cancer</i> , 2016 , 7, 650-5	4.5	38
17	Areca nut contributes to oral malignancy through facilitating the conversion of cancer stem cells. <i>Molecular Carcinogenesis</i> , 2016 , 55, 1012-23	5	28
16	Loss of GDF10/BMP3b as a prognostic marker collaborates with TGFBR3 to enhance chemotherapy resistance and epithelial-mesenchymal transition in oral squamous cell carcinoma. <i>Molecular Carcinogenesis</i> , 2016 , 55, 499-513	5	15
15	Combined determination of circulating miR-196a and miR-196b levels produces high sensitivity and specificity for early detection of oral cancer. <i>Clinical Biochemistry</i> , 2015 , 48, 115-21	3.5	57
14	LDOC1 silenced by cigarette exposure and involved in oral neoplastic transformation. <i>Oncotarget</i> , 2015 , 6, 25188-201	3.3	11
13	Fascin is a circulating tumor marker for head and neck cancer as determined by a proteomic analysis of interstitial fluid from the tumor microenvironment. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015 , 53, 1631-41	5.9	16
12	OncomiR-196 promotes an invasive phenotype in oral cancer through the NME4-JNK-TIMP1-MMP signaling pathway. <i>Molecular Cancer</i> , 2014 , 13, 218	42.1	64
11	MicroRNAs MiR-218, MiR-125b, and Let-7g predict prognosis in patients with oral cavity squamous cell carcinoma. <i>PLoS ONE</i> , 2014 , 9, e102403	3.7	36
10	DSG3 facilitates cancer cell growth and invasion through the DSG3-plakoglobin-TCF/LEF-Myc/cyclin D1/MMP signaling pathway. <i>PLoS ONE</i> , 2013 , 8, e64088	3.7	44
9	Oncogenic function and early detection potential of miRNA-10b in oral cancer as identified by microRNA profiling. <i>Cancer Prevention Research</i> , 2012 , 5, 665-74	3.2	131
8	Molecular chaperones as a common set of proteins that regulate the invasion phenotype of head and neck cancer. <i>Clinical Cancer Research</i> , 2011 , 17, 4629-41	12.9	44
7	Transcriptome profiling and network pathway analysis of genes associated with invasive phenotype in oral cancer. <i>Cancer Letters</i> , 2009 , 284, 131-40	9.9	22
6	Treatment outcome of combined modalities for buccal cancers: unilateral or bilateral neck radiation?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 70, 1373-81	4	28
5	Identification of differentially expressed genes in oral squamous cell carcinoma (OSCC): overexpression of NPM, CDK1 and NDRG1 and underexpression of CHES1. <i>International Journal of Cancer</i> , 2005 , 114, 942-9	7.5	74
4	Upstream stimulatory factor (USF) as a transcriptional suppressor of human telomerase reverse transcriptase (hTERT) in oral cancer cells. <i>Molecular Carcinogenesis</i> , 2005 , 44, 183-92	5	35

- 3 Oral cancer plasma tumor marker identified with bead-based affinity-fractionated proteomic technology. *Clinical Chemistry*, **2005**, 51, 2236-44 5.5 124
- 2 Poor prognosis in nasopharyngeal cancer patients with low glucose-6-phosphate-dehydrogenase activity. *Japanese Journal of Cancer Research*, **2001**, 92, 576-81 13
- 1 Polymerase chain reaction-based enzyme immunoassay for quantitation of telomerase activity: application to colorectal cancers. *Japanese Journal of Cancer Research*, **1999**, 90, 280-5 23