

# Roland Staud

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3025964/roland-staud-publications-by-citations.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152  
papers

7,275  
citations

45  
h-index

82  
g-index

160  
ext. papers

8,347  
ext. citations

4  
avg, IF

6.34  
L-index

#	Paper	IF	Citations
152	Abnormal sensitization and temporal summation of second pain (wind-up) in patients with fibromyalgia syndrome. <i>Pain</i> , <b>2001</b> , 91, 165-75	8	549
151	The A118G single nucleotide polymorphism of the mu-opioid receptor gene (OPRM1) is associated with pressure pain sensitivity in humans. <i>Journal of Pain</i> , <b>2005</b> , 6, 159-67	5.2	294
150	Diffuse noxious inhibitory controls (DNIC) attenuate temporal summation of second pain in normal males but not in normal females or fibromyalgia patients. <i>Pain</i> , <b>2003</b> , 101, 167-74	8	284
149	Enhanced temporal summation of second pain and its central modulation in fibromyalgia patients. <i>Pain</i> , <b>2002</b> , 99, 49-59	8	275
148	Temporal summation of pain from mechanical stimulation of muscle tissue in normal controls and subjects with fibromyalgia syndrome. <i>Pain</i> , <b>2003</b> , 102, 87-95	8	272
147	Individual differences in pain sensitivity: measurement, causation, and consequences. <i>Journal of Pain</i> , <b>2009</b> , 10, 231-7	5.2	195
146	Abnormal endogenous pain modulation is a shared characteristic of many chronic pain conditions. <i>Expert Review of Neurotherapeutics</i> , <b>2012</b> , 12, 577-85	4.3	180
145	Isometric exercise has opposite effects on central pain mechanisms in fibromyalgia patients compared to normal controls. <i>Pain</i> , <b>2005</b> , 118, 176-84	8	171
144	Temporal summation of second pain and its maintenance are useful for characterizing widespread central sensitization of fibromyalgia patients. <i>Journal of Pain</i> , <b>2007</b> , 8, 893-901	5.2	159
143	Enhanced central pain processing of fibromyalgia patients is maintained by muscle afferent input: a randomized, double-blind, placebo-controlled study. <i>Pain</i> , <b>2009</b> , 145, 96-104	8	155
142	Brain activity related to temporal summation of C-fiber evoked pain. <i>Pain</i> , <b>2007</b> , 129, 130-42	8	155
141	Mechanisms of disease: pain in fibromyalgia syndrome. <i>Nature Clinical Practice Rheumatology</i> , <b>2006</b> , 2, 90-8		151
140	Evidence of involvement of central neural mechanisms in generating fibromyalgia pain. <i>Current Rheumatology Reports</i> , <b>2002</b> , 4, 299-305	4.9	151
139	The effect of maximal exercise on temporal summation of second pain (windup) in patients with fibromyalgia syndrome. <i>Journal of Pain</i> , <b>2001</b> , 2, 334-44	5.2	131
138	Brain activity associated with slow temporal summation of C-fiber evoked pain in fibromyalgia patients and healthy controls. <i>European Journal of Pain</i> , <b>2008</b> , 12, 1078-89	3.7	129
137	Cluster analysis of multiple experimental pain modalities. <i>Pain</i> , <b>2005</b> , 116, 227-237	8	115
136	AAPT Diagnostic Criteria for Fibromyalgia. <i>Journal of Pain</i> , <b>2019</b> , 20, 611-628	5.2	114

135	Ratings of experimental pain and pain-related negative affect predict clinical pain in patients with fibromyalgia syndrome. <i>Pain</i> , <b>2003</b> , 105, 215-22	8	110
134	Gray matter volumes of pain-related brain areas are decreased in fibromyalgia syndrome. <i>Journal of Pain</i> , <b>2011</b> , 12, 436-43	5.2	109
133	Maintenance of windup of second pain requires less frequent stimulation in fibromyalgia patients compared to normal controls. <i>Pain</i> , <b>2004</b> , 110, 689-696	8	107
132	Evidence for shared pain mechanisms in osteoarthritis, low back pain, and fibromyalgia. <i>Current Rheumatology Reports</i> , <b>2011</b> , 13, 513-20	4.9	106
131	Peripheral and central sensitization in fibromyalgia: pathogenetic role. <i>Current Pain and Headache Reports</i> , <b>2002</b> , 6, 259-66	4.2	106
130	Effects of the N-methyl-D-aspartate receptor antagonist dextromethorphan on temporal summation of pain are similar in fibromyalgia patients and normal control subjects. <i>Journal of Pain</i> , <b>2005</b> , 6, 323-32	5.2	100
129	Age and race effects on pain sensitivity and modulation among middle-aged and older adults. <i>Journal of Pain</i> , <b>2014</b> , 15, 272-82	5.2	89
128	Peripheral pain mechanisms in chronic widespread pain. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2011</b> , 25, 155-64	5.3	88
127	Racial and ethnic differences in older adults with knee osteoarthritis. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 1800-10	9.5	83
126	Biology and therapy of fibromyalgia: pain in fibromyalgia syndrome. <i>Arthritis Research and Therapy</i> , <b>2006</b> , 8, 208	5.7	83
125	Evidence for abnormal pain processing in fibromyalgia syndrome. <i>Pain Medicine</i> , <b>2001</b> , 2, 208-15	2.8	76
124	Spinal manipulative therapy-specific changes in pain sensitivity in individuals with low back pain (NCT01168999). <i>Journal of Pain</i> , <b>2014</b> , 15, 136-48	5.2	75
123	Body pain area and pain-related negative affect predict clinical pain intensity in patients with fibromyalgia. <i>Journal of Pain</i> , <b>2004</b> , 5, 338-43	5.2	75
122	Cutaneous C-fiber pain abnormalities of fibromyalgia patients are specifically related to temporal summation. <i>Pain</i> , <b>2008</b> , 139, 315-323	8	71
121	Psychophysical and neurochemical abnormalities of pain processing in fibromyalgia. <i>CNS Spectrums</i> , <b>2008</b> , 13, 12-7	1.8	69
120	Sex-related psychological predictors of baseline pain perception and analgesic responses to pentazocine. <i>Biological Psychology</i> , <b>2005</b> , 69, 97-112	3.2	65
119	The association of greater dispositional optimism with less endogenous pain facilitation is indirectly transmitted through lower levels of pain catastrophizing. <i>Journal of Pain</i> , <b>2013</b> , 14, 126-35	5.2	63
118	Is it all central sensitization? Role of peripheral tissue nociception in chronic musculoskeletal pain. <i>Current Rheumatology Reports</i> , <b>2010</b> , 12, 448-54	4.9	63

117	Slow temporal summation of pain for assessment of central pain sensitivity and clinical pain of fibromyalgia patients. <i>PLoS ONE</i> , <b>2014</b> , 9, e89086	3.7	60
116	Abnormal resting state functional connectivity in patients with chronic fatigue syndrome: an arterial spin-labeling fMRI study. <i>Magnetic Resonance Imaging</i> , <b>2016</b> , 34, 603-8	3.3	59
115	Fibromyalgia pain: do we know the source?. <i>Current Opinion in Rheumatology</i> , <b>2004</b> , 16, 157-63	5.3	58
114	Spatial summation of mechanically evoked muscle pain and painful aftersensations in normal subjects and fibromyalgia patients. <i>Pain</i> , <b>2007</b> , 130, 177-87	8	53
113	Heart rate variability as a biomarker of fibromyalgia syndrome. <i>Future Rheumatology</i> , <b>2008</b> , 3, 475-483		51
112	Abnormal Resting-State Functional Connectivity in Patients with Chronic Fatigue Syndrome: Results of Seed and Data-Driven Analyses. <i>Brain Connectivity</i> , <b>2016</b> , 6, 48-56	2.7	48
111	Temporal summation of heat pain in temporomandibular disorder patients. <i>Journal of Orofacial Pain</i> , <b>2009</b> , 23, 54-64		48
110	Temporal summation of pain as a prospective predictor of clinical pain severity in adults aged 45 years and older with knee osteoarthritis: ethnic differences. <i>Psychosomatic Medicine</i> , <b>2014</b> , 76, 302-10	3.7	45
109	Mechanical and heat hyperalgesia highly predict clinical pain intensity in patients with chronic musculoskeletal pain syndromes. <i>Journal of Pain</i> , <b>2012</b> , 13, 725-35	5.2	45
108	Abnormal pain modulation in patients with spatially distributed chronic pain: fibromyalgia. <i>Rheumatic Disease Clinics of North America</i> , <b>2009</b> , 35, 263-74	2.4	44
107	Autonomic dysfunction in fibromyalgia syndrome: postural orthostatic tachycardia. <i>Current Rheumatology Reports</i> , <b>2008</b> , 10, 463-6	4.9	44
106	Advanced continuous-contact heat pulse design for efficient temporal summation of second pain (windup). <i>Journal of Pain</i> , <b>2006</b> , 7, 575-82	5.2	44
105	fMRI of spinal and supra-spinal correlates of temporal pain summation in fibromyalgia patients. <i>Human Brain Mapping</i> , <b>2016</b> , 37, 1349-60	5.9	43
104	Spatial summation of heat pain within and across dermatomes in fibromyalgia patients and pain-free subjects. <i>Pain</i> , <b>2004</b> , 111, 342-350	8	43
103	Neural correlates of temporal summation of second pain in the human brainstem and spinal cord. <i>Human Brain Mapping</i> , <b>2015</b> , 36, 5038-50	5.9	41
102	Characteristics of electronic visual analogue and numerical scales for ratings of experimental pain in healthy subjects and fibromyalgia patients. <i>Pain</i> , <b>2008</b> , 140, 158-166	8	41
101	Mechanisms of acupuncture analgesia for clinical and experimental pain. <i>Expert Review of Neurotherapeutics</i> , <b>2006</b> , 6, 661-7	4.3	40
100	Cognitive behavioral treatments for insomnia and pain in adults with comorbid chronic insomnia and fibromyalgia: clinical outcomes from the SPIN randomized controlled trial. <i>Sleep</i> , <b>2019</b> , 42,	1.1	40

99	Effective connectivity among brain regions associated with slow temporal summation of C-fiber-evoked pain in fibromyalgia patients and healthy controls. <i>Journal of Pain</i> , <b>2012</b> , 13, 390-400	5.2	39
98	The important role of CNS facilitation and inhibition for chronic pain. <i>International Journal of Clinical Rheumatology</i> , <b>2013</b> , 8, 639-646	1.5	37
97	Pain variability in fibromyalgia is related to activity and rest: role of peripheral tissue impulse input. <i>Journal of Pain</i> , <b>2010</b> , 11, 1376-83	5.2	37
96	Future perspectives: pathogenesis of chronic muscle pain. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2007</b> , 21, 581-96	5.3	37
95	Perceived racial discrimination, but not mistrust of medical researchers, predicts the heat pain tolerance of African Americans with symptomatic knee osteoarthritis. <i>Health Psychology</i> , <b>2013</b> , 32, 1117-26	5.2	36
94	Peripheral and central mechanisms of fatigue in inflammatory and noninflammatory rheumatic diseases. <i>Current Rheumatology Reports</i> , <b>2012</b> , 14, 539-48	4.9	35
93	Chronic widespread pain and fibromyalgia: two sides of the same coin?. <i>Current Rheumatology Reports</i> , <b>2009</b> , 11, 433-6	4.9	35
92	Two novel mutations of SCN9A (Nav1.7) are associated with partial congenital insensitivity to pain. <i>European Journal of Pain</i> , <b>2011</b> , 15, 223-30	3.7	35
91	Treatment of fibromyalgia and its symptoms. <i>Expert Opinion on Pharmacotherapy</i> , <b>2007</b> , 8, 1629-42	4	34
90	Cytokine and immune system abnormalities in fibromyalgia and other central sensitivity syndromes. <i>Current Rheumatology Reviews</i> , <b>2015</b> , 11, 109-15	1.6	33
89	Fibromyalgia patients have reduced hippocampal volume compared with healthy controls. <i>Journal of Pain Research</i> , <b>2015</b> , 8, 47-52	2.9	31
88	Pain hypervigilance is associated with greater clinical pain severity and enhanced experimental pain sensitivity among adults with symptomatic knee osteoarthritis. <i>Annals of Behavioral Medicine</i> , <b>2014</b> , 48, 50-60	4.5	30
87	Physical performance and movement-evoked pain profiles in community-dwelling individuals at risk for knee osteoarthritis. <i>Experimental Gerontology</i> , <b>2017</b> , 98, 186-191	4.5	29
86	Attenuation of experimental pain by vibro-tactile stimulation in patients with chronic local or widespread musculoskeletal pain. <i>European Journal of Pain</i> , <b>2011</b> , 15, 836-42	3.7	29
85	Are patients with systemic lupus erythematosus at increased risk for fibromyalgia?. <i>Current Rheumatology Reports</i> , <b>2006</b> , 8, 430-5	4.9	29
84	Pain and Fatigue Variability Patterns Distinguish Subgroups of Fibromyalgia Patients. <i>Journal of Pain</i> , <b>2018</b> , 19, 372-381	5.2	28
83	Interhemispheric Dorsolateral Prefrontal Cortex Connectivity is Associated with Individual Differences in Pain Sensitivity in Healthy Controls. <i>Brain Connectivity</i> , <b>2016</b> , 6, 357-64	2.7	28
82	Pharmacological treatment of fibromyalgia syndrome: new developments. <i>Drugs</i> , <b>2010</b> , 70, 1-14	12.1	28

81	Accelerated aging in adults with knee osteoarthritis pain: consideration for frequency, intensity, time, and total pain sites. <i>Pain Reports</i> , <b>2017</b> , 2, e591	3.5	27
80	Comparison of machine classification algorithms for fibromyalgia: neuroimages versus self-report. <i>Journal of Pain</i> , <b>2015</b> , 16, 472-7	5.2	27
79	How should we use the visual analogue scale (VAS) in rehabilitation outcomes? II: Visual analogue scales as ratio scales: an alternative to the view of Kersten et al. <i>Journal of Rehabilitation Medicine</i> , <b>2012</b> , 44, 800-1; discussion 803-4	3.4	27
78	Predictors of Osteoarthritis Pain: the Importance of Resilience. <i>Current Rheumatology Reports</i> , <b>2017</b> , 19, 57	4.9	26
77	Disrupted sleep is associated with altered pain processing by sex and ethnicity in knee osteoarthritis. <i>Journal of Pain</i> , <b>2015</b> , 16, 478-90	5.2	25
76	Static and dynamic functional connectivity in patients with chronic fatigue syndrome: use of arterial spin labelling fMRI. <i>Clinical Physiology and Functional Imaging</i> , <b>2018</b> , 38, 128-137	2.4	25
75	Predictors of clinical pain in fibromyalgia: examining the role of sleep. <i>Journal of Pain</i> , <b>2012</b> , 13, 350-8	5.2	25
74	Placebo analgesia enhances descending pain-related effective connectivity: a dynamic causal modeling study of endogenous pain modulation. <i>Journal of Pain</i> , <b>2015</b> , 16, 760-8	5.2	23
73	The Role of Peripheral Input for Chronic Pain Syndromes like Fibromyalgia Syndrome. <i>Journal of Musculoskeletal Pain</i> , <b>2008</b> , 16, 67-74		21
72	Mechanisms of acupuncture analgesia: effective therapy for musculoskeletal pain?. <i>Current Rheumatology Reports</i> , <b>2007</b> , 9, 473-81	4.9	21
71	Continuous Descending Modulation of the Spinal Cord Revealed by Functional MRI. <i>PLoS ONE</i> , <b>2016</b> , 11, e0167317	3.7	21
70	Pain processing in the human brainstem and spinal cord before, during, and after the application of noxious heat stimuli. <i>Pain</i> , <b>2018</b> , 159, 2012-2020	8	20
69	Effectiveness of CAM therapy: understanding the evidence. <i>Rheumatic Disease Clinics of North America</i> , <b>2011</b> , 37, 9-17	2.4	20
68	Predictors of clinical pain intensity in patients with fibromyalgia syndrome. <i>Current Rheumatology Reports</i> , <b>2004</b> , 6, 281-6	4.9	20
67	Biomarkers for Musculoskeletal Pain Conditions: Use of Brain Imaging and Machine Learning. <i>Current Rheumatology Reports</i> , <b>2017</b> , 19, 5	4.9	19
66	Movement-evoked pain, physical function, and perceived stress: An observational study of ethnic/racial differences in aging non-Hispanic Blacks and non-Hispanic Whites with knee osteoarthritis. <i>Experimental Gerontology</i> , <b>2019</b> , 124, 110622	4.5	18
65	Evidence for sensitized fatigue pathways in patients with chronic fatigue syndrome. <i>Pain</i> , <b>2015</b> , 156, 750-759	8	17
64	Race/Ethnicity Moderates the Association Between Psychosocial Resilience and Movement-Evoked Pain in Knee Osteoarthritis. <i>ACR Open Rheumatology</i> , <b>2019</b> , 1, 16-25	3.5	16

63	Predictors of clinical pain intensity in patients with fibromyalgia syndrome. <i>Current Pain and Headache Reports</i> , <b>2005</b> , 9, 316-21	4.2	16
62	Influenza A-associated bronchiolitis obliterans organizing pneumonia mimicking Wegener's granulomatosis. <i>Rheumatology International</i> , <b>2001</b> , 20, 125-8	3.6	16
61	Cerebral blood flow and heart rate variability predict fatigue severity in patients with chronic fatigue syndrome. <i>Brain Imaging and Behavior</i> , <b>2019</b> , 13, 789-797	4.1	15
60	Novel method for assessing age-related differences in the temporal summation of pain. <i>Journal of Pain Research</i> , <b>2016</b> , 9, 195-205	2.9	12
59	Thermal temporal summation and decay of after-sensations in temporomandibular myofascial pain patients with and without comorbid fibromyalgia. <i>Journal of Pain Research</i> , <b>2016</b> , 9, 641-52	2.9	12
58	Measuring Treatment Outcomes in Comorbid Insomnia and Fibromyalgia: Concordance of Subjective and Objective Assessments. <i>Journal of Clinical Sleep Medicine</i> , <b>2016</b> , 12, 215-23	3.1	12
57	Resilience factors may buffer cellular aging in individuals with and without chronic knee pain. <i>Molecular Pain</i> , <b>2019</b> , 15, 1744806919842962	3.4	11
56	Role of Placebo Factors in Clinical Trials with Special Focus on Enrichment Designs. <i>Pain</i> , <b>2008</b> , 139, 479-480	4.8	11
55	Gray Matter Changes Following Cognitive Behavioral Therapy for Patients With Comorbid Fibromyalgia and Insomnia: A Pilot Study. <i>Journal of Clinical Sleep Medicine</i> , <b>2018</b> , 14, 1595-1603	3.1	11
54	Everyday Discrimination in Adults with Knee Pain: The Role of Perceived Stress and Pain Catastrophizing. <i>Journal of Pain Research</i> , <b>2020</b> , 13, 883-895	2.9	10
53	Cognitive-Motivational Influences on Health Behavior Change in Adults with Chronic Pain. <i>Pain Medicine</i> , <b>2016</b> , 17, 1079-1093	2.8	10
52	Methodological Considerations for the Temporal Summation of Second Pain. <i>Journal of Pain</i> , <b>2017</b> , 18, 1488-1495	5.2	10
51	Long-term outcome of fibromyalgia related to cervical spine injury is worse in women than in men. <i>Current Rheumatology Reports</i> , <b>2004</b> , 6, 259-60	4.9	9
50	Patient-centered outcome criteria for successful treatment of facial pain and fibromyalgia. <i>Journal of Orofacial Pain</i> , <b>2009</b> , 23, 47-53		9
49	Opioid use, pain intensity, age, and sleep architecture in patients with fibromyalgia and insomnia. <i>Pain</i> , <b>2019</b> , 160, 2086-2092	8	9
48	Task Related Cerebral Blood Flow Changes of Patients with Chronic Fatigue Syndrome: An Arterial Spin Labeling Study. <i>Fatigue: Biomedicine, Health and Behavior</i> , <b>2018</b> , 6, 63-79	2.3	8
47	Effects of milnacipran on clinical pain and hyperalgesia of patients with fibromyalgia: results of a 6-week randomized controlled trial. <i>Journal of Pain</i> , <b>2015</b> , 16, 750-9	5.2	7
46	Effect of cognitive behavioural therapy on sleep and opioid medication use in adults with fibromyalgia and insomnia. <i>Journal of Sleep Research</i> , <b>2020</b> , 29, e13020	5.8	7

45	Placebo Use in Pain Management: A Mechanism-Based Educational Intervention Enhances Placebo Treatment Acceptability. <i>Journal of Pain</i> , <b>2016</b> , 17, 257-69	5.2	7
44	Increased spatial dimensions of repetitive heat and cold stimuli in older women. <i>Pain</i> , <b>2017</b> , 158, 973-978		7
43	Importance of Measuring Placebo Factors in Complex Clinical Trials. <i>Pain</i> , <b>2008</b> , 138, 474	8	7
42	Progression of fibromyalgia: results from a 2-year observational fibromyalgia and chronic pain study in the US. <i>Journal of Pain Research</i> , <b>2016</b> , 9, 325-36	2.9	7
41	Pain intensity as a moderator of the association between opioid use and insomnia symptoms among adults with chronic pain. <i>Sleep Medicine</i> , <b>2018</b> , 52, 98-102	4.6	7
40	OPRM1, OPRK1, and COMT genetic polymorphisms associated with opioid effects on experimental pain: a randomized, double-blind, placebo-controlled study. <i>Pharmacogenomics Journal</i> , <b>2020</b> , 20, 471-481	3.5	6
39	Structural brain changes versus self-report: machine-learning classification of chronic fatigue syndrome patients. <i>Experimental Brain Research</i> , <b>2018</b> , 236, 2245-2253	2.3	6
38	Are tender point injections beneficial: the role of tonic nociception in fibromyalgia. <i>Current Pharmaceutical Design</i> , <b>2006</b> , 12, 23-7	3.3	6
37	Biopsychosocial influence on shoulder pain: Rationale and protocol for a pre-clinical trial. <i>Contemporary Clinical Trials</i> , <b>2017</b> , 56, 9-17	2.3	5
36	Mechanisms of fibromyalgia pain. <i>CNS Spectrums</i> , <b>2009</b> , 14, 4-5; discussion 12-4	1.8	5
35	Effects of manipulating the interstimulus interval on heat-evoked temporal summation of second pain across the age span. <i>Pain</i> , <b>2019</b> , 160, 95-101	8	4
34	Are cannabinoids a new treatment option for pain in patients with fibromyalgia?. <i>Nature Clinical Practice Rheumatology</i> , <b>2008</b> , 4, 348-9		4
33	Relationships Between Pain, Life Stress, Sociodemographics, and Cortisol: Contributions of Pain Intensity and Financial Satisfaction. <i>Chronic Stress</i> , <b>2020</b> , 4, 2470547020975758	3	4
32	Usefulness of Ramp & Hold Procedures for Testing of Pain Facilitation in Human Participants: Comparisons With Temporal Summation of Second Pain. <i>Journal of Pain</i> , <b>2020</b> , 21, 390-398	5.2	4
31	Resilience, pain, and the brain: Relationships differ by sociodemographics. <i>Journal of Neuroscience Research</i> , <b>2021</b> , 99, 1207-1235	4.4	4
30	Spinal cord neural activity of patients with fibromyalgia and healthy controls during temporal summation of pain: an fMRI study. <i>Journal of Neurophysiology</i> , <b>2021</b> , 126, 946-956	3.2	4
29	Functional brain connectivity of remembered fatigue or happiness in healthy adults: Use of arterial spin labeling. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2018</b> , 40, 224-233	2.1	3
28	Sleep is associated with task-negative brain activity in fibromyalgia participants with comorbid chronic insomnia. <i>Journal of Pain Research</i> , <b>2015</b> , 8, 819-27	2.9	3



27	Do past pain events systematically impact pain ratings of healthy subjects or fibromyalgia patients?. <i>Journal of Pain</i> , <b>2010</b> , 11, 142-8	5.2	3
26	New Insights into the Pathogenesis of Fibromyalgia Syndrome: Important Role of Peripheral and Central Pain Mechanisms. <i>Current Rheumatology Reviews</i> , <b>2007</b> , 3, 113-121	1.6	3
25	Muscle injections with lidocaine improve resting fatigue and pain in patients with chronic fatigue syndrome. <i>Journal of Pain Research</i> , <b>2017</b> , 10, 1477-1486	2.9	2
24	Discrepancies in sleep diary and actigraphy assessments in adults with fibromyalgia: Associations with opioid dose and age. <i>Journal of Sleep Research</i> , <b>2019</b> , 28, e12746	5.8	2
23	The overestimation of disease activity in patients with rheumatoid arthritis and concomitant fibromyalgia. <i>Current Rheumatology Reports</i> , <b>2009</b> , 11, 390-1; discussion 390	4.9	2
22	Acupuncture for chronic back pain. Alternative to conventional therapy?. <i>Current Rheumatology Reports</i> , <b>2005</b> , 7, 335-336	4.9	2
21	Pain relief for osteoarthritis through combined treatment (PROACT): Protocol for a randomized controlled trial of mindfulness meditation combined with transcranial direct current stimulation in non-Hispanic black and white adults with knee osteoarthritis. <i>Contemporary Clinical Trials</i> , <b>2020</b> , 98, 106159	2.3	2
20	Relationships Between Chronic Pain Stage, Cognition, Temporal Lobe Cortex, and Sociodemographic Variables. <i>Journal of Alzheimers Disease</i> , <b>2021</b> , 80, 1539-1551	4.3	2
19	Fibromyalgia Patients Are Not Only Hypersensitive to Painful Stimuli But Also to Acoustic Stimuli. <i>Journal of Pain</i> , <b>2021</b> , 22, 914-925	5.2	2
18	Dynamic daily associations between insomnia symptoms and alcohol use in adults with chronic pain. <i>Journal of Sleep Research</i> , <b>2018</b> , 27, e12604	5.8	1
17	Abnormal Pain Processing in Patients with Fibromyalgia Syndrome. <i>The Journal of Chronic Fatigue Syndrome: Multidisciplinary Innovations in Research and Clinical Practice</i> , <b>2004</b> , 12, 71-77		1
16	Protocol for the impact of CBT for insomnia on pain symptoms and central sensitisation in fibromyalgia: a randomised controlled trial. <i>BMJ Open</i> , <b>2020</b> , 10, e033760	3	1
15	A Mediation Appraisal of Catastrophizing, Pain-Related Outcomes, and Race in Adults With Knee Osteoarthritis. <i>Journal of Pain</i> , <b>2021</b> , 22, 1452-1466	5.2	1
14	Response to Wolfe. Letter to the Editor, "Fibromyalgia Criteria". <i>Journal of Pain</i> , <b>2019</b> , 20, 741-742	5.2	1
13	Sleep Discrepancy in Patients With Comorbid Fibromyalgia and Insomnia: Demographic, Behavioral, and Clinical Correlates. <i>Journal of Clinical Sleep Medicine</i> , <b>2018</b> , 14, 1911-1919	3.1	1
12	Neural activation changes in response to pain following cognitive behavioral therapy for patients with comorbid fibromyalgia and insomnia: a pilot study. <i>Journal of Clinical Sleep Medicine</i> , <b>2021</b> ,	3.1	1
11	Chronic Pain Severity and Sociodemographics: An Evaluation of the Neurobiological Interface. <i>Journal of Pain</i> , <b>2021</b> ,	5.2	1
10	Knee pain trajectories over 18 months in non-Hispanic Black and non-Hispanic White adults with or at risk for knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , <b>2021</b> , 22, 415	2.8	0

9	Sensory and Psychological Factors Predict Exercise-Induced Shoulder Injury Responses in a High-Risk Phenotype Cohort. <i>Journal of Pain</i> , <b>2021</b> , 22, 669-679	5.2	o
8	Objective Biomarkers or Symptom Scores for the Classification of Fibromyalgia Syndrome?. <i>Current Rheumatology Reviews</i> , <b>2013</b> , 8, 307-317	1.6	
7	Abnormalities of fibromyalgia pain processing: use of magnetic resonance spectroscopy as a window to the brain. <i>Current Rheumatology Reports</i> , <b>2008</b> , 10, 461-2	4.9	
6	REPRINTED WITH PERMISSION OF IASP [PAIN 160 (2019) 2086-2092: Opioid use, pain intensity, age, and sleep architecture in patients with fibromyalgia and insomnia. <i>BMC</i> <b>2020</b> , 21, 1-12		o
5	Preliminary evidence for small-fiber neuropathy in fibromyalgia patients. <i>Future Rheumatology</i> , <b>2008</b> , 3, 127-131		
4	The Senses Fibromyalgia <b>2020</b> , 770-779		
3	FIBROMYALGIA SYNDROME <b>2009</b> , 233-240		
2	Study Protocol Modeling Evoked Pain in Older African Americans With Knee Osteoarthritis. <i>Nursing Research</i> , <b>2021</b> , 70, 391-398	1.9	
1	Advances in the management of fibromyalgia: what is the state of the art?. <i>Expert Opinion on Pharmacotherapy</i> , <b>2022</b> , 1-11	4	