

Judd E Hollander

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3026480/judd-e-hollander-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

412
papers

22,601
citations

75
h-index

136
g-index

444
ext. papers

25,389
ext. citations

4
avg, IF

6.49
L-index

#	Paper	IF	Citations
412	Role of nursing in telehealth. <i>Nursing</i> , 2022 , 52, 42-46	0.5	
411	Telemedicine Research and Quality Assessment 2021 , 157-168		0
410	Patient Markers of Successful Diabetes Management. <i>Diabetes Spectrum</i> , 2021 , 34, 275-282	1.9	
409	Patient-important outcomes to inform shared decision making and goal setting for diabetes treatment. <i>Patient Education and Counseling</i> , 2021 , 104, 2592-2597	3.1	
408	Mistrust, Neighborhood Deprivation, and Telehealth Use in African Americans with Diabetes. <i>Population Health Management</i> , 2021 , 24, 699-700	1.8	3
407	Using Sex-specific Cutoffs for High-sensitivity Cardiac Troponin T to Diagnose Acute Myocardial Infarction. <i>Academic Emergency Medicine</i> , 2021 , 28, 463-466	3.4	1
406	Assessing the impact of medically tailored meals and medical nutrition therapy on type 2 diabetes: Protocol for Project MiNT. <i>Contemporary Clinical Trials</i> , 2021 , 108, 106511	2.3	0
405	Echocardiographic assessment of insulin-like growth factor binding protein-7 and early identification of acute heart failure. <i>ESC Heart Failure</i> , 2020 , 7, 1664-1675	3.7	6
404	A randomized clinical trial of a collaborative home-based diabetes intervention to reduce emergency department visits and hospitalizations in black individuals with diabetes. <i>Contemporary Clinical Trials</i> , 2020 , 95, 106069	2.3	2
403	"I had no other choice but to catch it too": the roles of family history and experiences with diabetes in illness representations. <i>BMC Endocrine Disorders</i> , 2020 , 20, 95	3.3	1
402	The 99th percentile upper reference limit for the 5th generation cardiac troponin T assay in the United States. <i>Clinica Chimica Acta</i> , 2020 , 504, 172-179	6.2	5
401	Risk Stratification of Older Adults Who Present to the Emergency Department With Syncope: The FAINT Score. <i>Annals of Emergency Medicine</i> , 2020 , 75, 147-158	2.1	22
400	Accuracy of Patient Reported Stone Passage for Patients With Acute Renal Colic Treated in the Emergency Department. <i>Urology</i> , 2020 , 136, 70-74	1.6	4
399	Frequency of Abnormal and Critical Laboratory Results in Older Patients Presenting to the Emergency Department With Syncope. <i>Academic Emergency Medicine</i> , 2020 , 27, 161-164	3.4	4
398	Impact of Emergency Department Tele-intake on Left Without Being Seen and Throughput Metrics. <i>Academic Emergency Medicine</i> , 2020 , 27, 139-147	3.4	26
397	The Accuracy of Interqual Criteria in Determining the Observation versus Inpatient Status in Older Adults with Syncope. <i>Journal of Emergency Medicine</i> , 2020 , 59, 193-200	1.5	1
396	Biomarkers Enhance Discrimination and Prognosis of Type 2 Myocardial Infarction. <i>Circulation</i> , 2020 , 142, 1532-1544	16.7	14

395	Hospital Telehealth Adoption Increased in 2014 and 2015 and Was Influenced by Population, Hospital, and Policy Characteristics. <i>Telemedicine Journal and E-Health</i> , 2020 , 26, 455-461	5.9	4
394	Analytical performance evaluation of the Elecsys [®] Troponin T Gen 5 STAT assay. <i>Clinica Chimica Acta</i> , 2019 , 495, 522-528	6.2	11
393	Clinical Benefit of Hospitalization for Older Adults With Unexplained Syncope: A Propensity-Matched Analysis. <i>Annals of Emergency Medicine</i> , 2019 , 74, 260-269	2.1	10
392	Eliciting patient-important outcomes through group brainstorming: when is saturation reached?. <i>Journal of Patient-Reported Outcomes</i> , 2019 , 3, 9	2.6	1
391	The power of the group: comparison of interviews and group concept mapping for identifying patient-important outcomes of care. <i>BMC Medical Research Methodology</i> , 2019 , 19, 7	4.7	15
390	Orthostatic vital signs do not predict 30 day serious outcomes in older emergency department patients with syncope: A multicenter observational study. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 2215-2223	2.9	3
389	Do High-sensitivity Troponin and Natriuretic Peptide Predict Death or Serious Cardiac Outcomes After Syncope?. <i>Academic Emergency Medicine</i> , 2019 , 26, 528-538	3.4	9
388	Recurrent syncope is not an independent risk predictor for future syncopal events or adverse outcomes. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 869-872	2.9	3
387	On-demand synchronous audio video telemedicine visits are cost effective. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 890-894	2.9	34
386	QTc prolongation as a marker of 30-day serious outcomes in older patients with syncope presenting to the Emergency Department. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 685-689	2.9	3
385	Copeptin to rule out myocardial infarction in Blacks versus Caucasians. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 395-403	4.3	3
384	Highly Elevated Quantitative D-Dimer Assay Values Increase the Likelihood of Venous Thromboembolism. <i>TH Open</i> , 2019 , 3, e2-e9	2.7	3
383	Presurgical Assessment Using Telemedicine Technology: Impact on Efficiency, Effectiveness, and Patient Experience of Care. <i>Telemedicine Journal and E-Health</i> , 2019 , 25, 137-142	5.9	39
382	The role of atrial fibrillation in the short-term outcomes of patients with acute heart failure. <i>Clinical Research in Cardiology</i> , 2019 , 108, 622-633	6.1	5
381	Quality Assurance in Telehealth: Adherence to Evidence-Based Indicators. <i>Telemedicine Journal and E-Health</i> , 2019 , 25, 599-603	5.9	16
380	Comparison of 30-Day Serious Adverse Clinical Events for Elderly Patients Presenting to the Emergency Department With Near-Syncope Versus Syncope. <i>Annals of Emergency Medicine</i> , 2019 , 73, 274-280	2.1	6
379	International, multicenter evaluation of a new D-dimer assay for the exclusion of venous thromboembolism using standard and age-adjusted cut-offs. <i>Thrombosis Research</i> , 2018 , 166, 63-70	8.2	13
378	ECG Predictors of Cardiac Arrhythmias in Older Adults With Syncope. <i>Annals of Emergency Medicine</i> , 2018 , 71, 452-461.e3	2.1	15

377	Outcomes of Patients With Syncope and Suspected Dementia. <i>Academic Emergency Medicine</i> , 2018 , 25, 880	3.4	1
376	For Low-Risk Patients With Suspected Acute Coronary Syndrome, Should Urgent (72-hours) Non-Invasive Cardiac Testing Be Performed After Biomarker Exclusion of Acute Myocardial Infarction. <i>Annals of Emergency Medicine</i> , 2018 , 71, 464-465	2.1	2
375	N-Terminal Pro-B-Type Natriuretic Peptide in the Emergency Department: The ICON-RELOADED Study. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 1191-1200	15.1	72
374	Effectiveness of a Decision Aid in Potentially Vulnerable Patients: A Secondary Analysis of the Chest Pain Choice Multicenter Randomized Trial. <i>Medical Decision Making</i> , 2018 , 38, 69-78	2.5	6
373	The BRONCH-AHF study: effects on short-term outcome of nebulized bronchodilators in emergency department patients diagnosed with acute heart failure. <i>European Journal of Heart Failure</i> , 2018 , 20, 822-826	12.3	2
372	Evaluation of Chest Pain and Acute Coronary Syndromes. <i>Cardiology Clinics</i> , 2018 , 36, 1-12	2.5	14
371	Initial Experience with Telemedicine at a Single Institution. <i>Urology Practice</i> , 2018 , 5, 367-371	0.8	10
370	Age- and sex-based resource utilisation and costs in patients with acute chest pain undergoing cardiac CT angiography: pooled evidence from ROMICAT II and ACRIN-PA trials. <i>European Radiology</i> , 2018 , 28, 851-860	8	7
369	Effect of Tamsulosin on Passage of Symptomatic Ureteral Stones: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2018 , 178, 1051-1057	11.5	41
368	Patient and Health System Experience With Implementation of an Enterprise-Wide Telehealth Scheduled Video Visit Program: Mixed-Methods Study. <i>JMIR Medical Informatics</i> , 2018 , 6, e10	3.6	40
367	Integrating Telehealth Emergency Department Follow-up Visits into Residency Training. <i>Cureus</i> , 2018 , 10, e2433	1.2	8
366	Impact of a Shared Decision Making Intervention on Health Care Utilization: A Secondary Analysis of the Chest Pain Choice Multicenter Randomized Trial. <i>Academic Emergency Medicine</i> , 2018 , 25, 293-300 ^{3,4}	3.4	7
365	Efficacy of High-Sensitivity Troponin T in Identifying Very-Low-Risk Patients With Possible Acute Coronary Syndrome. <i>JAMA Cardiology</i> , 2018 , 3, 104-111	16.2	69
364	Framework to Advance Oncology-Related Telehealth. <i>JCO Clinical Cancer Informatics</i> , 2018 , 2, 1-11	5.2	10
363	Challenges And Opportunities Faced By Large Health Systems Implementing Telehealth. <i>Health Affairs</i> , 2018 , 37, 1955-1959	7	28
362	Is there a clinically meaningful difference in patient reported dyspnea in acute heart failure? An analysis from URGENT Dyspnea. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017 , 46, 300-307	2.6	8
361	Impact of Coronary Calcification on Clinical Management in Patients With Acute Chest Pain. <i>Circulation: Cardiovascular Imaging</i> , 2017 , 10,	3.9	12
360	Patient Perceptions of Telehealth Primary Care Video Visits. <i>Annals of Family Medicine</i> , 2017 , 15, 225-229.9	2.9	190

359	Clinical risk factors alone are inadequate for predicting significant coronary artery disease. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 309-316	2.8	4
358	Gender, race and the presentation of acute coronary syndrome and serious cardiopulmonary diagnoses in ED patients with chest pain. <i>Emergency Medicine Journal</i> , 2017 , 34, 653-658	1.5	3
357	βBlockers, Cocaine, and the Unopposed βStimulation Phenomenon. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2017 , 22, 239-249	2.6	33
356	Design and challenges of a randomized clinical trial of medical expulsive therapy (tamsulosin) for urolithiasis in the emergency department. <i>Contemporary Clinical Trials</i> , 2017 , 52, 91-94	2.3	6
355	R-SCAN: Cardiac CT Angiography for Acute Chest Pain. <i>Journal of the American College of Radiology</i> , 2017 , 14, 1212-1214	3.5	2
354	Disposition of emergency department patients diagnosed with acute heart failure: an international emergency medicine perspective. <i>European Journal of Emergency Medicine</i> , 2017 , 24, 2-12	2.3	50
353	Impact of Coronary Computed Tomography Angiography Findings on Initiation of Cardioprotective Medications. <i>Circulation</i> , 2017 , 136, 2195-2197	16.7	6
352	Necessity of hospitalization and stress testing in low risk chest pain patients. <i>American Journal of Emergency Medicine</i> , 2017 , 35, 274-280	2.9	3
351	Minimizing Attrition for Multisite Emergency Care Research. <i>Academic Emergency Medicine</i> , 2017 , 24, 458-466	3.4	11
350	Costs of hospital visits among patients with deep vein thrombosis treated with rivaroxaban and LMWH/warfarin. <i>Journal of Medical Economics</i> , 2016 , 19, 84-90	2.4	16
349	Serial sampling of copeptin levels improves diagnosis and risk stratification in patients presenting with chest pain: results from the CHOPIN trial. <i>Emergency Medicine Journal</i> , 2016 , 33, 23-9	1.5	8
348	State-of-the-Art Evaluation of Emergency Department Patients Presenting With Potential Acute Coronary Syndromes. <i>Circulation</i> , 2016 , 134, 547-64	16.7	53
347	The Effect of Total Household Decolonization on Clearance of Colonization With Methicillin-Resistant Staphylococcus aureus. <i>Infection Control and Hospital Epidemiology</i> , 2016 , 37, 1226-33		11
346	The 2016 Academic Emergency Medicine Consensus Conference, "Shared Decision Making in the Emergency Department: Development of a Policy-relevant Patient-centered Research Agenda" Diagnostic Testing Breakout Session Report. <i>Academic Emergency Medicine</i> , 2016 , 23, 1354-1361	3.4	7
345	Shared decision making in patients with low risk chest pain: prospective randomized pragmatic trial. <i>BMJ, The</i> , 2016 , 355, i6165	5.9	75
344	Clinical and Research Considerations for Patients With Hypertensive Acute Heart Failure: A Consensus Statement from the Society of Academic Emergency Medicine and the Heart Failure Society of America Acute Heart Failure Working Group. <i>Journal of Cardiac Failure</i> , 2016 , 22, 618-27	3.3	1
343	Managing Troponin Testing. <i>Annals of Emergency Medicine</i> , 2016 , 68, 690-694	2.1	6
342	2015 ACR/ACC/AHA/AATS/ACEP/ASNC/NASCI/SAEM/SCCT/SCMR/SCPC/SNMMI/STR/STS Appropriate Utilization of Cardiovascular Imaging in Emergency Department Patients With Chest Pain: A Joint Document of the American College of Radiology Appropriateness Criteria Committee and the American College of Cardiology Appropriate Use Criteria Task Force. <i>Journal of the American College of Radiology</i> , 2016 , 13, e1-e29	3.5	24

341	Coronary Computed Tomography Angiography Versus Traditional Care: Comparison of One-Year Outcomes and Resource Use. <i>Annals of Emergency Medicine</i> , 2016 , 67, 460-468.e1	2.1	17
340	Can a Point-of-Care Troponin I Assay be as Good as a Central Laboratory Assay? A MIDAS Investigation. <i>Annals of Laboratory Medicine</i> , 2016 , 36, 405-12	3.1	12
339	Reliability of Clinical Assessments in Older Adults With Syncope or Near Syncope. <i>Academic Emergency Medicine</i> , 2016 , 23, 1014-21	3.4	7
338	Clinical and Research Considerations for Patients With Hypertensive Acute Heart Failure: A Consensus Statement from the Society for Academic Emergency Medicine and the Heart Failure Society of America Acute Heart Failure Working Group. <i>Academic Emergency Medicine</i> , 2016 , 23, 922-31	3.4	7
337	Comparison of the HEART and TIMI Risk Scores for Suspected Acute Coronary Syndrome in the Emergency Department. <i>Critical Pathways in Cardiology</i> , 2016 , 15, 1-5	1.3	28
336	Association of Early Stress Testing with Outcomes for Emergency Department Evaluation of Suspected Acute Coronary Syndrome. <i>Critical Pathways in Cardiology</i> , 2016 , 15, 60-8	1.3	5
335	"I'm Just a Patient": Fear and Uncertainty as Drivers of Emergency Department Use in Patients With Chronic Disease. <i>Annals of Emergency Medicine</i> , 2016 , 68, 536-543	2.1	45
334	Rate Control in Atrial Fibrillation. <i>Contemporary Cardiology</i> , 2016 , 67-77	0.1	
333	Cardiac CT angiography in the emergency department. <i>American Journal of Roentgenology</i> , 2015 , 204, 463-74	5.4	22
332	Early management of patients with acute heart failure: state of the art and future directions--a consensus document from the SAEM/HFSA acute heart failure working group. <i>Academic Emergency Medicine</i> , 2015 , 22, 94-112	3.4	30
331	Return visits to the emergency department: the patient perspective. <i>Annals of Emergency Medicine</i> , 2015 , 65, 377-386.e3	2.1	75
330	IFCC educational materials on selected analytical and clinical applications of high sensitivity cardiac troponin assays. <i>Clinical Biochemistry</i> , 2015 , 48, 201-3	3.5	158
329	Early management of patients with acute heart failure: state of the art and future directions. A consensus document from the society for academic emergency medicine/heart failure society of America acute heart failure working group. <i>Journal of Cardiac Failure</i> , 2015 , 21, 27-43	3.3	55
328	Risk factors for recurrent colonization with methicillin-resistant <i>Staphylococcus aureus</i> in community-dwelling adults and children. <i>Infection Control and Hospital Epidemiology</i> , 2015 , 36, 786-93	2	12
327	Midregional proadrenomedullin predicts mortality and major adverse cardiac events in patients presenting with chest pain: results from the CHOPIN trial. <i>Academic Emergency Medicine</i> , 2015 , 22, 554-63	3.4	10
326	Performance of the 2-hour accelerated diagnostic protocol within the American College of Radiology Imaging Network PA 4005 cohort. <i>Academic Emergency Medicine</i> , 2015 , 22, 452-60	3.4	10
325	Duration of Colonization and Determinants of Earlier Clearance of Colonization With Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Clinical Infectious Diseases</i> , 2015 , 60, 1489-96	11.6	33
324	Safety of a rapid diagnostic protocol with accelerated stress testing. <i>American Journal of Emergency Medicine</i> , 2014 , 32, 124-8	2.9	4

323	Improving the 510(k) FDA process for cardiac troponin assays: in search of common ground. <i>Clinical Chemistry</i> , 2014 , 60, 1273-5	5.5	14
322	Effectiveness of the Chest Pain Choice decision aid in emergency department patients with low-risk chest pain: study protocol for a multicenter randomized trial. <i>Trials</i> , 2014 , 15, 166	2.8	21
321	SCCT guidelines on the use of coronary computed tomographic angiography for patients presenting with acute chest pain to the emergency department: a report of the Society of Cardiovascular Computed Tomography Guidelines Committee. <i>Journal of Cardiovascular Computed Tomography</i> , 2014 , 8, 254-71	2.8	95
320	Gender-specific Regulatory Challenges to Product Approval: a panel discussion. <i>Academic Emergency Medicine</i> , 2014 , 21, 1334-8	3.4	2
319	Gender-specific research for emergency diagnosis and management of ischemic heart disease: proceedings from the 2014 Academic Emergency Medicine Consensus Conference Cardiovascular Research Workgroup. <i>Academic Emergency Medicine</i> , 2014 , 21, 1350-60	3.4	28
318	1336A Randomized Controlled Trial of the Effect of Total Household Decolonization on Termination of Colonization with Methicillin-Resistant Staphylococcus aureus. <i>Open Forum Infectious Diseases</i> , 2014 , 1, S57-S57	1	1
317	Patient returns to the emergency department: the time-to-return curve. <i>Academic Emergency Medicine</i> , 2014 , 21, 864-71	3.4	79
316	Assessment of dyspnea early in acute heart failure: patient characteristics and response differences between likert and visual analog scales. <i>Academic Emergency Medicine</i> , 2014 , 21, 659-66	3.4	23
315	The effect of postinjury depression on quality of life following minor injury. <i>Journal of Nursing Scholarship</i> , 2014 , 46, 116-24	3.6	15
314	Age-related differences in biomarkers of acute inflammation during hospitalization for sepsis. <i>Shock</i> , 2014 , 42, 99-107	3.4	12
313	Copeptin helps in the early detection of patients with acute myocardial infarction: primary results of the CHOPIN trial (Copeptin Helps in the early detection Of Patients with acute myocardial INfarction). <i>Journal of the American College of Cardiology</i> , 2013 , 62, 150-160	15.1	127
312	Central versus local adjudication of myocardial infarction in a cardiac biomarker trial. <i>American Heart Journal</i> , 2013 , 165, 273-279.e1	4.9	14
311	Triple rule-out computed tomographic angiography for chest pain: a diagnostic systematic review and meta-analysis. <i>Academic Emergency Medicine</i> , 2013 , 20, 861-71	3.4	40
310	What is an acceptable risk of major adverse cardiac event in chest pain patients soon after discharge from the Emergency Department?: a clinical survey. <i>International Journal of Cardiology</i> , 2013 , 166, 752-4	3.2	235
309	ED administration of thienopyridines in non-ST-segment elevation myocardial infarction: results from the NCDR. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 1005-11	2.9	3
308	The association between self-reported exercise intensity and acute coronary syndrome in emergency department chest pain patients. <i>Journal of Emergency Medicine</i> , 2013 , 44, 17-22	1.5	2
307	Myeloperoxidase and C-reactive protein in patients with cocaine-associated chest pain. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 664-9	2.9	2
306	Identifying patients for early discharge: performance of decision rules among patients with acute chest pain. <i>International Journal of Cardiology</i> , 2013 , 168, 795-802	3.2	104

305	2013 ACCF/AHA key data elements and definitions for measuring the clinical management and outcomes of patients with acute coronary syndromes and coronary artery disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on clinical data	15.1	81
304	2013 ACCF/AHA key data elements and definitions for measuring the clinical management and outcomes of patients with acute coronary syndromes and coronary artery disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Acute Coronary Syndromes and Coronary Artery Disease	16.7	111
303	Relationship between renal dysfunction and outcomes in emergency department patients with potential acute coronary syndromes. <i>Emergency Medicine Journal</i> , 2013 , 30, 101-5	1.5	3
302	HEART score to further risk stratify patients with low TIMI scores. <i>Critical Pathways in Cardiology</i> , 2013 , 12, 1-5	1.3	32
301	2013 ACCF/AHA key data elements and definitions for measuring the clinical management and outcomes of patients with acute coronary syndromes and coronary artery disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Acute Coronary Syndromes and Coronary Artery Disease	1.3	14
300	Relationship between body mass index and prognosis of patients presenting with potential acute coronary syndromes. <i>Academic Emergency Medicine</i> , 2013 , 20, 904-10	3.4	5
299	Incremental value of objective cardiac testing in addition to physician impression and serial contemporary troponin measurements in women. <i>Academic Emergency Medicine</i> , 2013 , 20, 265-70	3.4	8
298	Sex preferences in cardiovascular testing: the contribution of the patient-physician discussion. <i>Academic Emergency Medicine</i> , 2013 , 20, 680-8	3.4	17
297	Lack of sex disparity in cardiovascular testing after coronary computerized tomographic angiography. <i>Academic Emergency Medicine</i> , 2012 , 19, 147-52	3.4	2
296	Is it prime time for "rapid comprehensive cardiopulmonary imaging" in the emergency department?. <i>Cardiology Clinics</i> , 2012 , 30, 523-32	2.5	
295	CT angiography for safe discharge of patients with possible acute coronary syndromes. <i>New England Journal of Medicine</i> , 2012 , 366, 1393-403	59.2	511
294	Diagnostic accuracy of a point-of-care troponin I assay for acute myocardial infarction within 3 hours after presentation in early presenters to the emergency department with chest pain. <i>American Heart Journal</i> , 2012 , 163, 74-80.e4	4.9	41
293	Implications of 25% to 50% coronary stenosis with cardiac computed tomographic angiography in ED patients. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 597-605	2.9	10
292	Stress testing in young low-risk patients with potential acute coronary syndromes. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 639-42	2.9	12
291	Medications from the web: use of online pharmacies by emergency department patients. <i>Journal of Emergency Medicine</i> , 2012 , 42, 227-32	1.5	20
290	Standardized reporting criteria for studies evaluating suspected acute heart failure syndromes in the emergency department. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 822-32	15.1	3
289	Coronary artery disease progression in patients without significant stenosis on coronary computed tomographic angiography. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 2015-20	2.9	3
288	Drotrecogin alfa (activated) in septic shock. <i>New England Journal of Medicine</i> , 2012 , 367, 968; author reply 969	59.2	4

287	Observation units: cost saving through cost shifting. <i>Health Affairs</i> , 2012 , 31, 2829; author reply 2830	7	1
286	Volume Assessment in the Emergency Department. <i>Contemporary Cardiology</i> , 2012 , 113-124	0.1	
285	Myeloperoxidase in the diagnosis of acute coronary syndromes: the importance of spectrum. <i>American Heart Journal</i> , 2011 , 162, 893-9	4.9	17
284	Outcomes associated with small changes in normal-range cardiac markers. <i>American Journal of Emergency Medicine</i> , 2011 , 29, 162-7	2.9	5
283	Young patients with chest pain: 1-year outcomes. <i>American Journal of Emergency Medicine</i> , 2011 , 29, 265-70	2.9	21
282	Relationship between cocaine use and coronary artery disease in patients with symptoms consistent with an acute coronary syndrome. <i>Academic Emergency Medicine</i> , 2011 , 18, 1-9	3.4	26
281	Medication history taking in emergency department triage is inaccurate and incomplete. <i>Academic Emergency Medicine</i> , 2011 , 18, 102-4	3.4	33
280	Relationship between B-type natriuretic peptide and adverse outcome in patients with clinical evidence of sepsis presenting to the emergency department. <i>Academic Emergency Medicine</i> , 2011 , 18, 219-22	3.4	27
279	Predictors of 30-day cardiovascular events in patients with prior percutaneous coronary intervention or coronary artery bypass grafting. <i>Academic Emergency Medicine</i> , 2011 , 18, 613-8	3.4	2
278	CTA and Cocaine-associated Chest Pain. <i>Academic Emergency Medicine</i> , 2011 , 18, 772-773	3.4	
277	Does coronary artery calcium scoring add to the predictive value of coronary computed tomography angiography for adverse cardiovascular events in low-risk chest pain patients?. <i>Academic Emergency Medicine</i> , 2011 , 18, 1065-71	3.4	18
276	Evaluation of a novel wound closure device: a multicenter randomized controlled trial. <i>Academic Emergency Medicine</i> , 2011 , 18, 1060-4	3.4	6
275	Relationship between pain severity and outcomes in patients presenting with potential acute coronary syndromes. <i>Annals of Emergency Medicine</i> , 2011 , 58, 501-7	2.1	19
274	The time dependence of antithrombin initiation in patients with non-ST-segment elevation acute coronary syndromes: subgroup analysis from the ACUITY trial. <i>Annals of Emergency Medicine</i> , 2011 , 57, 204-212.e1-6	2.1	1
273	Sex bias in cardiovascular testing: the contribution of patient preference. <i>Annals of Emergency Medicine</i> , 2011 , 57, 551-560.e4	2.1	21
272	Comparison of cardiac risk scores in ED patients with potential acute coronary syndrome. <i>Critical Pathways in Cardiology</i> , 2011 , 10, 64-8	1.3	23
271	The effect of emergency department crowding on length of stay and medication treatment times in discharged patients with acute asthma. <i>Academic Emergency Medicine</i> , 2010 , 17, 834-9	3.4	52
270	Defining and measuring successful emergency care networks: a research agenda. <i>Academic Emergency Medicine</i> , 2010 , 17, 1297-305	3.4	26

269	Comprehensive standardized data definitions for acute coronary syndrome research in emergency departments in Australasia. <i>EMA - Emergency Medicine Australasia</i> , 2010 , 22, 35-55	1.5	81
268	Diagnostic accuracy of the TIMI risk score in patients with chest pain in the emergency department: a meta-analysis. <i>Cmaj</i> , 2010 , 182, 1039-44	3.5	94
267	Response to Letter Regarding Article, Diagnosis of Acute Aortic Dissection by D-Dimer: The International Registry of Acute Aortic Dissection Substudy on Biomarkers (IRAD-Bio) Experience <i>Circulation</i> , 2010 , 121,	16.7	1
266	International variations in the clinical, diagnostic, and treatment characteristics of emergency department patients with acute heart failure syndromes. <i>European Journal of Heart Failure</i> , 2010 , 12, 1253-60	12.3	52
265	The impact of crowding on time until abdominal CT interpretation in emergency department patients with acute abdominal pain. <i>Postgraduate Medicine</i> , 2010 , 122, 75-81	3.7	28
264	National Heart, Lung, and Blood Institute working group on emergency department management of acute heart failure: research challenges and opportunities. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 343-51	15.1	64
263	Trends in boarding of admitted patients in US Emergency Departments 2003-2005. <i>Journal of Emergency Medicine</i> , 2010 , 39, 506-11	1.5	19
262	The effect of ED crowding on education. <i>American Journal of Emergency Medicine</i> , 2010 , 28, 217-20	2.9	17
261	Aspirin administration in ED patients who presented with undifferentiated chest pain: age, race, and sex effects. <i>American Journal of Emergency Medicine</i> , 2010 , 28, 318-24	2.9	5
260	The effect of physician risk tolerance and the presence of an observation unit on decision making for ED patients with chest pain. <i>American Journal of Emergency Medicine</i> , 2010 , 28, 771-9	2.9	100
259	Abdominal pain: a survey of clinically important outcomes for future research. <i>Canadian Journal of Emergency Medicine</i> , 2010 , 12, 485-90	0.6	7
258	Relation between thrombolysis in myocardial infarction risk score and one-year outcomes for patients presenting at the emergency department with potential acute coronary syndrome. <i>American Journal of Cardiology</i> , 2010 , 105, 441-4	3	15
257	Observed behaviors of subjects during informed consent for an emergency department study. <i>Annals of Emergency Medicine</i> , 2010 , 55, 9-14	2.1	17
256	Catheterization laboratory activation: more about the drawing than the balloons. <i>Annals of Emergency Medicine</i> , 2010 , 55, 431-3	2.1	3
255	Postdischarge adverse events for 1-day hospital admissions in older adults admitted from the emergency department. <i>Annals of Emergency Medicine</i> , 2010 , 56, 253-7	2.1	12
254	The diagnostic accuracy of plasma neutrophil gelatinase-associated lipocalin in the prediction of acute kidney injury in emergency department patients with suspected sepsis. <i>Annals of Emergency Medicine</i> , 2010 , 56, 52-59.e1	2.1	99
253	Summary of NIH Medical-Surgical Emergency Research Roundtable held on April 30 to May 1, 2009. <i>Annals of Emergency Medicine</i> , 2010 , 56, 522-37	2.1	23
252	Coronary artery calcium scoring: are the data rock solid?. <i>Annals of Emergency Medicine</i> , 2010 , 56, 230-2	2.1	1

251	Society of Chest Pain Centers recommendations for the evaluation and management of the observation stay acute heart failure patient-parts 1-6. <i>Acute Cardiac Care</i> , 2009 , 11, 3-42		37
250	Diagnosis of acute aortic dissection by D-dimer: the International Registry of Acute Aortic Dissection Substudy on Biomarkers (IRAD-Bio) experience. <i>Circulation</i> , 2009 , 119, 2702-7	16.7	227
249	Rapid Emergency Department Heart Failure Outpatients Trial (REDHOT II): a randomized controlled trial of the effect of serial B-type natriuretic peptide testing on patient management. <i>Circulation: Heart Failure</i> , 2009 , 2, 287-93	7.6	42
248	Impact of systemic hypertension on the diagnostic performance of B-type natriuretic peptide in patients with acute dyspnea. <i>American Journal of Cardiology</i> , 2009 , 104, 966-71	3	3
247	Coronary computerized tomography angiography for rapid discharge of low-risk patients with cocaine-associated chest pain. <i>Journal of Medical Toxicology</i> , 2009 , 5, 111-9	2.6	13
246	Racial disparities in emergency department length of stay for admitted patients in the United States. <i>Academic Emergency Medicine</i> , 2009 , 16, 403-10	3.4	85
245	The incremental benefit of a shortness-of-breath biomarker panel in emergency department patients with dyspnea. <i>Academic Emergency Medicine</i> , 2009 , 16, 488-94	3.4	7
244	Safety and efficacy of bivalirudin in high-risk patients admitted through the emergency department. <i>Academic Emergency Medicine</i> , 2009 , 16, 717-25	3.4	2
243	Use of a urine dipstick and brief clinical questionnaire to predict an abnormal serum creatinine in the emergency department. <i>Academic Emergency Medicine</i> , 2009 , 16, 699-703	3.4	4
242	The association between emergency department crowding and analgesia administration in acute abdominal pain patients. <i>Academic Emergency Medicine</i> , 2009 , 16, 603-8	3.4	88
241	The association between emergency department crowding and adverse cardiovascular outcomes in patients with chest pain. <i>Academic Emergency Medicine</i> , 2009 , 16, 617-25	3.4	210
240	One-year outcomes following coronary computerized tomographic angiography for evaluation of emergency department patients with potential acute coronary syndrome. <i>Academic Emergency Medicine</i> , 2009 , 16, 693-8	3.4	101
239	Emergency physician high pretest probability for acute coronary syndrome correlates with adverse cardiovascular outcomes. <i>Academic Emergency Medicine</i> , 2009 , 16, 740-8	3.4	21
238	Facilitating emergency care research networks: integration into the Clinical Translational and Science Award (CTSA) infrastructure. <i>Academic Emergency Medicine</i> , 2009 , 16, 1005-9	3.4	10
237	A multicenter randomized controlled trial comparing central laboratory and point-of-care cardiac marker testing strategies: the Disposition Impacted by Serial Point of Care Markers in Acute Coronary Syndromes (DISPO-ACS) trial. <i>Annals of Emergency Medicine</i> , 2009 , 53, 321-8	2.1	70
236	Coronary computed tomographic angiography for rapid discharge of low-risk patients with potential acute coronary syndromes. <i>Annals of Emergency Medicine</i> , 2009 , 53, 295-304	2.1	128
235	Interrater reliability and accuracy of clinicians and trained research assistants performing prospective data collection in emergency department patients with potential acute coronary syndrome. <i>Annals of Emergency Medicine</i> , 2009 , 54, 1-7	2.1	31
234	The 80-lead ECG: more expensive NSTEMI or Occult STEMI. <i>Annals of Emergency Medicine</i> , 2009 , 54, 789-90		

233	The rationale for an acute heart failure syndromes clinical trials network. <i>Journal of Cardiac Failure</i> , 2009 , 15, 467-74	3.3	20
232	How to write a manuscript. <i>Journal of Emergency Medicine</i> , 2009 , 36, 89-93	1.5	13
231	Combining Thrombolysis in Myocardial Infarction risk score and clear-cut alternative diagnosis for chest pain risk stratification. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 37-42	2.9	26
230	Hospitals with and without percutaneous coronary intervention capability: considerations for treating acute coronary syndromes. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 595-606	2.9	1
229	The association between physician risk tolerance and imaging use in abdominal pain. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 552-7	2.9	70
228	Expert consensus on treatment strategies in non-ST-segment elevation acute coronary syndromes in patients undergoing percutaneous coronary intervention--an evidence-based review of clinical trial results and treatment guidelines from an emergency medicine perspective: report on a roundtable discussion. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 500-9	2.9	2
227	Lack of association between left bundle-branch block and acute myocardial infarction in symptomatic ED patients. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 916-21	2.9	51
226	Highly sensitive troponins the answer or just more questions?. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 1173-5	15.1	10
225	Diagnosis of heart failure. <i>Heart Failure Clinics</i> , 2009 , 5, 25-35, vi	3.3	19
224	Non-ST-elevation myocardial infarction patients who present during off hours have higher risk profiles and are treated less aggressively, but their outcomes are not worse: a report from Can Rapid Risk Stratification of Unstable Angina Patients Suppress ADverse Outcomes with Early Treatment of the ACC/AHA Guidelines. <i>Circulation</i> , 2009 , 119, 1033-40	1.3	15
223	A prospective, multicenter derivation of a biomarker panel to assess risk of organ dysfunction, shock, and death in emergency department patients with suspected sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 96-104	1.4	173
222	Risk Stratification Using Scoring Systems 2009 , 115-124		
221	Illicit stimulant use in a United States heart failure population presenting to the emergency department (from the Acute Decompensated Heart Failure National Registry Emergency Module). <i>American Journal of Cardiology</i> , 2008 , 102, 1216-9	3	57
220	Antiplatelet therapy in acute coronary syndromes: the emergency physician's perspective. <i>Journal of Emergency Medicine</i> , 2008 , 35, 5-13	1.5	10
219	The cyanoacrylate topical skin adhesives. <i>American Journal of Emergency Medicine</i> , 2008 , 26, 490-6	2.9	161
218	Derivation of a clinical prediction rule for evaluating patients with abdominal pain and diarrhea. <i>American Journal of Emergency Medicine</i> , 2008 , 26, 450-3	2.9	8
217	Preferences for cardiac tests and procedures may partially explain sex but not race disparities. <i>American Journal of Emergency Medicine</i> , 2008 , 26, 545-50	2.9	16
216	Preliminary experience with the smooth muscle troponin-like protein, calponin, as a novel biomarker for diagnosing acute aortic dissection. <i>European Heart Journal</i> , 2008 , 29, 1439-45	9.5	65

215	Management of cocaine-associated chest pain and myocardial infarction: a scientific statement from the American Heart Association Acute Cardiac Care Committee of the Council on Clinical Cardiology. <i>Circulation</i> , 2008 , 117, 1897-907	16.7	276
214	Society of Chest Pain Centers Recommendations for the evaluation and management of the observation stay acute heart failure patient: a report from the Society of Chest Pain Centers Acute Heart Failure Committee. <i>Critical Pathways in Cardiology</i> , 2008 , 7, 83-6	1.3	34
213	Diagnostic accuracy of clinical prediction rules to exclude acute coronary syndrome in the emergency department setting: a systematic review. <i>Canadian Journal of Emergency Medicine</i> , 2008 , 10, 373-82	0.6	55
212	Design and rationale of the URGENT Dyspnea study: an international, multicenter, prospective study. <i>American Journal of Therapeutics</i> , 2008 , 15, 299-303	1	9
211	Low-severity musculoskeletal complaints evaluated in the emergency department. <i>Clinical Orthopaedics and Related Research</i> , 2008 , 466, 1987-95	2.2	13
210	Emergency department patient preferences for boarding locations when hospitals are at full capacity. <i>Annals of Emergency Medicine</i> , 2008 , 51, 9-12, 12.e1-3	2.1	49
209	Bronchodilator therapy in acute decompensated heart failure patients without a history of chronic obstructive pulmonary disease. <i>Annals of Emergency Medicine</i> , 2008 , 51, 25-34	2.1	49
208	Emergency department crowding is associated with poor care for patients with severe pain. <i>Annals of Emergency Medicine</i> , 2008 , 51, 1-5	2.1	398
207	2007 focused update to the ACC/AHA guidelines for the management of patients with ST-segment elevation myocardial infarction: implications for emergency department practice. <i>Annals of Emergency Medicine</i> , 2008 , 52, 344-355.e1	2.1	39
206	Risk stratification in women enrolled in the Acute Decompensated Heart Failure National Registry Emergency Module (ADHERE-EM). <i>Academic Emergency Medicine</i> , 2008 , 15, 151-8	3.4	22
205	Gender disparity in analgesic treatment of emergency department patients with acute abdominal pain. <i>Academic Emergency Medicine</i> , 2008 , 15, 414-8	3.4	152
204	Predictive value of T-wave abnormalities at the time of emergency department presentation in patients with potential acute coronary syndromes. <i>Academic Emergency Medicine</i> , 2008 , 15, 537-43	3.4	16
203	Actual financial comparison of four strategies to evaluate patients with potential acute coronary syndromes. <i>Academic Emergency Medicine</i> , 2008 , 15, 649-55	3.4	32
202	The effect of emergency department crowding on patient satisfaction for admitted patients. <i>Academic Emergency Medicine</i> , 2008 , 15, 825-31	3.4	238
201	Treatment strategies in non-ST-elevation acute coronary syndromes in patients undergoing percutaneous coronary intervention: an evidence-based review of clinical trial results and treatment guidelines: report on a roundtable discussion. <i>Journal of Interventional Cardiology</i> , 2008 , 21, 283-99	1.8	2
200	Optimal Strategies for Prehospital and Emergency Department Evaluation of Patients with STEMI. <i>Fundamental and Clinical Cardiology</i> , 2008 , 265-279		1
199	The impact of B-type natriuretic peptide in addition to troponin I, creatine kinase-MB, and myoglobin on the risk stratification of emergency department chest pain patients with potential acute coronary syndrome. <i>Annals of Emergency Medicine</i> , 2007 , 49, 153-63	2.1	23
198	The role of cardiac risk factor burden in diagnosing acute coronary syndromes in the emergency department setting. <i>Annals of Emergency Medicine</i> , 2007 , 49, 145-52, 152.e1	2.1	81

197	ST2 in emergency department chest pain patients with potential acute coronary syndromes. <i>Annals of Emergency Medicine</i> , 2007 , 50, 153-8, 158.e1	2.1	32
196	The emergency department crowding paradox: the longer you stay, the less care you get. <i>Annals of Emergency Medicine</i> , 2007 , 50, 497-9	2.1	29
195	The impact of emergency department crowding measures on time to antibiotics for patients with community-acquired pneumonia. <i>Annals of Emergency Medicine</i> , 2007 , 50, 510-6	2.1	220
194	Gender Bias in Cardiovascular Testing Persists after Adjustment for Presenting Characteristics and Cardiac Risk. <i>Academic Emergency Medicine</i> , 2007 , 14, 599-605	3.4	37
193	Elevated serum cardiac markers predict coronary artery disease in patients with a history of heart failure who present with chest pain: insights from the i*trACS registry. <i>Congestive Heart Failure</i> , 2007 , 13, 142-8		1
192	Computed tomography coronary angiography for rapid disposition of low-risk emergency department patients with chest pain syndromes. <i>Academic Emergency Medicine</i> , 2007 , 14, 112-6	3.4	62
191	Relationship between a clear-cut alternative noncardiac diagnosis and 30-day outcome in emergency department patients with chest pain. <i>Academic Emergency Medicine</i> , 2007 , 14, 210-5	3.4	26
190	Emergency department operational changes in response to pay-for-performance and antibiotic timing in pneumonia. <i>Academic Emergency Medicine</i> , 2007 , 14, 545-8	3.4	26
189	The elder patient with suspected acute coronary syndromes in the emergency department. <i>Academic Emergency Medicine</i> , 2007 , 14, 732-9	3.4	18
188	ED crowding is associated with variable perceptions of care compromise. <i>Academic Emergency Medicine</i> , 2007 , 14, 1176-81	3.4	61
187	TIMI risk score: does it work equally well in both males and females?. <i>Emergency Medicine Journal</i> , 2007 , 24, 471-4	1.5	25
186	Development and validation of a novel scar evaluation scale. <i>Plastic and Reconstructive Surgery</i> , 2007 , 120, 1892-1897	2.7	141
185	Survey study estimating surge capacity in trauma centers in the United States. <i>Journal of Trauma</i> , 2007 , 62, 1067; author reply 1067-8		
184	Psychiatric disorders in patients presenting to the Emergency Department for minor injury. <i>Nursing Research</i> , 2007 , 56, 275-82	1.9	21
183	Impact of a negative prior stress test on emergency physician disposition decision in ED patients with chest pain syndromes. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 39-44	2.9	11
182	Discordance between serum creatinine and creatinine clearance for identification of ED patients with abdominal pain at risk for contrast-induced nephropathy. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 268-72	2.9	24
181	Reperfusion strategies in the emergency treatment of ST-segment elevation myocardial infarction. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 353-66	2.9	18
180	The risk for acute coronary syndrome associated with atrial fibrillation among ED patients with chest pain syndromes. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 523-8	2.9	21

179	Emergency physicians do not use more resources to evaluate obese patients with acute abdominal pain. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 925-30	2.9	4
178	Application of the TIMI risk score in ED patients with cocaine-associated chest pain. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 1015-8	2.9	17
177	Does sex matter? Effect of screener sex in intimate partner violence screening. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 1047-50	2.9	3
176	When do patients need admission to a telemetry bed?. <i>Journal of Emergency Medicine</i> , 2007 , 33, 53-60	1.5	35
175	Gender bias in cardiovascular testing persists after adjustment for presenting characteristics and cardiac risk. <i>Academic Emergency Medicine</i> , 2007 , 14, 599-605	3.4	41
174	Evaluation and management of the patient who has cocaine-associated chest pain. <i>Cardiology Clinics</i> , 2006 , 24, 103-14	2.5	38
173	B-type natriuretic peptide (BNP) levels and ethnic disparities in perceived severity of heart failure: results from the Rapid Emergency Department Heart Failure Outpatient Trial (REDHOT) multicenter study of BNP levels and emergency department decision making in patients presenting with shortness of breath. <i>Journal of Cardiac Failure</i> , 2006 , 12, 281-5	3.3	18
172	Door-to-ECG time in patients with chest pain presenting to the ED. <i>American Journal of Emergency Medicine</i> , 2006 , 24, 1-7	2.9	58
171	National trends in ED lacerations between 1992 and 2002. <i>American Journal of Emergency Medicine</i> , 2006 , 24, 183-8	2.9	43
170	Impact of the history of congestive heart failure on the utility of B-type natriuretic peptide in the emergency diagnosis of heart failure: results from the Breathing Not Properly Multinational Study. <i>American Journal of Medicine</i> , 2006 , 119, 69.e1-11	2.4	15
169	How obesity affects the cut-points for B-type natriuretic peptide in the diagnosis of acute heart failure. Results from the Breathing Not Properly Multinational Study. <i>American Heart Journal</i> , 2006 , 151, 999-1005	4.9	205
168	Gray zone BNP levels in heart failure patients in the emergency department: results from the Rapid Emergency Department Heart Failure Outpatient Trial (REDHOT) multicenter study. <i>American Heart Journal</i> , 2006 , 151, 1006-11	4.9	50
167	Improving resource utilization in a teaching hospital: development of a nonteaching service for chest pain admissions. <i>Academic Medicine</i> , 2006 , 81, 432-5	3.9	28
166	Pay for performance for antibiotic timing in pneumonia: caveat emptor. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2006 , 32, 531-5	1.4	12
165	Prospective validation of the Thrombolysis in Myocardial Infarction Risk Score in the emergency department chest pain population. <i>Annals of Emergency Medicine</i> , 2006 , 48, 252-9	2.1	161
164	The impact of trauma activations on the care of emergency department patients with potential acute coronary syndromes. <i>Annals of Emergency Medicine</i> , 2006 , 48, 347-53	2.1	56
163	Discordant cardiac biomarkers: frequency and outcomes in emergency department patients with chest pain. <i>Annals of Emergency Medicine</i> , 2006 , 48, 660-5	2.1	17
162	The Internet Tracking Registry of Acute Coronary Syndromes (i*trACS): a multicenter registry of patients with suspicion of acute coronary syndromes reported using the standardized reporting guidelines for emergency department chest pain studies. <i>Annals of Emergency Medicine</i> , 2006 , 48, 666-77, 677.e1-8	2.1	88

161	Application of the TIMI risk score for unstable angina and non-ST elevation acute coronary syndrome to an unselected emergency department chest pain population. <i>Academic Emergency Medicine</i> , 2006 , 13, 13-8	3.4	190
160	The impact of a concurrent trauma alert evaluation on time to head computed tomography in patients with suspected stroke. <i>Academic Emergency Medicine</i> , 2006 , 13, 349-52	3.4	11
159	The influence of race and gender on time to initial electrocardiogram for patients with chest pain. <i>Academic Emergency Medicine</i> , 2006 , 13, 867-72	3.4	27
158	The association between emergency department crowding and hospital performance on antibiotic timing for pneumonia and percutaneous intervention for myocardial infarction. <i>Academic Emergency Medicine</i> , 2006 , 13, 873-8	3.4	180
157	Systematic delays in antibiotic administration in the emergency department for adult patients admitted with pneumonia. <i>Academic Emergency Medicine</i> , 2006 , 13, 939-45	3.4	23
156	Prognostic value of symptoms during a normal or nonspecific electrocardiogram in emergency department patients with potential acute coronary syndrome. <i>Academic Emergency Medicine</i> , 2006 , 13, 1034-9	3.4	14
155	Defining the outcomes of risk stratification studies of ED patients with chest pain: the marginal value of adding revascularization to the composite end point. <i>American Journal of Emergency Medicine</i> , 2005 , 23, 848-51	2.9	2
154	Impact of atrial fibrillation on the diagnostic performance of B-type natriuretic peptide concentration in dyspneic patients: an analysis from the breathing not properly multinational study. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 838-44	15.1	126
153	B-type natriuretic peptide and echocardiographic determination of ejection fraction in the diagnosis of congestive heart failure in patients with acute dyspnea. <i>Chest</i> , 2005 , 128, 21-9	5.3	57
152	Lack of utility of telemetry monitoring during transport to inpatient beds for identification of dysrhythmias for emergency department patients with potential and known acute coronary syndromes. <i>Critical Pathways in Cardiology</i> , 2005 , 4, 117-20	1.3	2
151	The financial burden of emergency department congestion and hospital crowding for chest pain patients awaiting admission. <i>Annals of Emergency Medicine</i> , 2005 , 45, 110-7	2.1	112
150	Predictors of elevated B-type natriuretic peptide concentrations in dyspneic patients without heart failure: an analysis from the breathing not properly multinational study. <i>Annals of Emergency Medicine</i> , 2005 , 45, 573-80	2.1	73
149	Images in emergency medicine. Synypnea. <i>Annals of Emergency Medicine</i> , 2005 , 46, 469	2.1	2
148	Practical implementation of the Guidelines for Unstable Angina/Non-ST-Segment Elevation Myocardial Infarction in the emergency department. <i>Annals of Emergency Medicine</i> , 2005 , 46, 185-97	2.1	55
147	Performance of a population-based cardiac risk stratification tool in Asian patients with chest pain. <i>Academic Emergency Medicine</i> , 2005 , 12, 423-30	3.4	14
146	Evaluation of a Clinical Decision Rule for Young Adult Patients with Chest Pain. <i>Academic Emergency Medicine</i> , 2005 , 12, 26-31	3.4	39
145	Thoughts from the Program Committee Chair. <i>Academic Emergency Medicine</i> , 2005 , 12, 4-5	3.4	1
144	Sexual dysfunction and cardiac risk (the Second Princeton Consensus Conference). <i>American Journal of Cardiology</i> , 2005 , 96, 313-21	3	216

143	B-type natriuretic peptide levels in patients in the emergency department with possible heart failure and previous stable angina pectoris and/or healed myocardial infarction. <i>American Journal of Cardiology</i> , 2005 , 96, 1370-3	3	1
142	Emergency department considerations regarding erectile dysfunction. <i>American Journal of Cardiology</i> , 2005 , 96, 73M-75M	3	1
141	Sexual dysfunction and cardiac risk (the Second Princeton Consensus Conference). <i>American Journal of Cardiology</i> , 2005 , 96, 85M-93M	3	99
140	Pretest probability assessment derived from attribute matching. <i>BMC Medical Informatics and Decision Making</i> , 2005 , 5, 26	3.6	82
139	Relationship of B-type natriuretic peptide and anemia in patients with and without heart failure: a substudy from the Breathing Not Properly (BNP) Multinational Study. <i>American Journal of Hematology</i> , 2005 , 80, 174-80	7.1	45
138	Cognitive therapy for the prevention of suicide attempts: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 563-70	27.4	660
137	Outcome of travelers who refuse transport after emergency medical services evaluation at an international airport. <i>Prehospital Emergency Care</i> , 2005 , 9, 434-8	2.8	4
136	Practical implementation of the guidelines for unstable angina/non-ST-segment elevation myocardial infarction in the emergency department: a scientific statement from the American Heart Association Council on Clinical Cardiology (Subcommittee on Acute Cardiac Care), Council on Cardiovascular Nursing, and Quality of Care and Outcomes Research Interdisciplinary Working Group. <i>Circulation</i> , 2005 , 112, 1000-10	16.7	95
135	Evaluation of a clinical decision rule for young adult patients with chest pain. <i>Academic Emergency Medicine</i> , 2005 , 12, 26-31	3.4	20
134	The effect of diabetes on B-type natriuretic peptide concentrations in patients with acute dyspnea: an analysis from the Breathing Not Properly Multinational Study. <i>Diabetes Care</i> , 2004 , 27, 2398-404	14.6	19
133	Relationship between obesity and B-type natriuretic peptide levels. <i>Archives of Internal Medicine</i> , 2004 , 164, 2247-52		123
132	Studies in Emergency Department Data Collection: Shared versus Split Responsibility for Patient Enrollment. <i>Academic Emergency Medicine</i> , 2004 , 11, 200-203	3.4	5
131	BNP Consensus Panel 2004: A clinical approach for the diagnostic, prognostic, screening, treatment monitoring, and therapeutic roles of natriuretic peptides in cardiovascular diseases. <i>Congestive Heart Failure</i> , 2004 , 10, 1-30		230
130	Insurance status and the treatment of myocardial infarction at academic centers. <i>Academic Emergency Medicine</i> , 2004 , 11, 343-8	3.4	13
129	Impact of a negative evaluation for underlying coronary artery disease on one-year resource utilization for patients admitted with potential acute coronary syndromes. <i>Academic Emergency Medicine</i> , 2004 , 11, 1272-7	3.4	8
128	Standardized reporting guidelines for studies evaluating risk stratification of ED patients with potential acute coronary syndromes. <i>Academic Emergency Medicine</i> , 2004 , 11, 1331-40	3.4	60
127	Alternating day emergency medicine and anesthesia resident responsibility for management of the trauma airway: a study of laryngoscopy performance and intubation success. <i>Annals of Emergency Medicine</i> , 2004 , 43, 48-53	2.1	62
126	Lack of utility of telemetry monitoring for identification of cardiac death and life-threatening ventricular dysrhythmias in low-risk patients with chest pain. <i>Annals of Emergency Medicine</i> , 2004 , 43, 71-6	2.1	40

125	Risk stratification of emergency department patients with chest pain: the need for standardized reporting guidelines. <i>Annals of Emergency Medicine</i> , 2004 , 43, 68-70	2.1	16
124	Assessment of the standardized reporting guidelines ECG classification system: the presenting ECG predicts 30-day outcomes. <i>Annals of Emergency Medicine</i> , 2004 , 44, 206-12	2.1	39
123	Effects of neural network feedback to physicians on admit/discharge decision for emergency department patients with chest pain. <i>Annals of Emergency Medicine</i> , 2004 , 44, 199-205	2.1	29
122	Is the initial diagnostic impression of "noncardiac chest pain" adequate to exclude cardiac disease?. <i>Annals of Emergency Medicine</i> , 2004 , 44, 565-74	2.1	56
121	Standardized reporting guidelines for studies evaluating risk stratification of emergency department patients with potential acute coronary syndromes. <i>Annals of Emergency Medicine</i> , 2004 , 44, 589-598	2.1	100
120	Primary results of the Rapid Emergency Department Heart Failure Outpatient Trial (REDHOT). A multicenter study of B-type natriuretic peptide levels, emergency department decision making, and outcomes in patients presenting with shortness of breath. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1323-33	15.1	351
119	Emergency Department evaluation of patients with fever and chemotherapy-induced neutropenia. <i>Journal of Emergency Medicine</i> , 2004 , 27, 115-9	1.5	27
118	Impact of age, race, and sex on the ability of B-type natriuretic peptide to aid in the emergency diagnosis of heart failure: results from the Breathing Not Properly (BNP) multinational study. <i>American Heart Journal</i> , 2004 , 147, 1078-84	4.9	190
117	Diagnostic value of B-Type natriuretic peptide and chest radiographic findings in patients with acute dyspnea. <i>American Journal of Medicine</i> , 2004 , 116, 363-8	2.4	104
116	Universal screening for interpersonal violence: inability to prove universal screening improves provision of services. <i>European Journal of Emergency Medicine</i> , 2004 , 11, 35-8	2.3	13
115	Derivation and Validation of a Risk Stratification Model to Identify Coronary Artery Disease in Women Who Present to the Emergency Department with Potential Acute Coronary Syndromes. <i>Academic Emergency Medicine</i> , 2004 , 11, 630-634	3.4	4
114	Studies in emergency department data collection: shared versus split responsibility for patient enrollment. <i>Academic Emergency Medicine</i> , 2004 , 11, 200-3	3.4	3
113	Standardized reporting guidelines for studies evaluating risk stratification of emergency department patients with potential acute coronary syndromes. <i>Annals of Emergency Medicine</i> , 2004 , 44, 589-98	2.1	33
112	Validation of a brief observation period for patients with cocaine-associated chest pain. <i>New England Journal of Medicine</i> , 2003 , 348, 510-7	59.2	109
111	Effect of Cocaine Use on Bone Marrow-mediated Erythropoiesis. <i>Academic Emergency Medicine</i> , 2003 , 10, 705-708	3.4	1
110	Interrater Reliability of Criteria Used in Assessing Blunt Head Injury Patients for Intracranial Injuries. <i>Academic Emergency Medicine</i> , 2003 , 10, 830-835	3.4	6
109	The Impact of Race on the Acute Management of Chest Pain. <i>Academic Emergency Medicine</i> , 2003 , 10, 1199-1208	3.4	28
108	Status report: Development of emergency medicine research since the Macy Report. <i>Annals of Emergency Medicine</i> , 2003 , 42, 66-80	2.1	11

107	Head-elevated laryngoscopy position: improving laryngeal exposure during laryngoscopy by increasing head elevation. <i>Annals of Emergency Medicine</i> , 2003 , 41, 322-30	2.1	106
106	Management of lacerations in the emergency department. <i>Emergency Medicine Clinics of North America</i> , 2003 , 21, 205-31	1.9	72
105	Bedside B-Type natriuretic peptide in the emergency diagnosis of heart failure with reduced or preserved ejection fraction. Results from the Breathing Not Properly Multinational Study. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 2010-7	15.1	360
104	Uncovering Heart Failure in Patients with a History of Pulmonary Disease: Rationale for the Early Use of B-type Natriuretic Peptide in the Emergency Department. <i>Academic Emergency Medicine</i> , 2003 , 10, 198-204	3.4	56
103	Can Electrocardiographic Criteria Predict Adverse Cardiac Events and Positive Cardiac Markers?. <i>Academic Emergency Medicine</i> , 2003 , 10, 205-210	3.4	6
102	B-type natriuretic peptide and renal function in the diagnosis of heart failure: an analysis from the Breathing Not Properly Multinational Study. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 571-9	7.4	401
101	Incomplete Data Reporting in Studies of Emergency Department Patients with Potential Acute Coronary Syndromes Using Troponins. <i>Academic Emergency Medicine</i> , 2003 , 10, 943-948	3.4	1
100	Impact of stress testing on 30-day cardiovascular outcomes for low-risk patients with chest pain admitted to floor telemetry beds. <i>American Journal of Emergency Medicine</i> , 2003 , 21, 282-7	2.9	31
99	A randomized study of electronic mail versus telephone follow-up after emergency department visit. <i>Journal of Emergency Medicine</i> , 2003 , 24, 125-30	1.5	19
98	Prospective evaluation of emergency department patients with potential coronary syndromes using initial absolute CK-MB vs. CK-MB relative index. <i>Journal of Emergency Medicine</i> , 2003 , 24, 361-7	1.5	23
97	The impact of race on the acute management of chest pain. <i>Academic Emergency Medicine</i> , 2003 , 10, 1199-208	3.4	39
96	Interrater reliability of criteria used in assessing blunt head injury patients for intracranial injuries. <i>Academic Emergency Medicine</i> , 2003 , 10, 830-5	3.4	10
95	Incomplete data reporting in studies of emergency department patients with potential acute coronary syndromes using troponins. <i>Academic Emergency Medicine</i> , 2003 , 10, 943-8	3.4	2
94	Uncovering heart failure in patients with a history of pulmonary disease: rationale for the early use of B-type natriuretic peptide in the emergency department. <i>Academic Emergency Medicine</i> , 2003 , 10, 198-204	3.4	111
93	Can electrocardiographic criteria predict adverse cardiac events and positive cardiac markers?. <i>Academic Emergency Medicine</i> , 2003 , 10, 205-10	3.4	9
92	Quantitative comparison of coronary artery flow and myocardial perfusion in patients with acute myocardial infarction in the presence and absence of recent cocaine use. <i>Journal of Thrombosis and Thrombolysis</i> , 2002 , 14, 239-45	5.1	14
91	An Innovative Strategy for Conducting Clinical Research: The Academic Associate Program. <i>Academic Emergency Medicine</i> , 2002 , 9, 134-137	3.4	43
90	Congestive Heart Failure Patients with Chest Pain: Incidence and Predictors of Acute Coronary Syndrome. <i>Academic Emergency Medicine</i> , 2002 , 9, 903-909	3.4	6

89	A neural computational aid to the diagnosis of acute myocardial infarction. <i>Annals of Emergency Medicine</i> , 2002 , 39, 366-73	2.1	91
88	Bimanual laryngoscopy: a videographic study of external laryngeal manipulation by novice intubators. <i>Annals of Emergency Medicine</i> , 2002 , 40, 30-7	2.1	39
87	A neural network aid for the early diagnosis of cardiac ischemia in patients presenting to the emergency department with chest pain. <i>Annals of Emergency Medicine</i> , 2002 , 40, 575-83	2.1	61
86	B-type natriuretic peptide and clinical judgment in emergency diagnosis of heart failure: analysis from Breathing Not Properly (BNP) Multinational Study. <i>Circulation</i> , 2002 , 106, 416-22	16.7	692
85	Determinants of poor outcome after laceration and surgical incision repair. <i>Plastic and Reconstructive Surgery</i> , 2002 , 110, 429-35; discussion 436-7	2.7	50
84	Rapid measurement of B-type natriuretic peptide in the emergency diagnosis of heart failure. <i>New England Journal of Medicine</i> , 2002 , 347, 161-7	59.2	2595
83	Closure of lacerations and incisions with octylcyanoacrylate: a multicenter randomized controlled trial. <i>Surgery</i> , 2002 , 131, 270-6	3.6	120
82	An innovative strategy for conducting clinical research: the academic associate program. <i>Academic Emergency Medicine</i> , 2002 , 9, 134-7	3.4	33
81	TOX-ACLS: toxicologic-oriented advanced cardiac life support. <i>Annals of Emergency Medicine</i> , 2001 , 37, S78-90	2.1	95
80	A randomized, controlled trial of a simple emergency department intervention to improve the rate of primary care follow-up for patients with acute asthma exacerbations. <i>Annals of Emergency Medicine</i> , 2001 , 38, 115-22	2.1	93
79	Combination of Goldman risk and initial cardiac troponin I for emergency department chest pain patient risk stratification. <i>Academic Emergency Medicine</i> , 2001 , 8, 696-702	3.4	76
78	Characteristics and outcomes of young adults who present to the emergency department with chest pain. <i>Academic Emergency Medicine</i> , 2001 , 8, 703-8	3.4	41
77	Risk factors for infection in patients with traumatic lacerations. <i>Academic Emergency Medicine</i> , 2001 , 8, 716-20	3.4	87
76	The effect of written informed consent on detection of violence in the home. <i>Academic Emergency Medicine</i> , 2001 , 8, 974-9	3.4	11
75	Drug screening versus history in detection of substance use in ED psychiatric patients. <i>American Journal of Emergency Medicine</i> , 2001 , 19, 49-51	2.9	63
74	Cocaine-associated acute coronary syndromes. <i>Annals of Emergency Medicine</i> , 2001 , 38, 95-6; author reply 97-8	2.1	1
73	Primary closure of mammalian bites. <i>Academic Emergency Medicine</i> , 2000 , 7, 157-61	3.4	70
72	Do diabetic patients have higher in-hospital complication rates when admitted from the emergency department for possible myocardial ischemia?. <i>Academic Emergency Medicine</i> , 2000 , 7, 264-8	3.4	2

71	Cocaine-associated chest pain: how common is myocardial infarction?. <i>Academic Emergency Medicine</i> , 2000 , 7, 873-7	3.4	98
70	Randomized, double-blind, placebo-controlled trial of diazepam, nitroglycerin, or both for treatment of patients with potential cocaine-associated acute coronary syndromes. <i>Academic Emergency Medicine</i> , 2000 , 7, 878-85	3.4	75
69	Research fundamentals: selection and development of clinical outcome measures. <i>Academic Emergency Medicine</i> , 2000 , 7, 397-401	3.4	32
68	Patient priorities with traumatic lacerations. <i>American Journal of Emergency Medicine</i> , 2000 , 18, 683-6	2.9	54
67	Cardiac and hemodynamic assessment of patients with cocaine-associated chest pain syndromes. <i>Journal of Toxicology: Clinical Toxicology</i> , 2000 , 38, 283-90		12
66	Predictive properties of a qualitative urine acetaminophen screen in patients with self-poisoning. <i>Journal of Toxicology: Clinical Toxicology</i> , 1999 , 37, 769-72		2
65	Laceration management. <i>Annals of Emergency Medicine</i> , 1999 , 34, 356-67	2.1	132
64	Emergency department observation of poisoned patients: how long is necessary?. <i>Academic Emergency Medicine</i> , 1999 , 6, 887-94	3.4	16
63	Assessment of laryngeal view: percentage of glottic opening score vs Cormack and Lehane grading. <i>Canadian Journal of Anaesthesia</i> , 1999 , 46, 987-90	3	129
62	Evolution of abstracts presented at the annual scientific meetings of academic emergency medicine. <i>American Journal of Emergency Medicine</i> , 1999 , 17, 638-41	2.9	6
61	Evolution of abstracts presented at the annual scientific meetings of academic emergency medicine. <i>American Journal of Emergency Medicine</i> , 1999 , 17, 540-3	2.9	4
60	Evaluation of CK-MB isoform analysis for early diagnosis of myocardial infarction. <i>Journal of Emergency Medicine</i> , 1999 , 17, 75-9	1.5	13
59	Risk stratification of emergency department patients with acute coronary syndromes using P-selectin. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 95-105	15.1	50
58	Comparison of forearm and upper arm blood pressures. <i>Prehospital Emergency Care</i> , 1999 , 3, 123-6	2.8	36
57	Refusal of out-of-hospital medical care: effect of medical-control physician assertiveness on transport rate. <i>Academic Emergency Medicine</i> , 1998 , 5, 4-8	3.4	27
56	Prospective, randomized, controlled trial of tissue adhesive (2-octylcyanoacrylate) vs standard wound closure techniques for laceration repair. Stony Brook Octylcyanoacrylate Study Group. <i>Academic Emergency Medicine</i> , 1998 , 5, 94-9	3.4	112
55	Application of tissue adhesives: rapid attainment of proficiency. Stony Brook Octylcyanoacrylate Study Group. <i>Academic Emergency Medicine</i> , 1998 , 5, 1012-7	3.4	31
54	Assessment of airway visualization: validation of the percentage of glottic opening (POGO) scale. <i>Academic Emergency Medicine</i> , 1998 , 5, 919-23	3.4	162

53	Aorto-esophageal fistula: recognition and diagnosis in the emergency department. <i>Annals of Emergency Medicine</i> , 1998 , 32, 502-5	2.1	50
52	Irrigation in facial and scalp lacerations: does it alter outcome?. <i>Annals of Emergency Medicine</i> , 1998 , 31, 73-7	2.1	56
51	Long-term Evaluation of Cosmetic Appearance of Repaired Lacerations: Validation of Telephone Assessment. <i>Annals of Emergency Medicine</i> , 1998 , 31, 92-98	2.1	13
50	Effect of recent cocaine use on the specificity of cardiac markers for diagnosis of acute myocardial infarction. <i>American Heart Journal</i> , 1998 , 135, 245-52	4.9	68
49	Assessment of cocaine use in patients with chest pain syndromes. <i>Archives of Internal Medicine</i> , 1998 , 158, 62-6		18
48	Evaluation and management of traumatic lacerations. <i>New England Journal of Medicine</i> , 1997 , 337, 1142-3	3.2	163
47	Evaluation of patients with chest pain after cocaine use. <i>Critical Care Clinics</i> , 1997 , 13, 809-28	4.5	19
46	Predictors of coronary artery disease in patients with cocaine-associated myocardial infarction. Cocaine-Associated Myocardial Infarction (CAMI) Study Group. <i>American Journal of Medicine</i> , 1997 , 102, 158-63	2.4	22
45	Comparison of wound infection rates using plain versus buffered lidocaine for anesthesia of traumatic wounds. <i>American Journal of Emergency Medicine</i> , 1997 , 15, 25-8	2.9	14
44	Performance of two clinical decision rules for knee radiography. <i>Journal of Emergency Medicine</i> , 1997 , 15, 459-63	1.5	25
43	Evaluation of a new assay for cardiac troponin I vs creatine kinase-MB for the diagnosis of acute myocardial infarction. Biochemical Markers for Acute Myocardial Ischemia (BAMI) Study Group. <i>Academic Emergency Medicine</i> , 1997 , 4, 6-12	3.4	45
42	Comparison of types of research articles published in emergency medicine and non-emergency medicine journals. <i>Academic Emergency Medicine</i> , 1997 , 4, 1153-8	3.4	30
41	Comparison of patient satisfaction and practitioner satisfaction with wound appearance after traumatic wound repair. <i>Academic Emergency Medicine</i> , 1997 , 4, 133-7	3.4	40
40	Academic associate program: integrating clinical emergency medicine research with undergraduate education. <i>Academic Emergency Medicine</i> , 1997 , 4, 225-30	3.4	54
39	Relief of chest pain out-of-hospital: a lost diagnostic opportunity?. <i>Academic Emergency Medicine</i> , 1997 , 4, 754-6	3.4	
38	Are monitored telemetry beds necessary for patients with nontraumatic chest pain and normal or nonspecific electrocardiograms?. <i>American Journal of Cardiology</i> , 1997 , 79, 1110-1	3	33
37	Effect of duration from symptom onset on the negative predictive value of a normal ECG for exclusion of acute myocardial infarction. <i>Annals of Emergency Medicine</i> , 1997 , 29, 575-9	2.1	17
36	Outcome of patients who refused out-of-hospital medical assistance. <i>American Journal of Emergency Medicine</i> , 1996 , 14, 23-6	2.9	42

35	Thrombolytic therapy and cocaine-induced myocardial infarction. <i>American Journal of Emergency Medicine</i> , 1996 , 14, 693-5	2.9	23
34	Enhancing the value of journal club: use of a structured review instrument. <i>American Journal of Emergency Medicine</i> , 1996 , 14, 561-3	2.9	59
33	Evaluation of American College of Surgeons trauma triage criteria in a suburban and rural setting. <i>American Journal of Emergency Medicine</i> , 1996 , 14, 124-9	2.9	47
32	Complications from the use of thrombolytic agents in patients with cocaine associated chest pain. <i>Journal of Emergency Medicine</i> , 1996 , 14, 731-6	1.5	25
31	Cocaine-Associated Myocardial Infarction. <i>Journal of the Royal Society of Medicine</i> , 1996 , 89, 443-447	2.3	18
30	Incremental benefit of individual American College of Surgeons trauma triage criteria. <i>Academic Emergency Medicine</i> , 1996 , 3, 992-1000	3.4	85
29	Evidence for and impact of selective reporting of trauma triage mechanism criteria. <i>Academic Emergency Medicine</i> , 1996 , 3, 1011-5	3.4	17
28	Association of training level and short-term cosmetic appearance of repaired lacerations. <i>Academic Emergency Medicine</i> , 1996 , 3, 378-83	3.4	43
27	Chest pain associated with cocaine: an assessment of prevalence in suburban and urban emergency departments. <i>Annals of Emergency Medicine</i> , 1995 , 26, 671-6	2.1	93
26	Comparison of plain, warmed, and buffered lidocaine for anesthesia of traumatic wounds. <i>Annals of Emergency Medicine</i> , 1995 , 26, 121-5	2.1	70
25	Wound registry: development and validation. <i>Annals of Emergency Medicine</i> , 1995 , 25, 675-85	2.1	218
24	Clinical safety of lidocaine in patients with cocaine-associated myocardial infarction. <i>Annals of Emergency Medicine</i> , 1995 , 26, 702-6	2.1	58
23	The management of cocaine-associated myocardial ischemia. <i>New England Journal of Medicine</i> , 1995 , 333, 1267-72	59.2	213
22	Cocaine-Associated Myocardial Infarction. <i>Archives of Internal Medicine</i> , 1995 , 155, 1081		95
21	Level of training, wound care practices, and infection rates. <i>American Journal of Emergency Medicine</i> , 1995 , 13, 265-8	2.9	22
20	A clinical decision rule in the evaluation of acute knee injuries. <i>Journal of Emergency Medicine</i> , 1995 , 13, 611-5	1.5	34
19	Individuals who swallow crack cocaine do not develop significant toxic reactions. <i>Journal of Emergency Medicine</i> , 1995 , 13, 538-9; author reply 539-43	1.5	
18	Cocaine-associated myocardial infarction. Clinical safety of thrombolytic therapy. Cocaine Associated Myocardial Infarction (CAMI) Study Group. <i>Chest</i> , 1995 , 107, 1237-41	5.3	61

17	Association of out-of-hospital criteria with need for hospital admission. <i>Academic Emergency Medicine</i> , 1995 , 2, 863-6	3.4	15
16	Infiltration pain and local anesthetic effects of buffered vs plain 1% diphenhydramine. <i>Academic Emergency Medicine</i> , 1995 , 2, 884-8	3.4	12
15	Poor correlation of short- and long-term cosmetic appearance of repaired lacerations. <i>Academic Emergency Medicine</i> , 1995 , 2, 983-7	3.4	50
14	Cocaine-associated chest pain: one-year follow-up. <i>Academic Emergency Medicine</i> , 1995 , 2, 179-84	3.4	66
13	Chest discomfort, cocaine, and tobacco. <i>Academic Emergency Medicine</i> , 1995 , 2, 238	3.4	6
12	Impact of interventions for patients refusing emergency medical services transport. <i>Academic Emergency Medicine</i> , 1995 , 2, 480-5	3.4	36
11	Prospective multicenter evaluation of cocaine-associated chest pain. Cocaine Associated Chest Pain (COCHPA) Study Group. <i>Academic Emergency Medicine</i> , 1994 , 1, 330-9	3.4	210
10	Variations in the electrocardiograms of young adults: are revised criteria for thrombolysis needed?. <i>Academic Emergency Medicine</i> , 1994 , 1, 94-102	3.4	25
9	Nitroglycerin in the treatment of cocaine associated chest pain--clinical safety and efficacy. <i>Journal of Toxicology: Clinical Toxicology</i> , 1994 , 32, 243-56		59
8	Pressure dynamics of various irrigation techniques commonly used in the emergency department. <i>Annals of Emergency Medicine</i> , 1994 , 24, 36-40	2.1	60
7	"Abnormal" electrocardiograms in patients with cocaine-associated chest pain are due to "normal" variants. <i>Journal of Emergency Medicine</i> , 1994 , 12, 199-205	1.5	56
6	Guanabenz induced hypothermia in a poisoned elderly female. <i>Journal of Toxicology: Clinical Toxicology</i> , 1994 , 32, 445-9		3
5	Cocaine-associated myocardial infarction secondary to a contaminant. <i>American Journal of Emergency Medicine</i> , 1993 , 11, 681-2	2.9	2
4	Cocaine-induced myocardial infarction: an analysis and review of the literature. <i>Journal of Emergency Medicine</i> , 1992 , 10, 169-77	1.5	131
3	Permanently imbedded subcutaneous acupuncture needles: radiographic appearance. <i>Annals of Emergency Medicine</i> , 1991 , 20, 1025-6	2.1	8
2	Aorto-esophageal fistula: a comprehensive review of the literature. <i>American Journal of Medicine</i> , 1991 , 91, 279-87	2.4	246
1	How do I establish a research assistant program?161-165		