

# Simak Ali

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3027317/publications.pdf>

Version: 2024-02-01

137  
papers

13,274  
citations

25014

57  
h-index

24232

110  
g-index

155  
all docs

155  
docs citations

155  
times ranked

16557  
citing authors

#	ARTICLE	IF	CITATIONS
1	Differential oestrogen receptor binding is associated with clinical outcome in breast cancer. <i>Nature</i> , 2012, 481, 389-393.	13.7	1,655
2	Mechanisms of Tamoxifen Resistance: Increased Estrogen Receptor-HER2/neu Cross-Talk in ER/HER2-Positive Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2004, 96, 926-935.	3.0	1,048
3	Phosphatidylinositol 3-Kinase/AKT-mediated Activation of Estrogen Receptor $\hat{\pm}$ . <i>Journal of Biological Chemistry</i> , 2001, 276, 9817-9824.	1.6	831
4	Endocrine-responsive breast cancer and strategies for combating resistance. <i>Nature Reviews Cancer</i> , 2002, 2, 101-112.	12.8	759
5	Modulation of transcriptional activation by ligand-dependent phosphorylation of the human oestrogen receptor A/B region.. <i>EMBO Journal</i> , 1993, 12, 1153-1160.	3.5	388
6	Critical research gaps and translational priorities for the successful prevention and treatment of breast cancer. <i>Breast Cancer Research</i> , 2013, 15, R92.	2.2	320
7	Trichostatin A is a histone deacetylase inhibitor with potent antitumor activity against breast cancer in vivo. <i>Clinical Cancer Research</i> , 2001, 7, 971-6.	3.2	315
8	Regulation of ERBB2 by oestrogen receptor $\hat{\pm}$ PAX2 determines response to tamoxifen. <i>Nature</i> , 2008, 456, 663-666.	13.7	283
9	Personalized Detection of Circulating Tumor DNA Antedates Breast Cancer Metastatic Recurrence. <i>Clinical Cancer Research</i> , 2019, 25, 4255-4263.	3.2	281
10	Activation of Estrogen Receptor $\hat{\pm}$ by S118 Phosphorylation Involves a Ligand-Dependent Interaction with TFIIF and Participation of CDK7. <i>Molecular Cell</i> , 2000, 6, 127-137.	4.5	270
11	Enhanced Estrogen Receptor (ER) $\hat{\pm}$ , ERBB2, and MAPK Signal Transduction Pathways Operate during the Adaptation of MCF-7 Cells to Long Term Estrogen Deprivation. <i>Journal of Biological Chemistry</i> , 2003, 278, 30458-30468.	1.6	269
12	Human Estrogen Receptor $\hat{2}$ Binds DNA in a Manner Similar to and Dimerizes with Estrogen Receptor $\hat{\pm}$ . <i>Journal of Biological Chemistry</i> , 1997, 272, 25832-25838.	1.6	264
13	Estrogen receptor alpha in human breast cancer: occurrence and significance. , 2000, 5, 271-281.		264
14	Phosphorylation of human estrogen receptor $\hat{\pm}$ at serine 118 by two distinct signal transduction pathways revealed by phosphorylation-specific antisera. <i>Oncogene</i> , 2002, 21, 4921-4931.	2.6	227
15	Phosphorylation of Human Estrogen Receptor $\hat{\pm}$ by Protein Kinase A Regulates Dimerization. <i>Molecular and Cellular Biology</i> , 1999, 19, 1002-1015.	1.1	224
16	Characterization of the Amino-terminal Transcriptional Activation Function of the Human Estrogen Receptor in Animal and Yeast Cells. <i>Journal of Biological Chemistry</i> , 1995, 270, 9535-9542.	1.6	207
17	Preoperative gefitinib versus gefitinib and anastrozole in postmenopausal patients with oestrogen-receptor positive and epidermal-growth-factor-receptor-positive primary breast cancer: a double-blind placebo-controlled phase II randomised trial. <i>Lancet Oncology</i> , The, 2005, 6, 383-391.	5.1	189
18	Mutation Analysis of Cell-Free DNA and Single Circulating Tumor Cells in Metastatic Breast Cancer Patients with High Circulating Tumor Cell Counts. <i>Clinical Cancer Research</i> , 2017, 23, 88-96.	3.2	186

#	ARTICLE	IF	CITATIONS
19	Noninvasive Detection of Activating Estrogen Receptor 1 (ESR1) Mutations in Estrogen Receptor-Positive Metastatic Breast Cancer. <i>Clinical Chemistry</i> , 2015, 61, 974-982.	1.5	155
20	A Common Deletion in the APOBEC3 Genes and Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2013, 105, 573-579.	3.0	141
21	The Development of a Selective Cyclin-Dependent Kinase Inhibitor That Shows Antitumor Activity. <i>Cancer Research</i> , 2009, 69, 6208-6215.	0.4	135
22	Genomic modelling of the ESR1 Y537S mutation for evaluating function and new therapeutic approaches for metastatic breast cancer. <i>Oncogene</i> , 2017, 36, 2286-2296.	2.6	135
23	Molecular changes associated with the acquisition of oestrogen hypersensitivity in MCF-7 breast cancer cells on long-term oestrogen deprivation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2002, 81, 333-341.	1.2	130
24	Modulation of transcriptional activation by ligand-dependent phosphorylation of the human oestrogen receptor A/B region. <i>EMBO Journal</i> , 1993, 12, 1153-60.	3.5	130
25	Immunodetection of multiple species of retinoic acid receptor $\hat{\pm}$ : Evidence for phosphorylation. <i>Experimental Cell Research</i> , 1992, 201, 335-346.	1.2	127
26	Light-triggered enzymatic reactions in nested vesicle reactors. <i>Nature Communications</i> , 2018, 9, 1093.	5.8	125
27	Characterization of the gene encoding ovine beta-lactoglobulin. <i>Journal of Molecular Biology</i> , 1988, 199, 415-426.	2.0	121
28	Kinome screening for regulators of the estrogen receptor identifies LMTK3 as a new therapeutic target in breast cancer. <i>Nature Medicine</i> , 2011, 17, 715-719.	15.2	118
29	Activation of estrogen receptor alpha by S118 phosphorylation involves a ligand-dependent interaction with TFIH and participation of CDK7. <i>Molecular Cell</i> , 2000, 6, 127-37.	4.5	113
30	T:G Mismatch-specific Thymine-DNA Glycosylase Potentiates Transcription of Estrogen-regulated Genes through Direct Interaction with Estrogen Receptor $\hat{\pm}$ . <i>Journal of Biological Chemistry</i> , 2003, 278, 38586-38592.	1.6	108
31	Phosphorylation at serines 104 and 106 by Erk1/2 MAPK is important for estrogen receptor- $\hat{\pm}$ activity. <i>Journal of Molecular Endocrinology</i> , 2008, 40, 173-184.	1.1	108
32	Differential epigenetic reprogramming in response to specific endocrine therapies promotes cholesterol biosynthesis and cellular invasion. <i>Nature Communications</i> , 2015, 6, 10044.	5.8	108
33	Discovery of naturally occurring ESR1 mutations in breast cancer cell lines modelling endocrine resistance. <i>Nature Communications</i> , 2017, 8, 1865.	5.8	108
34	An important role for BRCA1 in breast cancer progression is indicated by its loss in a large proportion of non-familial breast cancers. , 1998, 79, 334-342.		105
35	APOBEC3B-Mediated Cytidine Deamination Is Required for Estrogen Receptor Action in Breast Cancer. <i>Cell Reports</i> , 2015, 13, 108-121.	2.9	105
36	Histone Deacetylase Inhibitor Trichostatin A Represses Estrogen Receptor $\hat{\pm}$ -Dependent Transcription and Promotes Proteasomal Degradation of Cyclin D1 in Human Breast Carcinoma Cell Lines. <i>Clinical Cancer Research</i> , 2004, 10, 8094-8104.	3.2	102

#	ARTICLE	IF	CITATIONS
37	The DEAD-box protein p72 regulates ER $\pm$ -oestrogen-dependent transcription and cell growth, and is associated with improved survival in ER $\pm$ -positive breast cancer. <i>Oncogene</i> , 2009, 28, 4053-4064.	2.6	102
38	CDK7 inhibitors as anticancer drugs. <i>Cancer and Metastasis Reviews</i> , 2020, 39, 805-823.	2.7	101
39	Effect of antagonists on DNA binding properties of the human estrogen receptor in vitro and in vivo.. <i>Molecular Endocrinology</i> , 1995, 9, 579-591.	3.7	100
40	The DEAD box RNA helicases p68 (Ddx5) and p72 (Ddx17): novel transcriptional co-regulators. <i>Biochemical Society Transactions</i> , 2008, 36, 609-612.	1.6	93
41	ICEC0942, an Orally Bioavailable Selective Inhibitor of CDK7 for Cancer Treatment. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 1156-1166.	1.9	93
42	Phosphorylation of ER $\pm$ at serine 118 in primary breast cancer and in tamoxifen-resistant tumours is indicative of a complex role for ER $\pm$ phosphorylation in breast cancer progression. <i>Endocrine-Related Cancer</i> , 2006, 13, 851-861.	1.6	91
43	Different TBP-associated factors are required for mediating the stimulation of transcription in vitro by the acidic transactivator GAL-VP16 and the two nonacidic activation functions of the estrogen receptor. <i>Nucleic Acids Research</i> , 1993, 21, 5-12.	6.5	88
44	A Novel Pyrazolo[1,5- <i>a</i> ]pyrimidine Is a Potent Inhibitor of Cyclin-Dependent Protein Kinases 1, 2, and 9, Which Demonstrates Antitumor Effects in Human Tumor Xenografts Following Oral Administration. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 8508-8522.	2.9	84
45	Prognostic significance of androgen receptor expression in invasive breast cancer: transcriptomic and protein expression analysis. <i>Breast Cancer Research and Treatment</i> , 2016, 159, 215-227.	1.1	81
46	The cooked food derived carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5- <i>b</i> ] pyridine is a potent oestrogen: a mechanistic basis for its tissue-specific carcinogenicity. <i>Carcinogenesis</i> , 2004, 25, 2509-2517.	1.3	80
47	Phosphorylation of Estrogen Receptor- $\beta$ at Ser167 Is Indicative of Longer Disease-Free and Overall Survival in Breast Cancer Patients. <i>Clinical Cancer Research</i> , 2007, 13, 5769-5776.	3.2	79
48	Acquired CYP19A1 amplification is an early specific mechanism of aromatase inhibitor resistance in ER $\pm$ metastatic breast cancer. <i>Nature Genetics</i> , 2017, 49, 444-450.	9.4	77
49	Antiestrogens and Their Therapeutic Applications in Breast Cancer and Other Diseases. <i>Annual Review of Medicine</i> , 2011, 62, 217-232.	5.0	74
50	Elevated ERK1/ERK2/estrogen receptor cross-talk enhances estrogen-mediated signaling during long-term estrogen deprivation. <i>Endocrine-Related Cancer</i> , 2005, 12, S75-S84.	1.6	72
51	The liver receptor homolog-1 regulates estrogen receptor expression in breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 2011, 127, 385-396.	1.1	70
52	p53 controls expression of the DNA deaminase APOBEC3B to limit its potential mutagenic activity in cancer cells. <i>Nucleic Acids Research</i> , 2017, 45, 11056-11069.	6.5	70
53	Retinoic acid receptor-beta: immunodetection and phosphorylation on tyrosine residues.. <i>Molecular Endocrinology</i> , 1992, 6, 2197-2209.	3.7	68
54	Clinical and biological significance of glucocorticoid receptor (GR) expression in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015, 150, 335-346.	1.1	68

#	ARTICLE	IF	CITATIONS
55	Expression of CDK7, Cyclin H, and MAT1 Is Elevated in Breast Cancer and Is Prognostic in Estrogen Receptor-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 5929-5938.	3.2	66
56	Adenosine-induced bronchoconstriction and contraction of airway smooth muscle from allergic rabbits with late-phase airway obstruction: evidence for an inducible adenosine A1 receptor. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1994, 268, 1328-34.	1.3	65
57	Tumour suppressor EP300, a modulator of paclitaxel resistance and stemness, is downregulated in metaplastic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 163, 461-474.	1.1	64
58	ICI182,780 Induces p21 Gene Transcription through Releasing Histone Deacetylase 1 and Estrogen Receptor from Sp1 Sites to Induce Cell Cycle Arrest in MCF-7 Breast Cancer Cell Line. <i>Journal of Biological Chemistry</i> , 2005, 280, 3185-3196.	1.6	61
59	Microarray coupled to quantitative RT-PCR analysis of androgen-regulated genes in human LNCaP prostate cancer cells. <i>Oncogene</i> , 2009, 28, 2051-2063.	2.6	60
60	ZNF366 is an estrogen receptor corepressor that acts through CtBP and histone deacetylases. <i>Nucleic Acids Research</i> , 2006, 34, 6126-6136.	6.5	55
61	Complete nucleotide sequence of the genomic ovine $\beta$ -lactoglobulin gene. <i>Nucleic Acids Research</i> , 1988, 16, 10379-10380.	6.5	53
62	Developmental regulation of the sheep $\beta$ -lactoglobulin gene in the mammary gland of transgenic mice. <i>Genesis</i> , 1991, 12, 299-307.	3.3	52
63	Co-regulated gene expression by oestrogen receptor $\beta$ and liver receptor homolog-1 is a feature of the oestrogen response in breast cancer cells. <i>Nucleic Acids Research</i> , 2013, 41, 10228-10240.	6.5	49
64	LRH-1 drives colon cancer cell growth by repressing the expression of the <i>CDKN1A</i> gene in a p53-dependent manner. <i>Nucleic Acids Research</i> , 2016, 44, 582-594.	6.5	46
65	Localization and expression of the human estrogen receptor beta gene in uterine leiomyomata. , 1998, 23, 361-366.		45
66	T:G mismatch-specific thymine-DNA glycosylase (TDG) as a coregulator of transcription interacts with SRC1 family members through a novel tyrosine repeat motif. <i>Nucleic Acids Research</i> , 2005, 33, 6393-6404.	6.5	44
67	Presence of exon 5-deleted oestrogen receptor in human breast cancer: functional analysis and clinical significance. <i>British Journal of Cancer</i> , 1997, 75, 1173-1184.	2.9	40
68	Low Dose Iron Treatments Induce a DNA Damage Response in Human Endothelial Cells within Minutes. <i>PLoS ONE</i> , 2016, 11, e0147990.	1.1	39
69	A novel hotspot specific isothermal amplification method for detection of the common PIK3CA p.H1047R breast cancer mutation. <i>Scientific Reports</i> , 2020, 10, 4553.	1.6	35
70	The Kinase LMTK3 Promotes Invasion in Breast Cancer Through GRB2-Mediated Induction of Integrin $\beta$ 1. <i>Science Signaling</i> , 2014, 7, ra58.	1.6	32
71	Hotspot <i>ESR1</i> Mutations Are Multimodal and Contextual Modulators of Breast Cancer Metastasis. <i>Cancer Research</i> , 2022, 82, 1321-1339.	0.4	30
72	Inhibitor Selectivity for Cyclin-Dependent Kinase...7: A Structural, Thermodynamic, and Modelling Study. <i>ChemMedChem</i> , 2017, 12, 372-380.	1.6	29

#	ARTICLE	IF	CITATIONS
73	Detection of Multiple Breast Cancer <i>ESR1</i> Mutations on an ISFET Based Lab-on-Chip Platform. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2021, 15, 380-389.	2.7	29
74	<i>ESR1</i> mutant breast cancers show elevated basal cytokeratins and immune activation. <i>Nature Communications</i> , 2022, 13, 2011.	5.8	29
75	Tumour necrosis factor and PI3-kinase control oestrogen receptor alpha protein level and its transrepression function. <i>British Journal of Cancer</i> , 2004, 90, 853-859.	2.9	28
76	Discovery of a New Class of Liver Receptor Homolog <i>LRH4</i> Antagonists: Virtual Screening, Synthesis and Biological Evaluation. <i>ChemMedChem</i> , 2012, 7, 1909-1914.	1.6	27
77	The responses of cancer cells to PLK1 inhibitors reveal a novel protective role for p53 in maintaining centrosome separation. <i>Scientific Reports</i> , 2017, 7, 16115.	1.6	27
78	The Nuclear Oxysterol Receptor <i>LXR<math>\beta</math></i> Is Expressed in the Normal Human Breast and in Breast Cancer. <i>Medical Oncology</i> , 2004, 21, 123-132.	1.2	26
79	Prognostic and biological significance of peroxisome proliferator-activated receptor-gamma in luminal breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015, 150, 511-522.	1.1	26
80	Adenosine receptor-mediated bronchoconstriction and bronchial hyperresponsiveness in allergic rabbit model. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 1994, 266, L271-L277.	1.3	24
81	Expression profiling of nuclear receptors in breast cancer identifies TLX as a mediator of growth and invasion in triple-negative breast cancer. <i>Oncotarget</i> , 2015, 6, 21685-21703.	0.8	24
82	Transient over-expression of estrogen receptor $\beta$ in breast cancer cells promotes cell survival and estrogen-independent growth. <i>Breast Cancer Research and Treatment</i> , 2011, 128, 357-368.	1.1	23
83	Endonuclease FEN1 Coregulates <i>ER<math>\beta</math></i> Activity and Provides a Novel Drug Interface in Tamoxifen-Resistant Breast Cancer. <i>Cancer Research</i> , 2020, 80, 1914-1926.	0.4	23
84	Development of a cyclin-dependent kinase inhibitor devoid of ABC transporter-dependent drug resistance. <i>British Journal of Cancer</i> , 2013, 109, 2356-2367.	2.9	22
85	2.5 Å-resolution structure of human CDK-activating kinase bound to the clinical inhibitor ICEC0942. <i>Biophysical Journal</i> , 2021, 120, 677-686.	0.2	22
86	Adenosine-induced bronchoconstriction in an allergic rabbit model: Antagonism by theophylline aerosol. <i>Agents and Actions</i> , 1992, 37, 165-167.	0.7	21
87	Phosphorylation of activating transcription factor-2 (ATF-2) within the activation domain is a key determinant of sensitivity to tamoxifen in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2014, 147, 295-309.	1.1	21
88	Induction of APOBEC3-mediated genomic damage in urothelium implicates BK polyomavirus (BKPyV) as a hit-and-run driver for bladder cancer. <i>Oncogene</i> , 2022, 41, 2139-2151.	2.6	21
89	Characterisation of the alleles encoding ovine $\gamma$ -lactoglobulins A and B. <i>Gene</i> , 1990, 91, 201-207.	1.0	20
90	Modification of allergen-induced airway obstruction and bronchial hyperresponsiveness in the allergic rabbit by theophylline aerosol. <i>Agents and Actions</i> , 1992, 37, 168-170.	0.7	18

#	ARTICLE	IF	CITATIONS
91	Conversion of $\alpha$ -Amino Acids into Bioactive $\alpha$ -Aminoalkyl Resorcyates and Related Dihydroxyisoindolinones. <i>Journal of Organic Chemistry</i> , 2011, 76, 6209-6217.	1.7	18
92	The transcriptional repressor REV-ERB as a novel target for disease. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 127395.	1.0	18
93	Induction of APOBEC3B expression by chemotherapy drugs is mediated by DNA-PK-directed activation of NF- $\kappa$ B. <i>Oncogene</i> , 2021, 40, 1077-1090.	2.6	18
94	ABC-transporter upregulation mediates resistance to the CDK7 inhibitors THZ1 and ICEC0942. <i>Oncogene</i> , 2020, 39, 651-663.	2.6	17
95	Inhibiting estrogen responses in breast cancer cells using a fusion protein encoding estrogen receptor- $\alpha$ and the transcriptional repressor PLZF. <i>Gene Therapy</i> , 2005, 12, 452-460.	2.3	16
96	Purified malignant mammary epithelial cells maintain hormone responsiveness in culture. <i>British Journal of Cancer</i> , 2003, 88, 1071-1076.	2.9	15
97	Analysis of estrogen-responsive finger protein expression in benign and malignant human breast. <i>International Journal of Cancer</i> , 2001, 91, 152-158.	2.3	14
98	Characterisation of the androgen regulation of glycine N-methyltransferase in prostate cancer cells. <i>Journal of Molecular Endocrinology</i> , 2013, 51, 301-312.	1.1	14
99	SRC3 Phosphorylation at Serine 543 Is a Positive Independent Prognostic Factor in ER-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 479-491.	3.2	14
100	Activating transcription factor-2 (ATF2) is a key determinant of resistance to endocrine treatment in an in vitro model of breast cancer. <i>Breast Cancer Research</i> , 2020, 22, 126.	2.2	14
101	Genome-wide alterations of uracil distribution patterns in human DNA upon chemotherapeutic treatments. <i>ELife</i> , 2020, 9, .	2.8	13
102	Response of a new ceramic-oxynitride (Cernox) resistance temperature sensor in high magnetic fields. <i>Cryogenics</i> , 1996, 36, 61-63.	0.9	12
103	MicroRNA-495/TGF- $\beta$ 2/FOXC1 axis regulates multidrug resistance in metaplastic breast cancer cells. <i>Biochemical Pharmacology</i> , 2021, 192, 114692.	2.0	12
104	Circulating Tumor DNA Profiling From Breast Cancer Screening Through to Metastatic Disease. <i>JCO Precision Oncology</i> , 2021, 5, 1768-1776.	1.5	12
105	Retinoid X receptor gamma (RXRG) is an independent prognostic biomarker in ER-positive invasive breast cancer. <i>British Journal of Cancer</i> , 2019, 121, 776-785.	2.9	10
106	Silencing of androgen-regulated genes using a fusion of AR with the PLZF transcriptional repressor. <i>Oncogene</i> , 2004, 23, 7561-7570.	2.6	9
107	Simultaneous measurement of cyclopentyladenosine-induced contraction and intracellular calcium in bronchial rings from allergic rabbits and its antagonism. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1996, 278, 639-44.	1.3	9
108	265P Study of samuraciclib (CT7001), a first-in-class, oral, selective inhibitor of CDK7, in combination with fulvestrant in patients with advanced hormone receptor positive HER2 negative breast cancer (HR+BC). <i>Annals of Oncology</i> , 2021, 32, S477-S478.	0.6	8

#	ARTICLE	IF	CITATIONS
109	Beneficial effects of voluntary over forced exercise on skeletal muscle structure and myokinesâ€™™ expression. <i>Folia Morphologica</i> , 2020, 79, 350-358.	0.4	8
110	Preparation and characterization of Bi-based high Tc superconductors. <i>Materials Research Bulletin</i> , 1990, 25, 779-784.	2.7	7
111	Reporter gene assay demonstrates functional differences in estrogen receptor activity in purified breast cancer cells: A pilot study. <i>International Journal of Cancer</i> , 2003, 107, 700-706.	2.3	7
112	Development of a Novel Molecular Sensor for Imaging Estrogen Receptor-Coactivator Protein-Protein Interactions. <i>PLoS ONE</i> , 2012, 7, e44160.	1.1	7
113	Heterodimers of photoreceptor-specific nuclear receptor (PNR/NR2E3) and peroxisome proliferator-activated receptor-Î³ (PPARÎ³) are disrupted by retinal disease-associated mutations. <i>Cell Death and Disease</i> , 2017, 8, e2677-e2677.	2.7	6
114	230MO First in human, modular study of samuraciclib (CT7001), a first-in-class, oral, selective inhibitor of CDK7, in patients with advanced solid malignancies. <i>Annals of Oncology</i> , 2021, 32, S458.	0.6	6
115	Engineered repressors are potent inhibitors of androgen receptor activity. <i>Oncotarget</i> , 2014, 5, 959-969.	0.8	6
116	Dissecting the predictive value of MAPK/AKT/estrogen-receptor phosphorylation axis in primary breast cancer to treatment response for tamoxifen over exemestane: a Translational Report of the Intergroup Exemestane Study (IES)â€™PathIES. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 149-163.	1.1	4
117	90 Years of progesterone: Ninety years of progesterone: the â€™otherâ€™™ ovarian hormone. <i>Journal of Molecular Endocrinology</i> , 2020, 65, E1-E4.	1.1	4
118	Subdiuretic dose of furosemide enhances albuterol effects in asthmatic mice rather than bumetanide. <i>Allergologia Et Immunopathologia</i> , 2018, 46, 585-593.	1.0	3
119	Renoprotective effect of red grape ( <i>Vitis vinifera</i> L.) juice and dark raisins against hypercholesterolemia-induced tubular renal affection in albino rats. <i>Folia Morphologica</i> , 2019, 78, 91-100.	0.4	3
120	Ribociclib Induces Broad Chemotherapy Resistance and EGFR Dependency in ESR1 Wildtype and Mutant Breast Cancer. <i>Cancers</i> , 2021, 13, 6314.	1.7	3
121	Concise, flexible syntheses of 4-(4-imidazolyl)pyrimidine cyclin-dependent kinase 2 (CDK2) inhibitors. <i>Tetrahedron Letters</i> , 2010, 51, 6126-6128.	0.7	2
122	Estrogen Receptors and Anti-Estrogen Therapies. , 2004, 119, 271-292.		1
123	A simple laboratory practical to illustrate RNA mediated gene interference using drosophila cell culture. <i>Biochemistry and Molecular Biology Education</i> , 2010, 38, 393-399.	0.5	1
124	SAT0183â€™...Long-Term Efficacy, Safety, and Tolerability of Tocilizumab in Rituximab-Refractory Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 734.2-735.	0.5	1
125	Diminution in phase I and phase II drug metabolizing enzymes of rat lung by asbestos: An in vitro study. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1991, 47, 660-667.	1.3	0
126	Competitive interactions in catalytic hydroprocessing of middle distillates. <i>International Journal of Energy Research</i> , 1994, 18, 177-183.	2.2	0



#	ARTICLE	IF	CITATIONS
127	Gene ICE as Applied to Studies of Hormonally-Responsive Cancers. <i>Clinical Science</i> , 2003, 104, 27P-27P.	0.0	0
128	ZNF366 is a novel corepressor for estrogen receptor alpha that mediates its effects through interaction with CtBP. <i>Breast Cancer Research</i> , 2008, 10, .	2.2	0
129	Transcriptional Coactivators and Corepressors in Endocrine Response and Resistance in Breast Cancer. , 2009, , 27-38.		0
130	Developing themes in targeted therapies for hormone receptorâ€“positive breast cancer. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2020, 15, 15-23.	0.6	0
131	Preface. <i>Cancer and Metastasis Reviews</i> , 2020, 39, 579-579.	2.7	0
132	Abstract LB-178: Characterization of estrogen responses in breast cancer cell lines highlights ERÎ± as an LRH-1 regulated gene. , 2010, , .		0
133	Abstract 4205: Identification of glycine N-methyltransferase-regulated genes in prostate cancer cells. , 2012, , .		0
134	Abstract 4762: Anti-Nicestrin antibodies for the treatment of endocrine resistant breast cancer .. , 2013, , .		0
135	Abstract LB-339: Mutation analysis of cell-free DNA captures heterogeneity of individual circulating tumor cells in metastatic breast cancer. , 2016, , .		0
136	Abstract LB-224: Circulating tumor DNA for early detection and intervention in breast cancer: ctDNA profiles discriminate between healthy women in a true cancer screening setting and disease-free women on follow up. , 2018, , .		0
137	Effect of Norplant on liver function. <i>Bangladesh Medical Research Council Bulletin</i> , 1998, 24, 10-3.	0.1	0