

# Carsten Schoeneberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/302855/publications.pdf>

Version: 2024-02-01

29  
papers

391  
citations

759055

12  
h-index

839398

18  
g-index

38  
all docs

38  
docs citations

38  
times ranked

471  
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 and Proximal Femur Fracture in Older Adultsâ€”A Lethal Combination? An Analysis of the Registry for Geriatric Trauma (ATR-DGU). <i>Journal of the American Medical Directors Association</i> , 2022, 23, 576-580.	1.2	7
2	RIA versus iliac crest bone graft harvesting: A meta-analysis and systematic review. <i>Injury</i> , 2022, 53, 286-293.	0.7	9
3	Effect of Direct Oral Anticoagulants on Treatment of Geriatric Hip Fracture Patients: An Analysis of 15,099 Patients of the AltersTraumaRegister DGUÂ®. <i>Medicina (Lithuania)</i> , 2022, 58, 379.	0.8	6
4	Surgical Management and Outcomes following Pathologic Hip Fractureâ€”Results from a Propensity Matching Analysis of the Registry for Geriatric Trauma of the German Trauma Society. <i>Medicina (Lithuania)</i> , 2022, 58, 871.	0.8	3
5	Differences of hemiarthroplasty and total hip replacement in orthogeriatric treated elderly patients: a retrospective analysis of the Registry for Geriatric Trauma DGUÂ®. <i>European Journal of Trauma and Emergency Surgery</i> , 2021, , 1.	0.8	4
6	Effect of the COVID-19 Pandemic in German Trauma Centres and Geriatric Trauma Centres DGU. <i>Zeitschrift Fur Orthopadie Und Unfallchirurgie</i> , 2021, 159, 209-215.	0.4	11
7	Effect of time-to-surgery on in-house mortality during orthogeriatric treatment following hip fracture: A retrospective analysis of prospectively collected data from 16,236 patients of the AltersTraumaRegister DGUÂ®. <i>Injury</i> , 2021, 52, 554-561.	0.7	14
8	Four-month outcome after proximal femur fractures and influence of early geriatric rehabilitation: data from the German Centres of Geriatric Trauma DGU. <i>Archives of Osteoporosis</i> , 2021, 16, 68.	1.0	7
9	Open Reduction in Subtrochanteric Femur Fractures Is Not Accompanied by a Higher Rate of Complications. <i>Medicina (Lithuania)</i> , 2021, 57, 659.	0.8	2
10	Screw-blade fixation systems for implant anchorage in the femoral head: Horizontal blade orientation provides superior stability. <i>Injury</i> , 2021, 52, 1861-1867.	0.7	1
11	Quality of life, walking ability and change of living situation after trochanteric femur fracture in geriatric patientsâ€”Comparison between sliding hip screw and cephalomedullary nails from the registry for geriatric trauma. <i>Injury</i> , 2021, 52, 1793-1800.	0.7	2
12	Which factors influence treatment decision in fragility fractures of the pelvis? - results of a prospective study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 690.	0.8	8
13	Trochanteric Femur Fractures: Application of Skeletal Traction during Surgery Does Not Alter Soft-Tissue Microcirculation. <i>Medicina (Lithuania)</i> , 2021, 57, 884.	0.8	3
14	Impact of concomitant injuries in geriatric patients with proximal femur fracture. <i>Bone and Joint Journal</i> , 2021, 103-B, 1526-1533.	1.9	5
15	Medical and economic consequences of perioperative complications in older hip fracture patients. <i>Archives of Osteoporosis</i> , 2020, 15, 174.	1.0	6
16	Enhanced prehospital volume therapy does not lead to improved outcomes in severely injured patients with severe traumatic brain injury. <i>BMC Emergency Medicine</i> , 2019, 19, 13.	0.7	11
17	Influence of kitesurf equipment on injury rates. <i>Journal of Sports Medicine and Physical Fitness</i> , 2018, 58, 1482-1489.	0.4	6
18	Preventable and potentially preventable deaths in severely injured patients: a retrospective analysis including patterns of errors. <i>European Journal of Trauma and Emergency Surgery</i> , 2017, 43, 481-489.	0.8	30

#	ARTICLE	IF	CITATIONS
19	Evaluation of Potential Clinical Surrogate Markers of a Trauma Induced Alteration of Clotting Factor Activities. <i>BioMed Research International</i> , 2016, 2016, 1-10.	0.9	3
20	Evaluation of clotting factor activities early after severe multiple trauma and their correlation with coagulation tests and clinical data. <i>World Journal of Emergency Surgery</i> , 2015, 10, 43.	2.1	25
21	Prehospital Volume Therapy as an Independent Risk Factor after Trauma. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	24
22	Gender-specific differences in therapy and laboratory parameters and validation of mortality predictors in severely injured patientsâ€”results of a German level 1 trauma center. <i>Langenbeck's Archives of Surgery</i> , 2015, 400, 781-790.	0.8	1
23	Preventable and Potentially Preventable Deaths in Severely Injured Elderly Patients: A Singleâ€”Center Retrospective Data Analysis of a German Trauma Center. <i>World Journal of Surgery</i> , 2014, 38, 3125-3132.	0.8	16
24	Reduction in mortality in severely injured patients following the introduction of the â€œtreatment of patients with severe and multiple injuriesâ€”guideline of the German society of trauma surgery â€” a retrospective analysis of a level 1 trauma center (2010â€”2012). <i>Injury</i> , 2014, 45, 635-638.	0.7	24
25	Mortality in severely injured children: experiences of a German level 1 trauma center (2002 â€” 2011). <i>BMC Pediatrics</i> , 2014, 14, 194.	0.7	15
26	Mortality in severely injured elderly patients: a retrospective analysis of a German level 1 trauma center (2002â€”2011). <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 45.	1.1	23
27	Special considerations in the interpretation of plain radiographs of the cervical spine in children. A review of the literature. <i>European Journal of Trauma and Emergency Surgery</i> , 2013, 39, 647-652.	0.8	1
28	Diagnosis of cervical spine injuries in children: a systematic review. <i>European Journal of Trauma and Emergency Surgery</i> , 2013, 39, 653-665.	0.8	14
29	Gender-specific differences in severely injured patients between 2002 and 2011: data analysis with matched-pair analysis. <i>Critical Care</i> , 2013, 17, R277.	2.5	51