

Miriding Mutailipu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3032548/publications.pdf>

Version: 2024-02-01

57
papers

3,914
citations

218381

26
h-index

161609

54
g-index

59
all docs

59
docs citations

59
times ranked

977
citing authors

#	ARTICLE	IF	CITATIONS
1	Ba ₂ B ₁₃ O ₁₉ (OH)5·5H ₂ O: A promising nonlinear optical material with a unique 2[B ₁₃ O ₁₉ (OH) ₅] ²⁻ two-dimensional layer. <i>Journal of Alloys and Compounds</i> , 2022, 897, 163194.	2.8	3
2	Guanidinium Fluorooxoborates as Efficient Metal-free Short-Wavelength Nonlinear Optical Crystals. <i>Chemistry of Materials</i> , 2022, 34, 440-450.	3.2	67
3	Strong Nonlinearity Induced by Coaxial Alignment of Polar Chain and Dense [BO ₃] ⁻ Units in CaZn ₂ (BO ₃) ₂ . <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	116
4	[C ₃ N ₆ H ₇] ₂ [B ₃ O ₃ F ₄ (OH)]: a new hybrid birefringent crystal with strong optical anisotropy induced by mixed functional units. <i>Journal of Materials Chemistry C</i> , 2022, 10, 6590-6595.	2.7	28
5	(N ₂ H ₆)[HPO ₃ F] ₂ : maximizing the optical anisotropy of deep-ultraviolet fluorophosphates. <i>Chemical Communications</i> , 2022, 58, 5594-5597.	2.2	18
6	Double-Modification Oriented Design of a Deep-UV Birefringent Crystal Functionalized by [B ₁₂ O ₁₆ F ₄ (OH) ₄] Clusters. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	70
7	(NH ₄) ₃ B ₁₁ PO ₁₉ F ₃ : a deep-UV nonlinear optical crystal with unique [B ₅ PO ₁₀ F] ²⁻ layers. <i>National Science Review</i> , 2022, 9, .	4.6	68
8	Borates: A Rich Source for Optical Materials. <i>Chemical Reviews</i> , 2021, 121, 1130-1202.	23.0	534
9	BaZn ₃ (BO ₃) ₂ F ₂ : a new beryllium-free zincoborate with a KBBF-type structure. <i>Dalton Transactions</i> , 2021, 50, 13216-13219.	1.6	7
10	Finding Short-Wavelength Birefringent Crystals with Large Optical Anisotropy Activated by π -Conjugated [C(NH ₂) ₃] ⁺ Units. <i>Crystal Growth and Design</i> , 2021, 21, 1869-1877.	1.4	15
11	Toward the Enhancement of Critical Performance for Deep-Ultraviolet Frequency-Doubling Crystals Utilizing Covalent Tetrahedra. <i>Accounts of Materials Research</i> , 2021, 2, 282-291.	5.9	82
12	Cation Substitution of Hexagonal Triple Perovskites: A Case in Trimetallic Tellurates A ₂ A ₂ Te ₂ O ₉ . <i>Inorganic Chemistry</i> , 2021, 60, 6099-6106.	1.9	6
13	Expanding the chemistry of borates with functional [BO ₂] ⁻ anions. <i>Nature Communications</i> , 2021, 12, 2597.	5.8	99
14	Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. <i>Angewandte Chemie</i> , 2021, 133, 14771-14777.	1.6	13
15	RbMT ₃ (BO ₃) ₂ O ₃ (M=Ba, Sr; T=Al, Ga): New Double-Layered Oxyborates Constructed from [BO ₃] Triangles and [TO ₄] Tetrahedra. <i>Chemistry - A European Journal</i> , 2021, 27, 8698-8703.	1.7	6
16	Discovery of First Magnesium Fluorooxoborate with Stable Fluorine Terminated Framework for Deep-UV Nonlinear Optical Application. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 14650-14656.	7.2	109
17	Cs ₄ B ₄ O ₃ F ₁₀ : First Fluorooxoborate with [BF ₄] Involving Heteroanionic Units and Extremely Low Melting Point. <i>Chemistry - A European Journal</i> , 2021, 27, 9753-9757.	1.7	16
18	Hydroxyfluorooxoborate Na[B ₃ O ₃ F ₂ (OH) ₂] ⁻ ...[B(OH) ₃]: Optimizing the Optical Anisotropy with Heteroanionic Units for Deep Ultraviolet Birefringent Crystals. <i>Angewandte Chemie</i> , 2021, 133, 20632-20638.	1.6	14

#	ARTICLE	IF	CITATIONS
19	Tetrafluoroborate-Monofluorophosphate (NH ₄) ₃ [PO ₃ F][BF ₄]: First Member of Oxyfluoride with B–F and P–F Bonds. ACS Organic & Inorganic Au, 2021, 1, 6-10.	1.9	13
20	Hydroxyfluorooxoborate Na[B ₃ O ₃ F ₂ (OH) ₂] _n [B(OH) ₃]: Optimizing the Optical Anisotropy with Heteroanionic Units for Deep Ultraviolet Birefringent Crystals. Angewandte Chemie - International Edition, 2021, 60, 20469-20475.	7.2	90
21	Finding a Series of BaBOF ₃ Fluorooxoborate Polymorphs with Tunable Symmetries: A Simple but Flexible Case. Chemistry of Materials, 2021, 33, 7905-7913.	3.2	22
22	Identical in Formula but Not Isotypic in Configuration: Discovery of a New Highly Polymerized [B ₁₂ O ₂₄] Cluster in Cs ₃ AlB ₆ O ₁₂ . Inorganic Chemistry, 2021, 60, 15131-15135.	1.9	9
23	Neue Kandidaten für die nichtlineare Optik im tiefen-UV-Bereich. Angewandte Chemie, 2020, 132, 20480-20496.	1.6	39
24	Emergent Deep-Ultraviolet Nonlinear Optical Candidates. Angewandte Chemie - International Edition, 2020, 59, 20302-20317.	7.2	203
25	Rb ₃ BaTeB ₇ O ₁₅ : a novel [B ₇ O ₁₆] fundamental building block in a new telluroborate with [TeO ₃] polyhedra. Dalton Transactions, 2020, 49, 8911-8917.	1.6	7
26	PbB ₅ O ₇ F ₃ : A High-Performing Short-Wavelength Nonlinear Optical Material. Chemistry of Materials, 2020, 32, 2172-2179.	3.2	88
27	BaGeO ₃ : A Mid-IR Transparent Crystal with Superstrong Raman Response. Inorganic Chemistry, 2020, 59, 3542-3545.	1.9	3
28	A Promising Fluorooxoborate Framework with Flexible Capability for Diverse Cations to Enhance the Second Harmonic Generation. Chemistry - A European Journal, 2020, 26, 3723-3728.	1.7	10
29	Structural insights into three phosphates with distinct polyanionic configurations. Dalton Transactions, 2019, 48, 13406-13412.	1.6	10
30	Research and Development of Zincoborates: Crystal Growth, Structural Chemistry and Physicochemical Properties. Molecules, 2019, 24, 2763.	1.7	14
31	Li ₄ Na ₂ CsB ₇ O ₁₄ : a new edge-sharing [BO ₄] ⁵⁻ tetrahedra containing borate with high anisotropic thermal expansion. Chemical Communications, 2019, 55, 1295-1298.	2.2	39
32	Targeting the Next Generation of Deep-Ultraviolet Nonlinear Optical Materials: Expanding from Borates to Borate Fluorides to Fluorooxoborates. Accounts of Chemical Research, 2019, 52, 791-801.	7.6	315
33	SrB ₅ O ₇ F ₃ Functionalized with [B ₅ O ₉ F ₃] ⁶⁻ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials. Angewandte Chemie, 2018, 130, 6203-6207.	1.6	108
34	A Series of Rare-Earth Borates K ₇ MRE ₂ B ₁₅ O ₃₀ (M =) Tj ETQq0 0 0 rgBT /Overlock 1 Materials, 2018, 30, 2414-2423.	3.2	73
35	SrB ₅ O ₇ F ₃ Functionalized with [B ₅ O ₉ F ₃] ⁶⁻ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials. Angewandte Chemie - International Edition, 2018, 57, 6095-6099.	7.2	581
36	Innen-Äußertitelbild: SrB ₅ O ₇ F ₃ Functionalized with [B ₅ O ₉ F ₃] ⁶⁻ Chromophores: Accelerating the Rational Design of Deep-Ultraviolet Nonlinear Optical Materials (Angew. Chem. 21/2018). Angewandte Chemie, 2018, 130, 6461-6461.	1.6	0

#	ARTICLE	IF	CITATIONS
37	Oxyhalides: prospecting ore for optical functional materials with large laser damage thresholds. <i>Journal of Materials Chemistry C</i> , 2018, 6, 2435-2442.	2.7	56
38	Computer-Assisted Design of a Superior $\text{Be}_2\text{BO}_3\text{F}$ Deep-Ultraviolet Nonlinear-Optical Material. <i>Inorganic Chemistry</i> , 2018, 57, 5716-5719.	1.9	31
39	Two Lanthanide Borate Chlorides $\text{LnB}_4\text{O}_6(\text{OH})_2\text{Cl}$ (Ln = La, Ce) with Wide Ultraviolet Transmission Windows and Large Second-Harmonic Generation Responses. <i>Inorganic Chemistry</i> , 2018, 57, 14953-14960.	1.9	14
40	The first lead fluorooxoborate $\text{PbB}_5\text{O}_8\text{F}$: achieving the coexistence of large birefringence and deep-ultraviolet cut-off edge. <i>Chemical Communications</i> , 2018, 54, 6308-6311.	2.2	70
41	$\text{Ba}_3\text{Mg}_3(\text{BO}_3)_3\text{F}_3$ polymorphs with reversible phase transition and high performances as ultraviolet nonlinear optical materials. <i>Nature Communications</i> , 2018, 9, 3089.	5.8	314
42	$\text{Bi}_3\text{OF}_3(\text{IO}_3)_4$: Metal Oxyiodate Fluoride Featuring a Carbon-Nanotube-like Topological Structure with Large Second Harmonic Generation Response. <i>Chemistry of Materials</i> , 2017, 29, 945-949.	3.2	112
43	The structural diversity of halogen-centered secondary building units: two new mixed-metal borate halides with deep-ultraviolet cut-off edges. <i>Dalton Transactions</i> , 2017, 46, 4923-4928.	1.6	14
44	$\text{Na}_8\text{MB}_{21}\text{O}_{36}$ (M = Rb and Cs): Noncentrosymmetric Borates with Unprecedented $[\text{B}_{21}\text{O}_{36}]^{9-}$ Fundamental Building Blocks. <i>Inorganic Chemistry</i> , 2017, 56, 5506-5509.	1.9	27
45	$\text{Ba}_{n+2}\text{Zn}_n(\text{BO}_3)_n(\text{B}_2\text{O}_5)_n\text{F}_n$ ($n = 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100$). <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 281-288.	3.0	29
46	$\text{Li}_6\text{Zn}_3(\text{BO}_3)_4$: a new zincoborate featuring vertex-, edge- and face-sharing LiO_4 tetrahedra and exhibiting reversible phase transitions. <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1100-1107.	3.0	17
47	Frontispiece: Structural Insights into Borates with an Anion-emplated Open Framework Configuration: Asymmetric $\text{K}_2\text{BaB}_{16}\text{O}_{26}$ versus Centrosymmetric $\text{K}_3\text{CsB}_{20}\text{O}_{32}$ and $\text{Na}_2\text{M}_2\text{NB}_{18}\text{O}_{30}$ (M=Rb, Cs; N=Ba, Pb). <i>Chemistry - A European Journal</i> , 2017, 23, 13910-13918.	1.7	0
48	Structural Insights into Borates with an Anion-emplated Open Framework Configuration: Asymmetric $\text{K}_2\text{BaB}_{16}\text{O}_{26}$ versus Centrosymmetric $\text{K}_3\text{CsB}_{20}\text{O}_{32}$ and $\text{Na}_2\text{M}_2\text{NB}_{18}\text{O}_{30}$ (M=Rb, Cs; N=Ba, Pb). <i>Chemistry - A European Journal</i> , 2017, 23, 13910-13918.	1.7	24
49	The activity of lone pair contributing to SHG response in bismuth borates: a combination investigation from experiment and DFT calculation. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 25270-25276.	1.3	20
50	Chemical Cosubstitution-Oriented Design of Rare-Earth Borates as Potential Ultraviolet Nonlinear Optical Materials. <i>Journal of the American Chemical Society</i> , 2017, 139, 18397-18405.	6.6	187
51	Manipulation of birefringence via substitution of Sr^{2+} by Pb^{2+} based on the structure model of $\text{LiSr}_{1-x}\text{Pb}_x\text{BO}_3$ ($0 \leq x \leq 0.5$). <i>New Journal of Chemistry</i> , 2016, 40, 6120-6126.	1.4	5
52	Effects of the Orientation of $[\text{B}_5\text{O}_{11}]^{7-}$ Fundamental Building Blocks on Layered Structures Based on the Pentaborates. <i>Inorganic Chemistry</i> , 2016, 55, 10608-10616.	1.9	27
53	The mechanism of large second harmonic generation enhancement activated by Zn^{2+} substitution. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 32931-32936.	1.3	31
54	Versatile Coordination Mode of $\text{LiNaB}_8\text{O}_{13}$ and $\text{Li}_2\text{KB}_8\text{O}_{13}$ via the Flexible Assembly of Four-Connected B_5O_{10} and B_3O_7 Groups. <i>Inorganic Chemistry</i> , 2016, 55, 552-554.	1.9	17

#	ARTICLE	IF	CITATIONS
55	Enhanced gas-sensing performance of one-pot-synthesized Pt/CdIn ₂ O ₄ composites with controlled morphologies. Analytical Methods, 2015, 7, 1085-1091.	1.3	8
56	Strong Nonlinearity Induced by Coaxial Alignment of Polar Chain and Dense [BO ₃] Units in CaZn ₂ (BO ₃) ₂ . Angewandte Chemie, 0, , .	1.6	9
57	Double-Modification Oriented Design of a Deep-UV Birefringent Crystal Functionalized by [B12O16F4(OH)4] Cluster. Angewandte Chemie, 0, , .	1.6	3