

Eiji Kamio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3032586/eiji-kamio-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

1,882
citations

27
h-index

39
g-index

98
ext. papers

2,138
ext. citations

5.8
avg. IF

5.1
L-index

#	Paper	IF	Citations
94	Fundamental investigation on controlling factors of reverse solute flux of branched thermo-responsive oligomer in forward osmosis process. <i>Desalination</i> , 2022 , 527, 115599	10.3	0
93	Ionic liquidBased membranes for gas separation 2022 , 1-31		
92	Novel Tough Ion-Gel-Based CO ₂ Separation Membrane with Interpenetrating Polymer Network Composed of Semicrystalline and Cross-Linkable Polymers. <i>Industrial & Engineering Chemistry Research</i> , 2022 , 61, 4648-4658	3.9	1
91	HNB3O8/g-C ₃ N ₄ nanosheet composite membranes with two-dimensional heterostructured nanochannels achieve enhanced water permeance and photocatalytic activity. <i>Chemical Engineering Journal</i> , 2022 , 136254	14.7	1
90	HNB3O8 NanosheetGraphene Oxide Composite Membranes for Molecular Separation. <i>ACS Applied Nano Materials</i> , 2021 , 4, 3455-3466	5.6	8
89	Fundamental Investigation of the Rate-Determining Step of CO ₂ Permeation through Ion Gel Membranes Containing Amino-Acid Ionic Liquid as the CO ₂ Carrier. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 7397-7405	3.9	2
88	Simulation of Thermoresponsive Draw Solute-Driven Forward Osmosis for Enhanced Pure Water Production in Seawater Desalination. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 9548-9559	3.9	1
87	Inorganic/organic double-network ion gel membrane with a high ionic liquid content for CO ₂ separation. <i>Polymer Journal</i> , 2021 , 53, 137-147	2.7	7
86	Development of a Micro-Double-Network Ion Gel-Based CO ₂ Separation Membrane from Nonvolatile Network Precursors. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 12640-12649	3.9	6
85	Inorganic/Organic Micro-Double-Network Ion Gel-Based Composite Membrane with Enhanced Mechanical Strength and CO ₂ Permeance. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 12698-12708	3.9	3
84	A gradient viscosity model for estimating CO ₂ permeability of amino acid ionic liquid-based facilitated transport membrane. <i>Separation and Purification Technology</i> , 2021 , 119847	8.3	3
83	Effect of temperature on the osmotic behavior of LCST type ionic liquid solutions as draw solutions in the forward osmosis process. <i>Separation and Purification Technology</i> , 2021 , 275, 119164	8.3	1
82	Laminar HNB3O8-based membranes supported on anodic aluminum oxide with enhanced anti-swelling property for organic solvent nanofiltration. <i>Journal of Membrane Science</i> , 2021 , 640, 119799	8.6	1
81	Controlling interlayer spacing and organic solvent permeation in laminar graphene oxide membranes modified with crosslinker. <i>Separation and Purification Technology</i> , 2021 , 276, 119279	8.3	4
80	Inorganic/organic nanocomposite ion gels with well dispersed secondary silica nanoparticles.. <i>RSC Advances</i> , 2020 , 10, 14451-14457	3.7	4
79	Fundamental investigation of the gas permeation mechanism of facilitated transport membranes with Co(salen)-containing ionic liquid as O ₂ carriers. <i>Separation and Purification Technology</i> , 2020 , 248, 117018	8.3	3
78	Energy dissipation via the internal fracture of the silica particle network in inorganic/organic double network ion gels. <i>Soft Matter</i> , 2020 , 16, 2363-2370	3.6	7

77	Hollow Fiber-Type Facilitated Transport Membrane Composed of a Polymerized Ionic Liquid-Based Gel Layer with Amino Acidate as the CO ₂ Carrier. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 2083-2092	3.9	8
76	Development of facilitated transport membranes composed of a dense gel layer containing CO ₂ carrier formed on porous cylindrical support membranes. <i>Chemical Engineering Research and Design</i> , 2020 , 153, 284-293	5.5	5
75	Fabrication of porous polyketone forward osmosis membranes modified with aromatic compounds: Improved pressure resistance and low structural parameter. <i>Separation and Purification Technology</i> , 2020 , 251, 117400	8.3	7
74	Effect of ligand structures on oxygen absorbability and viscosity of metal-containing ionic liquids. <i>Journal of Molecular Liquids</i> , 2020 , 318, 114365	6	2
73	Multistage osmotically assisted reverse osmosis process for concentrating solutions using hollow fiber membrane modules. <i>Chemical Engineering Research and Design</i> , 2020 , 162, 117-124	5.5	5
72	Preparation of Inorganic/Organic Double-Network Ion Gels Using a Cross-Linkable Polymer in an Open System. <i>Macromolecules</i> , 2020 , 53, 8529-8538	5.5	4
71	Gas Permeation Characteristics of TiO-ZrO-Aromatic Organic Chelating Ligand (aOCL) Composite Membranes. <i>Membranes</i> , 2020 , 10,	3.8	2
70	Design of niobate nanosheet-graphene oxide composite nanofiltration membranes with improved permeability. <i>Journal of Membrane Science</i> , 2020 , 595, 117598	9.6	20
69	Tough and stretchable inorganic/organic double network ion gel containing gemini-type ionic liquid as a multiple hydrogen bond cross-linker.. <i>RSC Advances</i> , 2019 , 9, 11870-11876	3.7	7
68	Osmotically Assisted Reverse Osmosis Utilizing Hollow Fiber Membrane Module for Concentration Process. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 6721-6729	3.9	14
67	Two-dimensional niobate nanosheet membranes for water treatment: Effect of nanosheet preparation method on membrane performance. <i>Separation and Purification Technology</i> , 2019 , 219, 222-229	8.3	11
66	Preparation and characterization of organic chelate ligand (OCL)-templated TiO ₂ ZrO ₂ nanofiltration membranes. <i>Journal of Membrane Science</i> , 2019 , 591, 117304	9.6	12
65	Investigation into the Effective Chemical Structure of Metal-Containing Ionic Liquids for Oxygen Absorption. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 23304-23316	3.9	4
64	Fundamental investigation of osmolality, thermo-responsive phase diagram, and water-drawing ability of ionic-liquid-based draw solution for forward osmosis membrane process. <i>Journal of Membrane Science</i> , 2019 , 570-571, 93-102	9.6	15
63	Toluene vapor removal using an inorganic/organic double-network ion gel membrane. <i>Separation Science and Technology</i> , 2018 , 53, 2840-2851	2.5	5
62	Inorganic/Organic Double-Network Ion Gels with Partially Developed Silica-Particle Network. <i>Langmuir</i> , 2018 , 34, 10622-10633	4	18
61	Fabrication of Stacked Graphene Oxide Nanosheet Membranes Using Triethanolamine as a Crosslinker and Mild Reducing Agent for Water Treatment. <i>Membranes</i> , 2018 , 8,	3.8	11
60	Improved permselectivity of forward osmosis membranes for efficient concentration of pretreated rice straw and bioethanol production. <i>Journal of Membrane Science</i> , 2018 , 566, 15-24	9.6	19

59	New approach for the fabrication of double-network ion-gel membranes with high CO ₂ /N ₂ separation performance based on facilitated transport. <i>Journal of Membrane Science</i> , 2017 , 530, 166-175 ^{9.6}	9.6	52
58	Effects of Coexistent Ions on ¹³⁷ Cs ⁺ Rejection of a Polyamide Reverse Osmosis Membrane in the Decontamination of Wastewater with Low Cesium-137 Concentration. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 6864-6868	3.9	7
57	Sucrose purification and repeated ethanol production from sugars remaining in sweet sorghum juice subjected to a membrane separation process. <i>Applied Microbiology and Biotechnology</i> , 2017 , 101, 6007-6014	5.7	8
56	Niobate nanosheet membranes with enhanced stability for nanofiltration. <i>Chemical Communications</i> , 2017 , 53, 7929-7932	5.8	13
55	High CO ₂ separation performance of amino acid ionic liquid-based double network ion gel membranes in low CO ₂ concentration gas mixtures under humid conditions. <i>Journal of Membrane Science</i> , 2017 , 525, 290-297	9.6	50
54	Ion Gel Membrane with Tunable Inorganic/Organic Composite Network for CO ₂ Separation. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 12763-12772	3.9	22
53	Inorganic/organic composite ion gel membrane with high mechanical strength and high CO ₂ separation performance. <i>Journal of Membrane Science</i> , 2017 , 544, 252-260	9.6	19
52	Facilitated O ₂ transport membrane containing Co(II)-salen complex-based ionic liquid as O ₂ carrier. <i>Journal of Membrane Science</i> , 2017 , 541, 393-402	9.6	14
51	Inorganic/Organic Double-Network Gels Containing Ionic Liquids. <i>Advanced Materials</i> , 2017 , 29, 1704118 ²⁴	10.24	105
50	The effect of chemical structures of cyclic amino acid type ionic liquids as CO ₂ carriers on facilitated transport membrane performances. <i>Separation Science and Technology</i> , 2017 , 52, 209-220	2.5	6
49	Development of facilitated transport membranes with low viscosity aprotic heterocyclic anion type ionic liquid as a CO ₂ carrier. <i>Separation Science and Technology</i> , 2017 , 52, 197-208	2.5	8
48	Membrane Separation Technology for CO ₂ Separation and Recovery in Japan. <i>Membrane</i> , 2017 , 42, 2-10 ^o		
47	Effect of the amino-group densities of functionalized ionic liquids on the facilitated transport properties for CO ₂ separation. <i>Journal of Membrane Science</i> , 2016 , 503, 148-157	9.6	32
46	Molecular Design of High CO ₂ Reactivity and Low Viscosity Ionic Liquids for CO ₂ Separative Facilitated Transport Membranes. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 2821-2830 ^{3.9}	3.9	21
45	Quantum Mechanical and Molecular Dynamics Simulations of Dual-Amino-Acid Ionic Liquids for CO ₂ Capture. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 27734-27745	3.8	28
44	High pressure CO ₂ solubility and physical properties of tetrabutylphosphonium l-prolinate. <i>Fluid Phase Equilibria</i> , 2016 , 420, 89-96	2.5	7
43	An amino acid ionic liquid-based tough ion gel membrane for CO ₂ capture. <i>Chemical Communications</i> , 2015 , 51, 13658-61	5.8	70
42	Effects of water concentration on the free volume of amino acid ionic liquids investigated by molecular dynamics simulations. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 263-73	3.4	17

41	Cs+ Rejection Behavior of Polyamide RO Membranes for Feed Solutions with Extremely Low Salt Concentrations. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 8782-8788	3.9	9
40	?Original Contribution? Effect of Ionic Liquid Additives on CO ₂ Permeation and CO ₂ /N ₂ Selectivity through Facilitated Transport Membranes. <i>Membrane</i> , 2015 , 40, 105-110	0	
39	Effect of membrane polymeric materials on relationship between surface pore size and membrane fouling in membrane bioreactors. <i>Applied Surface Science</i> , 2015 , 330, 351-357	6.7	37
38	Improvements in the CO ₂ permeation selectivities of amino acid ionic liquid-based facilitated transport membranes by controlling their gas absorption properties. <i>Journal of Membrane Science</i> , 2014 , 454, 155-162	9.6	58
37	Fundamental Investigation of the Factors Controlling the CO ₂ Permeability of Facilitated Transport Membranes Containing Amine-Functionalized Task-Specific Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 2422-2431	3.9	50
36	Polymeric ion-gels containing an amino acid ionic liquid for facilitated CO ₂ transport media. <i>Chemical Communications</i> , 2014 , 50, 2996-9	5.8	64
35	?Original Contribution? Applicability of a Forward Osmosis Membrane Process for the Enhancement of Xylose Concentration to Achieve an Effective Biomass Fermentation Process Eiji Kamio. <i>Membrane</i> , 2014 , 39, 97-105	0	2
34	A facilitated transport ion-gel membrane for propylene/propane separation using silver ion as a carrier. <i>Journal of Membrane Science</i> , 2013 , 431, 121-130	9.6	43
33	Permeation of Dispersed Particles through a Pore and Transmembrane Pressure Behavior in Dead-End Constant-Flux Microfiltration by Two-Dimensional Direct Numerical Simulation. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 4650-4659	3.9	17
32	Solidification characteristics of polymer solution during polyvinylidene fluoride membrane preparation by nonsolvent-induced phase separation. <i>Journal of Membrane Science</i> , 2013 , 438, 77-82	9.6	21
31	Cutting-Edge Research at the Membrane Center in Kobe University in Japan. <i>Biotechnology and Biotechnological Equipment</i> , 2013 , 27, 3478-3484	1.6	
30	Amino acid ionic liquid-based facilitated transport membranes for CO ₂ separation. <i>Chemical Communications</i> , 2012 , 48, 6903-5	5.8	117
29	Effect of water in ionic liquids on CO ₂ permeability in amino acid ionic liquid-based facilitated transport membranes. <i>Journal of Membrane Science</i> , 2012 , 415-416, 168-175	9.6	77
28	Fouling reduction of reverse osmosis membrane by surface modification via layer-by-layer assembly. <i>Separation and Purification Technology</i> , 2012 , 99, 1-7	8.3	103
27	Monodisperse water-in-water-in-oil emulsion droplets. <i>ChemPhysChem</i> , 2011 , 12, 263-6	3.2	16
26	Microfluidic Extraction of Docosahexaenoic Acid Ethyl Ester: Comparison between Slug Flow and Emulsion. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 6915-6924	3.9	29
25	Experimental and theoretical study on propylene absorption by using PVDF hollow fiber membrane contactors with various membrane structures. <i>Journal of Membrane Science</i> , 2010 , 346, 86-97	9.6	34
24	Cross-linked DNA capsules templated on porous calcium carbonate microparticles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010 , 356, 126-133	5.1	28

23	Modeling of extraction behavior of docosahexaenoic acid ethyl ester by utilizing slug flow prepared by microreactor. <i>AICHE Journal</i> , 2009 , 56, NA-NA	3.6	1
22	Design of a new static micromixer having simple structure and excellent mixing performance. <i>Lab on A Chip</i> , 2009 , 9, 1809-12	7.2	10
21	Mechanism of Synergistic Extraction of Samarium Using Alkylphosphoric Acid as Main Extractant. <i>Journal of Chemical Engineering of Japan</i> , 2009 , 42, 563-569	0.8	4
20	Microcapsules with macroholes prepared by the competitive adsorption of surfactants on emulsion droplet surfaces. <i>Langmuir</i> , 2008 , 24, 13287-98	4	34
19	Liquefaction kinetics of cellulose treated by hot compressed water under variable temperature conditions. <i>Journal of Materials Science</i> , 2008 , 43, 2179-2188	4.3	22
18	Preparation of monodisperse crosslinked polymelamine microcapsules by phase separation method. <i>Colloid and Polymer Science</i> , 2008 , 286, 787-793	2.4	8
17	Removal of metal ions from aqueous solutions by sorption onto microcapsules prepared by copolymerization of ethylene glycol dimethacrylate with styrene. <i>Separation and Purification Technology</i> , 2008 , 63, 517-523	8.3	36
16	Effect of heating rate on liquefaction of cellulose by hot compressed water. <i>Chemical Engineering Journal</i> , 2008 , 137, 328-338	14.7	32
15	Investigation on extraction rate of lanthanides with extractant-impregnated microcapsule. <i>Chemical Engineering Journal</i> , 2008 , 139, 93-105	14.7	36
14	Theoretical Development of Metal Extraction Mechanism into an Extractant-Impregnated Microcapsule. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 255-265	3.9	20
13	Extraction of Ethyl Ester of Polyunsaturated Fatty Acids by Utilizing Slug Flow Prepared by Microreactor. <i>Journal of Chemical Engineering of Japan</i> , 2007 , 40, 1076-1084	0.8	7
12	Extraction of Precious and Base Metals with Microcapsules Containing an Extractant. <i>Journal of Chemical Engineering of Japan</i> , 2007 , 40, 31-35	0.8	7
11	Investigation of alternative compounds to poly(E-MA) as a polymeric surfactant for preparation of microcapsules by phase separation method. <i>Journal of Microencapsulation</i> , 2007 , 24, 349-57	3.4	20
10	Liquefaction of Cellulose in Hot Compressed Water under Variable Temperatures. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 4944-4953	3.9	27
9	Extraction Mechanism of Metal Ions on the Interface between Aqueous and Organic Phases at a High Concentration of Organophosphorus Extractant. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 1105-1112	3.9	8
8	Sorption Behavior of Ga(III) and In(III) into a Microcapsule Containing Long-Chain Alkylphosphonic Acid Monoester. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 2266-2272	3.9	33
7	Zn(II) AND Cu(II) UPTAKE FROM ACID SOLUTIONS WITH MICROCAPSULES CONTAINING A NON-SPECIFIC ALKYL PHOSPHONIC EXTRACTANT. <i>Journal of the Chilean Chemical Society</i> , 2005 , 50,	2.5	4
6	Membrane formation mechanism of cross-linked polyurea microcapsules by phase separation method. <i>Journal of Microencapsulation</i> , 2004 , 21, 241-9	3.4	30

5	Extraction Mechanism of Rare Metals with Microcapsules Containing Organophosphorus Compounds.. <i>Journal of Chemical Engineering of Japan</i> , 2002 , 35, 178-185	0.8	37
4	Uptakes of rare metal ionic species by a column packed with microcapsules containing an extractant. <i>Separation and Purification Technology</i> , 2002 , 29, 121-130	8.3	13
3	Separation of rare earth metals with a polymeric microcapsule membrane. <i>Desalination</i> , 2002 , 144, 249-254	2.5	38
2	Separation of Rare Metal Ions by a Column Packed with Microcapsules Containing an Extractant. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 3669-3675	3.9	30
1	Separation and Concentration of Lanthanoids Using Microcapsules Containing Acidic Organophosphorus Compounds as an Extractant.. <i>Journal of Chemical Engineering of Japan</i> , 2002 , 35, 574-581	0.8	18