

# Norman J Dovichi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3032719/norman-j-dovichi-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169  
papers

7,073  
citations

51  
h-index

73  
g-index

176  
ext. papers

7,558  
ext. citations

5.9  
avg, IF

5.92  
L-index

#	Paper	IF	Citations
169	Capillary zone electrophoresis separation and collection of spermatozoa for the forensic analysis of sexual assault evidence. <i>Electrophoresis</i> , <b>2020</b> , 41, 1344-1353	3.6	2
168	Minimal deuterium isotope effects in quantitation of dimethyl-labeled complex proteomes analyzed with capillary zone electrophoresis/mass spectrometry. <i>Electrophoresis</i> , <b>2020</b> , 41, 1374-1378	3.6	6
167	Quantitative capillary zone electrophoresis-mass spectrometry reveals the N-glycome developmental plan during vertebrate embryogenesis. <i>Molecular Omics</i> , <b>2020</b> , 16, 210-220	4.4	2
166	Miniaturized Filter-Aided Sample Preparation (MICRO-FASP) Method for High Throughput, Ultrasensitive Proteomics Sample Preparation Reveals Proteome Asymmetry in Embryos. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 5554-5560	7.8	19
165	Aquaporin-7 Regulates the Response to Cellular Stress in Breast Cancer. <i>Cancer Research</i> , <b>2020</b> , 80, 4071-4086	4.5	5
164	A surface-enhanced Raman spectroscopy database of 63 metabolites. <i>Talanta</i> , <b>2020</b> , 210, 120645	6.2	6
163	Database of free solution mobilities for 276 metabolites. <i>Talanta</i> , <b>2020</b> , 209, 120545	6.2	3
162	Detection of 1 zmol injection of angiotensin using capillary zone electrophoresis coupled to a Q-Exactive HF mass spectrometer with an electrokinetically pumped sheath-flow electrospray interface. <i>Talanta</i> , <b>2019</b> , 204, 70-73	6.2	18
161	Single-Shot Capillary Zone Electrophoresis-Tandem Mass Spectrometry Produces over 4400 Phosphopeptide Identifications from a 220 ng Sample. <i>Journal of Proteome Research</i> , <b>2019</b> , 18, 3166-3173	5.6	14
160	MALDI-imaging of early stage <i>Xenopus laevis</i> embryos. <i>Talanta</i> , <b>2019</b> , 204, 138-144	6.2	3
159	Capillary Zone Electrophoresis with Fraction Collection for Separation, Culturing, and Identification of Bacteria from an Environmental Microbiome. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 4649-4655	7.8	6
158	Quantitative Proteomics After Spinal Cord Injury (SCI) in a Regenerative and a Nonregenerative Stage in the Frog. <i>Molecular and Cellular Proteomics</i> , <b>2018</b> , 17, 592-606	7.6	12
157	Optimization of mass spectrometric parameters improve the identification performance of capillary zone electrophoresis for single-shot bottom-up proteomics analysis. <i>Analytica Chimica Acta</i> , <b>2018</b> , 1001, 93-99	6.6	13
156	Dual roles for ATP in the regulation of phase separated protein aggregates in oocyte nucleoli. <i>ELife</i> , <b>2018</b> , 7,	8.9	39
155	Metabolomics of oncogene-specific metabolic reprogramming during breast cancer. <i>Cancer &amp; Metabolism</i> , <b>2018</b> , 6, 5	5.4	30
154	Capillary zone electrophoresis-mass spectrometry for bottom-up proteomics. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2018</b> , 108, 23-37	14.6	31
153	Sensitive and fast characterization of site-specific protein glycosylation with capillary electrophoresis coupled to mass spectrometry. <i>Talanta</i> , <b>2018</b> , 179, 22-27	6.2	28

152	Site-Specific Glycan Heterogeneity Characterization by Hydrophilic Interaction Liquid Chromatography Solid-Phase Extraction, Reversed-Phase Liquid Chromatography Fractionation, and Capillary Zone Electrophoresis-Electrospray Ionization-Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 1222-1233	7.8	28
151	Production of Over 27 000 Peptide and Nearly 4400 Protein Identifications by Single-Shot Capillary-Zone Electrophoresis-Mass Spectrometry via Combination of a Very-Low-Electroosmosis Coated Capillary, a Third-Generation Electrokinetically-Pumped Sheath-Flow Nanospray Interface, an Orbitrap Fusion Lumos Tribrid Mass Spectrometer, and an Advanced Peak-Determination	7.8	21
150	Asymmetric distribution of biomolecules of maternal origin in the <i>Xenopus laevis</i> egg and their impact on the developmental plan. <i>Scientific Reports</i> , <b>2018</b> , 8, 8315	4.9	7
149	Preparation of linear polyacrylamide coating and strong cationic exchange hybrid monolith in a single capillary, and its application as an automated platform for bottom-up proteomics by capillary electrophoresis-mass spectrometry. <i>Mikrochimica Acta</i> , <b>2017</b> , 184, 921-925	5.8	18
148	Predicting Electrophoretic Mobility of Tryptic Peptides for High-Throughput CZE-MS Analysis. <i>Analytical Chemistry</i> , <b>2017</b> , 89, 2000-2008	7.8	33
147	Capillary electrophoresis coupled to negative mode electrospray ionization-mass spectrometry using an electrokinetically-pumped nanospray interface with primary amines grafted to the interior of a glass emitter. <i>Talanta</i> , <b>2017</b> , 165, 522-525	6.2	16
146	Simplified capillary isoelectric focusing with chemical mobilization for intact protein analysis. <i>Journal of Separation Science</i> , <b>2017</b> , 40, 948-953	3.4	15
145	Evaluation of a commercial electro-kinetically pumped sheath-flow nanospray interface coupled to an automated capillary zone electrophoresis system. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 1789-1795	4.4	25
144	Bottom-up proteomics analysis of the secretome of murine islets of Langerhans in elevated glucose levels. <i>Analyst, The</i> , <b>2017</b> , 142, 284-291	5	2
143	A High Voltage Power Supply That Mitigates Current Reversals in Capillary Zone Electrophoresis-Electrospray Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2017</b> , 28, 247-252	3.5	7
142	Phosphorylation Dynamics Dominate the Regulated Proteome during Early <i>Xenopus</i> Development. <i>Scientific Reports</i> , <b>2017</b> , 7, 15647	4.9	9
141	Surface-Confined Aqueous Reversible Addition-Fragmentation Chain Transfer (SCARF) Polymerization Method For Preparation of Coated Capillary Leads to over 10 000 Peptides Identified from 25 ng HeLa Digest by Using Capillary Zone Electrophoresis-Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , <b>2017</b> , 89, 4774-4780	7.8	21
140	Multisegment injections improve peptide identification rates in capillary zone electrophoresis-based bottom-up proteomics. <i>Journal of Chromatography A</i> , <b>2017</b> , 1523, 123-126	4.5	19
139	Comprehensive analysis of host cell impurities in monoclonal antibodies with improved sensitivity by capillary zone electrophoresis mass spectrometry. <i>Electrophoresis</i> , <b>2017</b> , 38, 401-407	3.6	16
138	Thermally-initiated free radical polymerization for reproducible production of stable linear polyacrylamide coated capillaries, and their application to proteomic analysis using capillary zone electrophoresis-mass spectrometry. <i>Talanta</i> , <b>2016</b> , 146, 839-43	6.2	52
137	Over 4100 protein identifications from a <i>Xenopus laevis</i> fertilized egg digest using reversed-phase chromatographic prefractionation followed by capillary zone electrophoresis-electrospray ionization-tandem mass spectrometry analysis. <i>Proteomics</i> , <b>2016</b> , 16, 2945-2952	4.8	23
136	Single Cell Proteomics Using Frog ( <i>Xenopus laevis</i> ) Blastomeres Isolated from Early Stage Embryos, Which Form a Geometric Progression in Protein Content. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 6653-7	7.8	69
135	Optimization and comparison of bottom-up proteomic sample preparation for early-stage <i>Xenopus laevis</i> embryos. <i>Analytical and Bioanalytical Chemistry</i> , <b>2016</b> , 408, 4743-9	4.4	20

134	Quantitative analysis of the supernatant from host and transfected CHO cells using iTRAQ 8-plex technique. <i>Biotechnology and Bioengineering</i> , <b>2016</b> , 113, 2140-8	4.9	6
133	Fast separation and analysis of reduced monoclonal antibodies with capillary zone electrophoresis coupled to mass spectrometry. <i>Talanta</i> , <b>2016</b> , 148, 529-33	6.2	34
132	Chemical cytometry of thiols using capillary zone electrophoresis-laser induced fluorescence and TMPAB-o-M, an improved fluorogenic reagent. <i>Analyst, The</i> , <b>2016</b> , 141, 1325-30	5	11
131	Nearly 1000 Protein Identifications from 50 ng of <i>Xenopus laevis</i> Zygote Homogenate Using Online Sample Preparation on a Strong Cation Exchange Monolith Based Microreactor Coupled with Capillary Zone Electrophoresis. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 877-82	7.8	37
130	Sample preparation protocol for bottom-up proteomic analysis of the secretome of the islets of Langerhans. <i>Analyst, The</i> , <b>2016</b> , 141, 1700-6	5	11
129	Capillary zone electrophoresis as a tool for bottom-up protein analysis. <i>Bioanalysis</i> , <b>2016</b> , 8, 89-92	2.1	9
128	Capillary zone electrophoresis tandem mass spectrometry detects low concentration host cell impurities in monoclonal antibodies. <i>Electrophoresis</i> , <b>2016</b> , 37, 616-22	3.6	28
127	Capillary zone electrophoresis for bottom-up analysis of complex proteomes. <i>Proteomics</i> , <b>2016</b> , 16, 188-208	4.6	31
126	Proteomics of <i>Xenopus</i> development. <i>Molecular Human Reproduction</i> , <b>2016</b> , 22, 193-9	4.4	3
125	Dynamic pH junction preconcentration in capillary electrophoresis- electrospray ionization-mass spectrometry for proteomics analysis. <i>Analyst, The</i> , <b>2016</b> , 141, 5216-20	5	26
124	Coupling Capillary Zone Electrophoresis to a Q Exactive HF Mass Spectrometer for Top-down Proteomics: 580 Proteoform Identifications from Yeast. <i>Journal of Proteome Research</i> , <b>2016</b> , 15, 3679-3685	5.6	40
123	Third-generation electrokinetically pumped sheath-flow nanospray interface with improved stability and sensitivity for automated capillary zone electrophoresis-mass spectrometry analysis of complex proteome digests. <i>Journal of Proteome Research</i> , <b>2015</b> , 14, 2312-21	5.6	142
122	High speed capillary zone electrophoresis-mass spectrometry via an electrokinetically pumped sheath flow interface for rapid analysis of amino acids and a protein digest. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2015</b> , 991, 53-8	3.2	31
121	Coupling capillary zone electrophoresis with electron transfer dissociation and activated ion electron transfer dissociation for top-down proteomics. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 5422-9	7.8	46
120	Detachable strong cation exchange monolith, integrated with capillary zone electrophoresis and coupled with pH gradient elution, produces improved sensitivity and numbers of peptide identifications during bottom-up analysis of complex proteomes. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 4572-7	7.8	52
119	Over 2300 phosphorylated peptide identifications with single-shot capillary zone electrophoresis-tandem mass spectrometry in a 100 min separation. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 9532-7	7.8	42
118	Obesity Contributes to Ovarian Cancer Metastatic Success through Increased Lipogenesis, Enhanced Vascularity, and Decreased Infiltration of M1 Macrophages. <i>Cancer Research</i> , <b>2015</b> , 75, 5046-57	10.1	58
117	Bottom-up proteomic analysis of single HCT 116 colon carcinoma multicellular spheroids. <i>Rapid Communications in Mass Spectrometry</i> , <b>2015</b> , 29, 654-8	2.2	12

116	Integrated strong cation-exchange hybrid monolith coupled with capillary zone electrophoresis and simultaneous dynamic pH junction for large-volume proteomic analysis by mass spectrometry. <i>Talanta</i> , <b>2015</b> , 138, 117-122	6.2	43
115	Capillary zone electrophoresis for analysis of complex proteomes using an electrokinetically pumped sheath flow nanospray interface. <i>Proteomics</i> , <b>2014</b> , 14, 622-8	4.8	35
114	Over 10,000 peptide identifications from the HeLa proteome by using single-shot capillary zone electrophoresis combined with tandem mass spectrometry. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 13931-3	16.4	74
113	Bottom-up proteomics of Escherichia coli using dynamic pH junction preconcentration and capillary zone electrophoresis-electrospray ionization-tandem mass spectrometry. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 6331-6	7.8	64
112	Capillary zone electrophoresis-electrospray ionization-tandem mass spectrometry for quantitative parallel reaction monitoring of peptide abundance and single-shot proteomic analysis of a human cell line. <i>Journal of Chromatography A</i> , <b>2014</b> , 1359, 303-8	4.5	26
111	Capillary electrophoresis coupled with automated fraction collection. <i>Talanta</i> , <b>2014</b> , 130, 288-93	6.2	13
110	Capillary zone electrophoresis-electrospray ionization-tandem mass spectrometry for top-down characterization of the Mycobacterium marinum secretome. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 4873-8	7.8	44
109	Stable, reproducible, and automated capillary zone electrophoresis-tandem mass spectrometry system with an electrokinetically pumped sheath-flow nanospray interface. <i>Analytica Chimica Acta</i> , <b>2014</b> , 810, 94-8	6.6	15
108	Uncovering immobilized trypsin digestion features from large-scale proteome data generated by high-resolution mass spectrometry. <i>Journal of Chromatography A</i> , <b>2014</b> , 1337, 40-7	4.5	15
107	Absolute quantitation of host cell proteins in recombinant human monoclonal antibodies with an automated CZE-ESI-MS/MS system. <i>Electrophoresis</i> , <b>2014</b> , 35, 1448-52	3.6	25
106	Over 10 000 Peptide Identifications from the HeLa Proteome by Using Single-Shot Capillary Zone Electrophoresis Combined with Tandem Mass Spectrometry. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 14151-14153	13.6	5
105	Quantitative proteomics of Xenopus laevis embryos: expression kinetics of nearly 4000 proteins during early development. <i>Scientific Reports</i> , <b>2014</b> , 4, 4365	4.9	79
104	Coupling immobilized alkaline phosphatase-based automated diagonal capillary electrophoresis to tandem mass spectrometry for phosphopeptide analysis. <i>Talanta</i> , <b>2013</b> , 116, 985-90	6.2	18
103	Capillary isoelectric focusing-tandem mass spectrometry and reversed-phase liquid chromatography-tandem mass spectrometry for quantitative proteomic analysis of differentiating PC12 cells by eight-plex isobaric tags for relative and absolute quantification. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 7221-9	7.8	25
102	Accurate determination of peptide phosphorylation stoichiometry via automated diagonal capillary electrophoresis coupled with mass spectrometry: proof of principle. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 10692-6	7.8	19
101	Bottom-up proteome analysis of E. coli using capillary zone electrophoresis-tandem mass spectrometry with an electrokinetic sheath-flow electrospray interface. <i>Proteomics</i> , <b>2013</b> , 13, 2546-51	4.8	35
100	Capillary zone electrophoresis-multiple reaction monitoring from 100 pg of RAW 264.7 cell lysate digest. <i>Analyst, The</i> , <b>2013</b> , 138, 3181-8	5	27
99	High sensitivity capillary zone electrophoresis-electrospray ionization-tandem mass spectrometry for the rapid analysis of complex proteomes. <i>Current Opinion in Chemical Biology</i> , <b>2013</b> , 17, 795-800	9.7	24

98	Comparison of the LTQ-Orbitrap Velos and the Q-Exactive for proteomic analysis of 1-1000 ng RAW 264.7 cell lysate digests. <i>Rapid Communications in Mass Spectrometry</i> , <b>2013</b> , 27, 157-62	2.2	49
97	Integrated capillary zone electrophoresis-electrospray ionization tandem mass spectrometry system with an immobilized trypsin microreactor for online digestion and analysis of picogram amounts of RAW 264.7 cell lysate. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 4187-94	7.8	45
96	Fast top-down intact protein characterization with capillary zone electrophoresis-electrospray ionization tandem mass spectrometry. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 5989-95	7.8	52
95	Nicked-sleeve interface for two-dimensional capillary electrophoresis. <i>Analyst, The</i> , <b>2013</b> , 138, 3621-5	5	16
94	Single-shot proteomics using capillary zone electrophoresis-electrospray ionization-tandem mass spectrometry with production of more than 1250 Escherichia coli peptide identifications in a 50 min separation. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 2569-73	7.8	88
93	Ultrasensitive and fast bottom-up analysis of femtogram amounts of complex proteome digests. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 13661-4	16.4	159
92	Ultrasensitive and Fast Bottom-up Analysis of Femtogram Amounts of Complex Proteome Digests. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 13906-13909	3.6	5
91	Capillary zone electrophoresis-electrospray ionization-tandem mass spectrometry as an alternative proteomics platform to ultraperformance liquid chromatography-electrospray ionization-tandem mass spectrometry for samples of intermediate complexity. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 1617-22	7.8	112
90	Simplified sheath flow cuvette design for ultrasensitive laser induced fluorescence detection in capillary electrophoresis. <i>Analyst, The</i> , <b>2012</b> , 137, 3099-101	5	23
89	Quantitative multiple reaction monitoring of peptide abundance introduced via a capillary zone electrophoresis-electrospray interface. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 6116-21	7.8	45
88	Metabolic cytometry: capillary electrophoresis with two-color fluorescence detection for the simultaneous study of two glycosphingolipid metabolic pathways in single primary neurons. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 2799-804	7.8	38
87	Coupling methanol denaturation, immobilized trypsin digestion, and accurate mass and time tagging for liquid-chromatography-based shotgun proteomics of low nanogram amounts of RAW 264.7 cell lysate. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 8715-21	7.8	21
86	Capillary electrophoresis with Orbitrap-Velos mass spectrometry detection. <i>Talanta</i> , <b>2012</b> , 88, 324-9	6.2	39
85	A rapid cIEF-ESI-MS/MS method for host cell protein analysis of a recombinant human monoclonal antibody. <i>Talanta</i> , <b>2012</b> , 98, 253-6	6.2	34
84	On-line amino acid-based capillary isoelectric focusing-ESI-MS/MS for protein digests analysis. <i>Analytica Chimica Acta</i> , <b>2012</b> , 750, 207-11	6.6	28
83	CZE-ESI-MS/MS system for analysis of subnanogram amounts of tryptic digests of a cellular homogenate. <i>Proteomics</i> , <b>2012</b> , 12, 3013-9	4.8	31
82	High efficiency and quantitatively reproducible protein digestion by trypsin-immobilized magnetic microspheres. <i>Journal of Chromatography A</i> , <b>2012</b> , 1220, 68-74	4.5	38
81	Application of Fluorescently-Labeled Glycosphingolipids to Metabolic Profiling in Single Cells Using Capillary Electrophoresis. <i>Trends in Glycoscience and Glycotechnology</i> , <b>2012</b> , 24, 169-178	0.1	3

80	Capillary isoelectric focusing with pH 9.7 cathode for the analysis of gastric biopsies. <i>Analytical and Bioanalytical Chemistry</i> , <b>2011</b> , 400, 2025-30	4.4	9
79	A replaceable microreactor for on-line protein digestion in a two-dimensional capillary electrophoresis system with tandem mass spectrometry detection. <i>Journal of Chromatography A</i> , <b>2011</b> , 1218, 2007-11	4.5	73
78	Nine orders of magnitude dynamic range: picomolar to millimolar concentration measurement in capillary electrophoresis with laser induced fluorescence detection employing cascaded avalanche photodiode photon counters. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 2748-53	7.8	33
77	Automated enzyme-based diagonal capillary electrophoresis: application to phosphopeptide characterization. <i>Analytical Chemistry</i> , <b>2010</b> , 82, 1564-7	7.8	39
76	Capillary array isoelectric focusing with laser-induced fluorescence detection: milli-pH unit resolution and yoctomole mass detection limits in a 32-channel system. <i>Analytical and Bioanalytical Chemistry</i> , <b>2010</b> , 397, 3305-10	4.4	21
75	Simplified capillary electrophoresis nanospray sheath-flow interface for high efficiency and sensitive peptide analysis. <i>Rapid Communications in Mass Spectrometry</i> , <b>2010</b> , 24, 2554-60	2.2	176
74	Attomole protein analysis by CIEF with LIF detection. <i>Electrophoresis</i> , <b>2009</b> , 30, 297-302	3.6	33
73	CE-MALDI interface based on inkjet technology. <i>Electrophoresis</i> , <b>2009</b> , 30, 4071-4	3.6	19
72	Femtomolar concentration detection limit and zeptomole mass detection limit for protein separation by capillary isoelectric focusing and laser-induced fluorescence detection. <i>Analytical Chemistry</i> , <b>2009</b> , 81, 1741-6	7.8	51
71	Six orders of magnitude dynamic range in capillary electrophoresis with ultrasensitive laser-induced fluorescence detection. <i>Talanta</i> , <b>2009</b> , 80, 744-8	6.2	25
70	Chemical cytometry: fluorescence-based single-cell analysis. <i>Annual Review of Analytical Chemistry</i> , <b>2008</b> , 1, 165-90	12.5	90
69	CE-microreactor-CE-MS/MS for protein analysis. <i>Analytical Chemistry</i> , <b>2007</b> , 79, 2230-8	7.8	91
68	Detection of green fluorescent protein in a single bacterium by capillary electrophoresis with laser-induced fluorescence. <i>Analytical Chemistry</i> , <b>2007</b> , 79, 778-81	7.8	50
67	Repeatability of chemical cytometry: 2-DE analysis of single RAW 264.7 macrophage cells. <i>Electrophoresis</i> , <b>2007</b> , 28, 2308-13	3.6	16
66	Bioanalytical applications of capillary electrophoresis. <i>Analytical Chemistry</i> , <b>2006</b> , 78, 4097-110	7.8	111
65	Reproducible two-dimensional capillary electrophoresis analysis of Barrett's esophagus tissues. <i>Analytical Chemistry</i> , <b>2006</b> , 78, 5977-86	7.8	69
64	Single Cell Proteomics <b>2006</b> , 225-245		1
63	A sheath-flow nanospray interface for capillary electrophoresis/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2005</b> , 19, 187-92	2.2	44

62	On-line protein digestion and peptide mapping by capillary electrophoresis with post-column labeling for laser-induced fluorescence detection. <i>Electrophoresis</i> , <b>2004</b> , 25, 1319-26	3.6	90
61	Chemical cytometry. <i>Current Opinion in Chemical Biology</i> , <b>2003</b> , 7, 603-8	9.7	75
60	Identification of proteins in single-cell capillary electrophoresis fingerprints based on comigration with standard proteins. <i>Analytical Chemistry</i> , <b>2003</b> , 75, 3502-5	7.8	51
59	Cell cycle-dependent protein fingerprint from a single cancer cell: image cytometry coupled with single-cell capillary sieving electrophoresis. <i>Analytical Chemistry</i> , <b>2003</b> , 75, 3495-501	7.8	64
58	Capillary sodium dodecyl sulfate-DALT electrophoresis with laser-induced fluorescence detection for size-based analysis of proteins in human colon cancer cells. <i>Electrophoresis</i> , <b>2002</b> , 23, 3136-42	3.6	59
57	Manipulation of protein fingerprints during on-column fluorescent labeling: protein fingerprinting of six <i>Staphylococcus</i> species by capillary electrophoresis. <i>Electrophoresis</i> , <b>2001</b> , 22, 1127-32	3.6	29
56	Biomonitoring of urinary tamoxifen and its metabolites from breast cancer patients using nonaqueous capillary electrophoresis with electrospray mass spectrometry. <i>Electrophoresis</i> , <b>2001</b> , 22, 2730-6	3.6	33
55	Capillary sodium dodecyl sulfate-DALT electrophoresis of proteins in a single human cancer cell. <i>Electrophoresis</i> , <b>2001</b> , 22, 3677-82	3.6	57
54	Application of capillary electrophoresis with laser-induced fluorescence detection to the determination of biogenic amines and amino acids in brain microdialysate and homogenate samples. <i>Journal of Chromatography A</i> , <b>2001</b> , 914, 293-8	4.5	71
53	Two-dimensional direct-reading fluorescence spectrograph for DNA sequencing by capillary array electrophoresis. <i>Analytical Chemistry</i> , <b>2001</b> , 73, 1234-9	7.8	30
52	The effect of temperature oscillations on DNA sequencing by capillary electrophoresis. <i>Analytical Chemistry</i> , <b>2001</b> , 73, 1345-9	7.8	13
51	Capillary sodium dodecyl sulfate-DALT electrophoresis of proteins in a single human cancer cell <b>2001</b> , 22, 3677		1
50	Single-cell analysis using capillary electrophoresis: influence of surface support properties on cell injection into the capillary. <i>Electrophoresis</i> , <b>2000</b> , 21, 767-73	3.6	55
49	Construction and evaluation of a capillary array DNA sequencer based on a micromachined sheath-flow cuvette. <i>Electrophoresis</i> , <b>2000</b> , 21, 1329-35	3.6	42
48	How Capillary Electrophoresis Sequenced the Human Genome This Essay is based on a lecture given at the Analytica 2000 conference in Munich (Germany) on the occasion of the Heinrich-Emanuel-Merck Prize presentation.. <i>Angewandte Chemie - International Edition</i> , <b>2000</b> , 39, 4463-4468	16.4	99
47	Migration time correction for the analysis of derivatized amino acids and oligosaccharides by micellar capillary electrochromatography. <i>Journal of Chromatography A</i> , <b>2000</b> , 869, 375-84	4.5	33
46	One-dimensional protein analysis of an HT29 human colon adenocarcinoma cell. <i>Analytical Chemistry</i> , <b>2000</b> , 72, 318-22	7.8	88
45	Instrumentation for chemical cytometry. <i>Analytical Chemistry</i> , <b>2000</b> , 72, 872-7	7.8	108



44	Capillary electrophoresis for the analysis of biopolymers. <i>Analytical Chemistry</i> , <b>2000</b> , 72, 111R-128R	7.8	107
43	Species identification and phylogenetic relationships based on partial HSP60 gene sequences within the genus <i>Staphylococcus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>1999</b> , 49 Pt 3, 1181-92	2.2	103
42	A multiple-capillary electrophoresis system for small-scale DNA sequencing and analysis. <i>Nucleic Acids Research</i> , <b>1999</b> , 27, e36	20.1	51
41	Labeling effects on the isoelectric point of green fluorescent protein. <i>Journal of Chromatography A</i> , <b>1999</b> , 853, 21-5	4.5	67
40	Correlating cell cycle with metabolism in single cells: combination of image and metabolic cytometry. <i>Cytometry</i> , <b>1999</b> , 37, 14-20		79
39	Surface modification based on Si-O and Si-C sublayers and a series of N-substituted acrylamide top-layers for capillary electrophoresis. <i>Electrophoresis</i> , <b>1998</b> , 19, 1677-82	3.6	76
38	Sodium dodecyl sulfate-capillary electrophoresis of proteins in a sieving matrix utilizing two-spectral channel laser-induced fluorescence detection. <i>Electrophoresis</i> , <b>1998</b> , 19, 2175-8	3.6	18
37	Nonaqueous capillary electrophoretic separation and thermo-optical absorbance detection of five tricyclic antidepressants and metabolism of amitriptyline by <i>Cunninghamella elegans</i> . <i>Electrophoresis</i> , <b>1998</b> , 19, 3178-82	3.6	25
36	On-line nonaqueous capillary electrophoresis and electrospray mass spectrometry of tricyclic antidepressants and metabolic profiling of amitriptyline by <i>Cunninghamella elegans</i> . <i>Electrophoresis</i> , <b>1998</b> , 19, 3183-9	3.6	43
35	General protease assay method coupling solid-phase substrate extraction and capillary electrophoresis. <i>Analytical Chemistry</i> , <b>1998</b> , 70, 3824-7	7.8	11
34	Multiple labeling of proteins. <i>Analytical Chemistry</i> , <b>1998</b> , 70, 2493-4	7.8	79
33	Picomolar analysis of proteins using electrophoretically mediated microanalysis and capillary electrophoresis with laser-induced fluorescence detection. <i>Analytical Chemistry</i> , <b>1998</b> , 70, 4546-8	7.8	91
32	Combating PCR Bias in Bisulfite-Based Cytosine Methylation Analysis. Betaine-Modified Cytosine Deamination PCR. <i>Analytical Chemistry</i> , <b>1998</b> , 70, 3818-3823	7.8	19
31	Picomolar assay of native proteins by capillary electrophoresis precolumn labeling, submicellar separation, and laser-induced fluorescence detection. <i>Analytical Chemistry</i> , <b>1997</b> , 69, 3015-21	7.8	125
30	Double coupling Edman chemistry for high-sensitivity automated protein sequencing. <i>The Protein Journal</i> , <b>1997</b> , 16, 491-3		8
29	Single-Molecule Detection in Capillary Electrophoresis: Molecular Shot Noise as a Fundamental Limit to Chemical Analysis. <i>Analytical Chemistry</i> , <b>1996</b> , 68, 690-696	7.8	165
28	Detection of Attomolar Concentrations of Alkaline Phosphatase by Capillary Electrophoresis Using Laser-Induced Fluorescence Detection. <i>Analytical Chemistry</i> , <b>1996</b> , 68, 697-700	7.8	63
27	Studies on Single Alkaline Phosphatase Molecules: Reaction Rate and Activation Energy of a Reaction Catalyzed by a Single Molecule and the Effect of Thermal Denaturation The Death of an Enzyme. <i>Journal of the American Chemical Society</i> , <b>1996</b> , 118, 5245-5253	16.4	177

26	The limiting mobility of DNA sequencing fragments for both cross-linked and noncross-linked polymers in capillary electrophoresis: DNA sequencing at 1200 V cm <sup>-1</sup> . <i>Electrophoresis</i> , <b>1996</b> , 17, 1037-43 <sup>3.6</sup>	41
25	Activation energy of the separation of DNA sequencing fragments in denaturing noncross-linked polyacrylamide by capillary electrophoresis. <i>Electrophoresis</i> , <b>1996</b> , 17, 1436-42	3.6 51
24	Solid-phase fluorescent labeling reaction of picomole amounts of insulin in very dilute solutions and their analysis by capillary electrophoresis. <i>Electrophoresis</i> , <b>1995</b> , 16, 534-40	3.6 32
23	Micellar capillary electrophoresis separation and thermo-optical absorbance detection of products from manual peptide sequencing. <i>Electrophoresis</i> , <b>1994</b> , 15, 1290-4	3.6 17
22	Spatial and temporal depletion of ions from noncrosslinked denaturing polyacrylamide in capillary electrophoresis. <i>Electrophoresis</i> , <b>1994</b> , 15, 1512-7	3.6 17
21	Use of a sheath flow cuvette for chemiluminescence detection of isoluminol thiocarbamyl-amino acids separated by capillary electrophoresis. <i>Journal of Separation Science</i> , <b>1993</b> , 5, 331-339	53
20	Two-label peak-height encoded DNA sequencing by capillary gel electrophoresis: three examples. <i>Nucleic Acids Research</i> , <b>1992</b> , 20, 4873-80	20.1 54
19	Capillary zone electrophoresis separation and laser-induced fluorescence detection of zeptomole quantities of fluorescein thiohydantoin derivatives of amino acids. <i>Talanta</i> , <b>1992</b> , 39, 173-8	6.2 34
18	Low-cost laser-induced fluorescence detector for micellar capillary zone electrophoresis. <i>Journal of Chromatography A</i> , <b>1992</b> , 608, 117-120	4.5 71
17	Attachment of a single fluorescent label to peptides for determination by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , <b>1992</b> , 608, 239-42	4.5 59
16	Stability of capillary gels for automated sequencing of DNA. <i>Electrophoresis</i> , <b>1992</b> , 13, 475-83	3.6 72
15	Formamide modified polyacrylamide gels for DNA sequencing by capillary gel electrophoresis. <i>Electrophoresis</i> , <b>1992</b> , 13, 484-6	3.6 36
14	Separation of DNA sequencing fragments at 53 bases/minute by capillary gel electrophoresis. <i>Journal of Separation Science</i> , <b>1992</b> , 4, 449-453	28
13	DNA SEQUENCING BY CAPILLARY GEL ELECTROPHORESIS AND LASER-INDUCED FLUORFSCIIVCE DETECTION. <i>Analytical Sciences</i> , <b>1991</b> , 7, 1485-1489	1.7 3
12	ATTOMOLE DETERMINATION OF PHENYL THIOHYDANTOIN DERIVATIVES OF AMINO ACIDS BY CAPILLARY ZONE ELECTROPHORESIS SEPARATION AND ULTRAVIOLET-LASER EXCITED THERMO-OPTICAL ABSORBANCE DETECTION. <i>Analytical Sciences</i> , <b>1991</b> , 7, 959-961	1.7 2
11	Capillary zone electrophoresis separation and laser-based detection of both fluorescein thiohydantoin and dimethylaminoazobenzene thiohydantoin derivatives of amino acids. <i>Electrophoresis</i> , <b>1990</b> , 11, 777-80	3.6 24
10	Fresnel diffraction theory for steady-state thermal lens measurements in thin films. <i>Journal of Applied Physics</i> , <b>1990</b> , 67, 1170-1182	2.5 52
9	Spatially resolved differential resistance of bulk superconductors by laser-induced heating. <i>Journal of Applied Physics</i> , <b>1990</b> , 68, 4882-4884	2.5 2

8	Laser-based microchemical analysis. <i>Review of Scientific Instruments</i> , <b>1990</b> , 61, 3653-3668	1.7	22
7	Interaction of capillary zone electrophoresis with a sheath flow cuvette detector. <i>Analytical Chemistry</i> , <b>1990</b> , 62, 496-503	7.8	89
6	High-sensitivity fluorescence detector fluorescein isothiocyanate derivatives of amino acids separated by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , <b>1989</b> , 480, 141-55	4.5	227
5	Sub-femtomole determination of DABSYL-amino acids with capillary zone electrophoresis separation and laser-induced thermo-optical absorbance detection. <i>Mikrochimica Acta</i> , <b>1988</b> , 96, 27-40	5.8	24
4	Laser-induced fluorescence of flowing samples as an approach to single-molecule detection in liquids. <i>Analytical Chemistry</i> , <b>1984</b> , 56, 348-54	7.8	134
3	Single Cell Proteomics67-89		
2	The Chemistry of a Single Enzyme Molecule293-301		2
1	Two-Dimensional Capillary Electrophoresis for the Comprehensive Analysis of Complex Protein Mixtures345-363		