Patricio I Moreno

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3033829/publications.pdf

Version: 2024-02-01

92 papers 6,219 citations

71102 41 h-index 69250 77 g-index

94 all docs 94 docs citations

times ranked

94

5355 citing authors

#	Article	IF	CITATIONS
1	Refinement of the tephrostratigraphy straddling the northern Patagonian Andes (40–41°S): new tephra markers, reconciling different archives and ascertaining the timing of piedmont deglaciation. Journal of Quaternary Science, 2022, 37, 441-477.	2.1	5
2	Evolution of Glacial Lake Cochrane During the Last Glacial Termination, Central Chilean Patagonia ($\hat{a}^447\hat{A}^6$ S). Frontiers in Earth Science, 2022, 10, .	1.8	2
3	Glacier fluctuations in the northern Patagonian Andes (44 $\hat{A}^{\circ}S$) imply wind-modulated interhemispheric in-phase climate shifts during Termination 1. Scientific Reports, 2022, 12, .	3.3	9
4	Centennial and millennialâ€scale dynamics in <i>Araucaria</i> – <i>Nothofagus</i> forests in the southern Andes. Journal of Biogeography, 2021, 48, 537-547.	3.0	6
5	An early Holocene westerly minimum in the southern mid-latitudes. Quaternary Science Reviews, 2021, 251, 106730.	3.0	23
6	New araphid species of the genus <i>Pseudostaurosira </i> (Bacillariophyceae) from southern Patagonia. European Journal of Phycology, 2021, 56, 255-272.	2.0	3
7	The role of climate and disturbance regimes upon temperate rainforests during the Holocene: A stratigraphic perspective from Lago FonkÂ(â^1/440°S), northwestern Patagonia. Quaternary Science Reviews, 2021, 258, 106890.	3.0	10
8	Vegetation, disturbance, and climate history since the onset of ice-free conditions in the Lago Rosselot sector of ChiloA© continental (44°S), northwestern Patagonia. Quaternary Science Reviews, 2021, 260, 106924.	3.0	9
9	The large MIS 4 and long MIS 2 glacier maxima on the southern tip of South America. Quaternary Science Reviews, 2021, 262, 106858.	3.0	27
10	Development and resilience of deciduous Nothofagus forests since the Last Glacial Termination and deglaciation of the central Patagonian Andes. Palaeogeography, Palaeoclimatology, Palaeoecology, 2021, 574, 110459.	2.3	9
11	The last glacial termination in northwestern Patagonia viewed from the Lago Fonk (â^¼40°S) record. Quaternary Science Reviews, 2021, 271, 107197.	3.0	7
12	The deglaciation of the Americas during the Last Glacial Termination. Earth-Science Reviews, 2020, 203, 103113.	9.1	60
13	Timing and structure of vegetation, fire, and climate changes on the Pacific slope of northwestern Patagonia since the last glacial termination. Quaternary Science Reviews, 2020, 238, 106328.	3.0	21
14	Holocene glacier fluctuations in Patagonia are modulated by summer insolation intensity and paced by Southern Annular Mode-like variability. Quaternary Science Reviews, 2019, 220, 178-187.	3.0	51
15	The last glacial termination in the Coyhaique sector of central Patagonia. Quaternary Science Reviews, 2019, 224, 105976.	3.0	20
16	A 15,400-year long record of vegetation, fire-regime, and climate changes from the northern Patagonian Andes. Quaternary Science Reviews, 2019, 226, 106005.	3.0	12
17	Early arboreal colonization, postglacial resilience of deciduous Nothofagus forests, and the Southern Westerly Wind influence in central-east Andean Patagonia. Quaternary Science Reviews, 2019, 218, 61-74.	3.0	21
18	Geohistorical records of the Anthropocene in Chile. Elementa, 2019, 7, .	3.2	21

#	Article	IF	CITATIONS
19	Mid-latitude trans-Pacific reconstructions and comparisons of coupled glacial/interglacial climate cycles based on soil stratigraphy of cover-beds. Quaternary Science Reviews, 2018, 189, 57-75.	3.0	16
20	Trans-pacific glacial response to the Antarctic Cold Reversal in the southern mid-latitudes. Quaternary Science Reviews, 2018, 188, 160-166.	3.0	45
21	Onset and Evolution of Southern Annular Mode-Like Changes at Centennial Timescale. Scientific Reports, 2018, 8, 3458.	3.3	87
22	A widespread compositionally bimodal tephra sourced from Volcán Melimoyu (44°S, Northern) Tj ETQq0 0 0 rg correlation. Quaternary Science Reviews, 2018, 200, 141-159.	gBT /Overlo 3.0	ock 10 Tf 50 11
23	A continuous record of vegetation, fire-regime and climatic changes in northwestern Patagonia spanning the last 25,000 years. Quaternary Science Reviews, 2018, 198, 15-36.	3.0	46
24	Past and future global transformation of terrestrial ecosystems under climate change. Science, 2018, 361, 920-923.	12.6	307
25	Modulation of Fire Regimes by Vegetation and Site Type in Southwestern Patagonia Since 13 ka. Frontiers in Ecology and Evolution, 2018, 6, .	2.2	14
26	Climate change and resilience of deciduous <i>Nothofagus</i> forests in central–east Chilean Patagonia over the last 3200 years. Journal of Quaternary Science, 2017, 32, 845-856.	2.1	14
27	An 18,000 year-long eruptive record from Volcán Chaitén, northwestern Patagonia: Paleoenvironmental and hazard-assessment implications. Quaternary Science Reviews, 2017, 168, 151-181.	3.0	29
28	High particulate iron(II) content in glacially sourced dusts enhances productivity of a model diatom. Science Advances, 2017, 3, e1700314.	10.3	50
29	Stratigraphy, age and correlation of Lepu \tilde{A} © Tephra: a widespread <i>c</i> . 11 000 cal a BP marker horizon sourced from the Chait \tilde{A} ©n Sector of southern Chile. Journal of Quaternary Science, 2017, 32, 795-829.	2.1	22
30	The last glacial termination on the eastern flank of the central Patagonian Andes (47 ° S). Climate of the Past, 2017, 13, 879-895.	3.4	30
31	Phylogeography of a Patagonian lizard and frog: Congruent signature of southern glacial refuges. Austral Ecology, 2016, 41, 399-408.	1.5	5
32	Combination of humans, climate, and vegetation change triggered Late Quaternary megafauna extinction in the Última Esperanza region, southern Patagonia, Chile. Ecography, 2016, 39, 125-140.	4.5	84
33	Centennial and millennial-scale hydroclimate changes in northwestern Patagonia since 16,000Âyr BP. Quaternary Science Reviews, 2016, 149, 326-337.	3.0	42
34	Holocene tephrochronology around Cochrane (~47° S), southern Chile. Andean Geology, 2016, 43, 1.	0.5	17
35	Multiple melt bodies fed the AD 2011 eruption of Puyehue-Cord \tilde{A}^3 n Caulle, Chile. Scientific Reports, 2015, 5, 17589.	3.3	43
36	Pollen–climate reconstruction from northern South Island, New Zealand (41°S), reveals varying high― and low″atitude teleconnections over the last 16 000 years. Journal of Quaternary Science, 2015, 30, 817-829.	2.1	18

#	Article	IF	CITATIONS
37	Modelled glacier equilibrium line altitudes during the mid-Holocene in the southern mid-latitudes. Climate of the Past, 2015 , 11 , 1575 - 1586 .	3.4	8
38	Tephrochronology of the southernmost Andean Southern Volcanic Zone, Chile. Bulletin of Volcanology, 2015, 77, 1.	3.0	29
39	A past-millennium maximum in postglacial activity from Volcán Chaitén, southern Chile. Geology, 2015, 43, 47-50.	4.4	26
40	Radiocarbon chronology of the last glacial maximum and its termination in northwestern Patagonia. Quaternary Science Reviews, 2015, 122, 233-249.	3.0	90
41	Vegetation and climate change, fire-regime shifts and volcanic disturbance in Chiloé Continental (43°S) during the last 10,000 years. Quaternary Science Reviews, 2015, 123, 158-167.	3.0	23
42	Climatic and disturbance influences on the temperate rainforests of northwestern Patagonia (40°S) since â^1/414,500ÂcalÂyrÂBP. Quaternary Science Reviews, 2014, 90, 217-228.	3.0	26
43	The large late-glacial Ho eruption of the Hudson volcano, southern Chile. Bulletin of Volcanology, 2014, 76, 1.	3.0	39
44	Vegetation, fire and climate change in central-east Isla Grande de Chiloé (43°S) since the Last Glacial Maximum, northwestern Patagonia. Quaternary Science Reviews, 2014, 90, 143-157.	3.0	46
45	Southern Annular Mode-like changes in southwestern Patagonia at centennial timescales over the last three millennia. Nature Communications, 2014, 5, 4375.	12.8	99
46	Quantifying climate change in Huelmo mire (Chile, Northwestern Patagonia) during the Last Glacial Termination using a newly developed chironomid-based temperature model. Palaeogeography, Palaeoclimatology, Palaeoecology, 2014, 399, 214-224.	2.3	34
47	Climatic control of the biomass-burning decline in the Americas after <scp>ad</scp> 1500. Holocene, 2013, 23, 3-13.	1.7	83
48	Comparative phylogeography of two co-distributed species of lizards of the genus Liolaemus (Squamata: Tropiduridae) from SouthernÂChile. Amphibia - Reptilia, 2012, 33, 55-67.	0.5	7
49	Corrigendum to "Have the Southern Westerlies changed in a zonally symmetric manner over the last 14,000 years? A hemisphere-wide take on a controversial problem―[Quat. Int. 253 (2012) 32–46]. Quaternary International, 2012, 276-277, 299.	1.5	1
50	Have the Southern Westerlies changed in a zonally symmetric manner over the last 14,000 years? A hemisphere-wide take on a controversial problem. Quaternary International, 2012, 253, 32-46.	1.5	136
51	Deglacial and postglacial vegetation changes on the eastern slopes of the central Patagonian Andes (47°S). Quaternary Science Reviews, 2012, 32, 86-99.	3.0	70
52	Deglacial changes of the southern margin of the southern westerly winds revealed by terrestrial records from SW Patagonia ($52\hat{A}^{\circ}S$). Quaternary Science Reviews, 2012, 41, 1-21.	3.0	83
53	Vegetation, climate and fire regime changes in the Andean region of southern Chile ($38\mathring{A}^{\circ}S$) covaried with centennial-scale climate anomalies in the tropical Pacific over the last 1500 years. Quaternary Science Reviews, 2012, 46, 46-56.	3.0	32
54	Predictability of biomass burning in response to climate changes. Global Biogeochemical Cycles, 2012, 26, .	4.9	201

#	Article	IF	Citations
55	Global climate evolution during the last deglaciation. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E1134-42.	7.1	422
56	Genetic diversity and insular colonization of <i>Liolaemus pictus</i> (Squamata, Liolaeminae) in northâ€western Patagonia. Austral Ecology, 2012, 37, 67-77.	1.5	14
57	Temperate rainforest response to climate change and disturbance agents in northwestern Patagonia (41ŰS) over the last 2600 years. Quaternary Research, 2012, 77, 235-244.	1.7	22
58	Fluctuations of the \tilde{A} sltima Esperanza ice lobe (52 \hat{A} °S), Chilean Patagonia, during the last glacial maximum and termination 1. Geomorphology, 2011, 125, 92-108.	2.6	73
59	Atmospheric circulation changes and neoglacial conditions in the Southern Hemisphere mid-latitudes: insights from PMIP2 simulations at 6Âkyr. Climate Dynamics, 2011, 37, 357-375.	3.8	30
60	Zonally symmetric changes in the strength and position of the Southern Westerlies drove atmospheric CO2 variations over the past 14 k.y Geology, 2011, 39, 419-422.	4.4	87
61	Evolución de lagos proglaciales embalsados por hielo en Última Esperanza, Chile: Implicancias de la explosión volcánica tardiglacial R1 del volcán Reclús, Zona Volcánica Austral Andina Andean Geology, 2011, 38, .	0.5	3
62	Covariability of the Southern Westerlies and atmospheric CO2 during the Holocene. Geology, 2010, 38, 727-730.	4.4	136
63	Pollen-based biome reconstructions for Latin America at 0, 6000 and 18 000 radiocarbon years ago. Climate of the Past, 2009, 5, 725-767.	3.4	87
64	Renewed glacial activity during the Antarctic cold reversal and persistence of cold conditions until 11.5 ka in southwestern Patagonia. Geology, 2009, 37, 375-378.	4.4	93
65	The Southern Westerlies during the last glacial maximum in PMIP2 simulations. Climate Dynamics, 2009, 32, 525-548.	3.8	169
66	Climate Change in Southern South America During the Last Two Millennia. Developments in Paleoenvironmental Research, 2009, , 353-393.	8.0	39
67	Millennial-scale variability in Southern Hemisphere westerly wind activity over the last 5000 years in SW Patagonia. Quaternary Science Reviews, 2009, 28, 25-38.	3.0	123
68	Chironomid and pollen evidence for climate fluctuations during the Last Glacial Termination in NW Patagonia. Quaternary Science Reviews, 2009, 28, 517-525.	3.0	53
69	Changes in fire regimes since the Last Glacial Maximum: an assessment based on a global synthesis and analysis of charcoal data. Climate Dynamics, 2008, 30, 887-907.	3.8	590
70	Glacial dynamics in southernmost South America during Marine Isotope Stage 5e to the Younger Dryas chron: a brief review with a focus on cosmogenic nuclide measurements. Journal of Quaternary Science, 2008, 23, 649-658.	2.1	41
71	Changing fire regimes in the temperate rainforest region of southern Chile over the last 16,000 yr. Quaternary Research, 2008, 69, 62-71.	1.7	59
72	Isotopic evidence for hydrologic change related to the westerlies in SW Patagonia, Chile, during the last millennium. Quaternary Science Reviews, 2008, 27, 1335-1349.	3.0	108

#	Article	IF	Citations
73	Climatic controls of Holocene fire patterns in southern South America. Quaternary Research, 2007, 68, 28-36.	1.7	160
74	Pollen evidence for variations in the southern margin of the westerly winds in SW patagonia over the last 12,600 years. Quaternary Research, 2007, 68, 400-409.	1.7	117
75	Deglacial and postglacial climate history in east-central Isla Grande De Chiloé, Southern Chile (43°S). Quaternary Research, 2004, 62, 49-59.	1.7	71
76	Millennial-scale climate variability in northwest Patagonia over the last 15 000 yr. Journal of Quaternary Science, 2004, 19, 35-47.	2.1	135
77	Precise radiocarbon dating of Late-Glacial cooling in mid-latitude South America. Quaternary Research, 2003, 59, 70-78.	1.7	144
78	Abrupt vegetation changes during the last glacial to Holocene transition in mid-latitude South America. Journal of Quaternary Science, 2003, 18, 787-800.	2.1	104
79	Western Patagonia: A Key Area for Understanding Quaternary Paleoclimate at Southern Mid-Latitudes. Series of the Centro De Estudios CientÃficos De Santiago, 2002, , 43-54.	0.2	3
80	Interhemispheric climate links revealed by a late-glacial cooling episode in southern Chile. Nature, 2001, 409, 804-808.	27.8	143
81	Climate, Fire, and Vegetation between about 13,000 and 9200 14C yr B.P. in the Chilean Lake District. Quaternary Research, 2000, 54, 81-89.	1.7	50
82	Interhemispheric Linkage of Paleoclimate During the Last Glaciation. Geografiska Annaler, Series A: Physical Geography, 1999, 81, 107-153.	1.5	40
83	Geomorphology, Stratigraphy, and Radiocarbon Chronology of LlanquihueDrift in the Area of the Southern Lake District, Seno Reloncavi, and Isla Grande de Chiloe, Chile. Geografiska Annaler, Series A: Physical Geography, 1999, 81, 167-229.	1.5	25
84	Abrupt Vegetation and Climate Changes During the Last Glacial Maximumand Last Termination in The Chilean Lake District: A Case Study from Canal De La Puntilla (41oS). Geografiska Annaler, Series A: Physical Geography, 1999, 81, 285-311.	1.5	31
85	Interhemispheric Linkage of Paleoclimate During the Last Glaciation. Geografiska Annaler, Series A: Physical Geography, 1999, 81, 107-153.	1.5	233
86	Geomorphology, Stratigraphy, and Radiocarbon Chronology of LlanquihueDrift in the Area of the Southern Lake District, Seno Reloncavi, and Isla Grande de Chiloe, Chile. Geografiska Annaler, Series A: Physical Geography, 1999, 81, 167-229.	1.5	144
87	Vegetation and climate near Lago Llanquihue in the Chilean Lake District between 20200 and 950014C yr BP. Journal of Quaternary Science, 1997, 12, 485-500.	2.1	7 5
88	Vegetation and climate near Lago Llanquihue in the Chilean Lake District between 20200 and 9500 14C yr BP. Journal of Quaternary Science, 1997, 12, 485-500.	2.1	1
89	Climate, vegetation and glacier fluctuations in Chile, between 40°30′ and 42°30′s latitude — A short review of preliminary results. Quaternary International, 1995, 28, 199-201.	1.5	5
90	Interhemispheric Correlation of Late Pleistocene Glacial Events. Science, 1995, 269, 1541-1549.	12.6	357

#	Article	IF	CITATIONS
91	Effects of Feedback and Reinforcement in Tachistoscopic Training on a Fault-Detection Task. Perceptual and Motor Skills, 1980, 51, 987-993.	1.3	1
92	Glacial geomorphology of the central and southern Chilotan Archipelago (42.2°S–43.5°S), northwestern Patagonia. Journal of Maps, 0, , 1-17.	2.0	1