

Jin-Long Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3034323/publications.pdf>

Version: 2024-02-01

281
papers

28,868
citations

4641

85
h-index

5806

161
g-index

284
all docs

284
docs citations

284
times ranked

25151
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly Dispersed Cobalt Centers on UiO-66-NH ₂ for Photocatalytic CO ₂ Reduction. <i>Catalysis Letters</i> , 2023, 153, 1475-1482.	1.4	6
2	“Small amount for multiple times” of H ₂ O ₂ feeding way in MoS ₂ -Fex heterogeneous fenton for enhancing sulfadiazine degradation. <i>Chinese Chemical Letters</i> , 2022, 33, 1365-1372.	4.8	37
3	Photo-Fenton-like degradation of antibiotics by inverse opal WO ₃ co-catalytic Fe ²⁺ /PMS, Fe ²⁺ /H ₂ O ₂ and Fe ²⁺ /PDS processes: A comparative study. <i>Chemosphere</i> , 2022, 288, 132627.	4.2	27
4	Efficient removal of antibiotic-resistant bacteria and intracellular antibiotic resistance genes by heterogeneous activation of peroxymonosulfate on hierarchical macro-mesoporous Co ₃ O ₄ -SiO ₂ with enhanced photogenerated charges. <i>Journal of Hazardous Materials</i> , 2022, 430, 127414.	6.5	27
5	Fluorinated inverse opal carbon nitride combined with vanadium pentoxide as a Z-scheme photocatalyst with enhanced photocatalytic activity. <i>Chinese Chemical Letters</i> , 2022, 33, 3797-3801.	4.8	8
6	Recent advances in photo-enhanced dry reforming of methane: A review. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2022, 51, 100468.	5.6	33
7	Photothermocatalytic System Designed by Facet-heterojunction to Enhance the Synergistic Effect of Toluene Oxidation. <i>ChemCatChem</i> , 2022, 14, .	1.8	3
8	MoO ₃ -modified SAPO-34 for photocatalytic nonoxidative coupling of methane. <i>Catalysis Science and Technology</i> , 2022, 12, 3322-3327.	2.1	5
9	Synthesis of nitrogen and terbium co-doped TiO ₂ nanocrystals with enhanced photocatalytic activity for AO7 degradation under visible-light radiation. <i>New Journal of Chemistry</i> , 2022, 46, 6878-6884.	1.4	1
10	Advances for CO ₂ Photocatalytic Reduction in Porous Ti-Based Photocatalysts. <i>ACS ES&T Engineering</i> , 2022, 2, 942-956.	3.7	16
11	Facet-heterojunction-based photothermocatalyst CdS-Au- _{0 1 0} BiVO ₄ { _{1 1 0} }-MnOx with excellent synergetic effect for toluene degradation. <i>Chemical Engineering Journal</i> , 2022, 442, 135835.	6.6	18
12	Au thorn-decorated TiO ₂ hierarchical microspheres with superior photocatalytic bactericidal activity under red and NIR light irradiation. <i>Journal of Alloys and Compounds</i> , 2022, 910, 164485.	2.8	5
13	High-efficiency electron tandem flow mode on carbon nitride/titanium dioxide heterojunction for visible light nitrogen photofixation. <i>Chemical Engineering Journal</i> , 2022, 443, 136425.	6.6	18
14	S-Scheme BiOCl/MoSe ₂ Heterostructure with Enhanced Photocatalytic Activity for Dyes and Antibiotics Degradation under Sunlight Irradiation. <i>Sensors</i> , 2022, 22, 3344.	2.1	9
15	Embedding [Mo ₃ S ₁₃] ²⁺ clusters into the micropores of a covalent organic framework for enhanced stability and photocatalytic hydrogen evolution. <i>Chemical Engineering Journal</i> , 2022, 446, 136883.	6.6	14
16	Molybdenum oxide nanorods decorated with molybdenum phosphide quantum dots for efficient photocatalytic degradation of rhodamine B and norfloxacin. <i>Research on Chemical Intermediates</i> , 2022, 48, 2887-2901.	1.3	4
17	Is g-C ₃ N ₄ more suitable for photocatalytic reduction or oxidation in environmental applications?. , 2022, 1, 121-125.		7
18	Recent Progress of Metal Sulfide Photocatalysts for Solar Energy Conversion. <i>Advanced Materials</i> , 2022, 34, .	11.1	122

#	ARTICLE	IF	CITATIONS
19	Selective Photocatalytic CO ₂ Reduction to CH ₄ on Tri- <i>s</i> -triazine-Based Carbon Nitride via Defects and Crystal Regulation: Synergistic Effect of Thermodynamics and Kinetics. ACS Applied Materials & Interfaces, 2022, 14, 25417-25426.	4.0	11
20	Deep insight of the influence of Cu valence states in co-catalyst on CO ₂ photoreduction. Applied Catalysis B: Environmental, 2022, 316, 121621.	10.8	21
21	Design of frustrated Lewis pair in defective TiO ₂ for photocatalytic non-oxidative methane coupling. Chem Catalysis, 2022, 2, 1775-1792.	2.9	12
22	Application of defective TiO ₂ inverse opal in photocatalytic non-oxidative CH ₄ coupling. Research on Chemical Intermediates, 2022, 48, 3247-3258.	1.3	3
23	Construction of Cu cocatalyst on TiO ₂ for regulating the selectivity of photocatalytic CO ₂ reduction. Research on Chemical Intermediates, 2022, 48, 3275-3287.	1.3	7
24	Visible Light-Driven Selective Organic Degradation by FeTiO ₃ /Persulfate System: the Formation and Effect of High Valent Fe(IV). Applied Catalysis B: Environmental, 2021, 280, 119414.	10.8	67
25	Novel Fenton process of Co-catalyst Co ₉ S ₈ quantum dots for highly efficient removal of organic pollutants. Chemosphere, 2021, 270, 128648.	4.2	30
26	Synthesis of yolk-shell Fe ₃ O ₄ @void@CeO ₂ nanoparticles and their application in SERS. Applied Surface Science, 2021, 541, 148422.	3.1	10
27	Photocatalytic non-oxidative coupling of methane: Recent progress and future. Journal of Photochemistry and Photobiology C: Photochemistry Reviews, 2021, 46, 100400.	5.6	24
28	High-efficiency adsorption of tetracycline by cooperation of carbon and iron in a magnetic Fe/porous carbon hybrid with effective Fenton regeneration. Applied Surface Science, 2021, 538, 147813.	3.1	67
29	Carbon Vacancy Mediated Incorporation of Ti ₃ C ₂ Quantum Dots in a 3D Inverse Opal g-C ₃ N ₄ Schottky Junction Catalyst for Photocatalytic H ₂ O ₂ Production. ACS Sustainable Chemistry and Engineering, 2021, 9, 481-488.	3.2	66
30	Graphene-Based Photo-Fenton Catalysts for Pollutant Control. Transactions of Tianjin University, 2021, 27, 110-126.	3.3	9
31	Integration of redox cocatalysts for artificial photosynthesis. Energy and Environmental Science, 2021, 14, 5260-5288.	15.6	105
32	Vacancy Engineering of Ultrathin 2D Materials for Photocatalytic CO ₂ Reduction. ChemNanoMat, 2021, 7, 368-379.	1.5	35
33	Unidirectional/Bidirectional Electron Transfer at the Au/TiO ₂ Interface Operando Tracked by SERS Spectra from Au and TiO ₂ . ACS Applied Materials & Interfaces, 2021, 13, 16498-16506.	4.0	28
34	Exploring the Size Effect of Pt Nanoparticles on the Photocatalytic Nonoxidative Coupling of Methane. ACS Catalysis, 2021, 11, 3352-3360.	5.5	66
35	Non-oxidative Coupling of Methane: N-type Doping of Niobium Single Atoms in TiO ₂ "SiO ₂ Induces Electron Localization. Angewandte Chemie, 2021, 133, 12008-12016.	1.6	13
36	Single-Atom High-Valent Fe(IV) for Promoted Photocatalytic Nitrogen Hydrogenation on Porous TiO ₂ -SiO ₂ . ACS Catalysis, 2021, 11, 4362-4371.	5.5	70

#	ARTICLE	IF	CITATIONS
37	Non-oxidative Coupling of Methane: N-type Doping of Niobium Single Atoms in TiO ₂ -SiO ₂ Induces Electron Localization. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 11901-11909.	7.2	77
38	Metal-Organic Framework MIL-101(Fe) Nanoparticles Decorated with Ag Nanoparticles for Regulating the Photocatalytic Phenol Oxidation Pathway for Cr(VI) Reduction. <i>ACS Applied Nano Materials</i> , 2021, 4, 4513-4521.	2.4	29
39	Carbon Nitride Quantum Dots Modified TiO ₂ Inverse Opal Photonic Crystal for Solving Indoor VOCs Pollution. <i>Catalysts</i> , 2021, 11, 464.	1.6	9
40	Tuning Reaction Pathway of CO ₂ Photoreduction via PtRu Bimetallic Microstructure Regulation. <i>Journal of Physical Chemistry C</i> , 2021, 125, 10406-10412.	1.5	10
41	Singlet oxygen triggered by robust bimetallic MoFe/TiO ₂ nanospheres of highly efficacy in solar-light-driven peroxymonosulfate activation for organic pollutants removal. <i>Applied Catalysis B: Environmental</i> , 2021, 286, 119930.	10.8	110
42	Highly efficient photocatalytic H ₂ O ₂ production on core-shell CdS@CdIn ₂ S ₄ heterojunction in non-sacrificial system. <i>Research on Chemical Intermediates</i> , 2021, 47, 3379-3393.	1.3	13
43	Constructing an Acidic Microenvironment by MoS ₂ in Heterogeneous Fenton Reaction for Pollutant Control. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 17155-17163.	7.2	237
44	Carbon nitride nanotubes with in situ grafted hydroxyl groups for highly efficient spontaneous H ₂ O ₂ production. <i>Applied Catalysis B: Environmental</i> , 2021, 288, 119993.	10.8	102
45	Emerging Cocatalysts on g-C ₃ N ₄ for Photocatalytic Hydrogen Evolution. <i>Small</i> , 2021, 17, e2101070.	5.2	223
46	Constructing an Acidic Microenvironment by MoS ₂ in Heterogeneous Fenton Reaction for Pollutant Control. <i>Angewandte Chemie</i> , 2021, 133, 17292-17300.	1.6	20
47	Single-Atom Pt Loaded Zinc Vacancies ZnO@ZnS Induced Type-V Electron Transport for Efficiency Photocatalytic H ₂ Evolution. <i>Solar Rrl</i> , 2021, 5, 2100536.	3.1	153
48	0D/3D coupling of g-C ₃ N ₄ QDs/hierarchical macro-mesoporous CuO-SiO ₂ for high-efficiency norfloxacin removal in photo-Fenton-like processes. <i>Journal of Hazardous Materials</i> , 2021, 419, 126359.	6.5	45
49	Photo-generated charges escape from P ⁺ center through the chemical bridges between P-doped g-C ₃ N ₄ and Ru ^x P nanoparticles to enhance the photocatalytic hydrogen evolution. <i>Catalysis Today</i> , 2021, 380, 223-229.	2.2	10
50	Superoxide radicals dominated visible light driven peroxymonosulfate activation using molybdenum selenide (MoSe ₂) for boosting catalytic degradation of pharmaceuticals and personal care products. <i>Applied Catalysis B: Environmental</i> , 2021, 296, 120223.	10.8	78
51	Realization of all-in-one hydrogen-evolving photocatalysts via selective atomic substitution. <i>Applied Catalysis B: Environmental</i> , 2021, 298, 120518.	10.8	49
52	Singlet oxygen mediated Fe ²⁺ /peroxymonosulfate photo-Fenton-like reaction driven by inverse opal WO ₃ with enhanced photogenerated charges. <i>Chemical Engineering Journal</i> , 2021, 425, 128644.	6.6	31
53	Synthesis of Yolk-Shell Structured Fe ₃ O ₄ @Void@CdS Nanoparticles: A General and Effective Structure Design for Photo-Fenton Reaction. <i>Nanostructure Science and Technology</i> , 2021, , 459-478.	0.1	0
54	Platinum Single Atoms Anchored on a Covalent Organic Framework: Boosting Active Sites for Photocatalytic Hydrogen Evolution. <i>ACS Catalysis</i> , 2021, 11, 13266-13279.	5.5	149

#	ARTICLE	IF	CITATIONS
55	Graphene Oxide-Supported Three-Dimensional Cobalt–Nickel Bimetallic Sponge-Mediated Peroxymonosulfate Activation for Phenol Degradation. <i>ACS ES&T Engineering</i> , 2021, 1, 1705-1714.	3.7	42
56	Molybdenum-based heterogeneous catalysts for the control of environmental pollutants. <i>EcoMat</i> , 2021, 3, e12155.	6.8	44
57	Fabrication of CuS-modified inverse opal g-C ₃ N ₄ photocatalyst with enhanced performance of photocatalytic reduction of CO ₂ . <i>Journal of CO₂ Utilization</i> , 2021, 54, 101779.	3.3	10
58	Exploring the slow-light effect of Pt/TiO ₂ –SiO ₂ inverse opal on photocatalytic nonoxidative coupling of methane. <i>Chemical Communications</i> , 2021, 57, 13000-13003.	2.2	6
59	Regeneration of zero-valent iron powder by the cocatalytic effect of WS ₂ in the environmental applications. <i>Chemical Engineering Journal</i> , 2020, 383, 123158.	6.6	36
60	0D/2D plasmonic Cu ₂ -xS/g-C ₃ N ₄ nanosheets harnessing UV-vis-NIR broad spectrum for photocatalytic degradation of antibiotic pollutant. <i>Applied Catalysis B: Environmental</i> , 2020, 263, 118326.	10.8	100
61	Ultrathin g-C ₃ N ₄ nanosheet with hierarchical pores and desirable energy band for highly efficient H ₂ O ₂ production. <i>Applied Catalysis B: Environmental</i> , 2020, 267, 118396.	10.8	183
62	Hollow Fe ₃ O ₄ /carbon with surface mesopores derived from MOFs for enhanced lithium storage performance. <i>Science Bulletin</i> , 2020, 65, 233-242.	4.3	58
63	Fabrication of Co ₃ O ₄ and Au co-modified BiOBr flower-like microspheres with high photocatalytic efficiency for sulfadiazine degradation. <i>Separation and Purification Technology</i> , 2020, 234, 116100.	3.9	52
64	Facile one-pot synthesis of mesoporous g-C ₃ N ₄ nanosheets with simultaneous iodine doping and N-vacancies for efficient visible-light-driven H ₂ evolution performance. <i>Catalysis Science and Technology</i> , 2020, 10, 549-559.	2.1	39
65	KOH-Assisted Band Engineering of Polymeric Carbon Nitride for Visible Light Photocatalytic Oxygen Reduction to Hydrogen Peroxide. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 594-603.	3.2	57
66	Facile Fabrication of Amorphous Molybdenum Oxide as a Sensitive and Stable SERS Substrate under Redox Treatment. <i>Chemistry - A European Journal</i> , 2020, 26, 2653-2657.	1.7	14
67	MoO and Mo ⁴⁺ bimetallic reactive sites accelerating Fe ²⁺ /Fe ³⁺ cycling for the activation of peroxydisulfate with significantly improved remediation of aromatic pollutants. <i>Chemosphere</i> , 2020, 244, 125539.	4.2	63
68	Recent advances of doped graphite carbon nitride for photocatalytic reduction of CO ₂ : a review. <i>Research on Chemical Intermediates</i> , 2020, 46, 5133-5164.	1.3	39
69	Fe ₃ O ₄ /MoO ₃ Nanorod for Effective Photo-Fenton Degradation of Dyes and Antibiotics at a Wide Range of pH. <i>Chemistry - an Asian Journal</i> , 2020, 15, 2749-2753.	1.7	7
70	Sustainable activation of peroxydisulfate by the Mo(IV) in MoS ₂ for the remediation of aromatic organic pollutants. <i>Chinese Chemical Letters</i> , 2020, 31, 2803-2808.	4.8	81
71	Z-scheme photo-Fenton system for efficiency synchronous oxidation of organic contaminants and reduction of metal ions. <i>Applied Catalysis B: Environmental</i> , 2020, 279, 119365.	10.8	97
72	Recent Progress of Photocatalytic Fenton-Like Process for Environmental Remediation. <i>Frontiers in Environmental Chemistry</i> , 2020, 1, .	0.7	22

#	ARTICLE	IF	CITATIONS
73	Cocatalytic Fenton Reaction for Pollutant Control. Cell Reports Physical Science, 2020, 1, 100149.	2.8	41
74	Prolonged electron lifetime in sulfur vacancy-rich ZnCdS nanocages by interstitial phosphorus doping for photocatalytic water reduction. Materials Chemistry Frontiers, 2020, 4, 3234-3239.	3.2	42
75	The role of oxygen defects in metal oxides for CO ₂ reduction. Nanoscale Advances, 2020, 2, 4986-4995.	2.2	31
76	Improving SERS sensitivity of TiO ₂ by utilizing the heterogeneity of facet-potentials. Journal of Materials Chemistry C, 2020, 8, 13836-13842.	2.7	17
77	Facet-Heterojunction-Based Z-Scheme BiVO ₄ {010} Microplates Decorated with AgBr-Ag Nanoparticles for the Photocatalytic Inactivation of Bacteria and the Decomposition of Organic Contaminants. ACS Applied Nano Materials, 2020, 3, 8604-8617.	2.4	33
78	Phosphorus-doped inverse opal g-C ₃ N ₄ for efficient and selective CO generation from photocatalytic reduction of CO ₂ . Catalysis Science and Technology, 2020, 10, 3694-3700.	2.1	34
79	Designing 3D-MoS ₂ Sponge as Excellent Cocatalysts in Advanced Oxidation Processes for Pollutant Control. Angewandte Chemie - International Edition, 2020, 59, 13968-13976.	7.2	316
80	Designing 3D-MoS ₂ Sponge as Excellent Cocatalysts in Advanced Oxidation Processes for Pollutant Control. Angewandte Chemie, 2020, 132, 14072-14080.	1.6	52
81	Peroxymonosulfate activation by three-dimensional cobalt hydroxide/graphene oxide hydrogel for wastewater treatment through an automated process. Chemical Engineering Journal, 2020, 400, 125965.	6.6	54
82	g-C ₃ N ₄ /CoAl-LDH 2D/2D hybrid heterojunction for boosting photocatalytic hydrogen evolution. International Journal of Hydrogen Energy, 2020, 45, 21331-21340.	3.8	70
83	Efficient degradation of antibiotics in different water matrices through the photocatalysis of inverse opal K-g-C ₃ N ₄ : Insights into mechanism and assessment of antibacterial activity. Chemical Engineering Journal, 2020, 400, 125902.	6.6	54
84	TiO ₂ /carbon composite nanomaterials for photocatalysis. , 2020, , 303-321.		5
85	Metallic Active Sites on MoO ₂ (110) Surface to Catalyze Advanced Oxidation Processes for Efficient Pollutant Removal. IScience, 2020, 23, 100861.	1.9	86
86	Dopant-Induced Edge and Basal Plane Catalytic Sites on Ultrathin C ₃ N ₄ Nanosheets for Photocatalytic Water Reduction. ACS Sustainable Chemistry and Engineering, 2020, 8, 7497-7502.	3.2	80
87	Chemisorption-Induced and Plasmon-Promoted Photofixation of Nitrogen on Gold-Loaded Carbon Nitride Nanosheets. ChemSusChem, 2020, 13, 3455-3461.	3.6	22
88	Electron directed migration cooperated with thermodynamic regulation over bimetallic NiFeP/g-C ₃ N ₄ for enhanced photocatalytic hydrogen evolution. Applied Catalysis B: Environmental, 2019, 259, 118078.	10.8	113
89	g-C ₃ N ₄ quantum dots-modified mesoporous TiO ₂ @SiO ₂ for enhanced photocatalysis. Research on Chemical Intermediates, 2019, 45, 4237-4247.	1.3	22
90	Singlet Oxygen Triggered by Superoxide Radicals in a Molybdenum Cocatalytic Fenton Reaction with Enhanced REDOX Activity in the Environment. Environmental Science & Technology, 2019, 53, 9725-9733.	4.6	465

#	ARTICLE	IF	CITATIONS
91	Fabrication of 3D Sponge@AgBr-AgCl/Ag and Tubular Photoreactor for Continuous Wastewater Purification under Sunlight Irradiation. ACS Sustainable Chemistry and Engineering, 2019, 7, 14051-14063.	3.2	32
92	Formation of Highly Active Superoxide Sites on CuO Nanoclusters Encapsulated in SAPO-34 for Catalytic Selective Ammonia Oxidation. ACS Catalysis, 2019, 9, 10398-10408.	5.5	39
93	Efficient Fe(III)/Fe(II) cycling triggered by MoO ₂ in Fenton reaction for the degradation of dye molecules and the reduction of Cr(VI). Chinese Chemical Letters, 2019, 30, 2205-2210.	4.8	137
94	Preparation of NiCoP-decorated g-C ₃ N ₄ as an efficient photocatalyst for H ₂ O ₂ production. Research on Chemical Intermediates, 2019, 45, 5907-5917.	1.3	26
95	Robust Photocatalytic H ₂ O ₂ Production over Inverse Opal g-C ₃ N ₄ with Carbon Vacancy under Visible Light. ACS Sustainable Chemistry and Engineering, 2019, 7, 16467-16473.	3.2	110
96	Z-scheme structure SnS ₂ @Au@CdS with excellent photocatalytic performance for simultaneous removal of Cr(VI) and methyl orange. Research on Chemical Intermediates, 2019, 45, 3513-3524.	1.3	18
97	Z-scheme inverse opal CN/BiOBr photocatalysts for highly efficient degradation of antibiotics. Physical Chemistry Chemical Physics, 2019, 21, 12818-12825.	1.3	58
98	Research progress of photocatalysis based on highly dispersed titanium in mesoporous SiO ₂ . Chinese Chemical Letters, 2019, 30, 853-862.	4.8	58
99	Ga-Doped and Pt-Loaded Porous TiO ₂ @SiO ₂ for Photocatalytic Nonoxidative Coupling of Methane. Journal of the American Chemical Society, 2019, 141, 6592-6600.	6.6	218
100	Magnetic separation of metal sulfides/oxides by Fe ₃ O ₄ at room temperature and atmospheric pressure. Rare Metals, 2019, 38, 379-389.	3.6	12
101	An inverse opal TiO ₂ /g-C ₃ N ₄ composite with a heterojunction for enhanced visible light-driven photocatalytic activity. Dalton Transactions, 2019, 48, 3486-3495.	1.6	56
102	Hierarchical macro-mesoporous g-C ₃ N ₄ with an inverse opal structure and vacancies for high-efficiency solar energy conversion and environmental remediation. Nanoscale, 2019, 11, 20638-20647.	2.8	67
103	Photo-Fenton degradation of phenol by CdS/rGO/Fe ²⁺ at natural pH with in situ-generated H ₂ O ₂ . Applied Catalysis B: Environmental, 2019, 241, 367-374.	10.8	174
104	Hollow-structured Fe ₂ O ₃ /Au/SiO ₂ nanorods with enhanced and recyclable photo-Fenton oxidation for the remediation of organic pollutants. Materials Today Chemistry, 2019, 11, 86-93.	1.7	20
105	TiO ₂ (B) nanotubes with ultrathin shell for highly efficient photocatalytic fixation of nitrogen. Catalysis Today, 2019, 335, 214-220.	2.2	30
106	Hierarchical porous TiO ₂ single crystals templated from partly glassified polystyrene. Journal of Colloid and Interface Science, 2019, 538, 248-255.	5.0	6
107	Gaseous bubble-assisted in-situ construction of worm-like porous g-C ₃ N ₄ with superior visible light photocatalytic performance. Applied Catalysis A: General, 2019, 573, 13-21.	2.2	24
108	Well-designed Ag/ZnO/3D graphene structure for dye removal: Adsorption, photocatalysis and physical separation capabilities. Journal of Colloid and Interface Science, 2019, 537, 66-78.	5.0	118

#	ARTICLE	IF	CITATIONS
109	Controllable Synthesis of Inverse Opal TiO ₂ Photonic Crystals and Their Photoelectric Properties. Chemistry - an Asian Journal, 2019, 14, 322-327.	1.7	6
110	A structural engineering-inspired CdS based composite for photocatalytic remediation of organic pollutant and hexavalent chromium. Catalysis Today, 2019, 335, 101-109.	2.2	19
111	Fluorine doped TiO ₂ /mesocellular foams with an efficient photocatalytic activity. Catalysis Today, 2019, 327, 340-346.	2.2	38
112	Advanced Bi ₂ O _{2.7} /Bi ₂ Ti ₂ O ₇ composite film with enhanced visible-light-driven activity for the degradation of organic dyes. Research on Chemical Intermediates, 2018, 44, 4609-4618.	1.3	14
113	Gold-loaded graphene oxide/PDPB composites for the synchronous removal of Cr(VI) and phenol. Chinese Journal of Catalysis, 2018, 39, 8-15.	6.9	28
114	Synthesis of cubic Ag@AgCl and Ag@AgBr plasmonic photocatalysts and comparison of their photocatalytic activity for degradation of methyl orange and 2,4-dichlorophenol. Research on Chemical Intermediates, 2018, 44, 4651-4661.	1.3	13
115	Yolk-shell structured composite for fast and selective lithium ion sieving. Journal of Colloid and Interface Science, 2018, 520, 33-40.	5.0	46
116	Recent advances in three-dimensional graphene based materials for catalysis applications. Chemical Society Reviews, 2018, 47, 2165-2216.	18.7	412
117	Enhanced photocatalytic CO ₂ reduction to CH ₄ over separated dual co-catalysts Au and RuO ₂ . Nanotechnology, 2018, 29, 154005.	1.3	24
118	SERS self-monitoring of Ag-catalyzed reaction by magnetically separable mesoporous Fe ₃ O ₄ @Ag@mSiO ₂ . Microporous and Mesoporous Materials, 2018, 263, 113-119.	2.2	11
119	Modulation of the Reduction Potential of TiO ₂ by Fluorination for Efficient and Selective CH ₄ Generation from CO ₂ Photoreduction. Nano Letters, 2018, 18, 3384-3390.	4.5	166
120	Metal Sulfides as Excellent Co-catalysts for H ₂ O ₂ Decomposition in Advanced Oxidation Processes. Chem, 2018, 4, 1359-1372.	5.8	679
121	Size-dependent activity and selectivity of carbon dioxide photocatalytic reduction over platinum nanoparticles. Nature Communications, 2018, 9, 1252.	5.8	396
122	Self-modification of g-C ₃ N ₄ with its quantum dots for enhanced photocatalytic activity. Catalysis Science and Technology, 2018, 8, 2617-2623.	2.1	69
123	Self-modified breaking hydrogen bonds to highly crystalline graphitic carbon nitrides nanosheets for drastically enhanced hydrogen production. Applied Catalysis B: Environmental, 2018, 232, 306-313.	10.8	137
124	Photo-fenton refreshable Fe ₃ O ₄ @HCS adsorbent for the elimination of tetracycline hydrochloride. Research on Chemical Intermediates, 2018, 44, 1-11.	1.3	34
125	Operando SERS self-monitoring photocatalytic oxidation of aminophenol on TiO ₂ semiconductor. Applied Catalysis B: Environmental, 2018, 224, 305-309.	10.8	39
126	Developing stretchable and graphene-oxide-based hydrogel for the removal of organic pollutants and metal ions. Applied Catalysis B: Environmental, 2018, 222, 146-156.	10.8	231

#	ARTICLE	IF	CITATIONS
127	Highly efficient photo-Fenton degradation of methyl orange facilitated by slow light effect and hierarchical porous structure of Fe ₂ O ₃ -SiO ₂ photonic crystals. Applied Catalysis B: Environmental, 2018, 237, 1160-1167.	10.8	82
128	Cobalt phosphide nanocages encapsulated with graphene as ultralong cycle life anodes for reversible lithium storage. Research on Chemical Intermediates, 2018, 44, 7847-7859.	1.3	16
129	Preparation of Reduced TiO ₂ for Photocatalysis. Lecture Notes in Quantum Chemistry II, 2018, , 75-105.	0.3	1
130	Photo-Fenton Reaction. Lecture Notes in Quantum Chemistry II, 2018, , 259-274.	0.3	1
131	Transition Metal Phosphide As Cocatalysts for Semiconductor-Based Photocatalytic Hydrogen Evolution Reaction. Lecture Notes in Quantum Chemistry II, 2018, , 375-402.	0.3	2
132	Heterogeneous Photo-Fenton Technology. Lecture Notes in Quantum Chemistry II, 2018, , 241-258.	0.3	2
133	Syntheses and Applications of Silver Halide-Based Photocatalysts. Lecture Notes in Quantum Chemistry II, 2018, , 307-343.	0.3	3
134	The Preparation and Applications of g-C ₃ N ₄ /TiO ₂ Heterojunction Catalysts. Lecture Notes in Quantum Chemistry II, 2018, , 173-196.	0.3	2
135	Enhancement of H ₂ O ₂ Decomposition by the Co-catalytic Effect of WS ₂ on the Fenton Reaction for the Synchronous Reduction of Cr(VI) and Remediation of Phenol. Environmental Science & Technology, 2018, 52, 11297-11308.	4.6	315
136	Nickel Boride Cocatalyst Boosting Efficient Photocatalytic Hydrogen Evolution Reaction. Industrial & Engineering Chemistry Research, 2018, 57, 8125-8130.	1.8	57
137	TiO ₂ inverse opal photonic crystals: Synthesis, modification, and applications - A review. Journal of Alloys and Compounds, 2018, 769, 740-757.	2.8	88
138	Controllable synthesis of graphitic carbon nitride nanomaterials for solar energy conversion and environmental remediation: the road travelled and the way forward. Catalysis Science and Technology, 2018, 8, 4576-4599.	2.1	99
139	Au-Mediated Composite In ₂ S ₃ -Au-BiVO ₄ with Enhanced Photocatalytic Activity for Organic Pollutant Degradation. ChemistrySelect, 2018, 3, 4889-4896.	0.7	14
140	Molybdenum sulfide Co-catalytic Fenton reaction for rapid and efficient inactivation of Escherichia coli. Water Research, 2018, 145, 312-320.	5.3	192
141	g-C ₃ N ₄ Inverse Opals with Isotype Heterostructure for Enhanced Visible-Light-Driven Photocatalysis. Chemistry - an Asian Journal, 2018, 13, 3261-3267.	1.7	16
142	Photocatalysis. Lecture Notes in Quantum Chemistry II, 2018, , .	0.3	32
143	Synthesis of core-shell structured CdS@CeO ₂ and CdS@TiO ₂ composites and comparison of their photocatalytic activities for the selective oxidation of benzyl alcohol to benzaldehyde. Catalysis Today, 2017, 281, 181-188.	2.2	91
144	Efficient Solar Light Harvesting CdS/Co ₉ S ₈ Hollow Cubes for Z-scheme Photocatalytic Water Splitting. Angewandte Chemie - International Edition, 2017, 56, 2684-2688.	7.2	445

#	ARTICLE	IF	CITATIONS
145	Efficient Solar Light Harvesting CdS/Co ₉ S ₈ Hollow Cubes for Z-scheme Photocatalytic Water Splitting. <i>Angewandte Chemie</i> , 2017, 129, 2728-2732.	1.6	108
146	Enhanced Visible Light Photocatalytic Activity of Flower-like Bi ₂ WO ₆ Loaded with MnO _x . <i>Chinese Journal of Chemistry</i> , 2017, 35, 153-158.	2.6	5
147	Eco-friendly one-pot synthesis of well-adorned mesoporous g-C ₃ N ₄ with efficiently enhanced visible light photocatalytic activity. <i>Catalysis Science and Technology</i> , 2017, 7, 1726-1734.	2.1	111
148	An advanced TiO ₂ /Fe ₂ TiO ₅ /Fe ₂ O ₃ triple-heterojunction with enhanced and stable visible-light-driven fenton reaction for the removal of organic pollutants. <i>Applied Catalysis B: Environmental</i> , 2017, 211, 157-166.	10.8	127
149	Reduced {001}-TiO ₂ photocatalysts: noble-metal-free CO ₂ photoreduction for selective CH ₄ evolution. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 13875-13881.	1.3	50
150	One-step large-scale highly active g-C ₃ N ₄ nanosheets for efficient sunlight-driven photocatalytic hydrogen production. <i>Dalton Transactions</i> , 2017, 46, 10678-10684.	1.6	92
151	The effect of silver resources on the photocatalytic reduction and oxidation properties of AgSCN. <i>Materials Technology</i> , 2017, 32, 852-861.	1.5	4
152	A binary polymer composite of graphitic carbon nitride and poly(diphenylbutadiyne) with enhanced visible light photocatalytic activity. <i>RSC Advances</i> , 2017, 7, 27377-27383.	1.7	34
153	Modifications on reduced titanium dioxide photocatalysts: A review. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2017, 32, 21-39.	5.6	221
154	A robust and efficient catalyst of Cd _x Zn _{1-x} Se motivated by CoP for photocatalytic hydrogen evolution under sunlight irradiation. <i>Chemical Communications</i> , 2017, 53, 897-900.	2.2	103
155	Visible-light-induced reduction of hexavalent chromium utilizing cobalt phosphate (Co-Pi) sensitized inverse opal TiO ₂ as a photocatalyst. <i>Catalysis Science and Technology</i> , 2017, 7, 5687-5693.	2.1	30
156	Preparation of porous TiO ₂ photocatalysts with different crystal phases and high catalytic activity by simple calcination of titanate nanofibers. <i>RSC Advances</i> , 2017, 7, 45742-45745.	1.7	9
157	Visible-Light-Driven Photocatalytic H ₂ O ₂ Production on g-C ₃ N ₄ Loaded with CoP as a Noble Metal Free Cocatalyst. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 4797-4802.	1.0	84
158	In situ strategy to prepare PDPB/SnO ₂ p-n heterojunction with a high photocatalytic activity. <i>RSC Advances</i> , 2017, 7, 24064-24069.	1.7	20
159	Aim and shoot: molecule-imprinting polymer coated MoO ₃ for selective SERS detection and photocatalytic destruction of low-level organic contaminants. <i>RSC Advances</i> , 2017, 7, 36201-36207.	1.7	24
160	Spatially Separated CdS Shells Exposed with Reduction Surfaces for Enhancing Photocatalytic Hydrogen Evolution. <i>Advanced Functional Materials</i> , 2017, 27, 1702624.	7.8	238
161	Single-step solvothermal synthesis of mesoporous anatase TiO ₂ -reduced graphene oxide nanocomposites for the abatement of organic pollutants. <i>Research on Chemical Intermediates</i> , 2017, 43, 5187-5201.	1.3	18
162	Zn-Assisted TiO ₂ Photocatalyst with Efficient Charge Separation for Enhanced Photocatalytic Activities. <i>Journal of Physical Chemistry C</i> , 2017, 121, 17068-17076.	1.5	24

#	ARTICLE	IF	CITATIONS
163	Enhanced photoreduction of Cr(VI) and photooxidation of NO over TiO ₂ mesoporous single crystals. RSC Advances, 2017, 7, 55927-55934.	1.7	9
164	Mesoporous silica-based carbon dot-carbon nitride composite for efficient photocatalysis. RSC Advances, 2017, 7, 52626-52631.	1.7	13
165	One-step in situ green template mediated porous graphitic carbon nitride for efficient visible light photocatalytic activity. Journal of Environmental Chemical Engineering, 2017, 5, 3500-3507.	3.3	32
166	Z-Scheme BiOCl-Au-CdS Heterostructure with Enhanced Sunlight-Driven Photocatalytic Activity in Degrading Water Dyes and Antibiotics. ACS Sustainable Chemistry and Engineering, 2017, 5, 6958-6968.	3.2	216
167	The preparation, and applications of g-C ₃ N ₄ /TiO ₂ heterojunction catalysts—a review. Research on Chemical Intermediates, 2017, 43, 2081-2101.	1.3	100
168	A facile polystyrene-dissolving strategy to hollow periodic mesoporous organosilica with flexible structure-tailorability. Microporous and Mesoporous Materials, 2017, 239, 173-179.	2.2	21
169	Z-scheme Cd-Au-BiVO ₄ with enhanced photocatalytic activity for organic contaminant decomposition. Catalysis Science and Technology, 2017, 7, 124-132.	2.1	102
170	Yolk-shell structured Fe ₃ O ₄ @TiO ₂ as a photo-Fenton-like catalyst for the extremely efficient elimination of tetracycline. Applied Catalysis B: Environmental, 2017, 200, 484-492.	10.8	216
171	Carbon nitride coupled Ti-SBA15 catalyst for visible-light-driven photocatalytic reduction of Cr(VI) and the synergistic oxidation of phenol. Applied Catalysis B: Environmental, 2017, 201, 1-11.	10.8	139
172	Fabrication of TiO ₂ /Co-g-C ₃ N ₄ heterojunction catalyst and its photocatalytic performance. Catalysis Communications, 2017, 89, 125-128.	1.6	113
173	Carbon-doped titanium dioxide nanocrystals for highly efficient dye-sensitized solar cells. Catalysis Today, 2017, 281, 636-641.	2.2	24
174	Dual-Shell Fluorescent Nanoparticles for Self-Monitoring of pH-Responsive Molecule-Releasing in a Visualized Way. ACS Applied Materials & Interfaces, 2016, 8, 19084-19091.	4.0	18
175	Study of synergistic effect of Sc and C co-doping on the enhancement of visible light photo-catalytic activity of TiO ₂ . Applied Surface Science, 2016, 364, 446-454.	3.1	46
176	A fluorescein-based fluorescence probe for the fast detection of thiol. Tetrahedron Letters, 2016, 57, 2478-2483.	0.7	21
177	Double-diffusion-based synthesis of BiVO ₄ mesoporous single crystals with enhanced photocatalytic activity for oxygen evolution. Chemical Communications, 2016, 52, 7478-7481.	2.2	40
178	Well-Dispersed Fe ₂ O ₃ Nanoparticles on g-C ₃ N ₄ for Efficient and Stable Photo-Fenton Photocatalysis under Visible Light Irradiation. European Journal of Inorganic Chemistry, 2016, 2016, 5387-5392.	1.0	85
179	Double-cocatalysts promote charge separation efficiency in CO ₂ photoreduction: spatial location matters. Materials Horizons, 2016, 3, 608-612.	6.4	68
180	Synthesis of sandwich-structured AgBr@Ag@TiO ₂ composite photocatalyst and study of its photocatalytic performance for the oxidation of benzyl alcohols to benzaldehydes. Chemical Engineering Journal, 2016, 306, 1151-1161.	6.6	67

#	ARTICLE	IF	CITATIONS
181	Synthesis of Yolk@Shell Structured Fe ₃ O ₄ @void@CdS Nanoparticles: A General and Effective Structure Design for Photo-Fenton Reaction. ACS Applied Materials & Interfaces, 2016, 8, 20831-20838.	4.0	89
182	Titanate nanowire as a precursor for facile morphology control of TiO ₂ catalysts with enhanced photocatalytic activity. Journal of Alloys and Compounds, 2016, 687, 927-936.	2.8	13
183	Sulfur nanoparticles in situ growth on TiO ₂ mesoporous single crystals with enhanced solar light photocatalytic performance. RSC Advances, 2016, 6, 77863-77869.	1.7	17
184	Economic Hydrophobicity Triggering of CO ₂ Photoreduction for Selective CH ₄ Generation on Noble-Metal-Free TiO ₂ @SiO ₂ . Journal of Physical Chemistry Letters, 2016, 7, 2962-2966.	2.1	70
185	AgBr tetradecahedrons with co-exposed {100} and {111} facets: simple fabrication and enhancing spatial charge separation using facet heterojunctions. Journal of Materials Chemistry A, 2016, 4, 18570-18577.	5.2	34
186	Ultradispersed Cobalt Ferrite Nanoparticles Assembled in Graphene Aerogel for Continuous Photo-Fenton Reaction and Enhanced Lithium Storage Performance. Scientific Reports, 2016, 6, 29099.	1.6	75
187	Rational Design of a Unique Ternary Structure for Highly Photocatalytic Nitrobenzene Reduction. Journal of Physical Chemistry C, 2016, 120, 12125-12131.	1.5	43
188	Plasmonic MoO ₃ @MoO ₃ nanosheets for highly sensitive SERS detection through nanoshell-isolated electromagnetic enhancement. Chemical Communications, 2016, 52, 2893-2896.	2.2	154
189	A coumarin-based fluorescent probe for the fast detection of Pd ⁰ with low detection limit. Tetrahedron Letters, 2016, 57, 1451-1455.	0.7	21
190	Mesoporous silica-based carbon dot/TiO ₂ photocatalyst for efficient organic pollutant degradation. Microporous and Mesoporous Materials, 2016, 226, 79-87.	2.2	44
191	Stober-like method to synthesize ultradispersed Fe ₃ O ₄ nanoparticles on graphene with excellent Photo-Fenton reaction and high-performance lithium storage. Applied Catalysis B: Environmental, 2016, 183, 216-223.	10.8	125
192	Graphene modified mesoporous titania single crystals with controlled and selective photoredox surfaces. Chemical Communications, 2016, 52, 1689-1692.	2.2	45
193	Enhanced photocatalytic activities of vacuum activated TiO ₂ catalysts with Ti ³⁺ and N co-doped. Catalysis Today, 2016, 266, 188-196.	2.2	61
194	Vacuum activation-induced Ti ³⁺ and carbon co-doped TiO ₂ with enhanced solar light photo-catalytic activity. Research on Chemical Intermediates, 2016, 42, 4181-4189.	1.3	21
195	Mesoporous graphitic carbon nitride materials: synthesis and modifications. Research on Chemical Intermediates, 2016, 42, 3979-3998.	1.3	91
196	Silica nanocrystal/graphene composite with improved photoelectric and photocatalytic performance. Applied Catalysis B: Environmental, 2016, 180, 106-112.	10.8	31
197	Facile Synthesis of Bimodal Mesoporous Fe ₃ O ₄ @SiO ₂ Composite for Efficient Removal of Methylene Blue. European Journal of Inorganic Chemistry, 2015, 2015, 2928-2933.	1.0	39
198	Carbon-Dot@CSensitized, Nitrogen-Doped TiO ₂ in Mesoporous Silica for Water Decontamination through Nonhydrophobic Enrichment@Degradation Mode. Chemistry - A European Journal, 2015, 21, 17944-17950.	1.7	38

#	ARTICLE	IF	CITATIONS
199	Chiral Carbonaceous Nanotubes Modified with Titania Nanocrystals: Plasmon-Free and Recyclable SERS Sensitivity. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 10643-10647.	7.2	72
200	In situ growth of TiO ₂ nanocrystals on g-C ₃ N ₄ for enhanced photocatalytic performance. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 17406-17412.	1.3	122
201	Facile preparation of C-modified TiO ₂ supported on MCF for high visible-light-driven photocatalysis. <i>RSC Advances</i> , 2015, 5, 17802-17808.	1.7	33
202	Surface modification of TiO ₂ with g-C ₃ N ₄ for enhanced UV and visible photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2015, 631, 328-334.	2.8	157
203	A facile approach to further improve the substitution of nitrogen into reduced TiO ₂ with an enhanced photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2015, 170-171, 66-73.	10.8	64
204	Highly condensed g-C ₃ N ₄ -modified TiO ₂ catalysts with enhanced photodegradation performance toward acid orange 7. <i>Journal of Materials Science</i> , 2015, 50, 3467-3476.	1.7	62
205	Facile synthesis of the Ti ³⁺ self-doped TiO ₂ -graphene nanosheet composites with enhanced photocatalysis. <i>Scientific Reports</i> , 2015, 5, 8591.	1.6	235
206	Enhancing the photocatalytic activity of CdS nanorods for selective oxidation of benzyl alcohol by coating amorphous TiO ₂ shell layer. <i>Catalysis Communications</i> , 2015, 70, 30-33.	1.6	39
207	Facile phase control for hydrothermal synthesis of anatase-rutile TiO ₂ with enhanced photocatalytic activity. <i>Journal of Alloys and Compounds</i> , 2015, 646, 380-386.	2.8	69
208	A colorimetric and ratiometric fluorescent probe with a large Stokes shift for detection of hydrogen sulfide. <i>Dyes and Pigments</i> , 2015, 123, 78-84.	2.0	46
209	Core-Shell Structural CdS@SnO ₂ Nanorods with Excellent Visible-Light Photocatalytic Activity for the Selective Oxidation of Benzyl Alcohol to Benzaldehyde. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 13849-13858.	4.0	156
210	A colorimetric and ratiometric fluorescent probe for detection of palladium in the red light region. <i>RSC Advances</i> , 2015, 5, 52516-52521.	1.7	57
211	A colorimetric and fluorescent chemodosimeter responding to Cu ²⁺ with high selectivity and sensitivity. <i>Research on Chemical Intermediates</i> , 2015, 41, 5915-5927.	1.3	15
212	Ammonium acetate and ethylenediamine-assisted synthesis of anatase nanocrystals with {010} facets and enhanced photocatalytic activity. <i>Journal of Environmental Chemical Engineering</i> , 2015, 3, 961-968.	3.3	7
213	Carbon dots modified mesoporous organosilica as an adsorbent for the removal of 2,4-dichlorophenol and heavy metal ions. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13357-13364.	5.2	124
214	Stober-like method to synthesize ultralight, porous, stretchable Fe ₂ O ₃ /graphene aerogels for excellent performance in photo-Fenton reaction and electrochemical capacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12820-12827.	5.2	104
215	Plasmon-free SERS self-monitoring of catalysis reaction on Au nanoclusters/TiO ₂ photonic microarray. <i>Chemical Communications</i> , 2015, 51, 8813-8816.	2.2	49
216	Hierarchically mesoporous/macroporous structured TiO ₂ for dye-sensitized solar cells. <i>RSC Advances</i> , 2015, 5, 74557-74561.	1.7	14

#	ARTICLE	IF	CITATIONS
217	Carbon Dot-incorporated PMO Nanoparticles as Versatile Platforms for the Design of Ratiometric Sensors, Multichannel Traceable Drug Delivery Vehicles, and Efficient Photocatalysts. <i>Advanced Optical Materials</i> , 2015, 3, 57-63.	3.6	45
218	A Brown Mesoporous TiO ₂ /MCF Composite with an Extremely High Quantum Yield of Solar Energy Photocatalysis for H ₂ Evolution. <i>Small</i> , 2015, 11, 1920-1929.	5.2	99
219	The synthesis and fluorescence properties of novel 1,8-naphthalimide derivatives. <i>Research on Chemical Intermediates</i> , 2015, 41, 1157-1169.	1.3	6
220	Synthesis and proton-induced fluorescence ON-switching of a new D-A type pyran dye. <i>Research on Chemical Intermediates</i> , 2015, 41, 525-533.	1.3	16
221	Synthesis of visible-light driven Cr O-TiO ₂ binary photocatalyst based on hierarchical macro-mesoporous silica. <i>Applied Catalysis B: Environmental</i> , 2015, 163, 9-15.	10.8	26
222	Enhanced photocatalytic performance of TiO ₂ based on synergistic effect of Ti ³⁺ self-doping and slow light effect. <i>Applied Catalysis B: Environmental</i> , 2014, 160-161, 621-628.	10.8	111
223	Core-shell structured γ -Fe ₂ O ₃ @SiO ₂ @AgBr:Ag composite with high magnetic separation efficiency and excellent visible light activity for acid orange 7 degradation. <i>Applied Catalysis B: Environmental</i> , 2014, 147, 22-28.	10.8	80
224	Highly-dispersed boron-doped graphene nanoribbons with enhanced conductivity and photocatalysis. <i>Chemical Communications</i> , 2014, 50, 6637-6640.	2.2	91
225	Sandwich-structured AgCl@Ag@TiO ₂ with excellent visible-light photocatalytic activity for organic pollutant degradation and E. coli K12 inactivation. <i>Applied Catalysis B: Environmental</i> , 2014, 158-159, 76-84.	10.8	132
226	Synthesis and photocatalytic activity of graphene based doped TiO ₂ nanocomposites. <i>Applied Surface Science</i> , 2014, 319, 8-15.	3.1	102
227	Preparation, characterization, and photocatalytic activity of porous AgBr@Ag and AgBr@Ag plasmonic photocatalysts. <i>Applied Surface Science</i> , 2014, 292, 256-261.	3.1	23
228	Self-assembly of magnetically recoverable ratiometric Cu ²⁺ fluorescent sensor and adsorbent. <i>RSC Advances</i> , 2014, 4, 18660-18667.	1.7	14
229	Improved SERS Sensitivity on Plasmon-Free TiO ₂ Photonic Microarray by Enhancing Light-Matter Coupling. <i>Journal of the American Chemical Society</i> , 2014, 136, 9886-9889.	6.6	252
230	Understanding TiO ₂ Photocatalysis: Mechanisms and Materials. <i>Chemical Reviews</i> , 2014, 114, 9919-9986.	23.0	4,658
231	Hydrophobic Carbon-Doped TiO ₂ /MCF-F Composite as a High Performance Photocatalyst. <i>Journal of Physical Chemistry C</i> , 2014, 118, 7329-7336.	1.5	81
232	Mesoporous TiO ₂ Nanocrystals Grown in Situ on Graphene Aerogels for High Photocatalysis and Lithium-Ion Batteries. <i>Journal of the American Chemical Society</i> , 2014, 136, 5852-5855.	6.6	745
233	A new approach to prepare Ti ³⁺ self-doped TiO ₂ via NaBH ₄ reduction and hydrochloric acid treatment. <i>Applied Catalysis B: Environmental</i> , 2014, 160-161, 240-246.	10.8	254
234	Highly-dispersed Boron-doped Graphene Nanosheets Loaded with TiO ₂ Nanoparticles for Enhancing CO ₂ Photoreduction. <i>Scientific Reports</i> , 2014, 4, 6341.	1.6	156

#	ARTICLE	IF	CITATIONS
235	Synergistic effect on the visible light activity of Ti ³⁺ doped TiO ₂ nanorods/boron doped graphene composite. <i>Scientific Reports</i> , 2014, 4, 5493.	1.6	114
236	Enhanced Photocatalysis by Au Nanoparticle Loading on TiO ₂ Single-Crystal (001) and (110) Facets. <i>Journal of Physical Chemistry Letters</i> , 2013, 4, 3910-3917.	2.1	105
237	Self-doped Ti ³⁺ -enhanced TiO ₂ nanoparticles with a high-performance photocatalysis. <i>Journal of Catalysis</i> , 2013, 297, 236-243.	3.1	266
238	Reduced graphene oxide modified Ag/AgBr with enhanced visible light photocatalytic activity for methyl orange degradation. <i>Chemical Physics Letters</i> , 2013, 575, 81-85.	1.2	39
239	Ecofriendly Synthesis and Photocatalytic Activity of Uniform Cubic Ag@AgCl Plasmonic Photocatalyst. <i>Journal of Physical Chemistry C</i> , 2013, 117, 213-220.	1.5	217
240	AgBr@Ag/TiO ₂ core-shell composite with excellent visible light photocatalytic activity and hydrothermal stability. <i>Catalysis Communications</i> , 2013, 38, 16-20.	1.6	64
241	Study of Synergistic Effect of Ce- and S-Codoping on the Enhancement of Visible-Light Photocatalytic Activity of TiO ₂ . <i>Journal of Physical Chemistry C</i> , 2013, 117, 9520-9528.	1.5	103
242	silver halide/silver iodide@silver composite with excellent visible light photocatalytic activity for methyl orange degradation. <i>Journal of Colloid and Interface Science</i> , 2013, 405, 17-21.	5.0	45
243	Core-shell mesoporous silica nanospheres used as Zn ²⁺ ratiometric fluorescent sensor and adsorbent. <i>RSC Advances</i> , 2012, 2, 2783.	1.7	35
244	Multifluorescently Traceable Nanoparticle by a Single-Wavelength Excitation with Color-Related Drug Release Performance. <i>Journal of the American Chemical Society</i> , 2012, 134, 8746-8749.	6.6	54
245	Morphology-Controlled Synthesis and Applications of Silver Halide Photocatalytic Materials. <i>Catalysis Surveys From Asia</i> , 2012, 16, 210-230.	1.0	55
246	Super-hydrophobic fluorination mesoporous MCF/TiO ₂ composite as a high-performance photocatalyst. <i>Journal of Catalysis</i> , 2012, 294, 37-46.	3.1	60
247	One-step preparation, characterization and visible-light photocatalytic activity of Cr-doped TiO ₂ with anatase and rutile bicrystalline phases. <i>Chemical Engineering Journal</i> , 2012, 191, 402-409.	6.6	139
248	Improving the visible light photocatalytic activity of nano-sized titanium dioxide via the synergistic effects between sulfur doping and sulfation. <i>Applied Catalysis B: Environmental</i> , 2012, 115-116, 253-260.	10.8	79
249	Facile tailoring of titanate nanostructures at low alkaline concentration by a solvothermal route. <i>Journal of Materials Science</i> , 2012, 47, 3855-3866.	1.7	11
250	An economic method to prepare vacuum activated photocatalysts with high photo-activities and photosensitivities. <i>Chemical Communications</i> , 2011, 47, 4947.	2.2	308
251	Superbright Multifluorescent Core-Shell Mesoporous Nanospheres as Trackable Transport Carrier for Drug. <i>ACS Nano</i> , 2011, 5, 3447-3455.	7.3	66
252	One-Step Hydrothermal Method to Prepare Carbon and Lanthanum Co-Doped TiO ₂ Nanocrystals with Exposed {001} Facets and Their High UV and Visible-Light Photocatalytic Activity. <i>Chemistry - A European Journal</i> , 2011, 17, 11432-11436.	1.7	72

#	ARTICLE	IF	CITATIONS
253	Improving the thermal stability and photocatalytic activity of nanosized titanium dioxide via La ³⁺ and N co-doping. <i>Applied Catalysis B: Environmental</i> , 2011, 101, 376-381.	10.8	118
254	Mesoporous TiO ₂ -B nanowires synthesized from tetrabutyl titanate. <i>Journal of Physics and Chemistry of Solids</i> , 2011, 72, 201-206.	1.9	37
255	Gel-hydrothermal synthesis of carbon and boron co-doped TiO ₂ and evaluating its photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2011, 192, 368-73.	6.5	73
256	Recent advances in visible light-responsive titanium oxide-based photocatalysts. <i>Research on Chemical Intermediates</i> , 2010, 36, 327-347.	1.3	82
257	Bismuth-doped Ordered Mesoporous TiO ₂ : Visible-Light Catalyst for Simultaneous Degradation of Phenol and Chromium. <i>Chemistry - A European Journal</i> , 2010, 16, 13795-13804.	1.7	121
258	Synthesis and characterization of thermally stable Sm,N co-doped TiO ₂ with highly visible light activity. <i>Journal of Hazardous Materials</i> , 2010, 182, 386-393.	6.5	213
259	Enhanced catalytic degradation of AO7 in the CeO ₂ -H ₂ O ₂ system with Fe ³⁺ doping. <i>Applied Catalysis B: Environmental</i> , 2010, 101, 160-168.	10.8	168
260	Development of modified N doped TiO ₂ photocatalyst with metals, nonmetals and metal oxides. <i>Energy and Environmental Science</i> , 2010, 3, 715.	15.6	593
261	Ratiometric pH sensor based on mesoporous silica nanoparticles and Förster resonance energy transfer. <i>Chemical Communications</i> , 2010, 46, 8445.	2.2	115
262	Effect of surface fluorination on the photocatalytic and photo-induced hydrophilic properties of porous TiO ₂ films. <i>Applied Surface Science</i> , 2009, 255, 6290-6296.	3.1	62
263	The evolution of pits and dislocations on TiO ₂ -B nanowires via oriented attachment growth. <i>Journal of Solid State Chemistry</i> , 2009, 182, 2225-2230.	1.4	28
264	Synthesis of thermally stable and highly ordered bicontinuous cubic mesoporous titania-silica binary oxides with crystalline framework. <i>Microporous and Mesoporous Materials</i> , 2009, 126, 50-57.	2.2	35
265	Facile synthesis of ultra-hydrothermally stable mesoporous silica by using nonionic organosilicon surfactant as templates. <i>Microporous and Mesoporous Materials</i> , 2009, 124, 204-209.	2.2	13
266	New approaches to prepare nitrogen-doped TiO ₂ photocatalysts and study on their photocatalytic activities in visible light. <i>Applied Catalysis B: Environmental</i> , 2009, 89, 563-569.	10.8	247
267	One step activation of WO _x /TiO ₂ nanocomposites with enhanced photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2009, 91, 397-405.	10.8	213
268	Building of multifluorescent mesoporous silica nanoparticles. <i>Chemical Communications</i> , 2009, , 2195.	2.2	23
269	Photocatalytic Performance of N-Doped TiO ₂ Adsorbed with Fe ³⁺ Ions under Visible Light by a Redox Treatment. <i>Journal of Physical Chemistry C</i> , 2009, 113, 12848-12853.	1.5	61
270	Preparation of Fe ³⁺ -doped TiO ₂ catalysts by controlled hydrolysis of titanium alkoxide and study on their photocatalytic activity for methyl orange degradation. <i>Journal of Hazardous Materials</i> , 2008, 155, 572-579.	6.5	323

#	ARTICLE	IF	CITATIONS
271	Synthesis and Characterization of Nitrogen-Doped TiO ₂ Nanophotocatalyst with High Visible Light Activity. <i>Journal of Physical Chemistry C</i> , 2007, 111, 6976-6982.	1.5	943
272	Fe ³⁺ -TiO ₂ photocatalysts prepared by combining sol-gel method with hydrothermal treatment and their characterization. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2006, 180, 196-204.	2.0	436
273	Synthesis of mesoporous titania with high photocatalytic activity by nanocrystalline particle assembly. <i>Microporous and Mesoporous Materials</i> , 2006, 87, 177-184.	2.2	36
274	Preparation and characterization of nitrogen-doped TiO ₂ photocatalyst in different acid environments. <i>Research on Chemical Intermediates</i> , 2006, 32, 717-724.	1.3	33
275	The photoluminescence of coumarin derivative encapsulated in MCM-41 and Ti-MCM-41. <i>Dyes and Pigments</i> , 2005, 64, 265-270.	2.0	24
276	Preparation of Controllable Crystalline Titania and Study on the Photocatalytic Properties. <i>Journal of Physical Chemistry B</i> , 2005, 109, 8673-8678.	1.2	404
277	Preparation of high photocatalytic activity TiO ₂ with a bicrystalline phase containing anatase and TiO ₂ (B). <i>Materials Letters</i> , 2005, 59, 3378-3381.	1.3	58
278	The reduction behavior of the Cu ion species exchanged into Y zeolite during the thermovacuum treatment. <i>Journal of Catalysis</i> , 2004, 228, 75-79.	3.1	22
279	Characterization of Fe ³⁺ -TiO ₂ photocatalysts synthesized by hydrothermal method and their photocatalytic reactivity for photodegradation of XRC dye diluted in water. <i>Journal of Molecular Catalysis A</i> , 2004, 216, 35-43.	4.8	496
280	Study on the fluorescence properties of benzopyrylium salt in Ti-HMS. <i>Dyes and Pigments</i> , 2004, 63, 71-76.	2.0	11
281	Photocatalytic Oxidation of Ethylene to CO ₂ and H ₂ O on Ultrafine Powdered TiO ₂ Photocatalysts in the Presence of O ₂ and H ₂ O. <i>Journal of Catalysis</i> , 1999, 185, 114-119.	3.1	211