

Zhaohui Ni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3034381/publications.pdf>

Version: 2024-02-01

130
papers

2,804
citations

279798

23
h-index

223800

46
g-index

138
all docs

138
docs citations

138
times ranked

3405
citing authors

#	ARTICLE	IF	CITATIONS
1	PINK1-parkin pathway of mitophagy protects against contrast-induced acute kidney injury via decreasing mitochondrial ROS and NLRP3 inflammasome activation. <i>Redox Biology</i> , 2019, 26, 101254.	9.0	356
2	Inhibiting NLRP3 inflammasome attenuates apoptosis in contrast-induced acute kidney injury through the upregulation of HIF1A and BNIP3-mediated mitophagy. <i>Autophagy</i> , 2021, 17, 2975-2990.	9.1	150
3	Diagnostic Value of Urinary Kidney Injury Molecule 1 for Acute Kidney Injury: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e84131.	2.5	140
4	L-FABP: A novel biomarker of kidney disease. <i>Clinica Chimica Acta</i> , 2015, 445, 85-90.	1.1	104
5	Diabetic Kidney Disease: Challenges, Advances, and Opportunities. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020, 6, 215-225.	2.5	98
6	Caspase-11-mediated tubular epithelial pyroptosis underlies contrast-induced acute kidney injury. <i>Cell Death and Disease</i> , 2018, 9, 983.	6.3	95
7	Peritoneal Dialysis in Patients with Refractory Congestive Heart Failure: A Systematic Review. <i>CardioRenal Medicine</i> , 2015, 5, 145-156.	1.9	83
8	NLRP3 inflammasome inhibition attenuates cisplatin-induced renal fibrosis by decreasing oxidative stress and inflammation. <i>Experimental Cell Research</i> , 2019, 383, 111488.	2.6	73
9	Renoprotective mechanisms of Astragaloside IV in cisplatin-induced acute kidney injury. <i>Free Radical Research</i> , 2017, 51, 669-683.	3.3	71
10	Drp1-regulated PARK2-dependent mitophagy protects against renal fibrosis in unilateral ureteral obstruction. <i>Free Radical Biology and Medicine</i> , 2020, 152, 632-649.	2.9	65
11	NLRP3 inflammasome mediates contrast media-induced acute kidney injury by regulating cell apoptosis. <i>Scientific Reports</i> , 2016, 6, 34682.	3.3	63
12	Astragaloside IV Ameliorates Renal Fibrosis via the Inhibition of Mitogen-Activated Protein Kinases and Antiapoptosis In Vivo and In Vitro. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 350, 552-562.	2.5	62
13	Urgent-Start Peritoneal Dialysis and Hemodialysis in ESRD Patients: Complications and Outcomes. <i>PLoS ONE</i> , 2016, 11, e0166181.	2.5	59
14	Inhibiting pannexin-1 alleviates sepsis-induced acute kidney injury via decreasing NLRP3 inflammasome activation and cell apoptosis. <i>Life Sciences</i> , 2020, 254, 117791.	4.3	56
15	Up-regulation of Serum MiR-130b-3p Level is Associated with Renal Damage in Early Lupus Nephritis. <i>Scientific Reports</i> , 2015, 5, 12644.	3.3	54
16	Key Factors for a High-Quality Peritoneal Dialysis Program – the Role of the PD Team and Continuous Quality Improvement. <i>Peritoneal Dialysis International</i> , 2014, 34, 35-42.	2.3	40
17	Three Versus 4 Daily Exchanges and Residual Kidney Function – Decline in Incident CAPD Patients: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2017, 69, 506-513.	1.9	40
18	Astragaloside IV suppresses transforming growth factor- β 1 induced fibrosis of cultured mouse renal fibroblasts via inhibition of the MAPK and NF- κ B signaling pathways. <i>Biochemical and Biophysical Research Communications</i> , 2015, 464, 1260-1266.	2.1	39

#	ARTICLE	IF	CITATIONS
19	Strategies for preventing peritoneal fibrosis in peritoneal dialysis patients: new insights based on peritoneal inflammation and angiogenesis. <i>Frontiers of Medicine</i> , 2017, 11, 349-358.	3.4	37
20	Î±Klotho protein has therapeutic activity in contrast-induced acute kidney injury by limiting NLRP3 inflammasome-mediated pyroptosis and promoting autophagy. <i>Pharmacological Research</i> , 2021, 167, 105531.	7.1	33
21	Implications of dynamic changes in miR-192 expression in ischemic acute kidney injury. <i>International Urology and Nephrology</i> , 2017, 49, 541-550.	1.4	28
22	IL-6 signaling drives a STAT3-dependent pathway that leads to structural alterations of the peritoneal membrane. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F338-F353.	2.7	28
23	Leflunomide versus cyclophosphamide in the induction treatment of proliferative lupus nephritis in Chinese patients: a randomized trial. <i>Clinical Rheumatology</i> , 2019, 38, 859-867.	2.2	27
24	Baseline data report of the China Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Scientific Reports</i> , 2021, 11, 873.	3.3	27
25	cAMP Signaling Prevents Podocyte Apoptosis via Activation of Protein Kinase A and Mitochondrial Fusion. <i>PLoS ONE</i> , 2014, 9, e92003.	2.5	27
26	Modulation of transforming growth factor-Î²-induced kidney fibrosis by leucine-rich Î²-2 glycoprotein-1. <i>Kidney International</i> , 2022, 101, 299-314.	5.2	27
27	Analysis of a Urinary Biomarker Panel for Obstructive Nephropathy and Clinical Outcomes. <i>PLoS ONE</i> , 2014, 9, e112865.	2.5	25
28	Yes-associated protein regulates podocyte cell cycle re-entry and dedifferentiation in adriamycin-induced nephropathy. <i>Cell Death and Disease</i> , 2019, 10, 915.	6.3	25
29	P2X7 receptor signaling promotes inflammation in renal parenchymal cells suffering from ischemia-reperfusion injury. <i>Cell Death and Disease</i> , 2021, 12, 132.	6.3	25
30	Integrated Analysis of m6A Methylome in Cisplatin-Induced Acute Kidney Injury and Berberine Alleviation in Mouse. <i>Frontiers in Genetics</i> , 2020, 11, 584460.	2.3	24
31	Efficacy and safety of <i>Abelmoschus manihot</i> for IgA nephropathy: A multicenter randomized clinical trial. <i>Phytomedicine</i> , 2020, 76, 153231.	5.3	24
32	Interleukin-6 transsignalling induces vascular endothelial growth factor synthesis partly via Janus kinases-STAT3 pathway in human mesothelial cells. <i>Nephrology</i> , 2017, 22, 150-158.	1.6	21
33	Reduction of mitochondria and up regulation of pyruvate dehydrogenase kinase 4 of skeletal muscle in patients with chronic kidney disease. <i>Nephrology</i> , 2020, 25, 230-238.	1.6	20
34	Six-minute walk test predicts all-cause mortality and technique failure in ambulatory peritoneal dialysis patients. <i>Nephrology</i> , 2017, 22, 118-124.	1.6	19
35	Renal replacement therapy practices for patients with acute kidney injury in China. <i>PLoS ONE</i> , 2017, 12, e0178509.	2.5	19
36	Elevated levels of serum sclerostin are linked to adverse cardiovascular outcomes in peritoneal dialysis patients. <i>International Urology and Nephrology</i> , 2018, 50, 955-961.	1.4	19

#	ARTICLE	IF	CITATIONS
37	Protein Kinase A/CREB Signaling Prevents Adriamycin-Induced Podocyte Apoptosis via Upregulation of Mitochondrial Respiratory Chain Complexes. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	19
38	Feasibility of Urgent-Start Peritoneal Dialysis in Older Patients with End-Stage Renal Disease: A Single-Center Experience. <i>Peritoneal Dialysis International</i> , 2018, 38, 125-130.	2.3	19
39	Undercarboxylated osteocalcin as a biomarker of subclinical atherosclerosis in non-dialysis patients with chronic kidney disease. <i>Journal of Biomedical Science</i> , 2015, 22, 75.	7.0	18
40	Podocyte Autophagy in Homeostasis and Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 1184.	2.4	18
41	High urinary excretion of kidney injury molecule-1 predicts adverse outcomes in acute kidney injury: a case control study. <i>Critical Care</i> , 2016, 20, 286.	5.8	17
42	The Incidence Prognosis and Risk Factors of Cognitive Impairment in Maintenance Haemodialysis Patients. <i>Blood Purification</i> , 2019, 47, 101-108.	1.8	17
43	Long noncoding RNA MEG3 suppresses podocyte injury in diabetic nephropathy by inactivating Wnt/ β -catenin signaling. <i>PeerJ</i> , 2019, 7, e8016.	2.0	17
44	Calcium dobesilate may alleviate diabetes-induced endothelial dysfunction and inflammation. <i>Molecular Medicine Reports</i> , 2017, 16, 8635-8642.	2.4	16
45	Different patterns of inflammatory and angiogenic factors are associated with peritoneal small solute transport and peritoneal protein clearance in peritoneal dialysis patients. <i>BMC Nephrology</i> , 2018, 19, 119.	1.8	16
46	Serum miR-192 Is Related to Tubulointerstitial Lesion and Short-Term Disease Progression in IgA Nephropathy. <i>Nephron</i> , 2019, 142, 195-207.	1.8	16
47	AMPK mediates regulation of glomerular volume and podocyte survival. <i>JCI Insight</i> , 2021, 6, .	5.0	16
48	Serum sclerostin level might be a potential biomarker for arterial stiffness in prevalent hemodialysis patients. <i>Biomarkers in Medicine</i> , 2016, 10, 689-699.	1.4	15
49	The Effect of Automated versus Continuous Ambulatory Peritoneal Dialysis on Mortality Risk in China. <i>Peritoneal Dialysis International</i> , 2018, 38, 25-35.	2.3	15
50	Early serum cystatin C-enhanced risk prediction for acute kidney injury post cardiac surgery: a prospective, observational, cohort study. <i>Biomarkers</i> , 2020, 25, 20-26.	1.9	15
51	Farnesoid X receptor promotes renal ischaemia-reperfusion injury by inducing tubular epithelial cell apoptosis. <i>Cell Proliferation</i> , 2021, 54, e13005.	5.3	15
52	Clinical characteristics associated with the properties of gut microbiota in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2021, 41, 298-306.	2.3	14
53	Calcium Phosphate Crystals from Uremic Serum Promote Osteogenic Differentiation in Human Aortic Smooth Muscle Cells. <i>Calcified Tissue International</i> , 2016, 99, 543-555.	3.1	13
54	Fibroblast growth factor 23 predicts coronary calcification and poor prognosis in patients with chronic kidney disease stages 3-5D. <i>Annals of Clinical and Laboratory Science</i> , 2015, 45, 17-22.	0.2	13

#	ARTICLE	IF	CITATIONS
55	The relationship between survival rate and intradialytic blood pressure changes in maintenance hemodialysis patients. <i>Renal Failure</i> , 2017, 39, 417-422.	2.1	12
56	Circulating bone-specific alkaline phosphatase and abdominal aortic calcification in maintenance hemodialysis patients. <i>Biomarkers in Medicine</i> , 2018, 12, 1231-1239.	1.4	12
57	Urine klotho is a potential early biomarker for acute kidney injury and associated with poor renal outcome after cardiac surgery. <i>BMC Nephrology</i> , 2019, 20, 268.	1.8	12
58	A Clinical Score to Predict Severe Acute Kidney Injury in Chinese Patients after Cardiac Surgery. <i>Nephron</i> , 2019, 142, 291-300.	1.8	12
59	Investigation of the Mechanism Underlying Calcium Dobesilate-Mediated Improvement of Endothelial Dysfunction and Inflammation Caused by High Glucose. <i>Mediators of Inflammation</i> , 2019, 2019, 1-12.	3.0	12
60	Effect of Tacrolimus vs Intravenous Cyclophosphamide on Complete or Partial Response in Patients With Lupus Nephritis. <i>JAMA Network Open</i> , 2022, 5, e224492.	5.9	12
61	The impact of non-dipper circadian rhythm of blood pressure on left ventricular hypertrophy in patients with non-dialysis chronic kidney disease. <i>Acta Cardiologica</i> , 2017, 72, 149-155.	0.9	11
62	Comparison of combined leflunomide and low-dose corticosteroid therapy with full-dose corticosteroid monotherapy for progressive IgA nephropathy. <i>Oncotarget</i> , 2017, 8, 48375-48384.	1.8	11
63	Galectin-3 is associated with arterial stiffness among hemodialysis patients. <i>Biomarkers in Medicine</i> , 2019, 13, 437-443.	1.4	11
64	Cyclic AMP prevents decrease of phosphorylated ezrin/radixin/moesin and chloride intracellular channel 5 expressions in injured podocytes. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1000-1006.	1.6	10
65	Venous stenosis in chronic dialysis patients with a well-functioning arteriovenous fistula. <i>Vascular</i> , 2016, 24, 25-30.	0.9	10
66	Serum Renalase Levels Correlate with Disease Activity in Lupus Nephritis. <i>PLoS ONE</i> , 2015, 10, e0139627.	2.5	10
67	Possible role of IL-6 and TIE2 gene polymorphisms in predicting the initial high transport status in patients with peritoneal dialysis: an observational study. <i>BMJ Open</i> , 2016, 6, e012967.	1.9	9
68	Association of serum angiopoietin-2 with malnutrition, inflammation, atherosclerosis and valvular calcification syndrome and outcome in peritoneal dialysis patients: a prospective cohort study. <i>Journal of Translational Medicine</i> , 2018, 16, 312.	4.4	9
69	Association of adiponectin with peripheral arterial disease and mortality in nondiabetic hemodialysis patients: Long-term follow-up data of 7 years. <i>Journal of Research in Medical Sciences</i> , 2016, 21, 50.	0.9	9
70	Safety and effectiveness evaluation of a domestic peritoneal dialysis fluid packed in non-PVC bags: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 592.	1.6	8
71	Pharmacological inhibition of heparin-binding EGF-like growth factor promotes peritoneal angiogenesis in a peritoneal dialysis rat model. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 257-265.	1.6	8
72	A Decreased Level of Soluble Klotho Can Predict Cardiovascular Death in No or Mild Abdominal Aortic Calcification Hemodialysis Patients. <i>Frontiers in Medicine</i> , 2021, 8, 672000.	2.6	8

#	ARTICLE	IF	CITATIONS
73	MicroRNA-93 inhibits the apoptosis and inflammatory response of tubular epithelial cells via the PTEN/AKT/mTOR pathway in acute kidney injury. <i>Molecular Medicine Reports</i> , 2021, 24, .	2.4	8
74	Assisted peritoneal dialysis: a feasible KRT modality for frail older patients with end-stage kidney disease (ESKD). <i>Scientific Reports</i> , 2021, 11, 14928.	3.3	8
75	Comparison of Long-Term Outcomes between Peritoneal Dialysis Patients with Diabetes as a Primary Renal Disease or as a Comorbid Condition. <i>PLoS ONE</i> , 2015, 10, e0126549.	2.5	8
76	Association of Relapse with Renal Outcomes under the Current Therapy Regimen for IgA Nephropathy: A Multi-Center Study. <i>PLoS ONE</i> , 2015, 10, e0137870.	2.5	8
77	Identification of mannose-binding lectin as a mechanism in progressive immunoglobulin A nephropathy. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 1889-99.	0.5	8
78	Burden of kidney disease among patients with peritoneal dialysis versus conventional in-centre haemodialysis: A randomised, non-inferiority trial. <i>Peritoneal Dialysis International</i> , 2022, 42, 246-258.	2.3	8
79	Urinary retinol-binding protein as a risk factor of poor prognosis in acute-on-chronic renal injury. <i>Journal of Nephrology</i> , 2016, 29, 827-833.	2.0	7
80	Number of Daily Peritoneal Dialysis Exchanges and Mortality Risk in a Chinese Population. <i>Peritoneal Dialysis International</i> , 2018, 38, 53-63.	2.3	7
81	Effects of pretransplant peritoneal vs hemodialysis modality on outcome of first kidney transplantation from donors after cardiac death. <i>BMC Nephrology</i> , 2018, 19, 235.	1.8	7
82	Abdominal aortic calcification score as a predictor of clinical outcome in peritoneal dialysis patients: a prospective cohort study. <i>BMC Nephrology</i> , 2020, 21, 151.	1.8	7
83	Physical Function and Clinical Outcomes in Hemodialysis Patients: China Dialysis Outcomes and Practice Patterns Study. <i>Kidney Diseases (Basel, Switzerland)</i> , 2021, 7, 315-322.	2.5	7
84	A Telemedicine-Based Registration System for the Management of Renal Anemia in Patients on Maintenance Hemodialysis: Multicenter Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e13168.	4.3	7
85	Efficacy and safety of <i>Abelmoschus manihot</i> in treating chronic kidney diseases: A multicentre, open-label and single-arm clinical trial. <i>Phytomedicine</i> , 2022, 99, 154011.	5.3	7
86	Long-term kidney survival analyses in IgA nephropathy patients under steroids therapy: a case control study. <i>Journal of Translational Medicine</i> , 2015, 13, 186.	4.4	6
87	Combining Pulse Wave Velocity With Galectin-3 to Predict Mortality and Cerebrovascular and Cardiovascular Events in Hemodialysis Patients. <i>Frontiers in Medicine</i> , 2020, 7, 579021.	2.6	6
88	Leflunomide plus low-dose prednisone in patients with progressive IgA nephropathy: a multicenter, prospective, randomized, open-labeled, and controlled trial. <i>Renal Failure</i> , 2021, 43, 1214-1221.	2.1	6
89	The predictive value of urinary kidney injury molecular-1 for long-term graft function in kidney transplant patients: a prospective study. <i>Annals of Translational Medicine</i> , 2021, 9, 244-244.	1.7	6
90	Thrombocytopenia predicts mortality in Chinese hemodialysis patients- an analysis of the China DOPPS. <i>BMC Nephrology</i> , 2022, 23, 11.	1.8	6

#	ARTICLE	IF	CITATIONS
91	Incremental diagnostic value of CMR-derived LA strain and strain rate in dialysis patients with HFpEF. <i>European Journal of Radiology</i> , 2022, 151, 110285.	2.6	6
92	Hemodialysis versus peritoneal dialysis: an observational study in two international centers. <i>International Journal of Artificial Organs</i> , 2018, 41, 58-65.	1.4	5
93	Association of abdominal aortic calcification estimated by plain radiography with outcomes in haemodialysis patients: A 6-year follow-up study. <i>Nephrology</i> , 2020, 25, 559-565.	1.6	5
94	Galectin-3 and abdominal aortic calcification in patients on hemodialysis. <i>Vascular Medicine</i> , 2020, 25, 575-576.	1.5	5
95	Periostin Contributes to Immunoglobulin a Nephropathy by Promoting the Proliferation of Mesangial Cells: A Weighted Gene Correlation Network Analysis. <i>Frontiers in Genetics</i> , 2020, 11, 595757.	2.3	5
96	B-type natriuretic peptide levels and volume status in twice-weekly hemodialysis patients. <i>Renal Failure</i> , 2021, 43, 1259-1265.	2.1	5
97	Outcomes and practice patterns with hemodiafiltration in Shanghai: a longitudinal cohort study. <i>BMC Nephrology</i> , 2019, 20, 34.	1.8	4
98	An Equation Based on Fuzzy Mathematics to Assess the Timing of Haemodialysis Initiation. <i>Scientific Reports</i> , 2019, 9, 5871.	3.3	4
99	Improving Prognostic and Chronicity Evaluation of Chronic Kidney Disease with Contrast-Enhanced Ultrasound Index-Derived Peak Intensity. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 2945-2955.	1.5	4
100	KM55 Monoclonal Antibody and IgA Variant of Proliferative Glomerulonephritis With Monoclonal Ig Deposits. <i>Kidney International Reports</i> , 2020, 5, 946-950.	0.8	4
101	A pilot study of thiamin and folic acid in hemodialysis patients with cognitive impairment. <i>Renal Failure</i> , 2021, 43, 766-773.	2.1	4
102	Texture Analysis of Native T1 Images as a Novel Method for Noninvasive Assessment of Uremic Cardiomyopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 290-300.	3.4	4
103	Blood flow rate: An independent risk factor of mortality in Chinese hemodialysis patients. <i>Seminars in Dialysis</i> , 2022, 35, 251-257.	1.3	4
104	Association between the levels of urine kidney injury molecule-1 and the progression of acute kidney injury in the elderly. <i>PLoS ONE</i> , 2017, 12, e0171076.	2.5	4
105	A case of ureteral myeloid sarcoma post-renal transplantation. <i>BMC Nephrology</i> , 2018, 19, 46.	1.8	3
106	The role of hemoglobin variability as a prognostic indicator in peritoneal dialysis patients: a retrospective descriptive study. <i>International Urology and Nephrology</i> , 2018, 50, 167-171.	1.4	3
107	Use of Both Serum Cystatin C and Creatinine as Diagnostic Criteria for Cardiac Surgery-Associated Acute Kidney Injury and Its Correlation with Long-Term Major Adverse Events. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 415-425.	2.0	3
108	Body mass index combined with waist circumference can predict moderate chronic kidney disease. <i>Medicine (United States)</i> , 2021, 100, e25017.	1.0	3

#	ARTICLE	IF	CITATIONS
109	Hyperleptinaemia, insulin resistance and survival in peritoneal dialysis patients. <i>Nephrology</i> , 2015, 20, 617-624.	1.6	2
110	Resistant and undertreated hypertension in patients with chronic kidney disease: data from the PATRIOTIC survey. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 784-791.	1.3	2
111	Visceral adipogenesis inhibited by Prefâ€1 is associated with peritoneal angiogenesis. <i>Nephrology</i> , 2020, 25, 248-254.	1.6	2
112	Myocardial Iron Deficiency Quantification and Effective Cardiac Iron Management Strategy Exploration evaluated by Cardiac T2* Mapping in End-Stage Renal Disease Patients. <i>Academic Radiology</i> , 2021, 28, e101-e109.	2.5	2
113	A randomized, active-controlled, multicentre clinical trial to evaluate the efficacy and safety of oral sitafloxacin versus levofloxacin in Chinese adults with acute uncomplicated or complicated urinary tract infection. <i>Annals of Medicine</i> , 2021, 53, 217-226.	3.8	2
114	KM55 Monoclonal Antibody Staining in IgA-Dominant Infection-Related Glomerulonephritis. <i>Nephron</i> , 2021, 145, 225-237.	1.8	2
115	Efficacy and safety of polysaccharide iron complex capsules compared with iron sucrose in hemodialysis patients: study protocol for a randomized, open-label, positive control, multicenter trial (IHOPE). <i>Trials</i> , 2021, 22, 691.	1.6	2
116	C4d as a Screening Tool and an Independent Predictor of Clinical Outcomes in Lupus Nephritis and IgA Nephropathy. <i>Frontiers in Medicine</i> , 2022, 9, 832998.	2.6	2
117	Magnetic Resonance Imaging Quantification of Accumulation of Epicardial Adipose Tissue Adds Independent Risks for Diastolic Dysfunction among Dialysis Patients. <i>Journal of Magnetic Resonance Imaging</i> , 2022, , .	3.4	2
118	Acute phosphate nephropathy leading to graft failure. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 144-145.	1.6	1
119	Effluent lipopolysaccharide is a prompt marker of peritoneal dialysis-related gram-negative peritonitis. <i>Peritoneal Dialysis International</i> , 2020, 40, 455-461.	2.3	1
120	Intelligent â€œInternet Plusâ€ services in the first case of home hemodialysis in mainland China. <i>Hemodialysis International</i> , 2021, 25, E33-E39.	0.9	1
121	Improving Adequacy of Hemodialysis in Shanghai: Perspectives From the Quality Control Group of the Shanghai Renal Registry Network (SRRN). <i>Medical Science Technology</i> , 0, 56, 78-83.	0.0	1
122	Correlational studies on insulin resistance and leptin gene polymorphisms in peritoneal dialysis patients. <i>Iranian Journal of Basic Medical Sciences</i> , 2015, 18, 878-86.	1.0	1
123	Hydroxyapatite nanocrystals stimulate osteogenic differentiation in primary human aortic smooth muscle cells by activation of oxidative stress and the ERK pathway. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 7726-7733.	0.5	1
124	FP364Early assessment of progressive chronic kidney disease using contrast-enhanced ultrasound examination. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
125	The Incidence and Risk Factors of Low Oxygenation After Orthotopic Liver Transplantation. <i>Annals of Transplantation</i> , 2019, 24, 139-146.	0.9	0
126	P0394EFFICACY AND SAFETY OF A CHINESE PATENT MEDICINE-SHENYANKANGFU TABLETS FOR PRIMARY GLOMERULONEPHRITIS:A RANDOMISED CONTROLLED TRIAL. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0

#	ARTICLE	IF	CITATIONS
127	Understand the difference between clinical measured ultrafiltration and real ultrafiltration in peritoneal dialysis. BMC Nephrology, 2021, 22, 382.	1.8	0
128	A Phase I, Multiple-Dose, Randomized, Double-Blind, Placebo-Controlled Study to Evaluate Pharmacokinetics, Safety, and Tolerability of Etelcalcetide Administered Intravenously to Chinese Patients With Chronic Kidney Disease Undergoing Hemodialysis. Clinical Therapeutics, 2021, 43, 2013-2023.	2.5	0
129	MO763: Clinical Outcomes in Patients on Hemodialysis with Congestive Heart Failure. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	0
130	MO829: Hepatitis C Prevalence, Incidence and Treatment in Chinese Hemodialysis Patients: Results From the Dialysis Outcomes and Practice Patterns Study-China (2019-2021). Nephrology Dialysis Transplantation, 2022, 37, .	0.7	0