

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3034381/zhaohui-ni-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124 papers	1,443 citations	20 h-index	33 g-index
138 ext. papers	2,125 ext. citations	4 avg, IF	4.69 L-index

#	Paper	IF	Citations
124	PINK1-parkin pathway of mitophagy protects against contrast-induced acute kidney injury via decreasing mitochondrial ROS and NLRP3 inflammasome activation. <i>Redox Biology</i> , 2019 , 26, 101254	11.3	147
123	Diagnostic value of urinary kidney injury molecule 1 for acute kidney injury: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e84131	3.7	104
122	L-FABP: A novel biomarker of kidney disease. <i>Clinica Chimica Acta</i> , 2015 , 445, 85-90	6.2	76
121	Peritoneal dialysis in patients with refractory congestive heart failure: a systematic review. <i>CardioRenal Medicine</i> , 2015 , 5, 145-56	2.8	58
120	Caspase-11-mediated tubular epithelial pyroptosis underlies contrast-induced acute kidney injury. <i>Cell Death and Disease</i> , 2018 , 9, 983	9.8	55
119	Astragaloside IV ameliorates renal fibrosis via the inhibition of mitogen-activated protein kinases and antiapoptosis in vivo and in vitro. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014 , 350, 552-62	4.7	54
118	NLRP3 inflammasome mediates contrast media-induced acute kidney injury by regulating cell apoptosis. <i>Scientific Reports</i> , 2016 , 6, 34682	4.9	44
117	Up-regulation of Serum MiR-130b-3p Level is Associated with Renal Damage in Early Lupus Nephritis. <i>Scientific Reports</i> , 2015 , 5, 12644	4.9	40
116	Urgent-Start Peritoneal Dialysis and Hemodialysis in ESRD Patients: Complications and Outcomes. <i>PLoS ONE</i> , 2016 , 11, e0166181	3.7	38
115	NLRP3 inflammasome inhibition attenuates cisplatin-induced renal fibrosis by decreasing oxidative stress and inflammation. <i>Experimental Cell Research</i> , 2019 , 383, 111488	4.2	36
114	Renoprotective mechanisms of Astragaloside IV in cisplatin-induced acute kidney injury. <i>Free Radical Research</i> , 2017 , 51, 669-683	4	34
113	Drp1-regulated PARK2-dependent mitophagy protects against renal fibrosis in unilateral ureteral obstruction. <i>Free Radical Biology and Medicine</i> , 2020 , 152, 632-649	7.8	31
112	Diabetic Kidney Disease: Challenges, Advances, and Opportunities. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020 , 6, 215-225	3.3	31
111	Astragaloside IV suppresses transforming growth factor- β induced fibrosis of cultured mouse renal fibroblasts via inhibition of the MAPK and NF- κ B signaling pathways. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 464, 1260-1266	3.4	30
110	Inhibiting NLRP3 inflammasome attenuates apoptosis in contrast-induced acute kidney injury through the upregulation of HIF1A and BNIP3-mediated mitophagy. <i>Autophagy</i> , 2021 , 17, 2975-2990	10.2	27
109	Strategies for preventing peritoneal fibrosis in peritoneal dialysis patients: new insights based on peritoneal inflammation and angiogenesis. <i>Frontiers of Medicine</i> , 2017 , 11, 349-358	12	25
108	Key factors for a high-quality peritoneal dialysis program--the role of the PD team and continuous quality improvement. <i>Peritoneal Dialysis International</i> , 2014 , 34 Suppl 2, S35-42	2.8	25

107	Implications of dynamic changes in miR-192 expression in ischemic acute kidney injury. <i>International Urology and Nephrology</i> , 2017 , 49, 541-550	2.3	23
106	Analysis of a urinary biomarker panel for obstructive nephropathy and clinical outcomes. <i>PLoS ONE</i> , 2014 , 9, e112865	3.7	22
105	cAMP signaling prevents podocyte apoptosis via activation of protein kinase A and mitochondrial fusion. <i>PLoS ONE</i> , 2014 , 9, e92003	3.7	22
104	Interleukin-6 trans-signalling induces vascular endothelial growth factor synthesis partly via Janus kinases-STAT3 pathway in human mesothelial cells. <i>Nephrology</i> , 2017 , 22, 150-158	2.2	17
103	Three Versus 4 Daily Exchanges and Residual Kidney Function—Decline in Incident CAPD Patients: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 506-513	7.4	17
102	Undercarboxylated osteocalcin as a biomarker of subclinical atherosclerosis in non-dialysis patients with chronic kidney disease. <i>Journal of Biomedical Science</i> , 2015 , 22, 75	13.3	16
101	Inhibiting pannexin-1 alleviates sepsis-induced acute kidney injury via decreasing NLRP3 inflammasome activation and cell apoptosis. <i>Life Sciences</i> , 2020 , 254, 117791	6.8	14
100	Yes-associated protein regulates podocyte cell cycle re-entry and dedifferentiation in adriamycin-induced nephropathy. <i>Cell Death and Disease</i> , 2019 , 10, 915	9.8	14
99	Six-minute walk test predicts all-cause mortality and technique failure in ambulatory peritoneal dialysis patients. <i>Nephrology</i> , 2017 , 22, 118-124	2.2	13
98	Calcium dobesilate may alleviate diabetes-induced endothelial dysfunction and inflammation. <i>Molecular Medicine Reports</i> , 2017 , 16, 8635-8642	2.9	13
97	Renal replacement therapy practices for patients with acute kidney injury in China. <i>PLoS ONE</i> , 2017 , 12, e0178509	3.7	13
96	Protein Kinase A/CREB Signaling Prevents Adriamycin-Induced Podocyte Apoptosis via Upregulation of Mitochondrial Respiratory Chain Complexes. <i>Molecular and Cellular Biology</i> , 2018 , 38,	4.8	13
95	IL-6 signaling drives a STAT3-dependent pathway that leads to structural alterations of the peritoneal membrane. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F338-F353	4.3	13
94	Feasibility of Urgent-Start Peritoneal Dialysis in Older Patients with End-Stage Renal Disease: A Single-Center Experience. <i>Peritoneal Dialysis International</i> , 2018 , 38, 125-130	2.8	13
93	Serum sclerostin level might be a potential biomarker for arterial stiffness in prevalent hemodialysis patients. <i>Biomarkers in Medicine</i> , 2016 , 10, 689-99	2.3	12
92	High urinary excretion of kidney injury molecule-1 predicts adverse outcomes in acute kidney injury: a case control study. <i>Critical Care</i> , 2016 , 20, 286	10.8	12
91	Calcium Phosphate Crystals from Uremic Serum Promote Osteogenic Differentiation in Human Aortic Smooth Muscle Cells. <i>Calcified Tissue International</i> , 2016 , 99, 543-555	3.9	12
90	Leflunomide versus cyclophosphamide in the induction treatment of proliferative lupus nephritis in Chinese patients: a randomized trial. <i>Clinical Rheumatology</i> , 2019 , 38, 859-867	3.9	12

89	Circulating bone-specific alkaline phosphatase and abdominal aortic calcification in maintenance hemodialysis patients. <i>Biomarkers in Medicine</i> , 2018 , 12, 1231-1239	2.3	11
88	Efficacy and safety of Abelmoschus manihot for IgA nephropathy: A multicenter randomized clinical trial. <i>Phytomedicine</i> , 2020 , 76, 153231	6.5	10
87	Elevated levels of serum sclerostin are linked to adverse cardiovascular outcomes in peritoneal dialysis patients. <i>International Urology and Nephrology</i> , 2018 , 50, 955-961	2.3	10
86	Fibroblast growth factor 23 predicts coronary calcification and poor prognosis in patients with chronic kidney disease stages 3-5D. <i>Annals of Clinical and Laboratory Science</i> , 2015 , 45, 17-22	0.9	10
85	The impact of non-dipper circadian rhythm of blood pressure on left ventricular hypertrophy in patients with non-dialysis chronic kidney disease. <i>Acta Cardiologica</i> , 2017 , 72, 149-155	0.9	9
84	Serum Renalase Levels Correlate with Disease Activity in Lupus Nephritis. <i>PLoS ONE</i> , 2015 , 10, e0139627	3.7	9
83	The Effect of Automated Versus Continuous Ambulatory Peritoneal Dialysis on Mortality Risk In China. <i>Peritoneal Dialysis International</i> , 2018 , 38, S25-S35	2.8	9
82	Cyclic AMP prevents decrease of phosphorylated ezrin/radixin/moesin and chloride intracellular channel 5 expressions in injured podocytes. <i>Clinical and Experimental Nephrology</i> , 2015 , 19, 1000-6	2.5	8
81	Association of adiponectin with peripheral arterial disease and mortality in nondiabetic hemodialysis patients: Long-term follow-up data of 7 years. <i>Journal of Research in Medical Sciences</i> , 2016 , 21, 50	1.6	8
80	Early serum cystatin C-enhanced risk prediction for acute kidney injury post cardiac surgery: a prospective, observational, cohort study. <i>Biomarkers</i> , 2020 , 25, 20-26	2.6	8
79	Reduction of mitochondria and up regulation of pyruvate dehydrogenase kinase 4 of skeletal muscle in patients with chronic kidney disease. <i>Nephrology</i> , 2020 , 25, 230-238	2.2	8
78	Baseline data report of the China Dialysis Outcomes and Practice Patterns Study (DOPPS). <i>Scientific Reports</i> , 2021 , 11, 873	4.9	8
77	Different patterns of inflammatory and angiogenic factors are associated with peritoneal small solute transport and peritoneal protein clearance in peritoneal dialysis patients. <i>BMC Nephrology</i> , 2018 , 19, 119	2.7	8
76	Comparison of combined leflunomide and low-dose corticosteroid therapy with full-dose corticosteroid monotherapy for progressive IgA nephropathy. <i>Oncotarget</i> , 2017 , 8, 48375-48384	3.3	7
75	Venous stenosis in chronic dialysis patients with a well-functioning arteriovenous fistula. <i>Vascular</i> , 2016 , 24, 25-30	1.3	7
74	Urine klotho is a potential early biomarker for acute kidney injury and associated with poor renal outcome after cardiac surgery. <i>BMC Nephrology</i> , 2019 , 20, 268	2.7	7
73	Identification of mannose-binding lectin as a mechanism in progressive immunoglobulin A nephropathy. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 1889-99	1.4	7
72	Long noncoding RNA MEG3 suppresses podocyte injury in diabetic nephropathy by inactivating Wnt/ β -catenin signaling. <i>PeerJ</i> , 2019 , 7, e8016	3.1	7

71	Integrated Analysis of m6A Methylome in Cisplatin-Induced Acute Kidney Injury and Berberine Alleviation in Mouse. <i>Frontiers in Genetics</i> , 2020 , 11, 584460	4.5	7
70	Pharmacological inhibition of heparin-binding EGF-like growth factor promotes peritoneal angiogenesis in a peritoneal dialysis rat model. <i>Clinical and Experimental Nephrology</i> , 2018 , 22, 257-265	2.5	6
69	Urinary retinol-binding protein as a risk factor of poor prognosis in acute-on-chronic renal injury. <i>Journal of Nephrology</i> , 2016 , 29, 827-833	4.8	6
68	Possible role of IL-6 and TIE2 gene polymorphisms in predicting the initial high transport status in patients with peritoneal dialysis: an observational study. <i>BMJ Open</i> , 2016 , 6, e012967	3	6
67	The Incidence Prognosis and Risk Factors of Cognitive Impairment in Maintenance Haemodialysis Patients. <i>Blood Purification</i> , 2019 , 47, 101-108	3.1	6
66	Farnesoid X receptor promotes renal ischaemia-reperfusion injury by inducing tubular epithelial cell apoptosis. <i>Cell Proliferation</i> , 2021 , 54, e13005	7.9	6
65	The relationship between survival rate and intradialytic blood pressure changes in maintenance hemodialysis patients. <i>Renal Failure</i> , 2017 , 39, 417-422	2.9	5
64	Galectin-3 is associated with arterial stiffness among hemodialysis patients. <i>Biomarkers in Medicine</i> , 2019 , 13, 437-443	2.3	5
63	Long-term kidney survival analyses in IgA nephropathy patients under steroids therapy: a case control study. <i>Journal of Translational Medicine</i> , 2015 , 13, 186	8.5	5
62	Comparison of Long-Term Outcomes between Peritoneal Dialysis Patients with Diabetes as a Primary Renal Disease or as a Comorbid Condition. <i>PLoS ONE</i> , 2015 , 10, e0126549	3.7	5
61	A Telemedicine-Based Registration System for the Management of Renal Anemia in Patients on Maintenance Hemodialysis: Multicenter Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e13168	7.6	5
60	Investigation of the Mechanism Underlying Calcium Dobesilate-Mediated Improvement of Endothelial Dysfunction and Inflammation Caused by High Glucose. <i>Mediators of Inflammation</i> , 2019 , 2019, 9893682	4.3	5
59	Clinical characteristics associated with the properties of gut microbiota in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2021 , 41, 298-306	2.8	5
58	Association of serum angiopoietin-2 with malnutrition, inflammation, atherosclerosis and valvular calcification syndrome and outcome in peritoneal dialysis patients: a prospective cohort study. <i>Journal of Translational Medicine</i> , 2018 , 16, 312	8.5	5
57	Effects of pretransplant peritoneal vs hemodialysis modality on outcome of first kidney transplantation from donors after cardiac death. <i>BMC Nephrology</i> , 2018 , 19, 235	2.7	5
56	Serum miR-192 Is Related to Tubulointerstitial Lesion and Short-Term Disease Progression in IgA Nephropathy. <i>Nephron</i> , 2019 , 142, 195-207	3.3	4
55	Hemodialysis versus peritoneal dialysis: an observational study in two international centers. <i>International Journal of Artificial Organs</i> , 2017 , 0	1.9	4
54	Safety and effectiveness evaluation of a domestic peritoneal dialysis fluid packed in non-PVC bags: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 592	2.8	4

53	Podocyte Autophagy in Homeostasis and Disease. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
52	Number of Daily Peritoneal Dialysis Exchanges and Mortality Risk in a Chinese Population. <i>Peritoneal Dialysis International</i> , 2018 , 38, S53-S63	2.8	4
51	A Clinical Score to Predict Severe Acute Kidney Injury in Chinese Patients after Cardiac Surgery. <i>Nephron</i> , 2019 , 142, 291-300	3.3	3
50	A case of ureteral myeloid sarcoma post-renal transplantation. <i>BMC Nephrology</i> , 2018 , 19, 46	2.7	3
49	Association between the levels of urine kidney injury molecule-1 and the progression of acute kidney injury in the elderly. <i>PLoS ONE</i> , 2017 , 12, e0171076	3.7	3
48	Modulation of transforming growth factor- β -induced kidney fibrosis by leucine-rich α 2-glycoprotein-1. <i>Kidney International</i> , 2021 ,	9.9	3
47	Physical Function and Clinical Outcomes in Hemodialysis Patients: China Dialysis Outcomes and Practice Patterns Study. <i>Kidney Diseases (Basel, Switzerland)</i> , 2021 , 7, 315-322	3.3	3
46	Association of abdominal aortic calcification estimated by plain radiography with outcomes in haemodialysis patients: A 6-year follow-up study. <i>Nephrology</i> , 2020 , 25, 559-565	2.2	3
45	MicroRNA-93 inhibits the apoptosis and inflammatory response of tubular epithelial cells via the PTEN/AKT/mTOR pathway in acute kidney injury. <i>Molecular Medicine Reports</i> , 2021 , 24,	2.9	3
44	P2X7 receptor signaling promotes inflammation in renal parenchymal cells suffering from ischemia-reperfusion injury. <i>Cell Death and Disease</i> , 2021 , 12, 132	9.8	3
43	Outcomes and practice patterns with hemodiafiltration in Shanghai: a longitudinal cohort study. <i>BMC Nephrology</i> , 2019 , 20, 34	2.7	2
42	Use of Both Serum Cystatin C and Creatinine as Diagnostic Criteria for Cardiac Surgery-Associated Acute Kidney Injury and Its Correlation with Long-Term Major Adverse Events. <i>Kidney and Blood Pressure Research</i> , 2019 , 44, 415-425	3.1	2
41	Resistant and undertreated hypertension in patients with chronic kidney disease: data from the PATRIOTIC survey. <i>Clinical and Experimental Hypertension</i> , 2018 , 40, 784-791	2.2	2
40	Hyperleptinaemia, insulin resistance and survival in peritoneal dialysis patients. <i>Nephrology</i> , 2015 , 20, 617-24	2.2	2
39	Association of Relapse with Renal Outcomes under the Current Therapy Regimen for IgA Nephropathy: A Multi-Center Study. <i>PLoS ONE</i> , 2015 , 10, e0137870	3.7	2
38	Improving Prognostic and Chronicity Evaluation of Chronic Kidney Disease with Contrast-Enhanced Ultrasound Index-Derived Peak Intensity. <i>Ultrasound in Medicine and Biology</i> , 2020 , 46, 2945-2955	3.5	2
37	Combining Pulse Wave Velocity With Galectin-3 to Predict Mortality and Cerebrovascular and Cardiovascular Events in Hemodialysis Patients. <i>Frontiers in Medicine</i> , 2020 , 7, 579021	4.9	2
36	Rho protein has therapeutic activity in contrast-induced acute kidney injury by limiting NLRP3 inflammasome-mediated pyroptosis and promoting autophagy. <i>Pharmacological Research</i> , 2021 , 167, 105531	10.2	2

35	Visceral adipogenesis inhibited by Pref-1 is associated with peritoneal angiogenesis. <i>Nephrology</i> , 2020 , 25, 248-254	2.2	2
34	Assisted peritoneal dialysis: a feasible KRT modality for frail older patients with end-stage kidney disease (ESKD). <i>Scientific Reports</i> , 2021 , 11, 14928	4.9	2
33	B-type natriuretic peptide levels and volume status in twice-weekly hemodialysis patients. <i>Renal Failure</i> , 2021 , 43, 1259-1265	2.9	2
32	An Equation Based on Fuzzy Mathematics to Assess the Timing of Haemodialysis Initiation. <i>Scientific Reports</i> , 2019 , 9, 5871	4.9	1
31	KM55 Monoclonal Antibody and IgA Variant of Proliferative Glomerulonephritis With Monoclonal Ig Deposits. <i>Kidney International Reports</i> , 2020 , 5, 946-950	4.1	1
30	Effluent lipopolysaccharide is a prompt marker of peritoneal dialysis-related gram-negative peritonitis. <i>Peritoneal Dialysis International</i> , 2020 , 40, 455-461	2.8	1
29	Abdominal aortic calcification score as a predictor of clinical outcome in peritoneal dialysis patients: a prospective cohort study. <i>BMC Nephrology</i> , 2020 , 21, 151	2.7	1
28	Acute phosphate nephropathy leading to graft failure. <i>Clinical and Experimental Nephrology</i> , 2019 , 23, 144-145	2.5	1
27	Improving Adequacy of Hemodialysis in Shanghai: Perspectives From the Quality Control Group of the Shanghai Renal Registry Network (SRRN). <i>Medical Science Technology</i> , 2020 , 56, 78-83		1
26	Correlational studies on insulin resistance and leptin gene polymorphisms in peritoneal dialysis patients. <i>Iranian Journal of Basic Medical Sciences</i> , 2015 , 18, 878-86	1.8	1
25	Hydroxyapatite nanocrystals stimulate osteogenic differentiation in primary human aortic smooth muscle cells by activation of oxidative stress and the ERK pathway. <i>International Journal of Clinical and Experimental Pathology</i> , 2017 , 10, 7726-7733	1.4	1
24	Body mass index combined with waist circumference can predict moderate chronic kidney disease: A retrospective study. <i>Medicine (United States)</i> , 2021 , 100, e25017	1.8	1
23	A Decreased Level of Soluble Klotho Can Predict Cardiovascular Death in No or Mild Abdominal Aortic Calcification Hemodialysis Patients. <i>Frontiers in Medicine</i> , 2021 , 8, 672000	4.9	1
22	A randomized, active-controlled, multicentre clinical trial to evaluate the efficacy and safety of oral sitafloxacin versus levofloxacin in Chinese adults with acute uncomplicated or complicated urinary tract infection. <i>Annals of Medicine</i> , 2021 , 53, 217-226	1.5	1
21	Texture Analysis of Native T1 Images as a Novel Method for Noninvasive Assessment of Uremic Cardiomyopathy. <i>Journal of Magnetic Resonance Imaging</i> , 2021 , 54, 290-300	5.6	1
20	The role of hemoglobin variability as a prognostic indicator in peritoneal dialysis patients: a retrospective descriptive study. <i>International Urology and Nephrology</i> , 2018 , 50, 167-171	2.3	1
19	AMPK mediates regulation of glomerular volume and podocyte survival. <i>JCI Insight</i> , 2021 , 6,	9.9	1
18	Blood flow rate: An independent risk factor of mortality in Chinese hemodialysis patients. <i>Seminars in Dialysis</i> , 2021 ,	2.5	1

17	Periostin Contributes to Immunoglobulin a Nephropathy by Promoting the Proliferation of Mesangial Cells: A Weighted Gene Correlation Network Analysis. <i>Frontiers in Genetics</i> , 2020 , 11, 595757	4.5	1
16	Effect of Tacrolimus vs Intravenous Cyclophosphamide on Complete or Partial Response in Patients With Lupus Nephritis: A Randomized Clinical Trial.. <i>JAMA Network Open</i> , 2022 , 5, e224492	10.4	1
15	Burden of kidney disease among patients with peritoneal dialysis versus conventional in-centre haemodialysis: A randomised, non-inferiority trial.. <i>Peritoneal Dialysis International</i> , 2022 , 8968608221088638	2.8	1
14	Thrombocytopenia predicts mortality in Chinese hemodialysis patients- an analysis of the China DOPPS.. <i>BMC Nephrology</i> , 2022 , 23, 11	2.7	0
13	C4d as a Screening Tool and an Independent Predictor of Clinical Outcomes in Lupus Nephritis and IgA Nephropathy.. <i>Frontiers in Medicine</i> , 2022 , 9, 832998	4.9	0
12	Galectin-3 and abdominal aortic calcification in patients on hemodialysis. <i>Vascular Medicine</i> , 2020 , 25, 575-576	3.3	0
11	Myocardial Iron Deficiency Quantification and Effective Cardiac Iron Management Strategy Exploration evaluated by Cardiac T2* Mapping in End-Stage Renal Disease Patients. <i>Academic Radiology</i> , 2021 , 28, e101-e109	4.3	0
10	Leflunomide plus low-dose prednisone in patients with progressive IgA nephropathy: a multicenter, prospective, randomized, open-labeled, and controlled trial. <i>Renal Failure</i> , 2021 , 43, 1214-1221	2.9	0
9	A pilot study of thiamin and folic acid in hemodialysis patients with cognitive impairment. <i>Renal Failure</i> , 2021 , 43, 766-773	2.9	0
8	The predictive value of urinary kidney injury molecular-1 for long-term graft function in kidney transplant patients: a prospective study. <i>Annals of Translational Medicine</i> , 2021 , 9, 244	3.2	0
7	KM55 Monoclonal Antibody Staining in IgA-Dominant Infection-Related Glomerulonephritis. <i>Nephron</i> , 2021 , 145, 225-237	3.3	0
6	Efficacy and safety of Abelmoschus manihot in treating chronic kidney diseases: A multicentre, open-label and single-arm clinical trial.. <i>Phytomedicine</i> , 2022 , 99, 154011	6.5	0
5	Incremental diagnostic value of CMR-derived LA strain and strain rate in dialysis patients with HFpEF.. <i>European Journal of Radiology</i> , 2022 , 151, 110285	4.7	0
4	The Incidence and Risk Factors of Low Oxygenation After Orthotropic Liver Transplantation. <i>Annals of Transplantation</i> , 2019 , 24, 139-146	1.4	
3	Understand the difference between clinical measured ultrafiltrationand real ultrafiltration in peritoneal dialysis. <i>BMC Nephrology</i> , 2021 , 22, 382	2.7	
2	Efficacy and safety of polysaccharide iron complex capsules compared with iron sucrose in hemodialysis patients: study protocol for a randomized, open-label, positive control, multicenter trial (IHOPE). <i>Trials</i> , 2021 , 22, 691	2.8	
1	Intelligent "Internet Plus" services in the first case of home hemodialysis in mainland China. <i>Hemodialysis International</i> , 2021 , 25, E33-E39	1.7	