

Yoshihiro Miyamoto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3035473/yoshihiro-miyamoto-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

240
papers

9,254
citations

49
h-index

89
g-index

262
ext. papers

10,848
ext. citations

4.6
avg, IF

5.31
L-index

#	Paper	IF	Citations
240	Outcomes of catecholamine and/or mechanical support in Takotsubo syndrome.. <i>Heart</i> , 2022 ,	5.1	1
239	Japanese Lead EXtraction (J-LEX) registry: Annual report 2019.. <i>Journal of Arrhythmia</i> , 2022 , 38, 187-191	1.5	1
238	Tooth Loss Related with Prevalence of Metabolic Syndrome in a General Urban Japanese Population: The Suita Study. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6441	4.6	
237	Lower Masticatory Performance Is a Risk for the Development of the Metabolic Syndrome: The Suita Study.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 752667	5.4	2
236	Prediction of Lifetime Risk of Cardiovascular Disease Deaths Stratified by Sex in the Japanese Population. <i>Journal of the American Heart Association</i> , 2021 , 10, e021753	6	0
235	Risk Classification for Metabolic Syndrome and the Incidence of Cardiovascular Disease in Japan With Low Prevalence of Obesity: A Pooled Analysis of 10 Prospective Cohort Studies. <i>Journal of the American Heart Association</i> , 2021 , 10, e020760	6	0
234	The Japanese Catheter Ablation Registry (J-AB): Annual report in 2019. <i>Journal of Arrhythmia</i> , 2021 , 37, 1443-1447	1.5	0
233	Validation of Acute Myocardial Infarction and Heart Failure Diagnoses in Hospitalized Patients With the Nationwide Claim-Based JROAD-DPC Database. <i>Circulation Reports</i> , 2021 , 3, 131-136	0.7	8
232	Relationship of urinary liver-type fatty acid-binding protein with cardiovascular risk factors in the Japanese population without chronic kidney disease: Sasayama study. <i>BMC Nephrology</i> , 2021 , 22, 189	2.7	1
231	Association of PM exposure with hospitalization for cardiovascular disease in elderly individuals in Japan. <i>Scientific Reports</i> , 2021 , 11, 9897	4.9	3
230	Complications Associated With Catheter Ablation in Patients With Atrial Fibrillation: A Report From the JROAD-DPC Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e019701	6	3
229	Deterioration of periodontal status affects declines in masticatory performance: The Suita study. <i>Journal of Clinical Periodontology</i> , 2021 , 48, 1208-1215	7.7	2
228	A Novel Risk Stratification System for Ischemic Stroke in Japanese Patients With Non-Valvular Atrial Fibrillation. <i>Circulation Journal</i> , 2021 , 85, 1254-1262	2.9	3
227	A prediction model of masticatory performance change in 50- to 70-year-old Japanese: The Suita study. <i>Journal of Dentistry</i> , 2021 , 104, 103535	4.8	1
226	Clinical characteristics and in-hospital outcomes in patients aged 80 years or over with cardiac troponin-positive acute myocardial infarction -J-MINUET study. <i>Journal of Cardiology</i> , 2021 , 77, 139-146	3	2
225	Association between declines in objective masticatory performance and salivary stress markers: The Suita study. <i>Journal of Oral Rehabilitation</i> , 2021 , 48, 575-581	3.4	
224	The Risk of Fasting Triglycerides and its Related Indices for Ischemic Cardiovascular Diseases in Japanese Community Dwellers: the Suita Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 1274-1288	2	

223	Patients With and Gene Variants Experienced Higher Incidence of Cardiovascular Outcomes in Heterozygous Familial Hypercholesterolemia. <i>Journal of the American Heart Association</i> , 2021 , 10, e018263	6	4
222	Association of protein tyrosine phosphatase- β gene polymorphism with the effects of weight reduction therapy on bodyweight and glycolipid profiles in obese patients. <i>Journal of Diabetes Investigation</i> , 2021 , 12, 1462-1470	3.9	2
221	Estimation of 10-Year Risk of Death from Coronary Heart Disease, Stroke, and Cardiovascular Disease in a Pooled Analysis of Japanese Cohorts: EPOCH-JAPAN. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021 , 28, 816-825	4	4
220	Uric acid and incident atrial fibrillation of 14 years population-based cohort study: The Suita Study. <i>Journal of Arrhythmia</i> , 2021 , 37, 1215-1219	1.5	
219	Clinical Characteristics and Outcomes of Hospitalized Patients With Heart Failure From the Large-Scale Japanese Registry Of Acute Decompensated Heart Failure (JROADHF). <i>Circulation Journal</i> , 2021 , 85, 1438-1450	2.9	10
218	Comparison of efficacy between dipeptidyl peptidase-4 inhibitor and sodium-glucose cotransporter 2 inhibitor on metabolic risk factors in Japanese patients with type 2 diabetes mellitus: Results from the CANTABILE study. <i>Diabetes Research and Clinical Practice</i> , 2021 , 180, 109037	7.4	2
217	Incidence Rate of Acute Coronary Syndrome Including Acute Myocardial Infarction, Unstable Angina, and Sudden Cardiac Death in Nobeoka City for the Super-Aged Society of Japan. <i>Circulation Journal</i> , 2021 , 85, 1722-1730	2.9	4
216	The Japanese Catheter Ablation Registry (J-AB): A prospective nationwide multicenter registry in Japan. Annual report in 2018. <i>Journal of Arrhythmia</i> , 2020 , 36, 953-961	1.5	6
215	Admission During Off-Hours Does Not Affect Long-Term Clinical Outcomes of Japanese Patients with Acute Myocardial Infarction. <i>International Heart Journal</i> , 2020 , 61, 215-222	1.8	3
214	A method for measuring glycerol-blanked triglyceride concentrations by using gas chromatography-isotope dilution mass spectrometry. <i>Annals of Clinical Biochemistry</i> , 2020 , 57, 253-261	2.2	1
213	Long-Term Prognosis of Patients with Myocardial Infarction Type 1 and Type 2 with and without Involvement of Coronary Vasospasm. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
212	Decreased masticatory performance is related to increased intima-media thickness in a general urban Japanese population: The Suita study. <i>Journal of Prosthodontic Research</i> , 2020 , 64, 346-353	4.3	7
211	Periodical utilization of dental services is an effective breakthrough for declining masticatory performance: the Suita study. <i>Odontology / the Society of the Nippon Dental University</i> , 2020 , 108, 715-722	3.6	3
210	Impact of hypertension stratified by diabetes on the lifetime risk of cardiovascular disease mortality in Japan: a pooled analysis of data from the Evidence for Cardiovascular Prevention from Observational Cohorts in Japan study. <i>Hypertension Research</i> , 2020 , 43, 1437-1444	4.7	3
209	Development of a Cardiovascular Disease Risk Prediction Model Using the Suita Study, a Population-Based Prospective Cohort Study in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 1160-1175	4	9
208	Idiopathic ventricular fibrillation and the V1764fsX1786 frameshift mutation of the SCN5A gene in a myotonic dystrophy type 1 patient. <i>Journal of Clinical Neuroscience</i> , 2020 , 74, 242-244	2.2	
207	Association of short-term exposure to air pollution with myocardial infarction with and without obstructive coronary artery disease. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320904641	3.9	5
206	Guideline adherence and long-term clinical outcomes in patients with acute myocardial infarction: a Japanese Registry of Acute Myocardial Infarction Diagnosed by Universal Definition (J-MINUET) substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 939-947	4.3	2

205	Short-term exposure to desert dust and the risk of acute myocardial infarction in Japan: a time-stratified case-crossover study. <i>European Journal of Epidemiology</i> , 2020 , 35, 455-464	12.1	4
204	Relationship between thin physique at 6 years and metabolic disease risks in middle-aged Japanese women: The Suita study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020 , 46, 517-526	1.9	
203	Development and Practical Test of Quality Indicators for Palliative Care in Patients With Chronic Heart Failure. <i>Circulation Journal</i> , 2020 , 84, 584-591	2.9	11
202	Impact of Hospital Practice Factors on Mortality in Patients Hospitalized for Heart Failure in Japan - An Analysis of a Large Number of Health Records From a Nationwide Claims-Based Database, the JROAD-DPC. <i>Circulation Journal</i> , 2020 , 84, 742-753	2.9	3
201	In-Hospital Mortality in Acute Myocardial Infarction According to Population Density and Primary Angioplasty Procedures Volume. <i>Circulation Journal</i> , 2020 , 84, 1140-1146	2.9	4
200	Appropriate delivery method for cardiac disease pregnancy based on noninvasive cardiac monitoring. <i>Journal of Perinatal Medicine</i> , 2020 ,	2.7	1
199	Physique at Birth and Cardiovascular Disease Risk Factors in Japanese Urban Residents: the KOBE Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 ,	4	1
198	The Perinatal Condition Around Birth and Cardiovascular Risk Factors in the Japanese General Population: The Suita Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 204-214	4	2
197	Protocol and Rationale for the Russian-Japanese "Tackle Obesity and Metabolic Syndrome Outcome by Diet, Activities and Checking Body Weight Intervention" (RJ-TOMODACHI) Randomized Controlled Trial. <i>Circulation Reports</i> , 2020 , 2, 695-700	0.7	3
196	Prognostic Impact of B-Type Natriuretic Peptide on Long-Term Clinical Outcomes in Patients with Non-ST-Segment Elevation Acute Myocardial Infarction Without Creatine Kinase Elevation. <i>International Heart Journal</i> , 2020 , 61, 888-895	1.8	
195	Rationale, Design, and Methods of the Study of Comparison of Canagliflozin vs. Tenzinogliptin Against Basic Metabolic Risks in Patients with Type 2 Diabetes Mellitus (CANTABILE study): Protocol for a Randomized, Parallel-Group Comparison Trial. <i>Diabetes Therapy</i> , 2020 , 11, 347-358	3.6	1
194	Effects of soy isoflavones on cognitive function: a systematic review and meta-analysis of randomized controlled trials. <i>Nutrition Reviews</i> , 2020 , 78, 134-144	6.4	24
193	Hyperuricemia predicts the risk for developing hypertension independent of alcohol drinking status in men and women: the Saku study. <i>Hypertension Research</i> , 2020 , 43, 442-449	4.7	13
192	Associations of equol-producing status with white matter lesion and amyloid- β deposition in cognitively normal elderly Japanese. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020 , 6, e12089	6	1
191	A Nationwide Survey and Multicenter Registry-Based Database of Cerebral Autosomal Dominant Arteriopathy With Subcortical Infarcts and Leukoencephalopathy in Japan. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 216	5.3	6
190	Role of climatic factors in the incidence of Takotsubo syndrome: A nationwide study from 2012 to 2016. <i>ESC Heart Failure</i> , 2020 , 7, 2629-2636	3.7	3
189	Impact of peripheral artery disease on prognosis after myocardial infarction: The J-MINUET study. <i>Journal of Cardiology</i> , 2020 , 76, 402-406	3	1
188	C-type lectin Mincle mediates cell death-triggered inflammation in acute kidney injury. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	19

187	Association of short term exposure to Asian dust with increased blood pressure. <i>Scientific Reports</i> , 2020 , 10, 17630	4.9	
186	Impact of structural and process quality indicators on the outcomes of acute aortic dissection. <i>European Journal of Cardio-thoracic Surgery</i> , 2020 , 58, 1281-1288	3	0
185	A Prospective Longitudinal Study on the Relationship Between Glucose Fluctuation and Cognitive Function in Type 2 Diabetes: PROPOSAL Study Protocol. <i>Diabetes Therapy</i> , 2020 , 11, 2729-2737	3.6	4
184	Study Design of the Nationwide Japanese Lead Extraction (J-LEX) Registry: Protocol for a Prospective, Multicenter, Open Registry. <i>Journal of Arrhythmia</i> , 2020 , 36, 849-853	1.5	1
183	Prediction of Long-Term Outcomes in ST-Elevation Myocardial Infarction and Non-ST Elevation Myocardial Infarction with and without Creatinine Kinase Elevation-Post-Hoc Analysis of the J-MINUET Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
182	Estimated 24 h Urinary Sodium-to-Potassium Ratio Is Related to Renal Function Decline: A 6-Year Cohort Study of Japanese Urban Residents. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
181	Hypercholesterolemia and Lifetime Risk of Coronary Heart Disease in the General Japanese Population: Results from the Suita Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020 , 27, 60-70	4	5
180	Echocardiographic Parameters and the Risk of Incident Atrial Fibrillation: The Suita Study. <i>Journal of Epidemiology</i> , 2020 , 30, 183-187	3.4	1
179	Characteristics and in-hospital mortality of patients with myocardial infarction in the absence of obstructive coronary artery disease in super-aging society. <i>International Journal of Cardiology</i> , 2020 , 301, 108-113	3.2	15
178	Impact of population density on mortality in patients hospitalized for heart failure - JROAD-DPC Registry Analysis. <i>Journal of Cardiology</i> , 2020 , 75, 447-453	3	4
177	Effect of tofogliflozin on cardiac and vascular endothelial function in patients with type2 diabetes and heart diseases: A pilot study. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 400-404	3.9	13
176	Impact of facilities accredited by both adult and pediatric cardiology societies on the outcome of patients with adult congenital heart disease. <i>Journal of Cardiology</i> , 2020 , 75, 105-109	3	3
175	Current status of the management and outcomes of acute aortic dissection in Japan: Analyses of nationwide Japanese Registry of All Cardiac and Vascular Diseases-Diagnostic Procedure Combination data. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, S21-S31	4.3	13
174	Risk Factors Associated With Ischemic Stroke in Japanese Patients With Nonvalvular Atrial Fibrillation. <i>JAMA Network Open</i> , 2020 , 3, e202881	10.4	15
173	Impact of LDLR and PCSK9 pathogenic variants in Japanese heterozygous familial hypercholesterolemia patients. <i>Atherosclerosis</i> , 2019 , 289, 101-108	3.1	20
172	Number of Cardiologists per Cardiovascular Beds and In-Hospital Mortality for Acute Heart Failure: A Nationwide Study in Japan. <i>Journal of the American Heart Association</i> , 2019 , 8, e012282	6	4
171	Association of onset-season with characteristics and long-term outcomes in acute myocardial infarction patients: results from the Japanese registry of acute myocardial infarction diagnosed by universal definition (J-MINUET) substudy. <i>Heart and Vessels</i> , 2019 , 34, 1899-1908	2.1	3
170	Earthquake-Induced Torsade de Pointes in Long-QT Syndrome. <i>Circulation Journal</i> , 2019 , 83, 1968	2.9	

169	Study design of nationwide Japanese Catheter Ablation Registry: Protocol for a prospective, multicenter, open registry. <i>Journal of Arrhythmia</i> , 2019 , 35, 167-170	1.5	5
168	Comparison of the International Federation of Clinical Chemistry and Japan Diabetes Society reference methods for conversion to the National Glycohemoglobin Standardization Program values. <i>Annals of Clinical Biochemistry</i> , 2019 , 56, 508-514	2.2	
167	A comprehensive policy for reducing sugar beverages for healthy life extension. <i>Environmental Health and Preventive Medicine</i> , 2019 , 24, 13	4.2	4
166	Effect of S-equol and Soy Isoflavones on Heart and Brain. <i>Current Cardiology Reviews</i> , 2019 , 15, 114-135	2.4	34
165	Higher serum uric acid level is inversely associated with renal function assessed by cystatin C in a Japanese general population without chronic kidney disease: the KOBE study. <i>BMC Nephrology</i> , 2019 , 20, 117	2.7	8
164	Longitudinal Trajectories of Fasting Plasma Glucose and Risks of Cardiovascular Diseases in Middle Age to Elderly People Within the General Japanese Population: The Suita Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e010628	6	8
163	Explaining the decline in coronary heart disease mortality rates in Japan: Contributions of changes in risk factors and evidence-based treatments between 1980 and 2012. <i>International Journal of Cardiology</i> , 2019 , 291, 183-188	3.2	16
162	Fasting Blood Glucose Predicts Incidence of Hypertension Independent of HbA1c Levels and Insulin Resistance in Middle-Aged Japanese: The Saku Study. <i>American Journal of Hypertension</i> , 2019 , 32, 1178-1185	2.3	7
161	Being Conscious of Water Intake Positively Associated with Sufficient Non-Alcohol Drink Intake Regardless of Seasons and Reasons in Healthy Japanese; the KOBE Study: A Cross Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
160	Association of Genetic and Clinical Aspects of Congenital Long QT Syndrome With Life-Threatening Arrhythmias in Japanese Patients. <i>JAMA Cardiology</i> , 2019 , 4, 246-254	16.2	15
159	Association between the number of board-certified cardiologists and the risk of in-hospital mortality: a nationwide study involving the Japanese registry of all cardiac and vascular diseases. <i>BMJ Open</i> , 2019 , 9, e024657	3	3
158	The efficacy of glycemic control with continuous glucose monitoring on atheroma progression: rationale and design of the Observation of Coronary Atheroma Progression under Continuous Glucose Monitoring Guidance in Patients with Type 2 Diabetes Mellitus (OPTIMAL). <i>Cardiovascular Diabetology</i> , 2019 , 8, 131-138	2.6	3
157	Frequency and prognostic impact of intravascular imaging-guided urgent percutaneous coronary intervention in patients with acute myocardial infarction: results from J-MINUET. <i>Heart and Vessels</i> , 2019 , 34, 564-571	2.1	7
156	Lifetime Risk of Stroke and Coronary Heart Disease Deaths According to Blood Pressure Level: EPOCH-JAPAN (Evidence for Cardiovascular Prevention From Observational Cohorts in Japan). <i>Hypertension</i> , 2019 , 73, 52-59	8.5	19
155	Risk of developing type 2 diabetes according to blood pressure levels and presence or absence of hypertensive treatment: the Saku study. <i>Hypertension Research</i> , 2019 , 42, 105-113	4.7	3
154	Comparison of Long-Term Mortality in Patients With Previous Coronary Artery Bypass Grafting Who Underwent Percutaneous Coronary Intervention With Versus Without Optimal Medical Therapy. <i>American Journal of Cardiology</i> , 2018 , 122, 206-212	3	3
153	Association of extremely high levels of high-density lipoprotein cholesterol with cardiovascular mortality in a pooled analysis of 9 cohort studies including 43,407 individuals: The EPOCH-JAPAN study. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 674-684.e5	4.9	61
152	Different responses to exercise between Andersen-Tawil syndrome and catecholaminergic polymorphic ventricular tachycardia. <i>Europace</i> , 2018 , 20, 1675-1682	3.9	5

151	Cardiovascular risk and blood pressure lowering treatment among elderly individuals: Evidence for Cardiovascular Prevention from Observational Cohorts in Japan. <i>Journal of Hypertension</i> , 2018 , 36, 410-418	1.9	5
150	Association between impairment of salty taste recognition and masked hypertension based on home blood pressure in Japanese residents: the KOBE study. <i>Hypertension Research</i> , 2018 , 41, 756-762	4.7	6
149	Clinical determinants of successful weaning from extracorporeal membrane oxygenation in patients with fulminant myocarditis. <i>ESC Heart Failure</i> , 2018 , 5, 675-684	3.7	28
148	Impact of Intima-Media Thickness Progression in the Common Carotid Arteries on the Risk of Incident Cardiovascular Disease in the Suita Study. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	44
147	Number of Board-Certified Cardiologists and Acute Myocardial Infarction-Related Mortality in Japan - JROAD and JROAD-DPC Registry Analysis. <i>Circulation Journal</i> , 2018 , 82, 2845-2851	2.9	10
146	Effectiveness of nationwide screening and lifestyle intervention for abdominal obesity and cardiometabolic risks in Japan: The metabolic syndrome and comprehensive lifestyle intervention study on nationwide database in Japan (MetS ACTION-J study). <i>PLoS ONE</i> , 2018 , 13, e0190862	3.7	30
145	Change in QRS morphology as a marker of spontaneous elimination in verapamil-sensitive idiopathic left ventricular tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 446-455	2.7	
144	Association between alcohol consumption and incidence of impaired insulin secretion and insulin resistance in Japanese: The Saku study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 135, 11-17	7.4	16
143	Current Status of Cardiovascular Medicine in the Aging Society of Japan. <i>Circulation</i> , 2018 , 138, 965-967	16.7	66
142	Japan Atherosclerosis Society (JAS) Guidelines for Prevention of Atherosclerotic Cardiovascular Diseases 2017. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 846-984	4	295
141	Diabetes and lifetime risk of stroke and subtypes in an urban middle-aged population. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 831-835	3.2	4
140	Detection of Subclinical Peripheral Artery Ischemia in Healthy Male Smokers by an Ankle-Brachial Index After Exercise: Sasayama Study. <i>Angiology</i> , 2017 , 68, 769-775	2.1	2
139	Birthweight and cardiovascular risk factors in a Japanese general population. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 1001-1007	1.9	9
138	Diabetes and lifetime risk of coronary heart disease. <i>Primary Care Diabetes</i> , 2017 , 11, 461-466	2.4	8
137	Risk for metabolic diseases in normal weight individuals with visceral fat accumulation: a cross-sectional study in Japan. <i>BMJ Open</i> , 2017 , 7, e013831	3	23
136	Genotype-Phenotype Correlation of Mutation for the Clinical and Electrocardiographic Characteristics of Proband With Brugada Syndrome: A Japanese Multicenter Registry. <i>Circulation</i> , 2017 , 135, 2255-2270	16.7	88
135	Arrhythmia risk and Eb blocker therapy in pregnant women with long QT syndrome. <i>Heart</i> , 2017 , 103, 1374-1379	5.1	25
134	Mid-Term Follow-up of School-Aged Children With Borderline Long QT Interval. <i>Circulation Journal</i> , 2017 , 81, 726-732	2.9	1

133	Development of a Basic Risk Score for Incident Atrial Fibrillation in a Japanese General Population - The Suita Study. <i>Circulation Journal</i> , 2017 , 81, 1580-1588	2.9	59
132	Prognostic impact of chronic total coronary occlusion on long-term outcomes in implantable cardioverter-defibrillator recipients with ischaemic heart disease. <i>Europace</i> , 2017 , 19, 1153-1162	3.9	6
131	Off-hours presentation does not affect in-hospital mortality of Japanese patients with acute myocardial infarction: J-MINUET substudy. <i>Journal of Cardiology</i> , 2017 , 70, 553-558	3	13
130	Relationship between metabolic syndrome and objective masticatory performance in a Japanese general population: The Suita study. <i>Journal of Dentistry</i> , 2017 , 56, 53-57	4.8	24
129	Prominent QTc prolongation in a patient with a rare variant in the cardiac ryanodine receptor gene. <i>Heart and Vessels</i> , 2017 , 32, 229-233	2.1	7
128	A pooled analysis of the association of isolated low levels of high-density lipoprotein cholesterol with cardiovascular mortality in Japan. <i>European Journal of Epidemiology</i> , 2017 , 32, 547-557	12.1	14
127	Long-Term Outcomes of Non-ST-Elevation Myocardial Infarction Without Creatine Kinase Elevation - The J-MINUET Study. <i>Circulation Journal</i> , 2017 , 81, 958-965	2.9	26
126	Genetic defects in a His-Purkinje system transcription factor, IRX3, cause lethal cardiac arrhythmias. <i>European Heart Journal</i> , 2016 , 37, 1469-75	9.5	38
125	Clinical Aspects of Type 3 Long-QT Syndrome: An International Multicenter Study. <i>Circulation</i> , 2016 , 134, 872-82	16.7	118
124	Validation of the Coronary Artery Bypass Graft SYNTAX Score (Synergy Between Percutaneous Coronary Intervention With Taxus) as a Prognostic Marker for Patients With Previous Coronary Artery Bypass Graft Surgery After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	6
123	Pronounced Shortening of QT Interval With Mexiletine Infusion Test in Patients With Type 3 Congenital Long QT Syndrome. <i>Circulation Journal</i> , 2016 , 80, 340-5	2.9	25
122	Phenotypic Variability of ANK2 Mutations in Patients With Inherited Primary Arrhythmia Syndromes. <i>Circulation Journal</i> , 2016 , 80, 2435-2442	2.9	12
121	Variants in the SCN5A Promoter Associated With Various Arrhythmia Phenotypes. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	18
120	Comparison between the triglycerides standardization of routine methods used in Japan and the chromotropic acid reference measurement procedure used by the CDC Lipid Standardization Programme. <i>Annals of Clinical Biochemistry</i> , 2016 , 53, 632-639	2.2	15
119	Comorbid Epilepsy and Developmental Disorders in Congenital Long QT Syndrome With Life-Threatening Perinatal Arrhythmias. <i>JACC: Clinical Electrophysiology</i> , 2016 , 2, 266-276	4.6	0
118	Impact of hypertension on the lifetime risk of coronary heart disease. <i>Hypertension Research</i> , 2016 , 39, 548-51	4.7	16
117	Hypertension and lifetime risk of stroke. <i>Journal of Hypertension</i> , 2016 , 34, 116-22	1.9	48
116	The Current Status of Cardiovascular Medicine in Japan - Analysis of a Large Number of Health Records From a Nationwide Claim-Based Database, JROAD-DPC. <i>Circulation Journal</i> , 2016 , 80, 2327-2335	2.9	87

115	Underweight Young Women Without Later Weight Gain Are at High Risk for Osteopenia After Midlife: The KOBE Study. <i>Journal of Epidemiology</i> , 2016 , 26, 572-578	3.4	13
114	The H3K9 methyltransferase Setdb1 regulates TLR4-mediated inflammatory responses in macrophages. <i>Scientific Reports</i> , 2016 , 6, 28845	4.9	21
113	Proprotein convertase subtilisin/kexin 9 V4I variant with LDLR mutations modifies the phenotype of familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 547-555.e5	4.9	26
112	Continuous decline in mortality from coronary heart disease in Japan despite a continuous and marked rise in total cholesterol: Japanese experience after the Seven Countries Study. <i>International Journal of Epidemiology</i> , 2015 , 44, 1614-24	7.8	20
111	Prevalence, Clinical Features, and Prognosis of Acute Myocardial Infarction Attributable to Coronary Artery Embolism. <i>Circulation</i> , 2015 , 132, 241-50	16.7	164
110	Characterization of Autosomal Dominant Hypercholesterolemia Caused by PCSK9 Gain of Function Mutations and Its Specific Treatment With Alirocumab, a PCSK9 Monoclonal Antibody. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 823-31		76
109	HDL cholesterol performance using an ultracentrifugation reference measurement procedure and the designated comparison method. <i>Clinica Chimica Acta</i> , 2015 , 439, 185-90	6.2	10
108	Does the utilization of dental services associate with masticatory performance in a Japanese urban population?: the Suita study. <i>Clinical and Experimental Dental Research</i> , 2015 , 1, 57-62	1.9	3
107	Decreased levels of circulating CD34(+) cells are associated with coronary heart disease in Japanese patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2015 , 6, 473-8	3.9	14
106	Changes in Waist Circumference and the Incidence of Type 2 Diabetes in Community-Dwelling Men and Women: The Suita Study. <i>Journal of Epidemiology</i> , 2015 , 25, 489-95	3.4	10
105	HOMA-IR Values are Associated With Glycemic Control in Japanese Subjects Without Diabetes or Obesity: The KOBE Study. <i>Journal of Epidemiology</i> , 2015 , 25, 407-14	3.4	14
104	Clinical Presentation, Management and Outcome of Japanese Patients With Acute Myocardial Infarction in the Troponin Era - Japanese Registry of Acute Myocardial Infarction Diagnosed by Universal Definition (J-MINUET) -. <i>Circulation Journal</i> , 2015 , 79, 1255-62	2.9	72
103	Risk of hypercholesterolemia for cardiovascular disease and the population attributable fraction in a 24-year Japanese cohort study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015 , 22, 95-107	4	25
102	The Relationship between Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 Ligands Containing Apolipoprotein B and the Cardio-Ankle Vascular Index in Healthy Community Inhabitants: The KOBE Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015 , 22, 499-508	4	14
101	Interaction of Blood Pressure and Body Mass Index With Risk of Incident Atrial Fibrillation in a Japanese Urban Cohort: The Suita Study. <i>American Journal of Hypertension</i> , 2015 , 28, 1355-61	2.3	21
100	Effects of stroke education of junior high school students on stroke knowledge of their parents: Tochigi project. <i>Stroke</i> , 2015 , 46, 572-4	6.7	27
99	The reasonable reliability of a self-administered food frequency questionnaire for an urban, Japanese, middle-aged population: the Suita study. <i>Nutrition Research</i> , 2015 , 35, 14-22	4	14
98	Exome Analyses of Long QT Syndrome Reveal Candidate Pathogenic Mutations in Calmodulin-Interacting Genes. <i>PLoS ONE</i> , 2015 , 10, e0130329	3.7	20

97	The effect of periodontal status and occlusal support on masticatory performance: the Suita study. <i>Journal of Clinical Periodontology</i> , 2014 , 41, 497-503	7.7	37
96	Blood pressure, low-density lipoprotein cholesterol, and incidences of coronary artery disease and ischemic stroke in Japanese: the Suita study. <i>American Journal of Hypertension</i> , 2014 , 27, 1362-9	2.3	16
95	Novel calmodulin mutations associated with congenital arrhythmia susceptibility. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 466-74		133
94	Preoperative chronic kidney disease as a strong predictor of postoperative infection and mortality after coronary artery bypass grafting. <i>Circulation Journal</i> , 2014 , 78, 2225-31	2.9	26
93	Predicting coronary heart disease using risk factor categories for a Japanese urban population, and comparison with the framingham risk score: the suita study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014 , 21, 784-98	4	110
92	Clinical predictors of atheroma progression despite optimal glycemic control in early-stage diabetic patients with coronary artery disease: Insight from the DIANA study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014 , 21, 509-18	4	7
91	Additive interaction of oral health disorders on risk of hypertension in a Japanese urban population: the Suita Study. <i>American Journal of Hypertension</i> , 2014 , 27, 710-9	2.3	15
90	Cross-sectional survey of workload and burnout among Japanese physicians working in stroke care: the nationwide survey of acute stroke care capacity for proper designation of comprehensive stroke center in Japan (J-ASPECT) study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014 , 7, 414-22	5.8	36
89	Activating transcription factor 4 links metabolic stress to interleukin-6 expression in macrophages. <i>Diabetes</i> , 2014 , 63, 152-61	0.9	69
88	Effects of comprehensive stroke care capabilities on in-hospital mortality of patients with ischemic and hemorrhagic stroke: J-ASPECT study. <i>PLoS ONE</i> , 2014 , 9, e96819	3.7	50
87	Impact of chronic kidney disease on carotid atherosclerosis according to blood pressure category: the Suita study. <i>Stroke</i> , 2013 , 44, 3537-9	6.7	26
86	Alcohol consumption and cardiovascular disease incidence in men with and without hypertension: the Suita study. <i>Hypertension Research</i> , 2013 , 36, 58-64	4.7	28
85	Do differences in risk factors explain the lower rates of coronary heart disease in Japanese versus U.S. women?. <i>Journal of Women's Health</i> , 2013 , 22, 966-77	3	8
84	Effect of age on the association between waist-to-height ratio and incidence of cardiovascular disease: the Suita study. <i>Journal of Epidemiology</i> , 2013 , 23, 351-9	3.4	18
83	Familial hypercholesterolemia with multiple large tendinous xanthomas and advanced coronary artery atherosclerosis. <i>Internal Medicine</i> , 2013 , 52, 577-81	1.1	3
82	Renal insufficiency without albuminuria is associated with peripheral artery atherosclerosis and lipid metabolism disorders in patients with type 2 diabetes. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013 , 20, 790-7	4	12
81	Impact of diabetes mellitus on outcomes in Japanese patients undergoing coronary artery bypass grafting. <i>Journal of Cardiology</i> , 2012 , 59, 275-84	3	18
80	CDH13 gene coding T-cadherin influences variations in plasma adiponectin levels in the Japanese population. <i>Human Mutation</i> , 2012 , 33, 402-10	4.7	55

79	Effects of voglibose and nateglinide on glycemic status and coronary atherosclerosis in early-stage diabetic patients. <i>Circulation Journal</i> , 2012 , 76, 712-20	2.9	20
78	Prospective study on waist circumference and risk of all-cause and cardiovascular mortality: pooled analysis of Japanese community-based studies. <i>Circulation Journal</i> , 2012 , 76, 2867-74	2.9	19
77	Defining patients at extremely high risk for coronary artery disease in heterozygous familial hypercholesterolemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 369-75	4	16
76	Does high-sensitivity C-reactive protein or low-density lipoprotein cholesterol show a stronger relationship with the cardio-ankle vascular index in healthy community dwellers?: the KOBE study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 1027-34	4	27
75	A revised definition of the metabolic syndrome predicts coronary artery disease and ischemic stroke after adjusting for low density lipoprotein cholesterol in a 13-year cohort study of Japanese: the Suita study. <i>Atherosclerosis</i> , 2011 , 217, 201-6	3.1	29
74	Increased expression of macrophage-inducible C-type lectin in adipose tissue of obese mice and humans. <i>Diabetes</i> , 2011 , 60, 819-26	0.9	63
73	Association with serum gamma-glutamyltransferase levels and alcohol consumption on stroke and coronary artery disease: the Suita study. <i>Stroke</i> , 2011 , 42, 1764-7	6.7	17
72	Impact of statin treatment on the clinical fate of heterozygous familial hypercholesterolemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 667-74	4	49
71	A novel Thr56Met mutation of the autosomal recessive hypercholesterolemia gene associated with hypercholesterolemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 131-40	4	9
70	Effect of exercise intervention on endothelial function and incidence of cardiovascular disease in patients with type 2 diabetes. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 828-33	4	87
69	Heart rate-dependent variability of cardiac events in type 2 congenital long-QT syndrome. <i>Europace</i> , 2010 , 12, 1623-9	3.9	2
68	The combined impact of blood pressure category and glucose abnormality on the incidence of cardiovascular diseases in a Japanese urban cohort: the Suita Study. <i>Hypertension Research</i> , 2010 , 33, 1238-43	4.7	41
67	KCNE2 modulation of Kv4.3 current and its potential role in fatal rhythm disorders. <i>Heart Rhythm</i> , 2010 , 7, 199-205	6.7	24
66	An international compendium of mutations in the SCN5A-encoded cardiac sodium channel in patients referred for Brugada syndrome genetic testing. <i>Heart Rhythm</i> , 2010 , 7, 33-46	6.7	515
65	Genetic link between obesity and MMP14-dependent adipogenic collagen turnover. <i>Diabetes</i> , 2010 , 59, 2484-94	0.9	68
64	Visceral fat is negatively associated with B-type natriuretic peptide levels in patients with advanced type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010 , 89, 174-80	7.4	16
63	Triglycerides and non-high-density lipoprotein cholesterol and the incidence of cardiovascular disease in an urban Japanese cohort: the Suita study. <i>Atherosclerosis</i> , 2010 , 209, 290-4	3.1	30
62	Long QT syndrome with compound mutations is associated with a more severe phenotype: a Japanese multicenter study. <i>Heart Rhythm</i> , 2010 , 7, 1411-8	6.7	89

61	Association of plasma B-type natriuretic peptide levels with obesity in a general urban Japanese population: the Suita Study. <i>Endocrine Journal</i> , 2010 , 57, 727-33	2.9	30
60	Activating transcription factor 3 constitutes a negative feedback mechanism that attenuates saturated Fatty acid/toll-like receptor 4 signaling and macrophage activation in obese adipose tissue. <i>Circulation Research</i> , 2009 , 105, 25-32	15.7	81
59	Novel KCNE3 mutation reduces repolarizing potassium current and associated with long QT syndrome. <i>Human Mutation</i> , 2009 , 30, 557-63	4.7	28
58	Association study of 11beta-hydroxysteroid dehydrogenase type 1 gene polymorphisms and metabolic syndrome in urban Japanese cohort. <i>Diabetes Research and Clinical Practice</i> , 2009 , 85, 132-8	7.4	18
57	High prevalence of abnormal glucose metabolism in young adult patients with complex congenital heart disease. <i>American Heart Journal</i> , 2009 , 158, 30-9	4.9	58
56	Genotype-phenotype aspects of type 2 long QT syndrome. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 2052-62	15.1	187
55	Resistin gene variations are associated with the metabolic syndrome in Japanese men. <i>Obesity Research and Clinical Practice</i> , 2009 , 3, I-II	5.4	17
54	Low-density lipoprotein cholesterol and non-high-density lipoprotein cholesterol and the incidence of cardiovascular disease in an urban Japanese cohort study: The Suita study. <i>Atherosclerosis</i> , 2009 , 203, 587-92	3.1	94
53	Iso-caloric high-protein diet ameliorates systolic blood pressure increase and cardiac remodeling caused by maternal caloric restriction in adult mouse offspring. <i>Endocrine Journal</i> , 2009 , 56, 679-89	2.9	15
52	Age- and genotype-specific triggers for life-threatening arrhythmia in the genotyped long QT syndrome. <i>Journal of Cardiovascular Electrophysiology</i> , 2008 , 19, 794-9	2.7	26
51	Impaired flow-mediated vasodilatation and insulin resistance in type 2 diabetic patients with albuminuria. <i>Diabetes Research and Clinical Practice</i> , 2008 , 79, 177-82	7.4	14
50	Pioglitazone treatment stimulates circulating CD34-positive cells in type 2 diabetes patients. <i>Diabetes Research and Clinical Practice</i> , 2008 , 81, 327-30	7.4	19
49	Class A macrophage scavenger receptor gene expression levels in peripheral blood mononuclear cells specifically increase in patients with acute coronary syndrome. <i>Atherosclerosis</i> , 2008 , 198, 426-33	3.1	19
48	Leptin gene and leptin receptor gene polymorphisms are associated with sweet preference and obesity. <i>Hypertension Research</i> , 2008 , 31, 1069-77	4.7	64
47	Circulating CD34-positive cell number is associated with brain natriuretic peptide level in type 2 diabetic patients. <i>Diabetes Care</i> , 2008 , 31, 157-8	14.6	11
46	Impact of metabolic syndrome components on the incidence of cardiovascular disease in a general urban Japanese population: the Suita study. <i>Hypertension Research</i> , 2008 , 31, 2027-35	4.7	74
45	Mutation site dependent variability of cardiac events in Japanese LQT2 form of congenital long-QT syndrome. <i>Circulation Journal</i> , 2008 , 72, 694-9	2.9	25
44	Clinical aspects of type-1 long-QT syndrome by location, coding type, and biophysical function of mutations involving the KCNQ1 gene. <i>Circulation</i> , 2007 , 115, 2481-9	16.7	326

43	Role of MAPK phosphatase-1 in the induction of monocyte chemoattractant protein-1 during the course of adipocyte hypertrophy. <i>Journal of Biological Chemistry</i> , 2007 , 282, 25445-52	5.4	75
42	The endothelial nitric oxide synthase gene -786T/C polymorphism is a predictive factor for reattacks of coronary spasm. <i>Pharmacogenetics and Genomics</i> , 2007 , 17, 581-7	1.9	20
41	Undernutrition in utero augments systolic blood pressure and cardiac remodeling in adult mouse offspring: possible involvement of local cardiac angiotensin system in developmental origins of cardiovascular disease. <i>Endocrinology</i> , 2007 , 148, 1218-25	4.8	49
40	The effects of long-term smoking on endothelial nitric oxide synthase mRNA expression in human platelets as detected with real-time quantitative RT-PCR. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2007 , 13, 43-51	3.3	13
39	Inflammatory response to acute myocardial infarction augments neointimal hyperplasia after vascular injury in a remote artery. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 2083-9	9.4	26
38	Common sodium channel promoter haplotype in asian subjects underlies variability in cardiac conduction. <i>Circulation</i> , 2006 , 113, 338-44	16.7	186
37	Altered gene expression related to glomerulogenesis and podocyte structure in early diabetic nephropathy of db/db mice and its restoration by pioglitazone. <i>Diabetes</i> , 2006 , 55, 2747-56	0.9	82
36	A -786T>C polymorphism in the endothelial nitric oxide synthase gene reduces serum nitrite/nitrate levels from the heart due to an intracoronary injection of acetylcholine. <i>Pharmacogenetics and Genomics</i> , 2006 , 16, 339-45	1.9	25
35	The haplotypes of the IRS-2 gene affect insulin sensitivity in Japanese patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2005 , 68, 39-48	7.4	9
34	Increase in the transcriptional activity of the endothelial nitric oxide synthase gene with fluvastatin: a relation with the -786T>C polymorphism. <i>Pharmacogenetics and Genomics</i> , 2005 , 15, 329-36	1.9	43
33	Attenuation of diet-induced weight gain and adiposity through increased energy expenditure in mice lacking angiotensin II type 1a receptor. <i>Endocrinology</i> , 2005 , 146, 3481-9	4.8	127
32	Diagnostic value of epinephrine test for genotyping LQT1, LQT2, and LQT3 forms of congenital long QT syndrome. <i>Heart Rhythm</i> , 2004 , 1, 276-83	6.7	136
31	Mutation site-specific differences in arrhythmic risk and sensitivity to sympathetic stimulation in the LQT1 form of congenital long QT syndrome: multicenter study in Japan. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 117-25	15.1	111
30	Clinical features and genetic analysis of autosomal recessive hypercholesterolemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 2541-7	5.6	44
29	Synergistic interaction of T-786-->C polymorphism in the endothelial nitric oxide synthase gene and smoking for an enhanced risk for coronary spasm. <i>Pharmacogenetics and Genomics</i> , 2003 , 13, 683-8		26
28	NRSF regulates the fetal cardiac gene program and maintains normal cardiac structure and function. <i>EMBO Journal</i> , 2003 , 22, 6310-21	13	156
27	Fibronectin signaling stimulates BNP gene transcription by inhibiting neuron-restrictive silencer element-dependent repression. <i>Cardiovascular Research</i> , 2002 , 53, 451-9	9.9	37
26	The neuron-restrictive silencer element-neuron-restrictive silencer factor system regulates basal and endothelin 1-inducible atrial natriuretic peptide gene expression in ventricular myocytes. <i>Molecular and Cellular Biology</i> , 2001 , 21, 2085-97	4.8	86

25	Induction of JAB/SOCS-1/SSI-1 and CIS3/SOCS-3/SSI-3 is involved in gp130 resistance in cardiovascular system in rat treated with cardiotrophin-1 in vivo. <i>Circulation Research</i> , 2001 , 88, 727-32	15.7	38
24	A T-786-->C mutation in the 5Gflanking region of the endothelial nitric oxide synthase gene and coronary arterial vasomotility. <i>American Journal of Cardiology</i> , 2000 , 85, 710-4	3	36
23	T(-786)--> C mutation in the 5Gflanking region of the endothelial nitric oxide synthase gene is associated with myocardial infarction, especially without coronary organic stenosis. <i>American Journal of Cardiology</i> , 2000 , 86, 628-34	3	123
22	Effects of cardiotrophin-1 on hemodynamics and endocrine function of the heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000 , 279, H388-96	5.2	24
21	Association of the Missense Glu298Asp Variant of the Endothelial Nitric Oxide Synthase Gene With Severe Preeclampsia. <i>Journal of the Society for Gynecologic Investigation</i> , 2000 , 7, 238-241		2
20	Outside-in signalling of fibronectin stimulates cardiomyocyte hypertrophy in cultured neonatal rat ventricular myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2000 , 32, 765-76	5.8	54
19	Cardiotrophin-1 phosphorylates akt and BAD, and prolongs cell survival via a PI3K-dependent pathway in cardiac myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2000 , 32, 1385-94	5.8	90
18	Association of autoimmune thyroid disease with microsatellite markers for the thyrotropin receptor gene and CTLA-4 in Japanese patients. <i>Thyroid</i> , 2000 , 10, 851-8	6.2	58
17	Lack of association between T-786-->C mutation in the 5Gflanking region of the endothelial nitric oxide synthase gene and essential hypertension. <i>Hypertension Research</i> , 2000 , 23, 561-5	4.7	37
16	Involvement of cardiotrophin-1 in cardiac myocyte-nonmyocyte interactions during hypertrophy of rat cardiac myocytes in vitro. <i>Circulation</i> , 1999 , 100, 1116-24	16.7	109
15	T-786-->C mutation in the 5Gflanking region of the endothelial nitric oxide synthase gene is associated with coronary spasm. <i>Circulation</i> , 1999 , 99, 2864-70	16.7	647
14	The effects of the selective ROCK inhibitor, Y27632, on ET-1-induced hypertrophic response in neonatal rat cardiac myocytes--possible involvement of Rho/ROCK pathway in cardiac muscle cell hypertrophy. <i>FEBS Letters</i> , 1999 , 452, 314-8	3.8	84
13	A heart-specific increase in cardiotrophin-1 gene expression precedes the establishment of ventricular hypertrophy in genetically hypertensive rats. <i>Journal of Hypertension</i> , 1999 , 17, 807-16	1.9	36
12	A missense Glu298Asp variant in the endothelial nitric oxide synthase gene is associated with coronary spasm in the Japanese. <i>Human Genetics</i> , 1998 , 103, 65-9	6.3	333
11	The significance of the Trp 64 Arg mutation of the beta3-adrenergic receptor gene in impaired glucose tolerance, non-insulin-dependent diabetes mellitus, and insulin resistance in Japanese subjects. <i>Metabolism: Clinical and Experimental</i> , 1998 , 47, 456-60	12.7	15
10	Association of the missense Glu298Asp variant of the endothelial nitric oxide synthase gene with myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1506-10	15.1	298
9	Endothelial nitric oxide synthase gene is positively associated with essential hypertension. <i>Hypertension</i> , 1998 , 32, 3-8	8.5	425
8	Identification of cis-elements of the human endothelin-A receptor gene and inhibition of the gene expression by the decoy strategy. <i>Journal of Biological Chemistry</i> , 1998 , 273, 15993-9	5.4	22

7	Endothelin-1 and cardiotrophin-1 induce brain natriuretic peptide gene expression by distinct transcriptional mechanisms. <i>Journal of Cardiovascular Pharmacology</i> , 1998 , 31 Suppl 1, S354-6	3.1	22
6	Interaction of myocytes and nonmyocytes is necessary for mechanical stretch to induce ANP/BNP production in cardiocyte culture. <i>Journal of Cardiovascular Pharmacology</i> , 1998 , 31 Suppl 1, S357-9	3.1	42
5	Plasma levels of brain and atrial natriuretic peptides elevate in proportion to left ventricular end-systolic wall stress in patients with aortic stenosis. <i>American Heart Journal</i> , 1997 , 133, 307-14	4.9	104
4	Significance of ventricular myocytes and nonmyocytes interaction during cardiocyte hypertrophy: evidence for endothelin-1 as a paracrine hypertrophic factor from cardiac nonmyocytes. <i>Circulation</i> , 1997 , 96, 3737-44	16.7	152
3	cDNA cloning of rat cardiotrophin-1 (CT-1): augmented expression of CT-1 gene in ventricle of genetically hypertensive rats. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 219, 377-81	3.4	54
2	The RET proto-oncogene in sporadic pheochromocytomas. <i>Internal Medicine</i> , 1996 , 35, 449-52	1.1	11
1	Alternative RNA splicing of the human endothelin-A receptor generates multiple transcripts. <i>Biochemical Journal</i> , 1996 , 313 (Pt 3), 795-801	3.8	26