

Baltasar Mayo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/303554/publications.pdf>

Version: 2024-02-01

751
papers

10,990
citations

44069

48
h-index

46799

89
g-index

754
all docs

754
docs citations

754
times ranked

8042
citing authors

#	ARTICLE	IF	CITATIONS
1	Lactic Acid Bacteria: <i>Lactobacillus plantarum</i> . , 2022, , 206-217.		6
2	Safety and efficacy of a feed additive consisting of an essential oil from <i>Cinnamomum camphora</i> (L.) J. Presl (camphor white oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e06985.	1.8	3
3	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2022, 20, e06975.	1.8	0
4	Safety and efficacy of two solvent extracts of rosemary (<i>Rosmarinus officinalis</i> L.) when used as feed additive for cats and dogs (Kemin Nutrisurance Europe SRL). EFSA Journal, 2022, 20, e06978.	1.8	1
5	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin®) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.). EFSA Journal, 2022, 20, e06984.	1.8	0
6	Safety of the fermentation product of <i>Aspergillus oryzae</i> NRRL 458 (Amaferm®) as a feed additive for dairy cows (Biozyme Inc.). EFSA Journal, 2022, 20, e06983.	1.8	0
7	Efficacy of a feed additive consisting of nicarbazin (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2022, 20, e07162.	1.8	0
8	Safety and efficacy of a feed additive consisting of an essential oil from the flowers of <i>Cananga odorata</i> (Lam.) Hook.f. & Thomson (ylang ylang oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07159.	1.8	2
9	Safety and efficacy of a feed additive consisting of ferric citrate chelate (Clâ€FERâ„¢) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.). EFSA Journal, 2022, 20, e07155.	1.8	0
10	Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by <i>Escherichia coli</i> DSM 32731 for all terrestrial animal species (Biomim GmbH). EFSA Journal, 2022, 20, e07157.	1.8	1
11	Safety and efficacy of a feed additive consisting of <i>Propionibacterium freudenreichii</i> DSM 33189 and <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus buchneri</i>) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.). EFSA Journal, 2022, 20, e07151.	1.8	0
12	Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	1.8	0
13	Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH). EFSA Journal, 2022, 20, e07168.	1.8	0
14	Safety and efficacy of a feed additive consisting of lâ€valine produced by <i>Escherichia coli</i> CCTCC M2020321 for all animal species (Kempex Holland BV). EFSA Journal, 2022, 20, e07163.	1.8	1
15	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> NITE BPâ€01844 (BAâ€KINGâ€) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including nonâ€food producing species (Toa Biopharma Co., Ltd.). EFSA Journal, 2022, 20, e07152.	1.8	2
16	Safety and efficacy of a feed additive consisting of astaxanthinâ€rich <i>Phaffia rhodozyma</i> for salmon and trout (Igene Biotechnology, Inc.). EFSA Journal, 2022, 20, e07161.	1.8	0
17	Safety and efficacy of the feed additive consisting of <i>Lactobacillus acidophilus</i> CECT 4529 (<i>Lactobacillus acidophilus</i> D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l). EFSA Journal, 2022, 20, e07150.	1.8	0
18	Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH). EFSA Journal, 2022, 20, e07167.	1.8	1

#	ARTICLE	IF	CITATIONS
19	Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAI A). EFSA Journal, 2022, 20, e07164.	1.8	0
20	Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-1,2-dihydro-2,4-trimethylquinoline) for all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07166.	1.8	8
21	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Agathosma betulina</i> (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07160.	1.8	1
22	Efficacy of a feed additive consisting of endo- β -1,4-glucanase produced by <i>Trichoderma citrinoviride</i> (IMI SD 135) (HOSTAZYMA® X) for sows in order to have benefits in piglets (Huvepharma NV). EFSA Journal, 2022, 20, e07154.	1.8	0
23	Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2022, 20, e07165.	1.8	0
24	Safety and efficacy of the feed additives consisting of L-glutamic acid and monosodium L-glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> NITE BP-01681 for all animal species (METEX) Tj ETQq0 1 0.784314 rgBT /Overlock	1.8	0
25	Safety and efficacy of a feed additive consisting of an extract of olibanum from <i>Boswellia serrata</i> Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl). EFSA Journal, 2022, 20, e07158.	1.8	16
26	Safety and efficacy of a feed additive consisting of disodium 5'-inosinate (IMP) produced by <i>Corynebacterium stationis</i> KCCM 80235 for all animal species (CJ Europe GmbH). EFSA Journal, 2022, 20, e07153.	1.8	1
27	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock Journal, 2022, 20, e07149.	1.8	0
28	Isolation and phenotypic and genomic characterization of <i>Tetragenococcus</i> spp. from two Spanish traditional blue-veined cheeses made of raw milk. International Journal of Food Microbiology, 2022, 371, 109670.	4.7	15
29	Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	4
30	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07241.	1.8	1
31	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> ATCC PTA-6737 (<i>Bacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.). EFSA Journal, 2022, 20, e07244.	1.8	4
32	Safety of feed additives consisting of β -damascone [07.083] and (E)- β -damascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07248.	1.8	0
33	Safety and efficacy of a feed additive consisting of L-methionine produced by the combined activities of <i>Corynebacterium glutamicum</i> KCCM 80245 and <i>Escherichia coli</i> KCCM 80246 for all animal species (CJ) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	0
34	Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by <i>Escherichia coli</i> CGMCC 7.398 for all animal species (Kempex Holland B.V.). EFSA Journal, 2022, 20, e07246.	1.8	1
35	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07243.	1.8	1
36	Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07249.	1.8	2

#	ARTICLE	IF	CITATIONS
37	Safety and efficacy of a feed additive consisting of agar for pets and non-food-producing animals (Hispanagar). EFSA Journal, 2022, 20, e07284.	1.8	1
38	Safety and efficacy of a feed additive consisting of carrageenan for pets and other non-food-producing animals (Marinalg International). EFSA Journal, 2022, 20, e07285.	1.8	3
39	Safety and efficacy of a feed additive consisting of Enterococcus faecium NBIMCC 8270, Lactobacillus acidophilus NBIMCC 8242, Lactobacillus helveticus NBIMCC 8269, Lactobacillus delbrueckii ssp. lactis NBIMCC 8250, L. delbrueckii ssp. bulgaricus NBIMCC 8244 and Streptococcus thermophilus NBIMCC 8253 (Probiotic Lactina®) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.). EFSA Journal, 2022, 20, e07245.	1.8	2
40	Assessment of the feed additive consisting of naringin for all animal species for the renewal of its authorisation (HealthTech Bio Actives, S.L.U. (HTBA)). EFSA Journal, 2022, 20, .	1.8	1
41	Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE). EFSA Journal, 2022, 20, e07255.	1.8	1
42	Safety and efficacy of a feed additive consisting of lactic acid produced by Weizmannia coagulans (synonym Bacillus coagulans) DSM 32789 for all animal species except for fish (Jungbunzlauer SA). EFSA Journal, 2022, 20, e07268.	1.8	5
43	Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums). EFSA Journal, 2022, 20, e07252.	1.8	1
44	Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	1
45	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH). EFSA Journal, 2022, 20, e07286.	1.8	2
46	Safety and efficacy of a feed additive consisting of 6-phytase (produced by Komagataella phaffii DSM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 for breeding, weaned piglets, pigs for fattening and sows for the renewal of their authorisation and for the new use in breeding hens and turkeys, ornamental birds, suckling piglets and minor pig species for fattening and breeding (Huvepharma EOOd). EFSA Journal, 2022, 20, e07238.	1.8	1
47	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited). EFSA Journal, 2022, 20, e07287.	1.8	3
48	Safety and efficacy of a feed additive consisting of Sunset Yellow FCF for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents (Sensient Colours Europe GmbH). EFSA Journal, 2022, 20, e07266.	1.8	1
49	Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH). EFSA Journal, 2022, 20, e07269.	1.8	4
50	Safety and efficacy of a feed additive consisting of endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase produced with Talaromyces versatilis IMI 378536 and DSM 26702 (ROVABIO® ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S). EFSA Journal, 2022, 20, e07251.	1.8	2
51	Safety and efficacy of a feed additive consisting of Bacillus subtilis FERM BPâ€10862, Enterococcus lactis FERM BPâ€10867 and Clostridium butyricum FERM BPâ€10866 (BIOâ€THREEÂ) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, all avian species for rearing/fattening to slaughter and all avian species reared for laying or breeding to point of lay (TOA) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	2
52	Safety and efficacy of a feed additive consisting of Sepiolitic clay for all animal species (Mineria y) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0
53	Safety and efficacy of the feed additive consisting of 6-phytase (produced by Komagataella phaffii) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 and ornamental birds (Nutrex N.V.). EFSA Journal, 2022, 20, .	1.8	1
54	Biodiversity of exopolysaccharide-producing lactic acid bacteria from Iranian traditional Kishk and optimization of EPS yield by Enterococcus spp.. Food Bioscience, 2022, 49, 101869.	4.4	7

#	ARTICLE	IF	CITATIONS
55	Assessment of the efficacy of a feed additive consisting of <i>Limosilactobacillus reuteri</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	0
56	Alternatives to antibiotics and trace elements (copper and zinc) to improve gut health and zootechnical parameters in piglets: A review. <i>Animal Feed Science and Technology</i> , 2021, 271, 114727.	2.2	26
57	Assessment of the feed additive consisting of endo-1,4- β -xylanase produced by <i>Trichoderma reesei</i> CBS 114044 (ECONASE [®] XT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). <i>EFSA Journal</i> , 2021, 19, e06458.	1.8	4
58	Safety and efficacy of a feed additive consisting on <i>Propionibacterium freudenreichii</i> ssp. <i>shermanii</i> ATCC PTA [®] 6752 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021, 19, e06470.	1.8	3
59	Safety for the user of the feed additive consisting of ferric citrate chelate (Cl [®] FER [®] , [®]) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). <i>EFSA Journal</i> , 2021, 19, e06455.	1.8	1
60	Assessment of the feed additive consisting of <i>Enterococcus faecium</i> DSM 7134 (Bonvital [®]) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021, 19, e06451.	1.8	3
61	Microbial Interactions within the Cheese Ecosystem and Their Application to Improve Quality and Safety. <i>Foods</i> , 2021, 10, 602.	4.3	54
62	Safety and efficacy of the feed additive consisting of Vitamin B2/Riboflavin produced by <i>Eremothecium ashbyi</i> CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). <i>EFSA Journal</i> , 2021, 19, e06462.	1.8	3
63	Safety and efficacy of the feed additive consisting of <i>Bacillus licheniformis</i> DSM 28710 (B [®] Act [®]) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). <i>EFSA Journal</i> , 2021, 19, e06449.	1.8	2
64	Safety and efficacy of a feed additive consisting of serine protease produced by <i>Bacillus licheniformis</i> DSM 19670 (Ronozyme [®] ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). <i>EFSA Journal</i> , 2021, 19, e06448.	1.8	1
65	Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021, 19, e06468.	1.8	1
66	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). <i>EFSA Journal</i> , 2021, 19, e06447.	1.8	5
67	Safety and efficacy of a feed additive consisting of endo-1,4- β -xylanase produced by <i>Bacillus subtilis</i> LMG S [®] 15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). <i>EFSA Journal</i> , 2021, 19, e06456.	1.8	1
68	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). <i>EFSA Journal</i> , 2021, 19, e06454.	1.8	4
69	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablend [®] , [®]) Tj ETQq1 1 0.784314 rgBT /Overlock 3	1.8	3
70	Safety and efficacy of the additive consisting of muramidase produced by <i>Trichoderma reesei</i> DSM 32338 (Balancius [®] , [®]) for use in weaned piglets (DSM Nutritional products Ltd). <i>EFSA Journal</i> , 2021, 19, e06452.	1.8	0
71	Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021, 19, e06467.	1.8	6
72	Safety and efficacy of a feed additive consisting on <i>Ligilactobacillus animalis</i> ATCC PTA [®] 6750 (formerly) Tj ETQq0,0,0 rgBT /Overlock 1	1.8	0

#	ARTICLE	IF	CITATIONS
73	Safety and efficacy of a feed additive consisting of a dried extract from <i>Garcinia gummi-gutta</i> (L.) Roxb. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06444.	1.8	3
74	Efficacy of the feed additive consisting of decoquinatate (Deccox®) for use in chickens for fattening (Zoetis Belgium SA). EFSA Journal, 2021, 19, e06453.	1.8	2
75	Safety and efficacy of a feed additive consisting of the seed husk of <i>Plantago ovata</i> Forssk. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06445.	1.8	0
76	Safety and efficacy of the feed additive consisting of <i>Clostridium butyricum</i> FERM BP-2789 (Miyahara Gold®) for use in breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Miyarisan Pharmaceutical Co. Ltd.). EFSA Journal, 2021, 19, e06450.	1.8	2
77	Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM®) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). EFSA Journal, 2021, 19, e06457.	1.8	1
78	Safety and efficacy of feed additives consisting of dried extracts from <i>Echinacea angustifolia</i> DC. or <i>Echinacea purpurea</i> (L.) Moench for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06446.	1.8	0
79	Safety and efficacy of the feed additive consisting of L-tryptophan produced by <i>Escherichia coli</i> KCCM 80210 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06425.	1.8	1
80	Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32324 for all animal species (Chr.) for use in breeding and fattening of turkeys and chickens.	1.8	0
81	Safety and efficacy of a feed additive consisting of L-valine produced by <i>Corynebacterium glutamicum</i> DSM 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). EFSA Journal, 2021, 19, e06521.	1.8	1
82	Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32325 for all animal species (Chr.) for use in breeding and fattening of turkeys and chickens.	1.8	0
83	Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix® Z) for all avian species other than laying birds (Novus Europe S.A. / N.V.). EFSA Journal, 2021, 19, e06528.	1.8	2
84	Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Arctium lappa</i> L. (A. lappa dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06527.	1.8	1
85	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> PTA-6507, <i>B. velezensis</i> NRRL B-50013 and <i>B. velezensis</i> NRRL B-50104 (Enviva® PRO 202 GT) for turkeys for fattening (Danisco Animal Nutrition).	1.8	1
86	Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06541.	1.8	1
87	Safety and efficacy of a feed additive consisting of endo-1,4- α -xylanase (ECONASE® XT) produced by <i>Trichoderma reesei</i> CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Oy). EFSA Journal, 2021, 19, e06536.	1.8	1
88	Assessment of a feed additive consisting of α -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). EFSA Journal, 2021, 19, e06533.	1.8	8
89	Assessment of a feed additive consisting of α -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). EFSA Journal, 2021, 19, e06529.	1.8	2
90	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from <i>Citrus limon</i> (L.) Osbeck and of lime oil from <i>Citrus aurantiifolia</i> (Christm.) Swingle for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06548.	1.8	19

#	ARTICLE	IF	CITATIONS
91	Safety and efficacy of a feed additive consisting of a tincture derived from roots of <i>Gentiana lutea</i> L. (gentian tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06547.	1.8	6
92	Safety and efficacy of an additive consisting of synthetic vitamin K1 (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). EFSA Journal, 2021, 19, e06538.	1.8	1
93	Assessment of a feed additive consisting of all- <i>rac</i> - α -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). EFSA Journal, 2021, 19, e06531.	1.8	1
94	Assessment of a feed additive consisting of all- <i>rac</i> - α -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPE-ASIA Import Export GmbH). EFSA Journal, 2021, 19, e06530.	1.8	2
95	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2021, 19, e06545.	1.8	1
96	Safety and efficacy of the feed additive consisting of endo- β -xylanase produced by <i>Trichoderma reesei</i> CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	1
97	Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Panax ginseng</i> C.A. Meyer (P. ginseng dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06526.	1.8	0
98	Safety and efficacy of a feed additive consisting of a dried extract from the leaves of <i>Ginkgo biloba</i> L. (G. biloba dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06525.	1.8	2
99	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE [®] , Chromium) for all growing poultry species (Kemin Europa NV). EFSA Journal, 2021, 19, e06546.	1.8	0
100	Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06540.	1.8	1
101	Safety of the feed additives consisting of L-lysine monohydrochloride and L-lysine sulfate produced by <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species (Kempex Holland B. V.). EFSA Journal, 2021, 19, e06520.	1.8	2
102	Assessment of a feed additive consisting of all- <i>rac</i> - α -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). EFSA Journal, 2021, 19, e06532.	1.8	2
103	Safety and efficacy of an additive consisting of <i>Bacillus amyloliquefaciens</i> DSM 25840 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06522.	1.8	0
104	Safety and efficacy of the feed additives concentrated liquid L-lysine (base) and L-lysine monohydrochloride produced by <i>Corynebacterium glutamicum</i> KCCM 80183 for all animal species (CJ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	1
105	Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). EFSA Journal, 2021, 19, e06621.	1.8	1
106	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting <i>Salmonella Gallinarum</i> B/00111 (Bafasal [®]) for all avian species (Proteon Pharmaceuticals S.A.). EFSA Journal, 2021, 19, e06534.	1.8	7
107	Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). EFSA Journal, 2021, 19, e06618.	1.8	0
108	Efficacy of the feed additive containing <i>Companilactobacillus farciminis</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 (ChemVet dk A/S). EFSA Journal, 2021, 19, e06627.	1.8	1

#	ARTICLE	IF	CITATIONS
109	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	3
110	Safety and efficacy of a feed additive consisting of L-histidine monohydrochloride monohydrate produced using <i>Escherichia coli</i> NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). EFSA Journal, 2021, 19, e06622.	1.8	1
111	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Citrus aurantium</i> L. (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06624.	1.8	2
112	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0
113	Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Kronos) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	6
114	Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmoralkwerk Troesch GmbH & Co. KG). EFSA Journal, 2021, 19, e06616.	1.8	0
115	Safety and efficacy of an additive consisting of potassium diformate (Formiâ, c LHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). EFSA Journal, 2021, 19, e06617.	1.8	2
116	Safety and efficacy of a feed additive consisting of acetic acid for all animal species. EFSA Journal, 2021, 19, e06615.	1.8	6
117	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of <i>Litsea cubeba</i> (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06623.	1.8	4
118	Safety and efficacy of a feed additive consisting of disodium 5-â€™-guanylate produced with <i>Corynebacterium stationis</i> KCCM 10530 and <i>Escherichia coli</i> Kâ€™12 KFCC 11067 for all animal species (C) Tj ETQq0 0 0 rgBTi /Overlock	1.8	0
119	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	0
120	Safety and efficacy of a feed additive consisting on <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). EFSA Journal, 2021, 19, e06631.	1.8	2
121	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of <i>Citrus reticulata</i> Blanco for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06625.	1.8	3
122	Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	1.8	1
123	Heterologous expression of equol biosynthesis genes from <i>Adlercreutzia equolifaciens</i> . FEMS Microbiology Letters, 2021, 368, .	1.8	11
124	Safety and efficacy of the feed additive consisting of <i>Bacillus velezensis</i> CECT 5940 (Ecobiol®) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). EFSA Journal, 2021, 19, e06620.	1.8	1
125	Safety and efficacy of feed additives consisting of Vitamin B2 (98%) and Vitamin B2 (80%) as riboflavin produced by <i>Bacillus subtilis</i> KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co.) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	0
126	Assessment of a feed additive consisting of vitamin B6 (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). EFSA Journal, 2021, 19, e06612.	1.8	0

#	ARTICLE	IF	CITATIONS
127	Directed Recovery and Molecular Characterization of Antibiotic Resistance Plasmids from Cheese Bacteria. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7801.	4.1	6
128	Safety of a feed additive consisting of a tincture derived from <i>Verbascum thapsus</i> L. (great mullein) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td	1.8	0
129	Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by <i>Corynebacterium glutamicum</i> KCCM 80227 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021, 19, e06706.	1.8	4
130	Assessment of the feed additive consisting of <i>Pediococcus pentosaceus</i> DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021, 19, e06713.	1.8	1
131	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 547 Td	1.8	3
132	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td	1.8	2
133	Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 547 Td	1.8	19
134	Safety and efficacy of a feed additive consisting of <i>Lacticaseibacillus rhamnosus</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td	1.8	2
135	Assessment of the feed additive consisting of <i>Pediococcus acidilactici</i> DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , 2021, 19, e06697.	1.8	1
136	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507024 for all animal species (ALLTECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021, 19, e06701.	1.8	1
137	Impact of Dietary Isoflavone Supplementation on the Fecal Microbiota and Its Metabolites in Postmenopausal Women. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7939.	2.6	7
138	Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of <i>Citrus aurantium</i> L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021, 19, e06709.	1.8	6
139	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). <i>EFSA Journal</i> , 2021, 19, e06698.	1.8	0
140	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). <i>EFSA Journal</i> , 2021, 19, e06714.	1.8	1
141	Safety and efficacy of an additive consisting of xanthan gum produced by <i>Xanthomonas campestris</i> strains for all animal species (Biopolymer International). <i>EFSA Journal</i> , 2021, 19, e06710.	1.8	2
142	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for cats and dogs (Prosol S.p.A.). <i>EFSA Journal</i> , 2021, 19, e06699.	1.8	1
143	Safety for the environment of a feed additive consisting of nicarbazin (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). <i>EFSA Journal</i> , 2021, 19, e06715.	1.8	1
144	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td	1.8	3

#	ARTICLE	IF	CITATIONS
145	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507025 for all animal species (Alltech Technology (Ireland) Limited [Alltech Ireland]). EFSA Journal, 2021, 19, e06702.	1.8	1
146	Evaluation of antioxidant, antibacterial and cytotoxicity activities of exopolysaccharide from <i>Enterococcus</i> strains isolated from traditional Iranian Kishk. Journal of Food Measurement and Characterization, 2021, 15, 5221-5230.	3.2	21
147	Editorial: Microbiological Safety and Quality Aspects of Fermented Dairy Products. Frontiers in Microbiology, 2021, 12, 735560.	3.5	1
148	Guidance on the renewal of the authorisation of feed additives. EFSA Journal, 2021, 19, e06340.	1.8	50
149	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of <i>Melissa officinalis</i> L. for all animal species (NorFeed SAS). EFSA Journal, 2021, 19, e06904.	1.8	0
150	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td e06898.	1.8	0
151	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06896.	1.8	0
152	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06897.	1.8	0
153	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). EFSA Journal, 2021, 19, e06892.	1.8	0
154	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06895.	1.8	0
155	Safety and efficacy of a feed additive consisting of endo-1,4-xylanase produced by <i>Bacillus subtilis</i> LMG Sâ€27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). EFSA Journal, 2021, 19, e06906.	1.8	0
156	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin®) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). EFSA Journal, 2021, 19, e06903.	1.8	2
157	Assessment of the feed additive consisting of sodium benzoate (Protural®) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). EFSA Journal, 2021, 19, e06899.	1.8	0
158	Assessment of the feed additive consisting of <i>Levilactobacillus brevis</i> (formerly <i>Lactobacillus brevis</i>) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06900.	1.8	1
159	Safety and efficacy of a feed additive consisting of <i>Lactiseibacillus rhamnosus</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06901.	1.8	3
160	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. EFSA Journal, 2021, 19, e06894.	1.8	0
161	Safety and efficacy of a feed additive consisting of an aqueous extract of <i>Citrus limon</i> (L.) Osbeck (lemon extract) for use in all animal species (NorFeed SAS). EFSA Journal, 2021, 19, e06893.	1.8	4
162	Assessment of the feed additive consisting of <i>Lactiseibacillus paracasei</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0

#	ARTICLE	IF	CITATIONS
163	Safety and efficacy of a feed additive consisting of <i>Bacillus subtilis</i> strains CNCM 4606, CNCM 5043 and CNCM 4607 and <i>Lactococcus lactis</i> CNCM 4609 for all animal species (Nolivade). EFSA Journal, 2021, 19, e06907.	1.8	2
164	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from <i>Citrus sinensis</i> (L.) Osbeck for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06891.	1.8	1
165	Safety and efficacy of a feed additive consisting of 3-nitrooxypropanol (Bovaer® 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). EFSA Journal, 2021, 19, e06905.	1.8	5
166	Assessment of a feed additive consisting of all-rac- α -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06974.	1.8	3
167	Safety and efficacy of a feed additive consisting of Allura Red AC for small non-food-producing mammals and ornamental birds (VerseleLaga). EFSA Journal, 2021, 19, e06987.	1.8	0
168	Safety and efficacy of a feed additive consisting of β -galactosidase (produced by <i>Aspergillus tubingensis</i>) Tj ETQq0 0 0 rgBT /Overlock	1.8	0
169	Safety and efficacy of a feed additive consisting of α -isoleucine produced by <i>Corynebacterium glutamicum</i> KCCM 80185 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06977.	1.8	1
170	Safety and efficacy of a feed additive consisting of α -lysine monohydrochloride and α -lysine sulfate produced by <i>Corynebacterium glutamicum</i> CGMCC 14498 for all animal species (Kempex Holland BV). EFSA Journal, 2021, 19, e06980.	1.8	0
171	Safety and efficacy of the feed additive consisting of selenium-enriched yeast (<i>Saccharomyces</i>) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	1
172	Safety and efficacy of a feed additive consisting of monosodium α -glutamate produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80187 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06982.	1.8	0
173	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous) Tj ETQq1 1 0.784314 rgBT /Ov	1.8	1
174	Safety and efficacy of a feed additive consisting of a tincture from the bark of <i>Cinnamomum verum</i> J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06986.	1.8	3
175	Fermented foods in a global age: East meets West. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020, 19, 184-217.	11.7	312
176	Safety and efficacy of monosodium α -glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> KCCM 80188 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06085.	1.8	4
177	Technological characteristics of <i>Lactobacillus</i> spp. isolated from Iranian raw milk Motal cheese. <i>LWT - Food Science and Technology</i> , 2020, 133, 110070.	5.2	11
178	Safety and efficacy of STENOROL® (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. EFSA Journal, 2020, 18, e06169.	1.8	2
179	Safety and efficacy of Sorbiflore® ADVANCE (<i>Lactobacillus rhamnosus</i> CNCM 3698 and <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Ov	1.8	3
180	Safety and efficacy of Correlink®, ABS747 <i>Bacillus subtilis</i> (<i>Bacillus velezensis</i> NRRL B67257) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06278.	1.8	3

#	ARTICLE	IF	CITATIONS
181	Safety and efficacy of <i>Bacillus subtilis</i> PB6 (<i>Bacillus velezensis</i> ATCC PTA 6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. EFSA Journal, 2020, 18, e06280.	1.8	7
182	Assessment of the application for renewal of authorisation of Biosprint [®] (<i>Saccharomyces cerevisiae</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tt	1.8	2
183	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. EFSA Journal, 2020, 18, e06064.	1.8	3
184	Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B6) as a feed additive for all animal species. EFSA Journal, 2020, 18, e06289.	1.8	1
185	Safety and efficacy of vermiculite as a feed additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06160.	1.8	3
186	Safety of a tincture derived from <i>Artemisia vulgaris</i> L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06206.	1.8	0
187	Safety and efficacy of Aextra [®] XAP 104 TPT (endo-1,4-xylanase, protease and alpha-amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. EFSA Journal, 2020, 18, e06165.	1.8	1
188	Safety and efficacy of l-lysine sulfate produced by fermentation using <i>Corynebacterium glutamicum</i> KFCC 11043 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06203.	1.8	9
189	Safety and efficacy of <i>Lactobacillus parafarraginis</i> DSM 32962 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06201.	1.8	12
190	Safety and efficacy of BioWorma [®] (<i>Duddingtonia flagrans</i> NCIMB 30336) as a feed additive for all grazing animals. EFSA Journal, 2020, 18, e06208.	1.8	5
191	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06211.	1.8	16
192	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06214.	1.8	6
193	Safety and efficacy of ethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06210.	1.8	5
194	Safety and efficacy of montmorillonite illite (FIMIX 1g557) for all animal species. EFSA Journal, 2020, 18, e06095.	1.8	0
195	Safety and efficacy of Avatec [®] 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2020, 18, e06202.	1.8	3
196	Safety of 3-phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. EFSA Journal, 2020, 18, e06205.	1.8	3
197	Safety and efficacy of hydroxypropyl cellulose for all animal species. EFSA Journal, 2020, 18, e06213.	1.8	1
198	Safety and efficacy of OptiPhos [®] PLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. EFSA Journal, 2020, 18, e06204.	1.8	3

#	ARTICLE	IF	CITATIONS
199	Safety and efficacy of microcrystalline cellulose for all animal species. EFSA Journal, 2020, 18, e06209.	1.8	4
200	Safety and efficacy of methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06212.	1.8	6
201	Safety of ammonium formate (E295) for all animal species. EFSA Journal, 2020, 18, e06076.	1.8	0
202	Safety and efficacy of L-tryptophan produced by fermentation with Escherichia coli KCCM 10534 for all animal species. EFSA Journal, 2020, 18, e06071.	1.8	1
203	Assessment of the application for renewal of authorisation of L-histidine monohydrochloride monohydrate produced with Escherichia coli NITE SD 00268 for salmonids and its extension of use to other fin fish. EFSA Journal, 2020, 18, e06072.	1.8	2
204	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2020, 18, e06162.	1.8	0
205	Safety and efficacy of fumonisin esterase from Komagataella phaffii DSM 32159 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06207.	1.8	8
206	Safety and efficacy of Sorbiflore® ADVANCE (Lactobacillus rhamnosus CNCM 3698 and Lactobacillus Tj ETQq 0.003) for laying/breeding. EFSA Journal, 2020, 18, e06203.	1.8	3
207	Safety and efficacy of L-valine produced by fermentation using Corynebacterium glutamicum CGMCC 7.358 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06286.	1.8	2
208	Safety and efficacy of Bonvital® (Enterococcus faecium DSM 7134) as a feed additive for laying hens. EFSA Journal, 2020, 18, e06277.	1.8	2
209	Safety and efficacy of concentrated liquid L-lysine (base) and L-lysine monohydrochloride produced by fermentation with Corynebacterium casei KCCM 80190 as feed additives for all animal species. EFSA Journal, 2020, 18, e06285.	1.8	6
210	Safety of methanethiol [12.003] when used as a feed additive for all animal species. EFSA Journal, 2020, 18, e06288.	1.8	1
211	Safety and efficacy of Correlink®, ABS1781 Bacillus subtilis (Bacillus velezensis NRRL B67259) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06279.	1.8	2
212	Safety and Efficacy of L-histidine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80212 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06287.	1.8	1
213	Draft Genome Sequence of Adlercreutzia equolifaciens IPLA 37004, a Human Intestinal Strain That Does Not Produce Equol from Daidzein. Microbiology Resource Announcements, 2020, 9, .	0.6	2
214	Safety and efficacy of Nimicoat® (carvacrol) as a zootechnical additive for weaned piglets. EFSA Journal, 2020, 18, e06070.	1.8	2
215	Safety and efficacy of GalliPro® Fit (Bacillus subtilis DSM 32324, Bacillus subtilis DSM 32325 and) Tj ETQq 1.0784314 for laying/breeding. EFSA Journal, 2020, 18, e06094.	1.8	4
216	Safety and efficacy of Lactobacillus rhamnosus CNCM 3698 and Lactobacillus farciminis CNCM 3699 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06082.	1.8	5

#	ARTICLE	IF	CITATIONS
217	Safety and efficacy of Biacton® (Lactobacillus farciminis CNCM 13740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. EFSA Journal, 2020, 18, e06083.	1.8	2
218	Safety and efficacy of propyl gallate for all animal species. EFSA Journal, 2020, 18, e06069.	1.8	5
219	Safety and efficacy of l-valine produced by fermentation using Escherichia coli KCCM 80159 for all animal species. EFSA Journal, 2020, 18, e06074.	1.8	4
220	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06137.	1.8	0
221	Safety and efficacy of OptiPhos® PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. EFSA Journal, 2020, 18, e06141.	1.8	3
222	Safety and efficacy of dry grape extract 6020™ when used as feed flavouring for dogs. EFSA Journal, 2020, 18, e06067.	1.8	0
223	Safety and efficacy of Capsozyme SB Plus (α-galactosidase and endo-1,4-xylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06086.	1.8	1
224	Safety and efficacy of Biacton® (Lactobacillus farciminis CNCM 13740) as a feed additive for weaned piglets. EFSA Journal, 2020, 18, e06084.	1.8	0
225	Statement on the safety and efficacy of perlite for ruminants and poultry. EFSA Journal, 2020, 18, e06138.	1.8	2
226	Safety and efficacy of a dried aqueous ethanol extract of Melissa officinalis L. leaves when used as a sensory additive for all animal species. EFSA Journal, 2020, 18, e06016.	1.8	2
227	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using Corynebacterium glutamicum CGMCC 7.266 for all animal species. EFSA Journal, 2020, 18, e06019.	1.8	8
228	Safety and efficacy of l-isoleucine produced by fermentation with Corynebacterium glutamicum KCCM 80189 for all animal species. EFSA Journal, 2020, 18, e06021.	1.8	4
229	Modulation of equol production via different dietary regimens in an artificial model of the human colon. Journal of Functional Foods, 2020, 66, 103819.	3.4	9
230	Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06001.	1.8	1
231	Safety and efficacy of 4-phenylbut-3-en-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. EFSA Journal, 2020, 18, e06017.	1.8	3
232	Safety of lignosulphonate for all animal species. EFSA Journal, 2020, 18, e06000.	1.8	0
233	Safety and efficacy of l-tryptophan produced by fermentation using Escherichia coli CGMCC 7.267 for all animal species. EFSA Journal, 2020, 18, e06013.	1.8	1
234	Safety and efficacy of l-cystine produced using Pantoea ananatis strain NITE BP02525 for all animal species. EFSA Journal, 2020, 18, e06020.	1.8	0

#	ARTICLE	IF	CITATIONS
235	Assessment of the application for renewal of authorisation of l-iso-leucine produced by <i>Escherichia coli</i> FERM ABP-10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. <i>EFSA Journal</i> , 2020, 18, e06022.	1.8	0
236	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). <i>EFSA Journal</i> , 2020, 18, e06023.	1.8	1
237	Safety and efficacy of ProEquo [®] (<i>Lactobacillus plantarum</i> DSM 11520) as a feed additive for horses. <i>EFSA Journal</i> , 2020, 18, e06143.	1.8	1
238	Safety and efficacy of STABILFLORA [®] as a zootechnical feed additive for pigs for fattening. <i>EFSA Journal</i> , 2020, 18, e06145.	1.8	0
239	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from <i>Curcuma longa</i> L. rhizome when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020, 18, e06146.	1.8	5
240	Safety and efficacy of TechnoSpore [®] (<i>Bacillus coagulans</i> DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. <i>EFSA Journal</i> , 2020, 18, e06158.	1.8	1
241	Safety and efficacy of OptiPhos [®] PLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. <i>EFSA Journal</i> , 2020, 18, e06161.	1.8	1
242	Safety of l-tryptophan produced using <i>Escherichia coli</i> CGMCC 11674 for all animal species. <i>EFSA Journal</i> , 2020, 18, e06168.	1.8	1
243	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020, 18, e06077.	1.8	1
244	Metabolism of Soy Isoflavones by Intestinal Bacteria: Genome Analysis of an <i>Adlercreutzia equolifaciens</i> Strain That Does Not Produce Equol. <i>Biomolecules</i> , 2020, 10, 950.	4.0	11
245	Safety and efficacy of APSA PHYTAFEED [®] (6 phytase) as a feed additive for laying hens and other laying birds. <i>EFSA Journal</i> , 2020, 18, e06142.	1.8	1
246	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2020, 18, e06164.	1.8	1
247	Safety and efficacy of FSF10000 and FLF1000 (3 phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2020, 18, e06015.	1.8	1
248	Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020, 18, e06139.	1.8	0
249	Safety and efficacy of IMP (disodium 5-inosinate) produced by fermentation with <i>Corynebacterium stationis</i> KCCM 80161 for all animal species. <i>EFSA Journal</i> , 2020, 18, e06140.	1.8	3
250	Safety and efficacy of essential oil, oleoresin and tincture from <i>Zingiber officinale</i> Roscoe when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020, 18, e06147.	1.8	3
251	Antibiotic Resistance-Susceptibility Profiles of <i>Enterococcus faecalis</i> and <i>Streptococcus</i> spp. From the Human Vagina, and Genome Analysis of the Genetic Basis of Intrinsic and Acquired Resistances. <i>Frontiers in Microbiology</i> , 2020, 11, 1438.	3.5	12
252	Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by <i>Saccharomyces cerevisiae</i> CNCM 13399 for all animal species. <i>EFSA Journal</i> , 2020, 18, e06144.	1.8	0

#	ARTICLE	IF	CITATIONS
253	Safety and efficacy of DSPÂ® (Na2EDTA, tanninâ€rich extract of Castanea sativa, thyme oil and origanum) Tj ETQq1 1 0.784314 rgBT / Overlock 10 TF	1.8	2
254	Assessment of the application for renewal of the authorisation of Pediococcus pentosaceus DSM 16244 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06166.	1.8	5
255	Safety and efficacy of a dried aqueous ethanol extract of leaves from Olea europaea L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06018.	1.8	0
256	Safety and efficacy of AvailaÂ®Cr (chromium chelate of DLâ€methionine) as a feed additive for dairy cows. EFSA Journal, 2020, 18, e06026.	1.8	5
257	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06012.	1.8	0
258	Safety and efficacy of APSA PHYTAFEEDÂ® 20,000 GR/L (6â€phytase) as a feed additive for pigs for fattening. EFSA Journal, 2020, 18, e05979.	1.8	3
259	Characterization of Lactococcus strains isolated from artisanal Oaxaca cheese. LWT - Food Science and Technology, 2020, 122, 109041.	5.2	11
260	Statement on the safety and efficacy of Shellac for all animal species. EFSA Journal, 2020, 18, e06065.	1.8	1
261	Safety and efficacy of lâ€glutamine produced using Corynebacterium glutamicum NITE BPâ€02524 for all animal species. EFSA Journal, 2020, 18, e06075.	1.8	5
262	Antibiotic Susceptibility Profiles of Lactic Acid Bacteria from the Human Vagina and Genetic Basis of Acquired Resistances. International Journal of Molecular Sciences, 2020, 21, 2594.	4.1	31
263	Safety and efficacy of lâ€cysteine hydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80180 and Escherichia coli KCCM 80181 as a flavouring additive for all animal species. EFSA Journal, 2020, 18, e06003.	1.8	1
264	Assessment of the application for renewal of the authorisation of AmafermÂ® (fermentation product) Tj ETQq0 0 0 rgBT / Overlock 10 TF	1.8	3
265	Assessment of the application for renewal of authorisation of EcobiolÂ® (Bacillus amyloliquefaciens) Tj ETQq1 1 0.784314 rgBT / Overlock 10 TF for laying. EFSA Journal, 2020, 18, e06014.	1.8	3
266	Safety and efficacy of octâ€1,1â€enâ€3â€ol, pentâ€1,1â€enâ€3â€ol, octâ€1,1â€enâ€3â€one, octâ€1,1â€enâ€3â€yl acetate, isopulegol and 5â€methylheptâ€2â€enâ€4â€one, belonging to chemical group 5 and of isopulegone and lâ€damascone belonging to chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2020, 18, e06002.	1.8	4
267	Assessment of the application for renewal of authorisation of Formiâ€, LHS (potassium diformate) for sows. EFSA Journal, 2020, 18, e06024.	1.8	3
268	Safety and efficacy of NatugrainÂ® TS/TS L (endoâ€1,4â€betaâ€xylanase and endoâ€1,4â€betaâ€glucanase) as a feed additive for sows. EFSA Journal, 2020, 18, e06025.	1.8	1
269	Safety and efficacy of AvizymeÂ® 1505 (endoâ€1,4â€betaâ€xylanase, subtilisin and alphaâ€amylase) for all poultry species. EFSA Journal, 2020, 18, e06027.	1.8	0
270	Safety and efficacy of lâ€lysine monohydrochloride produced by fermentation with Corynebacterium glutamicum DSM 32932 for all animal species. EFSA Journal, 2020, 18, e06078.	1.8	8

#	ARTICLE	IF	CITATIONS
271	Assessment of the application for renewal of the authorisation of Calsporin® (Bacillus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 507	1.8	4
272	Safety and efficacy of l-cysteine monohydrochloride and concentrated liquid l-cysteine (base) produced by fermentation with <i>Corynebacterium glutamicum</i> KCTC 12307BP as feed additives for all animal species. EFSA Journal, 2020, 18, e06333.	1.8	5
273	Safety of potassium diformate (Formiã,ç LHS) as a feed additive for sows, from ADDCON EUROPE GmbH. EFSA Journal, 2020, 18, e06339.	1.8	4
274	Assessment of the application for renewal of authorisation of AveMix® XG 10 (endo-1,4-β-D-glucanase) Tj ETQq0 0 0 rgBT /Overlock 0	1.8	0
275	Assessment of the application for renewal of the authorisation of Actisaf® Sc 47 (<i>Saccharomyces</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1	1.8	1
276	Safety and efficacy of <i>Lactobacillus buchneri</i> DSM 29026 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06159.	1.8	1
277	Safety and efficacy of l-cysteine monohydrochloride and concentrated liquid l-cysteine (base) produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80216 as feed additive for all animal species. EFSA Journal, 2020, 18, e06334.	1.8	1
278	Safety of vitamin B12 (in the form of cyanocobalamin) produced by <i>Ensifer adhaerens</i> CNCM 5541 for all animal species. EFSA Journal, 2020, 18, e06335.	1.8	1
279	Safety and efficacy of l-threonine produced using <i>Escherichia coli</i> CGMCC 13325 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06332.	1.8	0
280	Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06337.	1.8	0
281	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. EFSA Journal, 2020, 18, e06338.	1.8	1
282	Assessment of the application for renewal of authorisation of endo-1,4-β-D-glucanase produced by <i>Aspergillus niger</i> CBS 109.713 and endo-1,4-β-D-glucanase produced by <i>Aspergillus niger</i> DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. EFSA Journal, 2020, 18, e06331.	1.8	0
283	Assessment of the application for renewal of authorisation of 6-phytase produced by <i>Trichoderma reesei</i> CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. EFSA Journal, 2020, 18, e06336.	1.8	0
284	Efficacy of Cygro® 10G (maduramicin ammonium) for turkeys. EFSA Journal, 2020, 18, e06079.	1.8	2
285	Safety and efficacy of l-cysteine monohydrochloride monohydrate produced by fermentation using <i>Escherichia coli</i> KCCM 80109 and <i>Escherichia coli</i> KCCM 80197 for all animal species. EFSA Journal, 2020, 18, e06101.	1.8	1
286	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. EFSA Journal, 2020, 18, e06066.	1.8	0
287	Assessment of the application for renewal of authorisation of AviPlus® as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. EFSA Journal, 2020, 18, e06063.	1.8	1
288	Safety and efficacy of Panavital feed (d-glyceric acid) for chickens for fattening. EFSA Journal, 2020, 18, e06068.	1.8	0

#	ARTICLE	IF	CITATIONS
289	Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06281.	1.8	1
290	Safety and efficacy of Nutrase P (6-phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06282.	1.8	1
291	Safety and efficacy of sodium selenate as feed additive for ruminants. EFSA Journal, 2019, 17, e05788.	1.8	2
292	Safety and efficacy of Bergazym [®] P100 (endo-1,4-xyylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. EFSA Journal, 2019, 17, e05781.	1.8	0
293	Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05782.	1.8	3
294	Safety and efficacy of L-histidine monohydrochloride monohydrate produced using Corynebacterium glutamicum KCCM 80172 for all animal species. EFSA Journal, 2019, 17, e05783.	1.8	5
295	Safety and efficacy of L-histidine monohydrochloride monohydrate produced using Corynebacterium glutamicum KCCM 80179 for all animal species. EFSA Journal, 2019, 17, e05784.	1.8	2
296	Safety and efficacy of Natuphos [®] E (6-phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. EFSA Journal, 2019, 17, e05789.	1.8	1
297	Efficacy of Bacillus subtilis DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. EFSA Journal, 2019, 17, e05793.	1.8	2
298	Safety of an essential oil from Origanum vulgare subsp. hirtum (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05794.	1.8	4
299	Safety and efficacy of AviPlus [®] as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. EFSA Journal, 2019, 17, e05795.	1.8	1
300	Assessment of the application for renewal of authorisation of L-arginine produced by fermentation using Corynebacterium glutamicum NITE SD 00285 for all animal species. EFSA Journal, 2019, 17, e05720.	1.8	1
301	Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. EFSA Journal, 2019, 17, e05722.	1.8	0
302	Modification of the conditions of the authorisation of BioPlus [®] 2B (Bacillus licheniformis DSM 5749) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.8	1
303	Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. EFSA Journal, 2019, 17, e05728.	1.8	6
304	Safety and efficacy of L-tryptophan produced by fermentation with Corynebacterium glutamicum KCCM 80176 for all animal species. EFSA Journal, 2019, 17, e05729.	1.8	6
305	Safety and efficacy of FRA [®] Octazyme C Dry (endo-1,4-xyylanase, mannan-endo-1,4-mannosidase, α -amylase,) Tj ET	1.8	1
306	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05792.	1.8	3

#	ARTICLE	IF	CITATIONS
307	Safety and efficacy of Biomin [®] DC [®] P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. EFSA Journal, 2019, 17, e05724.	1.8	4
308	Safety and efficacy of L-histidine monohydrochloride monohydrate produced by fermentation with Escherichia coli (NITE BP [®] 02526) for all animal species. EFSA Journal, 2019, 17, e05785.	1.8	2
309	Safety and efficacy of Bacillus licheniformis DSM 32457 as a silage additive for all animal species. EFSA Journal, 2019, 17, e05787.	1.8	2
310	Safety and efficacy of 3 [®] phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. EFSA Journal, 2019, 17, e05791.	1.8	3
311	Safety and efficacy of a tincture derived from Artemisia vulgaris L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05879.	1.8	2
312	Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban [®] G160 (narasin and nicarbazin) for chickens for fattening. EFSA Journal, 2019, 17, e05786.	1.8	4
313	Safety and efficacy of RONOZYME [®] WX CT/L (endo [®] 1,4 [®] xylanase) as a feed additive for sows for reproduction. EFSA Journal, 2019, 17, e05790.	1.8	1
314	Equol: A Bacterial Metabolite from The Daidzein Isoflavone and Its Presumed Beneficial Health Effects. Nutrients, 2019, 11, 2231.	4.1	227
315	Safety and efficacy of Beltherm MP/ML (endo [®] 1,4 [®] beta [®] xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2019, 17, e05609.	1.8	2
316	Safety and efficacy of Robenz [®] 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. EFSA Journal, 2019, 17, e05613.	1.8	3
317	Safety and efficacy of L-tryptophan produced by fermentation with Escherichia coli KCCM 80135 for all animal species. EFSA Journal, 2019, 17, e05694.	1.8	5
318	Safety and efficacy of L-tryptophan produced by fermentation with Escherichia coli KCCM 80152 for all animal species. EFSA Journal, 2019, 17, e05695.	1.8	5
319	Assessment of the application for renewal of authorisation of Lantharenol [®] (lanthanum carbonate) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	1.8	1
320	Safety and efficacy of Hemicell [®] L (endo [®] 1,4 [®] mannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05641.	1.8	0
321	Safety and efficacy of muramidase from Trichoderma reesei DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. EFSA Journal, 2019, 17, e05686.	1.8	2
322	Assessment of the application for renewal of authorisation of Bactocell [®] (Pediococcus acidilactici) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 laying and its extension of use to all growing pigs and all avian species. EFSA Journal, 2019, 17, e05690.	1.8	5
323	Safety and efficacy of APSA PHYTAFEED [®] 20,000 GR/L (6 [®] phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. EFSA Journal, 2019, 17, e05692.	1.8	6
324	Safety and efficacy of Levucell [®] SB (Saccharomyces cerevisiae CNCM 1079) as a feed additive for turkeys for fattening. EFSA Journal, 2019, 17, e05693.	1.8	1

#	ARTICLE	IF	CITATIONS
325	Assessment of the application for renewal of authorisation of PHYZYME [®] XP 5000 G/L (6 α -phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. EFSA Journal, 2019, 17, e05701.	1.8	2
326	Assessment of the application for renewal of the authorisation of PHYZYME [®] XP 10000 TPT/L (6 α -phytase) as a feed additive for all avian species and all swine species. EFSA Journal, 2019, 17, e05702.	1.8	1
327	Assessment of the application for renewal of authorisation of Biosprint [®] (Saccharomyces cerevisiae) Tj ETQq1 1 0,784314 gBT /Over	1.8	1
328	Safety and efficacy of an essential oil from Elettaria cardamomum (L.) Maton when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05721.	1.8	5
329	Safety and efficacy of Levucell SC [®] (Saccharomyces cerevisiae CNCM 1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. EFSA Journal, 2019, 17, e05723.	1.8	1
330	Safety and efficacy of VevoVital [®] (benzoic acid) as feed additive for pigs for fattening. EFSA Journal, 2019, 17, e05727.	1.8	0
331	Safety and efficacy of Bacillus subtilis DSM 28343 for pigs for fattening. EFSA Journal, 2019, 17, e05725.	1.8	0
332	Safety and efficacy of lutein and lutein/zeaxanthin extracts from Tagetes erecta for poultry for fattening and laying (except turkeys). EFSA Journal, 2019, 17, e05698.	1.8	3
333	Safety and efficacy of lysine monohydrochloride and concentrated liquid lysine (base) produced by fermentation using Corynebacterium glutamicum strain NRRL 50775 for all animal species based on a dossier submitted by ADM. EFSA Journal, 2019, 17, e05537.	1.8	12
334	Transcriptional Regulation of the Equol Biosynthesis Gene Cluster in Adlercreutzia equolifaciens DSM19450T. Nutrients, 2019, 11, 993.	4.1	24
335	Safety and efficacy of Probion forte [®] (Bacillus subtilis KCCM 10941P and Bacillus coagulans KCCM) Tj ETQq1 1 0,784314 gBT /Over	1.8	1
336	Safety and efficacy of Lactobacillus reuteri NBF 2 (DSM 32264) as a feed additive for cats. EFSA Journal, 2019, 17, e05526.	1.8	2
337	Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. EFSA Journal, 2019, 17, e05527.	1.8	3
338	Safety and efficacy of Levucell [®] SB (Saccharomyces cerevisiae CNCM 1079) as a feed additive for all pigs. EFSA Journal, 2019, 17, e05535.	1.8	1
339	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. EFSA Journal, 2019, 17, e05604.	1.8	1
340	Safety and efficacy of valine produced using Corynebacterium glutamicum CGMCC 11675 for all animal species. EFSA Journal, 2019, 17, e05611.	1.8	4
341	Guidance on the assessment of the safety of feed additives for the environment. EFSA Journal, 2019, 17, e05648.	1.8	218
342	Assessment of the application for renewal of authorisation of Natugrain [®] Wheat TS and TS L (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. EFSA Journal, 2019, 17, e05652.	1.8	2

#	ARTICLE	IF	CITATIONS
343	Safety and efficacy of an essential oil of <i>Origanum vulgare</i> ssp. <i>hirtum</i> (Link) Leetsw. for all poultry species. EFSA Journal, 2019, 17, e05653.	1.8	4
344	Safety and efficacy of Biomin® DC as a zootechnical feed additive for weaned piglets. EFSA Journal, 2019, 17, e05688.	1.8	3
345	Safety and efficacy of L-leucine produced by fermentation with <i>Escherichia coli</i> NITE BP02351 for all animal species. EFSA Journal, 2019, 17, e05689.	1.8	1
346	Safety and efficacy of L-arginine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80182 for all animal species. EFSA Journal, 2019, 17, e05696.	1.8	0
347	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using <i>Corynebacterium glutamicum</i> strain KCCM 10227 for all animal species. EFSA Journal, 2019, 17, e05697.	1.8	12
348	Safety of erythrosine for ornamental fish. EFSA Journal, 2019, 17, e05699.	1.8	0
349	Efficacy of <i>Saccharomyces cerevisiae</i> NBRC 0203, <i>Lactobacillus plantarum</i> NBRC 3070 and <i>Lactobacillus casei</i> NBRC 3425 as a technological additive (silage additive) for all animal species. EFSA Journal, 2019, 17, e05700.	1.8	1
350	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2019, 17, e05651.	1.8	3
351	Safety and efficacy of L-tryptophan produced by fermentation with <i>Escherichia coli</i> CGMCC 7.248 for all animal species. EFSA Journal, 2019, 17, e05601.	1.8	5
352	Safety and efficacy of L-threonine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80117 for all animal species. EFSA Journal, 2019, 17, e05602.	1.8	1
353	Safety and efficacy of L-lysine monohydrochloride and L-lysine sulfate produced using <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species. EFSA Journal, 2019, 17, e05643.	1.8	12
354	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. EFSA Journal, 2019, 17, e05645.	1.8	5
355	Assessment of the application for renewal of authorisation of Bonvital® (<i>Enterococcus faecium</i> DSM) Tj ETQq1 1.0,784314,3 rgBT / O	1.8	3
356	Safety and efficacy of 26 compounds belonging to chemical group 3 (±, ± unsaturated straight chain and) Tj ETQq0 0 0 rgBT / Overl all animal species and categories. EFSA Journal, 2019, 17, e05654.	1.8	16
357	Safety and efficacy of TYFERA, (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05608.	1.8	2
358	Assessment of the application for renewal of authorisation of GalliPro® (<i>Bacillus subtilis</i> DSM 17299) for chickens for fattening. EFSA Journal, 2019, 17, e05687.	1.8	0
359	Safety and efficacy of 3-phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. EFSA Journal, 2019, 17, e05543.	1.8	3
360	Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V.. EFSA Journal, 2019, 17, e05606.	1.8	5

#	ARTICLE	IF	CITATIONS
361	Effect of different starter cultures on chemical and microbial parameters of buckwheat honey fermentation. Food Microbiology, 2019, 82, 294-302.	4.2	13
362	Assessment of the application for renewal of the authorisation of Natuphos (3-phytase) as a feed additive for poultry and pigs. EFSA Journal, 2019, 17, e05640.	1.8	1
363	Safety and efficacy of HOSTAZYM® X (endo-1,4-beta-xylanase) as a feed additive for rabbits for fattening. EFSA Journal, 2019, 17, e05529.	1.8	1
364	Safety and efficacy of l-valine produced by fermentation using Corynebacterium glutamicum KCCM 11201P for all animal species. EFSA Journal, 2019, 17, e05538.	1.8	5
365	Safety and efficacy of Deccox® (decoquinate) for chickens for fattening. EFSA Journal, 2019, 17, e05541.	1.8	9
366	Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) for all poultry species. EFSA Journal, 2019, 17, e05605.	1.8	3
367	Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. EFSA Journal, 2019, 17, e05614.	1.8	0
368	Assessment of the application for renewal of authorisation of Levucell SC (Saccharomyces cerevisiae) Tj ETQ0 0 0 rgBT /Overlock 10 T	1.8	3
369	Safety and efficacy of l-tryptophan produced with Escherichia coli CGMCC 11674 for all animal species. EFSA Journal, 2019, 17, e05642.	1.8	7
370	Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2019, 17, e05528.	1.8	0
371	Safety and efficacy of 8-mercapto-8-menthane-3-one and p-menthane-1-thiol belonging to chemical group 20 when used as flavourings for all animal species. EFSA Journal, 2019, 17, e05530.	1.8	2
372	Safety of concentrated l-lysine (base), l-lysine monohydrochloride and l-lysine sulfate produced using different strains of Corynebacterium glutamicum for all animal species based on a dossier submitted by FEFANA asbl. EFSA Journal, 2019, 17, e05532.	1.8	14
373	Safety and efficacy of Bact® (Bacillus licheniformis DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. EFSA Journal, 2019, 17, e05536.	1.8	3
374	Safety for the environment of vitamin D3 for salmonids. EFSA Journal, 2019, 17, e05540.	1.8	1
375	Safety and efficacy of Actisaf® Sc47 (Saccharomyces cerevisiae CNCM 14407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. EFSA Journal, 2019, 17, e05600.	1.8	2
376	Safety and efficacy of l-threonine produced by fermentation with Corynebacterium glutamicum for all animal species. EFSA Journal, 2019, 17, e05603.	1.8	2
377	Modification of the terms of the authorisation of Natuphos® E as a feed additive for chickens for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05607.	1.8	1
378	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. EFSA Journal, 2019, 17, e05610.	1.8	1

#	ARTICLE	IF	CITATIONS
379	Safety and efficacy of Bonvital (Enterococcus faecium, DSM 7134) as an additive in water for drinking for sows. EFSA Journal, 2019, 17, e05612.	1.8	4
380	Safety and efficacy of Probiotic Lactina® (Enterococcus faecium NBIMCC 8270,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 717 Td (Lactobacillus acidophilus) for fattening and weaned rabbits. EFSA Journal, 2019, 17, e05646.	1.8	5
381	Safety and efficacy of Cinergy® Life B3 HiCon (Bacillus amyloliquefaciens NRRL Bâ€50508,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 717 Td for fattening and minor porcine species. EFSA Journal, 2019, 17, e05647.	1.8	2
382	Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. EFSA Journal, 2019, 17, e05649.	1.8	1
383	Assessment of the application for renewal of authorisation of selenomethionine produced by Saccharomyces cerevisiae NCYC R397 for all animal species. EFSA Journal, 2019, 17, e05539.	1.8	8
384	Production of Î³-aminobutyric acid (GABA) by lactic acid bacteria strains isolated from traditional, starter-free dairy products made of raw milk. Beneficial Microbes, 2019, 10, 579-587.	2.4	31
385	Safety and efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. EFSA Journal, 2019, 17, e05883.	1.8	0
386	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6â€phytase) as a feed additive for piglets (suckling) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 717 Td	1.8	4
387	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6â€phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05893.	1.8	3
388	Safety and efficacy of a tincture derived from Verbascum thapsus L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05910.	1.8	1
389	Safety and efficacy of l-methionine produced by fermentation with Corynebacterium glutamicum KCCM 80184 and Escherichia coli KCCM 80096 for all animal species. EFSA Journal, 2019, 17, e05917.	1.8	4
390	Safety and efficacy of Belfeed B MP/ML (endoâ€1,4â€xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. EFSA Journal, 2019, 17, e05892.	1.8	1
391	Safety of ethyl ester of Î²-carotenoic acid as a feed additive for poultry for fattening and poultry for laying. EFSA Journal, 2019, 17, e05911.	1.8	1
392	Safety of Lactococcus lactis NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05890.	1.8	0
393	Safety and efficacy of Elancoban® G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. EFSA Journal, 2019, 17, e05891.	1.8	3
394	Assessment of the application for renewal of authorisation of ECONASE® XT (endoâ€1,4â€xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2019, 17, e05880.	1.8	2
395	Safety and efficacy of astaxanthinâ€dimethylsuccinate (Carophyll® Stayâ€Pink 10%â€CWS) for salmonids, crustaceans and other fish. EFSA Journal, 2019, 17, e05920.	1.8	11
396	Efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05881.	1.8	2

#	ARTICLE	IF	CITATIONS
397	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using <i>Corynebacterium glutamicum</i> strains NRRL B-67439 or NRRL B-67535 for all animal species. EFSA Journal, 2019, 17, e05886.	1.8	10
398	Safety and efficacy of an essential oil from <i>Origanum vulgare</i> ssp. <i>hirtum</i> (Link) Letsw. for all animal species. EFSA Journal, 2019, 17, e05909.	1.8	11
399	Safety and efficacy of EB15 10 (<i>Bacillus subtilis</i> DSM 25841) as a feed additive for piglets (suckling and) minor porcine species. EFSA Journal, 2019, 17, e05884.	1.8	0
400	Assessment of the application for renewal of authorisation of Biosprint® (<i>Saccharomyces cerevisiae</i>) for all animal species. EFSA Journal, 2019, 17, e05883.	1.8	3
401	Safety of butylated hydroxy anisole (BHA) for all animal species. EFSA Journal, 2019, 17, e05913.	1.8	1
402	Efficacy of EB15 10 (<i>Bacillus subtilis</i> DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. EFSA Journal, 2019, 17, e05882.	1.8	0
403	Safety of L-threonine produced by fermentation with <i>Escherichia coli</i> CGMCC 11473 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05885.	1.8	1
404	Safety for the environment of Monimax® (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. EFSA Journal, 2019, 17, e05888.	1.8	3
405	Efficacy of RONOZYME® WX (endo-1,4- α -xylanase) as a feed additive for laying hens. EFSA Journal, 2019, 17, e05919.	1.8	1
406	Safety and efficacy of Clâ€FERâ„¢ (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05916.	1.8	3
407	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2019, 17, e05914.	1.8	2
408	Safety and efficacy of <i>Lactobacillus reuteri</i> NBFâ„¢ (DSM 32203) as a feed additive for dogs. EFSA Journal, 2019, 17, e05524.	1.8	2
409	Cloning and expression of enterovirus 71 capsid protein 1 in a probiotic <i>Bifidobacterium pseudocatenulatum</i> . Letters in Applied Microbiology, 2019, 68, 9-16.	2.2	3
410	Fermentation of commercial soy beverages with lactobacilli and bifidobacteria strains featuring high β -glucosidase activity. Innovative Food Science and Emerging Technologies, 2019, 51, 148-155.	5.6	54
411	Safety of Lancerâ„¢ (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2019, 17, e05912.	1.8	3
412	Use of high throughput amplicon sequencing and ethidium monoazide dye to track microbiota changes in an equol-producing menopausal woman receiving a long-term isoflavones treatment. AIMS Microbiology, 2019, 5, 102-116.	2.2	15
413	Assessment of the application for renewal of authorisation of Yeaâ„¢accâ„¢ (<i>Saccharomyces cerevisiae</i>) for horses. EFSA Journal, 2019, 17, e05918.	1.8	0
414	Use of high throughput amplicon sequencing and ethidium monoazide dye to track microbiota changes in an equol-producing menopausal woman receiving a long-term isoflavones treatment. AIMS Microbiology, 2019, 5, 102-116.	2.2	1

#	ARTICLE	IF	CITATIONS
415	Assessment of the application for renewal of authorisation of Bactocell (CNCM I-4622) as a feed additive for all fish and shrimps and its extension of use for all crustaceans. EFSA Journal, 2019, 17, e05691.	1.8	5
416	Safety and efficacy of Alterion NEÂ® (BacillusÂsubtilis DSM 29784) as a feed additive for minor poultry species for fattening and reared for laying. EFSA Journal, 2018, 16, e05204.	1.8	1
417	Safety and efficacy of benzoic acid for pigs and poultry. EFSA Journal, 2018, 16, e05210.	1.8	2
418	Safety and efficacy of sodium saccharin when used as a feed flavour for piglets, pigs for fattening, calves for rearing and calves for fattening. EFSA Journal, 2018, 16, e05208.	1.8	5
419	Safety and efficacy of MontebanÂ® G100 (narsin) for ducks for fattening. EFSA Journal, 2018, 16, e05461.	1.8	2
420	Safety and efficacy of BacillusÂsubtilis DSMÂ28343 as a feed additive for piglets. EFSA Journal, 2018, 16, e05221.	1.8	2
421	Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. EFSA Journal, 2018, 16, e05222.	1.8	3
422	Safety and efficacy of CoxirilÂ® (diclazuril) for pheasants. EFSA Journal, 2018, 16, e05196.	1.8	1
423	Safety and efficacy of EB15 10 (BacillusÂsubtilis DSM 25841) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05199.	1.8	1
424	Safety and efficacy of ZM16 10 (BacillusÂamyloliquefaciens DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05200.	1.8	2
425	Safety and efficacy of natural mixtures of talc (steatite) and chlorite (E 560) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05205.	1.8	0
426	Safety and efficacy of fumonisin esterase from Komagataella phaffii DSM 32159 as a technological feed additive for pigs and poultry. EFSA Journal, 2018, 16, e05269.	1.8	8
427	Safety and efficacy of l-arginine produced by fermentation using CorynebacteriumÂglutamicum KCCMÂ10741P for all animal species. EFSA Journal, 2018, 16, e05277.	1.8	4
428	Safety and efficacy of KelforceÂ® (l-glutamic acid, N,N-diacetic acid, tetrasodium salt (GLDAâ€Na4)) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05279.	1.8	1
429	Safety and efficacy of ECONASEÂ® XT (endo-1,4-â€xylanase) as a feed additive for laying hens. EFSA Journal, 2018, 16, e05216.	1.8	2
430	Safety and efficacy of CalsporinÂ® (Bacillus subtilis DSM 15544) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05219.	1.8	4
431	Safety and efficacy of HemicellÂ® HT (endo-1,4-â€mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2018, 16, e05270.	1.8	3
432	Safety and efficacy of CoxirilÂ® (diclazuril) for chickens reared for laying. EFSA Journal, 2018, 16, e05195.	1.8	2

#	ARTICLE	IF	CITATIONS
433	Safety and efficacy of Lactococcus lactis NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2018, 16, e05218.	1.8	1
434	Safety of natural mixture of dolomite plus magnesite and magnesium phyllosilicates (Fluidol) for all animal species. EFSA Journal, 2018, 16, e05272.	1.8	1
435	Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. EFSA Journal, 2018, 16, e05341.	1.8	7
436	Assessment of the application for renewal of authorisation of selenomethionine produced by Saccharomyces cerevisiae CNCM I 3060 (selenised yeast inactivated) for all animal species. EFSA Journal, 2018, 16, e05386.	1.8	9
437	Safety and efficacy of ECONASE XT (endo-1,4- α -xylanase) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05217.	1.8	2
438	Efficacy of Cylactin (Enterococcus faecium NCIMB 10415) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05201.	1.8	1
439	Safety and efficacy of l-threonine produced by fermentation using Escherichia coli CGMCC 7.232 for all animal species. EFSA Journal, 2018, 16, e05458.	1.8	6
440	Safety and efficacy of Zinc-Selenomethionine as feed additive for all animal species. EFSA Journal, 2018, 16, e05197.	1.8	5
441	Safety and efficacy of Hostazym X (endo-1,4-beta-xylanase) as a feed additive for sows in order to have benefit in piglets. EFSA Journal, 2018, 16, e05456.	1.8	1
442	Safety and efficacy of Bacillus subtilis DSM 28343 as a feed additive for calves for rearing. EFSA Journal, 2018, 16, e05220.	1.8	1
443	Safety and efficacy of l-arginine produced by fermentation with Escherichia coli NITE BP 02186 for all animal species. EFSA Journal, 2018, 16, e05276.	1.8	4
444	Safety and efficacy of Lactobacillus hilgardii CNCM I 4785 and Lactobacillus buchneri CNCM I 4323/NCIMB 40788 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05455.	1.8	1
445	Efficacy of Bergazym P100 (endo-1,4- α -xylanase) as a feed additive for chickens for fattening and weaned piglets. EFSA Journal, 2018, 16, e05457.	1.8	1
446	Safety and efficacy of Monimax (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05459.	1.8	8
447	Safety and efficacy of Monteban G100 (narasin) for chickens for fattening. EFSA Journal, 2018, 16, e05460.	1.8	3
448	Safety and efficacy of a super critical carbon dioxide extract of Humulus lupulus L. flos when used as a feed flavouring for all animal species. EFSA Journal, 2018, 16, e05462.	1.8	1
449	Safety of zinc chelate of methionine sulfate for the target species. EFSA Journal, 2018, 16, e05463.	1.8	0
450	Safety and efficacy of cumin tincture (Cuminum cyminum L.) when used as a sensory additive for all animal species. EFSA Journal, 2018, 16, e05273.	1.8	3

#	ARTICLE	IF	CITATIONS
451	Safety and efficacy of vitamin B2 (riboflavin 5- α -phosphate ester monosodium salt) for all animal species when used in water for drinking. EFSA Journal, 2018, 16, e05531.	1.8	5
452	Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. EFSA Journal, 2018, 16, e05387.	1.8	2
453	Safety and efficacy of Coxar [®] (nicarbazin) for turkeys for fattening. EFSA Journal, 2018, 16, e05214.	1.8	1
454	Safety and efficacy of Amylofeed [®] (endo- α -1,3(4)- β -D-glucanase and endo- α -1,4- β -D-xylanase and β -D-amylase) as a feed additive for piglets and minor growing porcine species. EFSA Journal, 2018, 16, e05271.	1.8	1
455	Safety and efficacy of betaine anhydrous for food-producing animal species based on a dossier submitted by AB Vista. EFSA Journal, 2018, 16, e05335.	1.8	4
456	Safety and efficacy of COXAMA [®] (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05338.	1.8	4
457	Safety and efficacy of vitamin B12 (in the form of cyanocobalamin) produced by Ensifer spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2018, 16, e05336.	1.8	13
458	Assessment of the application for renewal of authorisation of Actisaf [®] Sc47 (Saccharomyces) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 EFSA Journal, 2018, 16, e05339.	1.8	1
459	Assessment of the application for renewal of authorisation of Calsporin [®] (Bacillus [®] subtilis DSM) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 46 EFSA Journal, 2018, 16, e05340.	1.8	4
460	Safety and efficacy of 3- α -phytase FLF1000 as a feed additive for chickens reared for laying and minor poultry species. EFSA Journal, 2018, 16, e05203.	1.8	4
461	Guidance on the assessment of the efficacy of feed additives. EFSA Journal, 2018, 16, e05274.	1.8	293
462	Safety and efficacy of Lactobacillus acidophilus D2/CSL (Lactobacillus acidophilus CECT 4529) as a feed additive for cats and dogs. EFSA Journal, 2018, 16, e05278.	1.8	3
463	Guidance on the characterisation of microorganisms used as feed additives or as production organisms. EFSA Journal, 2018, 16, e05206.	1.8	458
464	Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05215.	1.8	9
465	Safety and efficacy of β -D-amylase from Bacillus [®] amyloliquefaciens DSM [®] 9553, Bacillus [®] amyloliquefaciens NCIMB [®] 30251, Aspergillus [®] oryzae CBS [®] 585.94 and Aspergillus [®] oryzae ATCC SD [®] 5374, endo- α -1,4- β -D-glucanase from Trichoderma [®] reesei ATCC PTA [®] 10001, Trichoderma [®] reesei ATCC SD [®] 6331 and Aspergillus [®] niger CBS [®] 120604, endo- α -1,4- β -D-xylanase from Trichoderma [®] konigii MUCLA [®] 39203 and Trichoderma [®] citrinoviride CBS [®] 614.94 and endo- α -1,3(4)- β -D-glucanase from Aspergillus [®] tubingensis MUCLA [®] 39199 as silage additives for. EFSA Journal, 2018, 16, e05224.	1.8	3
466	Modification of the terms of authorisation of lecithins as a feed additive for all animal species. EFSA Journal, 2018, 16, e05334.	1.8	1
467	Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05268.	1.8	4
468	Safety of vitamin B2 (80%) as riboflavin produced by Bacillus [®] subtilis KCCM [®] 10445 for all animal species. EFSA Journal, 2018, 16, e05223.	1.8	10

#	ARTICLE	IF	CITATIONS
469	Safety and efficacy of vitamin B2 (riboflavin) produced by <i>Ashbya gossypii</i> DSM 23096 for all animal species based on a dossier submitted by BASF SE. EFSA Journal, 2018, 16, e05337.	1.8	8
470	Safety and efficacy of <i>Bacillus subtilis</i> KCCM 10673P and <i>Aspergillus oryzae</i> KCTC 10258BP when used as a technological feed additive for all animal species. EFSA Journal, 2018, 16, e05275.	1.8	2
471	Safety and efficacy of hydroxy analogue of methionine and its calcium salt (ADRY+ [®]) for all animal species. EFSA Journal, 2018, 16, e05198.	1.8	7
472	Safety and efficacy of muramidase from <i>Trichoderma reesei</i> DSM 32338 as a feed additive for chickens for fattening and minor poultry species. EFSA Journal, 2018, 16, e05342.	1.8	5
473	Safety and efficacy of Sacox [®] microGranulate (salinomycin sodium) for rabbits for fattening. EFSA Journal, 2018, 16, e05209.	1.8	0
474	Genome Analysis of <i>Lactobacillus plantarum</i> LL441 and Genetic Characterisation of the Locus for the Lantibiotic Plantaricin C. <i>Frontiers in Microbiology</i> , 2018, 9, 1916.	3.5	20
475	Assessment of the application for renewal of authorisation of Levucell [®] SC (<i>Saccharomyces</i>) Tj ETQq1 1 0.784314 µgBT / Overlock 10 T	1.8	1
476	Safety and efficacy of Sacox [®] microGranulate (salinomycin sodium) for chickens for fattening and chickens reared for laying. EFSA Journal, 2017, 15, e04670.	1.8	6
477	Genetic and biochemical characterization of an oligo-1,6-glucosidase from <i>Lactobacillus plantarum</i> . <i>International Journal of Food Microbiology</i> , 2017, 246, 32-39.	4.7	18
478	Safety and efficacy of Hemicell [®] HT (endo-1,4- α -D-mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2017, 15, e04677.	1.8	4
479	Bacterial communities and metabolic activity of faecal cultures from equol producer and non-producer menopausal women under treatment with soy isoflavones. <i>BMC Microbiology</i> , 2017, 17, 93.	3.3	60
480	Safety of L-lysine sulfate produced by fermentation with <i>Escherichia coli</i> CGMCC3705 for all animal species. EFSA Journal, 2017, 15, e04714.	1.8	13
481	Efficacy of <i>Saccharomyces cerevisiae</i> (NBRC0203), <i>Lactobacillus plantarum</i> (NBRC3070) and <i>Lactobacillus casei</i> (NBRC3425) as a silage additive for all species. EFSA Journal, 2017, 15, e04704.	1.8	3
482	Safety and efficacy of <i>Lactobacillus hilgardii</i> CNCM 4785 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04758.	1.8	2
483	Safety of L-tryptophan technically pure, produced by fermentation with <i>Escherichia coli</i> DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. EFSA Journal, 2017, 15, e04712.	1.8	6
484	Safety and efficacy of Probion Forte [®] (<i>Bacillus subtilis</i> KCCM 10941P and <i>Bacillus coagulans</i> KCCM) Tj ETQq0 0.0 µgBT / Overlock 10 T	1.8	0
485	Safety and efficacy of HOSTAZYM [®] X (endo-1,4- α -xylanase) as a feed additive for chickens reared for laying and minor poultry species reared for laying. EFSA Journal, 2017, 15, e04708.	1.8	3
486	Safety and efficacy of Calsporin [®] (<i>Bacillus subtilis</i> DSM15544) as a feed additive for dogs. EFSA Journal, 2017, 15, e04760.	1.8	5

#	ARTICLE	IF	CITATIONS
487	Safety and efficacy of Lactobacillus Acidophilus D2/CSL (Lactobacillus Acidophilus CECT 4529) as a feed additive for chickens for fattening. EFSA Journal, 2017, 15, e04762.	1.8	3
488	Safety and efficacy of Bacillus subtilis PB6 (Bacillus subtilis ATCC PTA 6737) as a feed additive for sows. EFSA Journal, 2017, 15, e04855.	1.8	8
489	Safety and efficacy of OPTIPHOS® (6-phytase) as a feed additive for finfish. EFSA Journal, 2017, 15, e04763.	1.8	2
490	Safety and efficacy of iron dextran as a feed additive for piglets. EFSA Journal, 2017, 15, e04701.	1.8	0
491	Safety and efficacy of natural mixture of illite, montmorillonite and kaolinite for all animal species. EFSA Journal, 2017, 15, e04940.	1.8	2
492	Safety and efficacy of Bergazym® P100 (endo-1,4-xyylanase) as a feed additive for chickens for fattening, weaned piglets and pigs for fattening. EFSA Journal, 2017, 15, e04707.	1.8	0
493	Safety and efficacy of microorganism DSM 11798 as a technological additive for all avian species. EFSA Journal, 2017, 15, e04676.	1.8	3
494	Safety and efficacy of L-threonine produced by fermentation with Escherichia coli CGMCC 11473 for all animal species. EFSA Journal, 2017, 15, e04939.	1.8	4
495	Safety and nutritional value of a dried killed bacterial biomass from Escherichia coli (FERM BP 10941) (PL73 (LM)) as a feed material for pigs, ruminants and salmonids. EFSA Journal, 2017, 15, e04935.	1.8	1
496	Safety and efficacy of aryl-substituted primary alcohol, aldehyde, acid, ester and acetal derivatives belonging to chemical group 22 when used as flavourings for all animal species. EFSA Journal, 2017, 15, e04672.	1.8	6
497	Characterization of four β -glucosidases acting on isoflavone-glycosides from Bifidobacterium pseudocatenulatum IPLA 36007. Food Research International, 2017, 100, 522-528.	6.2	24
498	Safety and efficacy of selenium-enriched yeast (Saccharomyces cerevisiae CNCM 3399) for all animal species. EFSA Journal, 2017, 15, e04937.	1.8	2
499	Safety and efficacy of zinc chelate of methionine sulfate for all animal species. EFSA Journal, 2017, 15, e04859.	1.8	2
500	Safety of vitamin D3 addition to feedingstuffs for fish. EFSA Journal, 2017, 15, e04713.	1.8	7
501	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xyylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2017, 15, e04941.	1.8	4
502	Safety and efficacy of sodium and potassium alginate for pets, other non food-producing animals and fish. EFSA Journal, 2017, 15, e04945.	1.8	8
503	Safety and efficacy of Pediococcus parvulus DSM 28875 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04702.	1.8	0
504	Guidance on the identity, characterisation and conditions of use of feed additives. EFSA Journal, 2017, 15, e05023.	1.8	272

#	ARTICLE	IF	CITATIONS
505	Safety and efficacy of Natuphos® E (6-phytase) as a feed additive for avian and porcine species. EFSA Journal, 2017, 15, e05024.	1.8	8
506	Safety and efficacy of pyrazine derivatives including saturated ones belonging to chemical group 24 when used as flavourings for all animal species. EFSA Journal, 2017, 15, e04671.	1.8	6
507	Safety and efficacy of RONOZYME® WX (endo-1,4-xylanase) as a feed additive for laying hens. EFSA Journal, 2017, 15, e05020.	1.8	3
508	Guidance on the assessment of the safety of feed additives for the consumer. EFSA Journal, 2017, 15, e05022.	1.8	267
509	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. EFSA Journal, 2017, 15, e04711.	1.8	1
510	Application of the PCR-DGGE technique to the fungal community of traditional Wielkopolska fried ripened curd cheese to determine its PGI authenticity. Food Control, 2017, 73, 1074-1081.	5.5	22
511	Safety and efficacy of an essential oil from <i>Origanum vulgare</i> subsp. <i>hirtum</i> (Link) letsw. var. <i>Vulkan</i> when used as a sensory additive in feed for all animal species. EFSA Journal, 2017, 15, e05095.	1.8	6
512	Guidance on the assessment of the safety of feed additives for the target species. EFSA Journal, 2017, 15, e05021.	1.8	334
513	Safety of Endofeed® DC (endo-1,3(4)-glucanase and endo-1,4-xylanase) as a feed additive for chickens for fattening, laying hens, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2017, 15, e04706.	1.8	1
514	Safety and efficacy of bentonite as a feed additive for all animal species. EFSA Journal, 2017, 15, e05096.	1.8	12
515	Safety and efficacy of L-arginine produced by <i>Corynebacterium glutamicum</i> KCCM 80099 for all animal species. EFSA Journal, 2017, 15, e04858.	1.8	3
516	Safety and efficacy of ENZY CARBOPLUS® (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) as a feed additive for avian species, weaned piglets and minor weaned porcine species. EFSA Journal, 2017, 15, e05097.	1.8	3
517	Safety and efficacy of Levucell® SC (<i>Saccharomyces cerevisiae</i> CNCM 1077) as a feed additive for dairy cows, cattle for fattening, minor ruminant species and camelids. EFSA Journal, 2017, 15, e04944.	1.8	3
518	Safety of L-tryptophan technically pure, produced by <i>Escherichia coli</i> CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. EFSA Journal, 2017, 15, e04705.	1.8	7
519	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2017, 15, e04710.	1.8	1
520	Assessment of the application for renewal of authorisation of VevoVital® (benzoic acid) as feed additive for weaned piglets and pigs for fattening. EFSA Journal, 2017, 15, e05093.	1.8	1
521	Effect of Soy Isoflavones on Growth of Representative Bacterial Species from the Human Gut. Nutrients, 2017, 9, 727.	4.1	43
522	A Functional Metagenomic Analysis of Tetracycline Resistance in Cheese Bacteria. Frontiers in Microbiology, 2017, 8, 907.	3.5	21

#	ARTICLE	IF	CITATIONS
523	Development and Use of a Real-Time Quantitative PCR Method for Detecting and Quantifying Equol-Producing Bacteria in Human Faecal Samples and Slurry Cultures. <i>Frontiers in Microbiology</i> , 2017, 8, 1155.	3.5	37
524	Antibiotic Resistance-Susceptibility Profiles of <i>Streptococcus thermophilus</i> Isolated from Raw Milk and Genome Analysis of the Genetic Basis of Acquired Resistances. <i>Frontiers in Microbiology</i> , 2017, 8, 2608.	3.5	20
525	Safety and efficacy of Levucell® SB (<i>Saccharomyces cerevisiae</i> CNCM 1079) as a feed additive for chickens for fattening and minor poultry species. <i>EFSA Journal</i> , 2017, 15, e04674.	1.8	3
526	Safety and efficacy of FRA® Octazyme C Dry (1,3(4)-D-glactosidase, 1,4-amyglucanase, 1,3(4)-D-glucanase,) Tj ETQq0 0 0 rgBT /Over fattening and weaned piglets. <i>EFSA Journal</i> , 2017, 15, e04943.	1.8	1
527	Efficacy of Liderfeed® (eugenol) for chickens for fattening. <i>EFSA Journal</i> , 2017, 15, e04931.	1.8	2
528	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2017, 15, e04938.	1.8	8
529	Safety and efficacy of Monimax® (monensin sodium and nicarbazin) for turkeys for fattening. <i>EFSA Journal</i> , 2017, 15, e05094.	1.8	8
530	Safety and efficacy of Avatec® 150G (lasalocid A sodium) for chickens for fattening and chickens reared for laying, and modification of the terms of authorisation for chickens for fattening, chickens reared for laying, turkeys for fattening, minor avian species (pheasants, guinea fowl, quails) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	4
531	Safety and efficacy of <i>Lactobacillus buchneri</i> NRRL B50733 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017, 15, e04934.	1.8	2
532	Safety and efficacy of HOSTAZYM® X (endo-1,4-xylanase) as a feed additive for carps. <i>EFSA Journal</i> , 2017, 15, e04942.	1.8	2
533	Safety and efficacy of Alterion NE® (<i>Bacillus subtilis</i> DSM 29784) as a feed additive for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2017, 15, e04933.	1.8	1
534	Safety and efficacy of Amylofeed® (endo-1,3(4)-D-glucanase and endo-1,4-xylanase and 1,4-amyglucanase) as a feed additive for piglets and minor porcine species. <i>EFSA Journal</i> , 2017, 15, e04856.	1.8	1
535	Safety and efficacy of <i>Bacillus amyloliquefaciens</i> (NCIMB 30229) as a silage additive for all animal species. <i>EFSA Journal</i> , 2017, 15, e04860.	1.8	1
536	Safety and nutritional value of a dried killed bacterial biomass from <i>Escherichia coli</i> (FERM BP 10942) (PT73 (TM)) as a feed material for pigs, ruminants and salmonids. <i>EFSA Journal</i> , 2017, 15, e04936.	1.8	0
537	Safety and efficacy of AviMatrix® (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. <i>EFSA Journal</i> , 2017, 15, e05025.	1.8	4
538	Safety and efficacy of VevoVital® (benzoic acid) as feed additive for minor porcine species. <i>EFSA Journal</i> , 2017, 15, e05026.	1.8	2
539	Safety and efficacy of cis-norixin di-potassium salt (annatto F) for cats and dogs. <i>EFSA Journal</i> , 2017, 15, e04764.	1.8	0
540	Safety and efficacy of Calsporin® (<i>Bacillus subtilis</i> DSM 15544) for sows and suckling piglets. <i>EFSA Journal</i> , 2017, 15, e04761.	1.8	3

#	ARTICLE	IF	CITATIONS
541	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Intercolloid (UK) Ltd. EFSA Journal, 2017, 15, e04709.	1.8	1
542	Efficacy of Levucell [®] SB (<i>Saccharomyces cerevisiae</i> CNCM 1079) as a feed additive for weaned piglets. EFSA Journal, 2017, 15, e04932.	1.8	2
543	Soy and Soy Products, Isoflavones, Equol, and Health. Advances in Environmental Engineering and Green Technologies Book Series, 2017, , 223-253.	0.4	1
544	Safety and efficacy of Lavipan [®] (<i>Lactococcus lactis</i> B/00039, <i>Carnobacterium divergens</i> KKP 2012p,) Tj ETQq0 0 0 rgBT /Overlock 10 for weaned piglets, chickens for fattening and turkeys fo. EFSA Journal, 2016, 14, e04555.	1.8	0
545	Safety and efficacy of copper complexes of chlorophylls for ornamental fish, grain-eating ornamental birds and small rodents and of copper complexes of chlorophyllins for all animal species. EFSA Journal, 2016, 14, 4391.	1.8	0
546	Safety and efficacy of thiazoles, thiophene and thiazoline belonging to chemical group 29 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04441.	1.8	4
547	Safety and efficacy of aromatic ketones, secondary alcohols and related esters belonging to chemical group 21 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04557.	1.8	3
548	Modification of the terms of the authorisation regarding the formulation of Maxiban [®] G160 (narsin) Tj ETQq0 0 0 rgBT /Overlock 10	1.8	2
549	Safety and efficacy of dry grape extract when used as a feed flavouring for all animal species and categories. EFSA Journal, 2016, 14, e04476.	1.8	7
550	Safety and efficacy of Probiomix B (<i>Lactobacillus plantarum</i> KKP/593/p and <i>Lactobacillus rhamnosus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	0
551	Safety and efficacy of Feedlyve AGL (endo-1,3(4)-D-glucanase) as a feed additive for chickens for fattening. EFSA Journal, 2016, 14, e04620.	1.8	0
552	Safety and efficacy of Belfeed B MP/ML (endo-1,4-beta-xylanase) as feed additive for poultry, piglets (weaned) and pigs for fattening. EFSA Journal, 2016, 14, e04562.	1.8	3
553	Safety and efficacy of unsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters belonging to chemical group 3 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04512.	1.8	7
554	Safety and efficacy of iron compounds (E1) as feed additives for all species: ferric oxide based on a dossier submitted by Poortershaven Industriële Mineralen B.V.. EFSA Journal, 2016, 14, e04508.	1.8	5
555	Safety and efficacy of Feedlyve AXC (endo-1,4-D-xylanase) as a feed additive for chickens for fattening. EFSA Journal, 2016, 14, e04621.	1.8	0
556	Safety and efficacy of Aextra [®] PHY20000 TPT2 (6-phytase) as a feed additive for poultry and porcine species. EFSA Journal, 2016, 14, e04625.	1.8	1
557	Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. EFSA Journal, 2016, 14, e04627.	1.8	1
558	Safety and efficacy of Bact [®] (<i>Bacillus licheniformis</i> DSM 28710) for chickens for fattening and chickens reared for laying. EFSA Journal, 2016, 14, e04615.	1.8	5

#	ARTICLE	IF	CITATIONS
559	Safety and efficacy of LactobacillusÂbrevis NCIMB 42149 as a silage additive for all animal species. EFSA Journal, 2016, 14, e04616.	1.8	1
560	Safety and efficacy of EnvivaÂ® PRO 202 GT (BacillusÂamyloliquefaciens PTAÂ€6507,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 712 Td (BacillusÂsubtilis DSM 2045) for fattening, chickens reared for laying and minor poultry species for fattening and to point of lay. EFSA Journal, 2016, 14, e04505.	1.8	2
561	Safety and efficacy of NatugrainÂ® TS/TS L (endoâ€1,4â€2â€xylanase and endoâ€1,4â€2â€glucanase) as a feed additive for chickens reared for laying and minor poultry species for laying. EFSA Journal, 2016, 14, e04626.	1.8	0
562	Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2016, 14, e04477.	1.8	2
563	Safety and efficacy of seleniumÂenriched yeast (SaccharomycesÂcerevisiae NCYC R397) for all animal species. EFSA Journal, 2016, 14, e04624.	1.8	2
564	Safety and efficacy of RONOZYMEÂ® NP (6â€phytase) as a feed additive for pigs for fattening. EFSA Journal, 2016, 14, 4392.	1.8	0
565	Safety of lÂ€ryptophan produced by fermentation with EscherichiaÂcoli CGMCC 7.59 for all animal species based on a dossier submitted by Feedway Europe NV. EFSA Journal, 2016, 14, e04444.	1.8	4
566	Safety and efficacy of LactobacillusÂplantarum DSMÂ29025 as a silage additive for all animal species. EFSA Journal, 2016, 14, e04479.	1.8	0
567	Safety and efficacy of secondary aliphatic saturated or unsaturated alcohols, ketones, ketals and esters with a second secondary or tertiary oxygenated functional group belonging to chemical group 10 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04618.	1.8	0
568	Safety and efficacy of fumonisin esterase (FUMzymeÂ®) as a technological feed additive for all avian species. EFSA Journal, 2016, 14, e04617.	1.8	13
569	Safety and efficacy of tartrazine (EÂ102) for cats and dogs, ornamental fish, grainÂeating ornamental birds and small rodents. EFSA Journal, 2016, 14, e04613.	1.8	3
570	Safety and efficacy of maltol belonging to chemical group 12 when used as flavouring for all animal species. EFSA Journal, 2016, 14, e04619.	1.8	1
571	Safety and efficacy of a natural mixture of dolomite plus magnesite and magnesiumÂphyllsilicates (Fluidol) as feed additive for all animal species. EFSA Journal, 2016, 14, 4341.	1.8	2
572	Safety and efficacy of L arginine produced by Corynebacterium glutamicum KCTC 10423BP for all animal species. EFSA Journal, 2016, 14, 4345.	1.8	6
573	Safety and efficacy of NatugrainÂ® TS (endoâ€1,4â€2â€xylanase and endoâ€1,4â€2â€glucanase) for chickens for fattening. EFSA Journal, 2016, 14, 4347.	1.8	2
574	Safety and efficacy of methylester of conjugated linoleic acid (t10,c12 isomer) for pigs for fattening, sows and cows. EFSA Journal, 2016, 14, 4348.	1.8	3
575	Safety and efficacy of Amoklor (ammonium chloride) as a zootechnical additive for ruminants, cats and dogs. EFSA Journal, 2016, 14, 4352.	1.8	2
576	Safety and efficacy of pyridine and pyrrole derivatives belonging to chemical group 28 when used as flavourings for all animal species. EFSA Journal, 2016, 14, 4390.	1.8	1

#	ARTICLE	IF	CITATIONS
577	Safety and efficacy of RONOZYME [®] HiPhos (6- α -phytase) as a feed additive for sows and fish. EFSA Journal, 2016, 14, 4393.	1.8	2
578	Safety and efficacy of manganese compounds (E5) as feed additives for all animal species: manganous carbonate; manganous chloride, tetrahydrate; manganous oxide; manganous sulphate, monohydrate; manganese chelate of amino acids, hydrate; manganese chelate of glycine, hydrate, based on a dossier submitted by FEFANA asbl. EFSA Journal, 2016, 14, 4395.	1.8	9
579	Safety and efficacy of iron compounds (E1) as feed additives for all animal species: ferrous carbonate; ferric chloride, hexahydrate; ferrous fumarate; ferrous sulphate, heptahydrate; ferrous sulphate, monohydrate; ferrous chelate of amino acids, hydrate; ferrous chelate of glycine, hydrate, based on a dossier submitted by FEFANA asbl. EFSA Journal, 2016, 14, 4396.	1.8	17
580	Safety and efficacy of selenium compounds (E8) as feed additives for all animal species: sodium selenite, based on a dossier submitted by Retorte GmbH Selenium Chemicals and Metals. EFSA Journal, 2016, 14, 4398.	1.8	9
581	Safety and efficacy of vitamin B2 (riboflavin and riboflavin 5- α -phosphate ester monosodium salt) produced by Bacillus subtilis for all animal species based on a dossier submitted by DSM. EFSA Journal, 2016, 14, 4349.	1.8	5
582	Susceptibility of lactic acid bacteria, bifidobacteria and other bacteria of intestinal origin to chemotherapeutic agents. International Journal of Antimicrobial Agents, 2016, 48, 547-550.	2.5	29
583	Safety and efficacy of polyoxyethylene (20) sorbitan monooleate as a feed additive for all animal species. EFSA Journal, 2016, 14, 4443.	1.8	4
584	Safety and efficacy of secondary alicyclic saturated and unsaturated alcohols, ketones, ketals and esters with ketals containing alicyclic alcohols or ketones and esters containing secondary alicyclic alcohols from chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04475.	1.8	20
585	Secretion of M2e:HBc fusion protein by Lactobacillus casei using Cwh signal peptide. FEMS Microbiology Letters, 2016, 363, fnw209.	1.8	3
586	Safety and efficacy of BIOSTRONG [®] 510 (essential oil of thyme and star anise) for chickens and minor avian species for fattening and rearing to point of lay. EFSA Journal, 2016, 14, e04351.	1.8	3
587	Safety and efficacy of manganese hydroxychloride as feed additive for all animal species. EFSA Journal, 2016, 14, e04474.	1.8	3
588	Safety and efficacy of Bactocell PA (Pediococcus acidilactici CNCM MA18/5M) for pigs for fattening, minor porcine species, chickens for fattening and minor avian species. EFSA Journal, 2016, 14, e04483.	1.8	2
589	Safety and efficacy of 3- α -phytase FLF1000 as a feed additive for chickens for fattening and laying hens. EFSA Journal, 2016, 14, e04622.	1.8	2
590	Safety and efficacy of a preparation of Lactobacillus fermentum NCIMB 41636, Lactobacillus plantarum NCIMB 41638 and Lactobacillus rhamnosus NCIMB 41640 as a technological feed additive for dogs. EFSA Journal, 2016, 14, 4340.	1.8	3
591	Safety and efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. EFSA Journal, 2016, 14, e04623.	1.8	4
592	Safety and efficacy of concentrated liquid L-lysine (base), L-lysine monohydrochloride and L-lysine sulphate produced using different strains of Corynebacterium glutamicum for all animal species based on a dossier submitted by AMAC/EEIG. EFSA Journal, 2016, 14, 4346.	1.8	16
593	Safety of L-lysine monohydrochloride produced by fermentation with Escherichia coli CGMCC 7.57 for all animal species based on a dossier submitted by Feedway Europe NV. EFSA Journal, 2016, 14, e04471.	1.8	11
594	Safety and efficacy of non-conjugated and accumulated unsaturated straight-chain and branched-chain, aliphatic primary alcohols, aldehydes, acids, acetals and esters belonging to chemical group 4 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04559.	1.8	7

#	ARTICLE	IF	CITATIONS
595	Characterisation of the technological behaviour of mixtures of mesophilic lactic acid bacteria isolated from traditional cheeses made of raw milk without added starters. <i>International Journal of Dairy Technology</i> , 2016, 69, 507-519.	2.8	16
596	Development of an <i>Escherichia coli</i> – <i>Lactobacillus casei</i> shuttle vector for heterologous protein expression in <i>Lactobacillus casei</i> . <i>SpringerPlus</i> , 2016, 5, 169.	1.2	10
597	Diversity and biofilm-forming capability of bacteria recovered from stainless steel pipes of a milk-processing dairy plant. <i>Dairy Science and Technology</i> , 2016, 96, 27-38.	2.2	90
598	Profiling of Phenolic Metabolites in Feces from Menopausal Women after Long-Term Isoflavone Supplementation. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 210-216.	5.2	10
599	Identification, typing and functional characterization of dominant lactic acid bacteria strains from Iranian traditional yoghurt. <i>European Food Research and Technology</i> , 2016, 242, 517-526.	3.3	20
600	Antibiotic Susceptibility Profiles of Dairy <i>Leuconostoc</i> , Analysis of the Genetic Basis of Atypical Resistances and Transfer of Genes In Vitro and in a Food Matrix. <i>PLoS ONE</i> , 2016, 11, e0145203.	2.5	55
601	Scientific Opinion on the safety of Hostazym X as a feed additive for poultry and pigs. <i>EFSA Journal</i> , 2015, 13, 3969.	1.8	5
602	Scientific Opinion on the safety and efficacy of DL-methionyl-L-methionine for all aquatic animal species. <i>EFSA Journal</i> , 2015, 13, 4012.	1.8	4
603	Scientific Opinion on the safety and efficacy of Cygro® 10G (maduramicin ammonium±) for turkeys. <i>EFSA Journal</i> , 2015, 13, 4013.	1.8	1
604	Scientific Opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> CGMCC 7.59 for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Co. Ltd. <i>EFSA Journal</i> , 2015, 13, 4015.	1.8	10
605	Scientific Opinion on the safety and efficacy of ammonium formate, calcium formate and sodium formate when used as a technological additive for all animal species. <i>EFSA Journal</i> , 2015, 13, 4056.	1.8	10
606	Scientific Opinion on the safety and efficacy of indigo carmine (E 132) for cats and dogs and ornamental fish. <i>EFSA Journal</i> , 2015, 13, 4108.	1.8	1
607	Efficacy of Fecinor® and Fecinor® plus (<i>Enterococcus faecium</i>) as feed additives for weaned piglets. <i>EFSA Journal</i> , 2015, 13, 4111.	1.8	0
608	Scientific Opinion on the safety and efficacy of L-lysine sulphate produced by fermentation with <i>Escherichia coli</i> CGMCC 3705 for all animal species. <i>EFSA Journal</i> , 2015, 13, 4155.	1.8	20
609	Scientific Opinion on the safety and efficacy of Fecinor® soluble and Fecinor® soluble plus (<i>Enterococcus faecium</i> CECT 4515) as a feed additive for piglets and chickens for fattening. <i>EFSA Journal</i> , 2015, 13, 4232.	1.8	0
610	Scientific Opinion on the safety and efficacy of Kemzyme® Plus Liquid (endo-1,3(4)-beta-D-glucanase,) Tj ETQq0 0 0 rgBT /Overlock ornamental birds. <i>EFSA Journal</i> , 2015, 13, 4235.	1.8	1
611	Safety and efficacy of saturated and unsaturated aliphatic secondary alcohols, ketones and esters with esters containing secondary alcohols belonging to chemical group 5 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2015, 13, 4268.	1.8	5
612	Safety and efficacy of ethoxyquin (6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline) for all animal species. <i>EFSA Journal</i> , 2015, 13, 4272.	1.8	23

#	ARTICLE	IF	CITATIONS
613	Safety and efficacy of Calsporin [®] (Bacillus subtilis DSM 15544) as a feed additive for ornamental fish. EFSA Journal, 2015, 13, 4274.	1.8	8
614	Safety of Allura Red AC in feed for cats and dogs. EFSA Journal, 2015, 13, 4270.	1.8	3
615	Scientific Opinion on safety and efficacy of vitamin B12 (cyanocobalamin) produced by <i>Ensifer adhaerens</i> when used as a feed additive for all animal species based on a dossier submitted by Lohamnn Animal Health. EFSA Journal, 2015, 13, 4112.	1.8	6
616	Cider Apple Native Microbiota Characterization by PCR-DGGE. Journal of the Institute of Brewing, 2015, 121, 287-289.	2.3	5
617	Safety and efficacy of 036 10 (Bacillus subtilis DSM 27273) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2015, 13, 4269.	1.8	0
618	Efficacy of Friedland clay (montmorillonite [®] illite mixed layer clay) when used as a technological additive for all animal species. EFSA Journal, 2015, 13, 4237.	1.8	1
619	Equol status and changes in fecal microbiota in menopausal women receiving long-term treatment for menopause symptoms with a soy-isoflavone concentrate. Frontiers in Microbiology, 2015, 6, 777.	3.5	57
620	The Plasmid Complement of the Cheese Isolate <i>Lactococcus garvieae</i> IPLA 31405 Revealed Adaptation to the Dairy Environment. PLoS ONE, 2015, 10, e0126101.	2.5	19
621	Relationships between the genome and some phenotypical properties of <i>Lactobacillus fermentum</i> CECT 5716, a probiotic strain isolated from human milk. Applied Microbiology and Biotechnology, 2015, 99, 4343-4353.	3.6	55
622	Diversity and dynamics of antibiotic-resistant bacteria in cheese as determined by PCR denaturing gradient gel electrophoresis. International Journal of Food Microbiology, 2015, 214, 63-69.	4.7	16
623	Probiotic and technological properties of <i>Lactobacillus</i> spp. strains from the human stomach in the search for potential candidates against gastric microbial dysbiosis. Frontiers in Microbiology, 2015, 5, 766.	3.5	59
624	Genetic and functional analysis of biogenic amine production capacity among starter and non-starter lactic acid bacteria isolated from artisanal cheeses. European Food Research and Technology, 2015, 241, 377-383.	3.3	46
625	Probiotic potential of selected lactic acid bacteria strains isolated from Brazilian kefir grains. Journal of Dairy Science, 2015, 98, 3622-3632.	3.4	144
626	Draft Genome Sequence of Three Antibiotic-Resistant <i>Leuconostoc mesenteroides</i> Strains of Dairy Origin. Genome Announcements, 2015, 3, .	0.8	6
627	A novel UHPLC method for the rapid and simultaneous determination of daidzein, genistein and equol in human urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1005, 1-8.	2.3	24
628	Draft Genome Sequence of the Putrescine-Producing Strain <i>Lactococcus lactis</i> subsp. <i>lactis</i> 1AA59. Genome Announcements, 2015, 3, .	0.8	0
629	Scientific Opinion on the safety and efficacy of l [®] valine (l [®] valine, feed grade) produced by <i>Escherichia coli</i> NITE BP [®] 01755 for all animal species based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. EFSA Journal, 2015, 13, 4110.	1.8	6
630	Scientific Opinion on the safety and efficacy of AGal [®] Pro BL [®] (alpha [®] galactosidase and endo [®] 1, Tj ETQq0 0 0 ggBT /Overlock 10 T	1.8	2

#	ARTICLE	IF	CITATIONS
631	Scientific Opinion on the safety and efficacy of cassia gum (Galactogum) for dogs and cats based on a dossier submitted by Galacto Naturstoffe GmbH. EFSA Journal, 2014, 12, 3900.	1.8	3
632	Molecular Identification and Quantification of Tetracycline and Erythromycin Resistance Genes in Spanish and Italian Retail Cheeses. BioMed Research International, 2014, 2014, 1-10.	1.9	48
633	Genome Sequence Analysis of the Biogenic Amine-Producing Strain <i>Lactococcus lactis</i> subsp. <i>cremoris</i> CECT 8666 (Formerly GE2-14). Genome Announcements, 2014, 2, .	0.8	9
634	The genome of <i>Bifidobacterium pseudocatenulatum</i> IPLA 36007, a human intestinal strain with isoflavone-activation activity. Gut Pathogens, 2014, 6, 31.	3.4	11
635	Scientific Opinion on the potential reduction of the currently authorised maximum zinc content in complete feed. EFSA Journal, 2014, 12, 3668.	1.8	69
636	Scientific Opinion on the safety and efficacy of the use of amino acids (chemical group 34) when used as flavourings for all animal species. EFSA Journal, 2014, 12, 3670.	1.8	24
637	Scientific Opinion on the safety and efficacy of concentrated liquid L-lysine (base), concentrated liquid L-lysine monohydrochloride and L-lysine monohydrochloride technically pure produced using <i>Escherichia coli</i> (FERM BP 11355) for all animal species based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. EFSA Journal, 2014, 12, 3895.	1.8	17
638	Scientific Opinion on the safety and efficacy of L-tryptophan technically pure produced by fermentation with <i>Escherichia coli</i> for all animal species, based on a dossier submitted by HELM AG on behalf of Global BioChem Technology. EFSA Journal, 2014, 12, 3673.	1.8	11
639	Impact of Next Generation Sequencing Techniques in Food Microbiology. Current Genomics, 2014, 15, 293-309.	1.6	178
640	Scientific Opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> (FERM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38. EFSA Journal, 2014, 12, 3826.	1.8	9
641	Identification, typing, and functional characterization of <i>Leuconostoc</i> spp. strains from traditional, starter-free cheeses. Dairy Science and Technology, 2013, 93, 657-673.	2.2	30
642	Microbiological Survey of the Human Gastric Ecosystem Using Culturing and Pyrosequencing Methods. Microbial Ecology, 2013, 65, 763-772.	2.8	166
643	Mobilome and genetic modification of bifidobacteria. Beneficial Microbes, 2013, 4, 143-166.	2.4	19
644	Molecular study of <i>Geotrichum</i> strains isolated from Armada cheese. Food Microbiology, 2013, 36, 481-487.	4.2	10
645	Diversity of thermophilic bacteria in raw, pasteurized and selectively-cultured milk, as assessed by culturing, PCR-DGGE and pyrosequencing. Food Microbiology, 2013, 36, 103-111.	4.2	86
646	Sequence analysis of plasmid pSP02 from <i>Bifidobacterium longum</i> M62 and construction of pSP02-derived cloning vectors. Plasmid, 2013, 69, 119-126.	1.4	4
647	Cloning and expression of synthetic genes encoding angiotensin-I converting enzyme (ACE)-inhibitory bioactive peptides in <i>Bifidobacterium pseudocatenulatum</i> . FEMS Microbiology Letters, 2013, 340, 24-32.	1.8	21
648	Physiological Biodiversity of <i>Lactobacillus</i> Strains Isolated During Traditional Iranian Lighvan Cheese Manufacturing. International Journal of Food Properties, 2013, 16, 9-17.	3.0	2

#	ARTICLE	IF	CITATIONS
649	Scientific Opinion on the safety and efficacy of Miya-Gold (<i>Clostridium butyricum</i>) for chickens for fattening, chickens reared for laying and minor avian species. EFSA Journal, 2013, 11, 3040.	1.8	3
650	Scientific Opinion on the safety and efficacy of a preparation of bentonite and sepiolite (Toxfin® Dry) as feed additive for all species. EFSA Journal, 2013, 11, 3179.	1.8	24
651	Scientific Opinion on the safety and efficacy of betaine anhydrous as a feed additive for all animal species based on a dossier submitted by Danisco Animal Nutrition. EFSA Journal, 2013, 11, 3209.	1.8	3
652	Scientific Opinion on the safety and efficacy of betaine (betaine anhydrous and betaine hydrochloride) as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2013, 11, 3210.	1.8	8
653	Scientific Opinion on the safety and efficacy of <i>Pediococcus pentosaceus</i> (DSM 14021, DSM 23688 and) Tj ETQq1 1.0.784314 rgBT /Ov	1.8	2
654	Scientific Opinion on the safety and efficacy of L-methionine produced by <i>Escherichia coli</i> (KCCM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.8	8
655	Scientific Opinion on safety and efficacy of hydroxy-analogue of selenomethionine as feed additive for all species. EFSA Journal, 2013, 11, 3046.	1.8	22
656	Scientific opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> (FERM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Journal, 2013, 11, 3368.	1.8	10
657	Scientific Opinion on the safety and efficacy of L-valine produced by <i>Corynebacterium glutamicum</i> (KCCM 80058) for all animal species, based on a dossier submitted by CJ Europe GmbH. EFSA Journal, 2013, 11, 3429.	1.8	10
658	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for pigs, piglets, bovines, ovines, calves, equines, chickens for fattening, turkeys, other poultry, fish and other animal species or categories, based on a dossier submitted by Fermenta Biotech Ltd. EFSA Journal, 2013, 11, 3289.	1.8	5
659	Cloning and expression of a codon-optimized gene encoding the influenza A virus nucleocapsid protein in <i>Lactobacillus casei</i> . International Microbiology, 2013, 16, 93-101.	2.4	8
660	19. Blue cheese. Human Health Handbooks, 2013, , 277-288.	0.1	3
661	Controlled Gene Expression in Bifidobacteria by Use of a Bile-Responsive Element. Applied and Environmental Microbiology, 2012, 78, 581-585.	3.1	17
662	Biodiversity in Oscypek, a Traditional Polish Cheese, Determined by Culture-Dependent and -Independent Approaches. Applied and Environmental Microbiology, 2012, 78, 1890-1898.	3.1	120
663	Genome Sequence of <i>Lactococcus garvieae</i> IPLA 31405, a Bacteriocin-Producing, Tetracycline-Resistant Strain Isolated from a Raw-Milk Cheese. Journal of Bacteriology, 2012, 194, 5118-5119.	2.2	31
664	Scientific Opinion on the safety and efficacy of primary aliphatic saturated or unsaturated alcohols/aldehydes/acids/acetals/esters with a second primary, secondary or tertiary oxygenated functional group including aliphatic lactones (chemical group 9) when used as flavourings for all animal species. EFSA Journal, 2012, 10, 2928.	1.8	6
665	Production of bacteriocins by <i>Enterococcus</i> spp. isolated from traditional, Iranian, raw milk cheeses, and detection of their encoding genes. European Food Research and Technology, 2012, 234, 789-796.	3.3	16
666	Characterization of <i>Lactobacillus salivarius</i> CECT 5713, a strain isolated from human milk: from genotype to phenotype. Applied Microbiology and Biotechnology, 2012, 94, 1279-1287.	3.6	52

#	ARTICLE	IF	CITATIONS
667	The biodiversity and evolution of lactic flora during ripening of the Iranian semisoft <i>Lighvan</i> cheese. <i>International Journal of Dairy Technology</i> , 2012, 65, 81-89.	2.8	10
668	Assessment of the microbial diversity of Brazilian kefir grains by PCR-DGGE and pyrosequencing analysis. <i>Food Microbiology</i> , 2012, 31, 215-221.	4.2	183
669	Microbial diversity of the traditional Iranian cheeses Lighvan and Koozeh, as revealed by polyphasic culturing and culture-independent approaches. <i>Dairy Science and Technology</i> , 2012, 92, 75-90.	2.2	37
670	Sequencing and analysis of three plasmids from <i>Lactobacillus casei</i> TISTR1341 and development of plasmid-derived <i>Escherichia coli</i> L. casei shuttle vectors. <i>Applied Microbiology and Biotechnology</i> , 2012, 93, 261-272.	3.6	15
671	Sequencing and Transcriptional Analysis of the Biosynthesis Gene Cluster of Putrescine-Producing <i>Lactococcus lactis</i> . <i>Applied and Environmental Microbiology</i> , 2011, 77, 6409-6418.	3.1	74
672	Development and validation of a multiplex PCR-based DNA microarray hybridisation method for detecting bacterial antibiotic resistance genes in cheese. <i>International Dairy Journal</i> , 2011, 21, 149-157.	3.0	3
673	Identification, typing and characterisation of <i>Propionibacterium</i> strains from healthy mucosa of the human stomach. <i>International Journal of Food Microbiology</i> , 2011, 149, 65-72.	4.7	35
674	Assessment of Microbial Populations Dynamics in a Blue Cheese by Culturing and Denaturing Gradient Gel Electrophoresis. <i>Current Microbiology</i> , 2011, 62, 888-893.	2.2	25
675	Comparative Phenotypic and Molecular Genetic Profiling of Wild <i>Lactococcus lactis</i> subsp. <i>lactis</i> Strains of the <i>L. lactis</i> subsp. <i>lactis</i> and <i>L. lactis</i> subsp. <i>cremoris</i> Genotypes, Isolated from Starter-Free Cheeses Made of Raw Milk. <i>Applied and Environmental Microbiology</i> , 2011, 77, 5324-5335.	3.1	82
676	Fermented Milk Products. , 2010, , 263-288.		13
677	Bacteriocins produced by wild <i>Lactococcus lactis</i> strains isolated from traditional, starter-free cheeses made of raw milk. <i>International Journal of Food Microbiology</i> , 2010, 143, 61-66.	4.7	96
678	Microbial characterisation and stability of a farmhouse natural fermented milk from Spain. <i>International Journal of Dairy Technology</i> , 2010, 63, 423-430.	2.8	6
679	<i>Candida cabralensis</i> sp. nov., a yeast species isolated from traditional Spanish blue-veined Cabrales cheese. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2671-2674.	1.7	9
680	Phenotypic, genetic and technological characterization of <i>Lactococcus garvieae</i> strains isolated from a raw milk cheese. <i>International Dairy Journal</i> , 2010, 20, 142-148.	3.0	43
681	Diversity and evolution of the microbial populations during manufacture and ripening of Casu Marzu, a traditional Spanish, starter-free cheese made from cow's milk. <i>International Journal of Food Microbiology</i> , 2009, 136, 44-51.	4.7	107
682	Microbial characterization of Iranian traditional Lighvan cheese over manufacturing and ripening via culturing and PCR-DGGE analysis: identification and typing of dominant lactobacilli. <i>European Food Research and Technology</i> , 2009, 229, 83-92.	3.3	36
683	Human vaginal <i>Lactobacillus rhamnosus</i> harbor mutation in 23S rRNA associated with erythromycin resistance. <i>Research in Microbiology</i> , 2009, 160, 421-426.	2.1	10
684	Production of exopolysaccharides by <i>Lactobacillus</i> and <i>Bifidobacterium</i> strains of human origin, and metabolic activity of the producing bacteria in milk. <i>Journal of Dairy Science</i> , 2009, 92, 4158-4168.	3.4	113

#	ARTICLE	IF	CITATIONS
685	Assessment of the antimicrobial wild-type minimum inhibitory concentration distributions of species of the <i>Lactobacillus delbrueckii</i> group. <i>Dairy Science and Technology</i> , 2008, 88, 183-191.	2.2	6
686	In vitro evaluation of the probiotic properties of human intestinal <i>Bifidobacterium</i> species and selection of new probiotic candidates. <i>Journal of Applied Microbiology</i> , 2008, 104, 1119-1127.	3.1	47
687	Identification of tet(M) in two <i>Lactococcus lactis</i> strains isolated from a Spanish traditional starter-free cheese made of raw milk and conjugative transfer of tetracycline resistance to lactococci and enterococci. <i>International Journal of Food Microbiology</i> , 2008, 121, 189-194.	4.7	51
688	Molecular Characterization of Intrinsic and Acquired Antibiotic Resistance in Lactic Acid Bacteria and <i>Bifidobacteria</i> . <i>Journal of Molecular Microbiology and Biotechnology</i> , 2008, 14, 6-15.	1.0	137
689	Antimicrobial susceptibility profiles of 32 type strains of <i>Lactobacillus</i> , <i>Bifidobacterium</i> , <i>Lactococcus</i> and <i>Streptococcus</i> spp.. <i>International Journal of Antimicrobial Agents</i> , 2008, 31, 484-486.	2.5	23
690	Interaction between dairy yeasts and lactic acid bacteria strains during milk fermentation. <i>Food Control</i> , 2008, 19, 62-70.	5.5	87
691	Improved Cloning Vectors for <i>Bifidobacteria</i> , Based on the <i>Bifidobacterium catenulatum</i> pBC1 Replicon. <i>Applied and Environmental Microbiology</i> , 2008, 74, 4656-4665.	3.1	31
692	Analysis of tetracycline resistance tet(W) genes and their flanking sequences in intestinal <i>Bifidobacterium</i> species. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 688-693.	3.0	49
693	Two Different Tetracycline Resistance Mechanisms, Plasmid-Carried tet(L) and Chromosomally Located Transposon-Associated tet(M), Coexist in <i>Lactobacillus sakei</i> Rits 9. <i>Applied and Environmental Microbiology</i> , 2008, 74, 1394-1401.	3.1	75
694	Genome Analysis of Food Grade Lactic Acid-Producing Bacteria: From Basics to Applications. <i>Current Genomics</i> , 2008, 9, 169-183.	1.6	59
695	Mosaic Tetracycline Resistance Genes and Their Flanking Regions in <i>Bifidobacterium thermophilum</i> and <i>Lactobacillus johnsonii</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 248-252.	3.2	45
696	Antibiotic survey of <i>Lactococcus lactis</i> strains to six antibiotics by Etest, and establishment of new susceptibility-resistance cut-off values. <i>Journal of Dairy Research</i> , 2007, 74, 262-268.	1.4	27
697	Screening of Exopolysaccharide-Producing <i>Lactobacillus</i> and <i>Bifidobacterium</i> Strains Isolated from the Human Intestinal Microbiota. <i>Applied and Environmental Microbiology</i> , 2007, 73, 4385-4388.	3.1	75
698	Selection criteria for lactic acid bacteria to be used as functional starter cultures in dry sausage production: An update. <i>Meat Science</i> , 2007, 76, 138-146.	5.5	340
699	Reagentless identification of human bifidobacteria by intrinsic fluorescence. <i>Journal of Microbiological Methods</i> , 2007, 69, 100-106.	1.6	16
700	Morphotypic and molecular identification of filamentous fungi from Spanish blue-veined Cabrales cheese, and typing of <i>Penicillium roqueforti</i> and <i>Geotrichum candidum</i> isolates. <i>International Dairy Journal</i> , 2007, 17, 350-357.	3.0	47
701	Phenotypic and molecular identification of yeast species associated with Spanish blue-veined Cabrales cheese. <i>International Dairy Journal</i> , 2007, 17, 961-967.	3.0	38
702	Susceptibility of human and probiotic <i>Bifidobacterium</i> spp. to selected antibiotics as determined by the Etest method. <i>International Dairy Journal</i> , 2007, 17, 1123-1131.	3.0	44

#	ARTICLE	IF	CITATIONS
703	Acquired macrolide resistance in the human intestinal strain <i>Lactobacillus rhamnosus</i> E41 associated with a transition mutation in 23S rRNA genes. <i>International Journal of Antimicrobial Agents</i> , 2007, 30, 341-344.	2.5	18
704	Subtractive Screening for Probiotic Properties of <i>Lactobacillus</i> Species from the Human Gastrointestinal Tract in the Search for New Probiotics. <i>Journal of Food Science</i> , 2007, 72, M310-5.	3.1	84
705	Antibiotic resistance in non-enterococcal lactic acid bacteria and bifidobacteria. <i>Food Microbiology</i> , 2007, 24, 559-570.	4.2	350
706	Screening for plasmids among human bifidobacteria species: Sequencing and analysis of pBC1 from <i>Bifidobacterium catenulatum</i> L48. <i>Plasmid</i> , 2007, 57, 165-174.	1.4	25
707	Functional analysis of the pBC1 replicon from <i>Bifidobacterium catenulatum</i> L48. <i>Applied Microbiology and Biotechnology</i> , 2007, 76, 1395-1402.	3.6	53
708	Dominant cultivable <i>Lactobacillus</i> species from the feces of healthy adults in northern Spain. <i>International Microbiology</i> , 2007, 10, 141-5.	2.4	12
709	Fluorescence spectroscopy: a rapid tool for assessing tetracycline resistance in <i>Bifidobacterium longum</i> . <i>Canadian Journal of Microbiology</i> , 2006, 52, 740-746.	1.7	3
710	Biochemical and microbiological characterization of artisan kid rennet extracts used for Cabrales cheese manufacture. <i>LWT - Food Science and Technology</i> , 2006, 39, 605-612.	5.2	11
711	PCR-DGGE as a tool for characterizing dominant microbial populations in the Spanish blue-veined Cabrales cheese. <i>International Dairy Journal</i> , 2006, 16, 1205-1210.	3.0	38
712	Construction of transposition insertion libraries and specific gene inactivation in the pathogen <i>Lactococcus garvieae</i> . <i>Research in Microbiology</i> , 2006, 157, 575-581.	2.1	3
713	Ubiquity and diversity of multidrug resistance genes in <i>Lactococcus lactis</i> strains isolated between 1936 and 1995. <i>FEMS Microbiology Letters</i> , 2006, 263, 21-25.	1.8	14
714	Interindividual Differences in Microbial Counts and Biochemical-Associated Variables in the Feces of Healthy Spanish Adults. <i>Digestive Diseases and Sciences</i> , 2006, 51, 737-743.	2.3	29
715	Identification of Dominant Bacteria in Feces and Colonic Mucosa from Healthy Spanish Adults by Culturing and by 16S rDNA Sequence Analysis. <i>Digestive Diseases and Sciences</i> , 2006, 51, 744-751.	2.3	47
716	Bifidobacterial Diversity Determined by Culturing and by 16S rDNA Sequence Analysis in Feces and Mucosa from Ten Healthy Spanish Adults. <i>Digestive Diseases and Sciences</i> , 2006, 51, 1878-1885.	2.3	21
717	Microbial, chemical and sensorial variables of the Spanish traditional blue-veined Cabrales cheese, as affected by inoculation with commercial <i>Penicillium roqueforti</i> spores. <i>European Food Research and Technology</i> , 2006, 222, 250-257.	3.3	23
718	Microbial characterisation of the traditional Spanish blue-veined Cabrales cheese: identification of dominant lactic acid bacteria. <i>European Food Research and Technology</i> , 2006, 223, 503-508.	3.3	45
719	Microbial diversity and succession during the manufacture and ripening of traditional, Spanish, blue-veined Cabrales cheese, as determined by PCR-DGGE. <i>International Journal of Food Microbiology</i> , 2006, 110, 165-171.	4.7	134
720	Molecular Analysis of a Chromosome-Carried <i>erm</i> (B) Gene and Its Flanking Insertion Points in <i>Lactobacillus johnsonii</i> G41. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 4189-4190.	3.2	18

#	ARTICLE	IF	CITATIONS
721	Early PCR detection of tyramine-producing bacteria during cheese production. <i>Journal of Dairy Research</i> , 2006, 73, 318-321.	1.4	20
722	Molecular Analysis of tet(W) Gene-Mediated Tetracycline Resistance in Dominant Intestinal Bifidobacterium Species from Healthy Humans. <i>Applied and Environmental Microbiology</i> , 2006, 72, 7377-7379.	3.1	48
723	Susceptibility of <i>Lactobacillus plantarum</i> Strains to Six Antibiotics and Definition of New Susceptibility Resistance Cutoff Values. <i>Microbial Drug Resistance</i> , 2006, 12, 252-256.	2.0	36
724	Antibiotic Susceptibility of <i>Lactobacillus</i> and <i>Bifidobacterium</i> Species from the Human Gastrointestinal Tract. <i>Current Microbiology</i> , 2005, 50, 202-207.	2.2	160
725	Antimicrobial susceptibility of lactic acid bacteria isolated from a cheese environment. <i>Canadian Journal of Microbiology</i> , 2005, 51, 51-58.	1.7	116
726	General and specialized vectors derived from pBM02, a new rolling circle replicating plasmid of <i>Lactococcus lactis</i> . <i>Plasmid</i> , 2004, 51, 265-271.	1.4	3
727	Phenotypic and genetic diversity of <i>Lactococcus lactis</i> and <i>Enterococcus</i> spp. strains isolated from Northern Spain starter-free farmhouse cheeses. <i>International Journal of Food Microbiology</i> , 2004, 90, 309-319.	4.7	58
728	Variation of microbiological and biochemical parameters in the faeces of two healthy people over a 15 day period. <i>European Journal of Nutrition</i> , 2004, 43, 375-380.	3.9	15
729	Viability and diversity of probiotic <i>Lactobacillus</i> and <i>Bifidobacterium</i> populations included in commercial fermented milks. <i>Food Research International</i> , 2004, 37, 839-850.	6.2	192
730	Development of <i>Lactobacillus plantarum</i> LL441 and its plasmid-cured derivatives in cheese. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2003, 30, 216-219.	3.0	11
731	Sequence and analysis of pBM02, a novel RCR cryptic plasmid from <i>Lactococcus lactis</i> subsp. <i>cremoris</i> P8-2-47. <i>Plasmid</i> , 2003, 49, 118-129.	1.4	18
732	Technological Performance of Several <i>Lactococcus</i> and <i>Enterococcus</i> Strains of Dairy Origin in Milk. <i>Journal of Food Protection</i> , 2002, 65, 1590-1596.	1.7	25
733	Susceptibility of <i>Listeria monocytogenes</i> and <i>Listeria innocua</i> strains isolated from short-ripened cheeses to some antibiotics and heavy metal salts. <i>Food Microbiology</i> , 2001, 18, 67-73.	4.2	13
734	Phenotypic and genetic characterization of a selected set of <i>Lactococcus lactis</i> strains isolated from a starter-free farmhouse cheese. <i>Food Microbiology</i> , 2000, 17, 449-460.	4.2	18
735	Phenotypic characterization of <i>Listeria monocytogenes</i> and <i>Listeria innocua</i> strains isolated from short-ripened cheeses. <i>Food Microbiology</i> , 2000, 17, 461-467.	4.2	16
736	Nucleotide Sequence and Analysis of pBL1, a Bacteriocin-Producing Plasmid from <i>Lactococcus lactis</i> IPLA 972. <i>Plasmid</i> , 2000, 44, 239-249.	1.4	19
737	Duplication of the β -galactosidase gene in some <i>Lactobacillus plantarum</i> strains. <i>International Journal of Food Microbiology</i> , 1999, 48, 113-123.	4.7	20
738	Biochemical and microbiological characterization of artisanal 'Peña Amellera' cheese: analysis of its indigenous lactic acid bacteria. <i>International Dairy Journal</i> , 1999, 9, 737-746.	3.0	43

#	ARTICLE	IF	CITATIONS
739	Polymorphism of <i>Listeria monocytogenes</i> and <i>Listeria innocua</i> strains isolated from short-ripened cheeses. <i>Journal of Applied Microbiology</i> , 1998, 84, 255-262.	3.1	27
740	Cloning and characterization of <i>cspL</i> and <i>cspP</i> , two cold-inducible genes from <i>Lactobacillus plantarum</i> . <i>Journal of Bacteriology</i> , 1997, 179, 3039-3042.	2.2	46
741	Identification and characterization of homofermentative mesophilic <i>Lactobacillus</i> strains isolated from artisan starter-free cheeses. <i>Letters in Applied Microbiology</i> , 1997, 25, 233-238.	2.2	31
742	Evaluation of technologically important traits in lactic acid bacteria isolated from spontaneous fermentations. <i>Journal of Applied Bacteriology</i> , 1996, 81, 565-570.	1.1	69
743	Evaluation of technologically important traits in lactic acid bacteria isolated from spontaneous fermentations. <i>Journal of Applied Microbiology</i> , 1996, 81, 565-570.	3.1	6
744	Cloning and expression of the plasmid encoded β -D-galactosidase gene from a <i>Lactobacillus plantarum</i> strain of dairy origin. <i>FEMS Microbiology Letters</i> , 1994, 122, 145-151.	1.8	28
745	Detection, purification, and partial characterization of plantaricin C, a bacteriocin produced by a <i>Lactobacillus plantarum</i> strain of dairy origin. <i>Applied and Environmental Microbiology</i> , 1994, 60, 2158-2163.	3.1	155
746	Cloning and sequencing of the gene for a lactococcal endopeptidase, an enzyme with sequence similarity to mammalian enkephalinase. <i>Journal of Bacteriology</i> , 1993, 175, 2087-2096.	2.2	93
747	Effect of X-Prolyl Dipeptidyl Aminopeptidase Deficiency on <i>Lactococcus lactis</i> . <i>Applied and Environmental Microbiology</i> , 1993, 59, 2049-2055.	3.1	32
748	Nucleolytic activities in <i>Lactococcus lactis</i> subsp. <i>lactis</i> NCDO 497. <i>FEMS Microbiology Letters</i> , 1991, 79, 195-198.	1.8	24
749	Molecular cloning and sequence analysis of the X-prolyl dipeptidyl aminopeptidase gene from <i>Lactococcus lactis</i> subsp. <i>cremoris</i> . <i>Applied and Environmental Microbiology</i> , 1991, 57, 38-44.	3.1	120
750	Characterization of wild strains of <i>Lactococcus lactis</i> subsp. <i>lactis</i> isolated from Cabrales cheese. <i>Journal of Dairy Research</i> , 1990, 57, 125-134.	1.4	18
751	Old and new facts of probiotics: where we are and where we are going.. <i>CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources</i> , 0, , .	1.0	1