

# Yong-Lim Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3038961/publications.pdf>

Version: 2024-02-01

186  
papers

4,656  
citations

136885

32  
h-index

138417

58  
g-index

189  
all docs

189  
docs citations

189  
times ranked

5643  
citing authors

#	ARTICLE	IF	CITATIONS
1	ISPD Peritonitis Recommendations: 2016 Update on Prevention and Treatment. Peritoneal Dialysis International, 2016, 36, 481-508.	1.1	745
2	Proteomic analysis of urinary exosomes from patients of early IgA nephropathy and thin basement membrane nephropathy. Proteomics, 2011, 11, 2459-2475.	1.3	211
3	ISPD peritonitis guideline recommendations: 2022 update on prevention and treatment. Peritoneal Dialysis International, 2022, 42, 110-153.	1.1	209
4	HGF and BMP-7 Ameliorate High Glucose-Induced Epithelial-to-Mesenchymal Transition of Peritoneal Mesothelium. Journal of the American Society of Nephrology: JASN, 2009, 20, 567-581.	3.0	118
5	Establishing a Core Outcome Set for Peritoneal Dialysis: Report of the SONG-PD (Standardized) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Diseases, 2020, 75, 404-412.	2.1	92
6	Changing prescribing practice in CAPD patients in Korea: increased utilization of low GDP solutions improves patient outcome. Nephrology Dialysis Transplantation, 2006, 21, 2893-2899.	0.4	90
7	Clinical Characteristics and Outcomes of Renal Infarction. American Journal of Kidney Diseases, 2016, 67, 243-250.	2.1	88
8	High Prevalence of Leukoaraiosis in Cerebral Magnetic Resonance Images of Patients on Peritoneal Dialysis. American Journal of Kidney Diseases, 2007, 50, 98-107.	2.1	73
9	Erythropoietin Decreases Renal Fibrosis in Mice with Ureteral Obstruction: Role of Inhibiting TGF- $\beta$ -Induced Epithelial-to-Mesenchymal Transition. Journal of the American Society of Nephrology: JASN, 2007, 18, 1497-1507.	3.0	72
10	Novel urinary exosomal biomarkers of acute T cell-mediated rejection in kidney transplant recipients: A cross-sectional study. PLoS ONE, 2018, 13, e0204204.	1.1	68
11	Dialysis modality-dependent changes in serum metabolites: accumulation of inosine and hypoxanthine in patients on haemodialysis. Nephrology Dialysis Transplantation, 2011, 26, 1304-1313.	0.4	66
12	Fatal Outcomes of COVID-19 in Patients with Severe Acute Kidney Injury. Journal of Clinical Medicine, 2020, 9, 1718.	1.0	60
13	Expression of TGF- $\beta$ -induced matrix protein $\beta$ 2ig-h3 is up-regulated in the diabetic rat kidney and human proximal tubular epithelial cells treated with high glucose. Kidney International, 2003, 64, 1012-1021.	2.6	59
14	Health-related quality of life with KDQOL-36 and its association with self-efficacy and treatment satisfaction in Korean dialysis patients. Quality of Life Research, 2013, 22, 753-758.	1.5	57
15	Mortality Predictability of Body Size and Muscle Mass Surrogates in Asian vs White and African American Hemodialysis Patients. Mayo Clinic Proceedings, 2013, 88, 479-486.	1.4	57
16	Interdialytic Weight Gain and Cardiovascular Outcome in Incident Hemodialysis Patients. American Journal of Nephrology, 2014, 39, 427-435.	1.4	54
17	Metformin ameliorates the Phenotype Transition of Peritoneal Mesothelial Cells and Peritoneal Fibrosis via a modulation of Oxidative Stress. Scientific Reports, 2017, 7, 5690.	1.6	53
18	Better Quality of Life of Peritoneal Dialysis compared to Hemodialysis over a Two-year Period after Dialysis Initiation. Scientific Reports, 2019, 9, 10266.	1.6	52

#	ARTICLE	IF	CITATIONS
19	Early Referral to a Nephrologist Improved Patient Survival: Prospective Cohort Study for End-Stage Renal Disease in Korea. PLoS ONE, 2013, 8, e55323.	1.1	51
20	Hypoxanthine causes endothelial dysfunction through oxidative stress-induced apoptosis. Biochemical and Biophysical Research Communications, 2017, 482, 821-827.	1.0	48
21	Oxidative stress caused by activation of NADPH oxidase 4 promotes contrast-induced acute kidney injury. PLoS ONE, 2018, 13, e0191034.	1.1	46
22	Lower serum uric acid level predicts mortality in dialysis patients. Medicine (United States), 2016, 95, e3701.	0.4	45
23	Comparison of uremic pruritus between patients undergoing hemodialysis and peritoneal dialysis. Kidney Research and Clinical Practice, 2016, 35, 107-113.	0.9	45
24	Fluid Overload in Peritoneal Dialysis Patients. Seminars in Nephrology, 2017, 37, 43-53.	0.6	42
25	Survival Advantage of Peritoneal Dialysis Relative to Hemodialysis in the Early Period of Incident Dialysis Patients: A Nationwide Prospective Propensity-Matched Study in Korea. PLoS ONE, 2013, 8, e84257.	1.1	42
26	Prognostic Value of Residual Urine Volume, GFR by 24-hour Urine Collection, and eGFR in Patients Receiving Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 426-434.	2.2	39
27	Impact of systemic and local peritoneal inflammation on peritoneal solute transport rate in new peritoneal dialysis patients: a 1-year prospective study. Nephrology Dialysis Transplantation, 2010, 25, 1964-1973.	0.4	38
28	Hemodialysis with Cohort Isolation to Prevent Secondary Transmission during a COVID-19 Outbreak in Korea. Journal of the American Society of Nephrology: JASN, 2020, 31, 1398-1408.	3.0	38
29	Association of Erythropoietin-Stimulating Agent Responsiveness with Mortality in Hemodialysis and Peritoneal Dialysis Patients. PLoS ONE, 2015, 10, e0143348.	1.1	37
30	Randomized controlled trial of medium cut-off versus high-flux dialyzers on quality of life outcomes in maintenance hemodialysis patients. Scientific Reports, 2020, 10, 7780.	1.6	36
31	Effects of Peritoneal Rest on Peritoneal Transport and Peritoneal Membrane Thickening in Continuous Ambulatory Peritoneal Dialysis Rats. Peritoneal Dialysis International, 1999, 19, 384-387.	1.1	35
32	Effect of Biocompatible Peritoneal Dialysis Solution on Residual Renal Function: A Systematic Review of Randomized Controlled Trials. Peritoneal Dialysis International, 2014, 34, 724-731.	1.1	35
33	Biocompatible Solutions and Long-Term Changes in Peritoneal Solute Transport. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1526-1533.	2.2	34
34	Effect of Glucose Degradation Products on the Peritoneal Membrane in a Chronic Inflammatory Infusion Model of Peritoneal Dialysis in the Rat. Peritoneal Dialysis International, 2004, 24, 115-122.	1.1	33
35	Paricalcitol attenuates TGF $\beta$ 1-induced phenotype transition of human peritoneal mesothelial cells (HPMCs) via modulation of oxidative stress and NLRP3 inflammasome. FASEB Journal, 2019, 33, 3035-3050.	0.2	33
36	Effects of neutral pH and low-glucose degradation product-containing peritoneal dialysis fluid on systemic markers of inflammation and endothelial dysfunction: a randomized controlled 1-year follow-up study. Nephrology Dialysis Transplantation, 2012, 27, 1191-1199.	0.4	31

#	ARTICLE	IF	CITATIONS
37	Outcomes of COVID-19 among Patients on In-Center Hemodialysis: An Experience from the Epicenter in South Korea. <i>Journal of Clinical Medicine</i> , 2020, 9, 1688.	1.0	31
38	New-onset Nephrotic Syndrome after Janssen COVID-19 Vaccination: a Case Report and Literature Review. <i>Journal of Korean Medical Science</i> , 2021, 36, e218.	1.1	31
39	Impact of Low Glucose Degradation Product Bicarbonate/Lactate-Buffered Dialysis Solution on the Epithelial-Mesenchymal Transition of Peritoneum. <i>American Journal of Nephrology</i> , 2010, 31, 58-67.	1.4	30
40	Experimental Encapsulating Peritoneal Sclerosis Models: Pathogenesis and Treatment. <i>Peritoneal Dialysis International</i> , 2008, 28, 21-28.	1.1	29
41	The Association between the Vascular Endothelial Growth Factor-to-Cancer Antigen 125 Ratio in Peritoneal Dialysis Effluent and the Epithelial-to-Mesenchymal Transition in Continuous Ambulatory Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2008, 28, 101-106.	1.1	29
42	Potential urinary extracellular vesicle protein biomarkers of chronic active antibody-mediated rejection in kidney transplant recipients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1138, 121958.	1.2	29
43	Changes in serum metabolites with the stage of chronic kidney disease: Comparison of diabetes and non-diabetes. <i>Clinica Chimica Acta</i> , 2016, 459, 123-131.	0.5	28
44	Hypoxanthine induces cholesterol accumulation and incites atherosclerosis in apolipoprotein E-deficient mice and cells. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 2160-2172.	1.6	28
45	Low prealbumin levels are independently associated with higher mortality in patients on peritoneal dialysis. <i>Kidney Research and Clinical Practice</i> , 2016, 35, 169-175.	0.9	28
46	Lower serum potassium associated with increased mortality in dialysis patients: A nationwide prospective observational cohort study in Korea. <i>PLoS ONE</i> , 2017, 12, e0171842.	1.1	28
47	The effects of vascular access types on the survival and quality of life and depression in the incident hemodialysis patients. <i>Renal Failure</i> , 2020, 42, 30-39.	0.8	28
48	The Effect of Low Glucose Degradation Product Dialysis Solution on Epithelial-To-Mesenchymal Transition in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2005, 25, 22-25.	1.1	27
49	Effects of Low Glucose Degradation Products Peritoneal Dialysis Fluid on the Peritoneal Fibrosis and Vascularization in a Chronic Rat Model. <i>Therapeutic Apheresis and Dialysis</i> , 2007, 11, 56-64.	0.4	27
50	Early Nephrology Referral Reduces the Economic Costs among Patients Who Start Renal Replacement Therapy: A Prospective Cohort Study in Korea. <i>PLoS ONE</i> , 2014, 9, e99460.	1.1	27
51	Comparison of outcomes between the incremental and thrice-weekly initiation of hemodialysis: a propensity-matched study of a prospective cohort in Korea. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw332.	0.4	27
52	Update on mechanisms of ultrafiltration failure. <i>Peritoneal Dialysis International</i> , 2009, 29 Suppl 2, S123-7.	1.1	27
53	Alpha1-Antitrypsin Attenuates Renal Fibrosis by Inhibiting TGF- $\beta$ 1-Induced Epithelial Mesenchymal Transition. <i>PLoS ONE</i> , 2016, 11, e0162186.	1.1	26
54	The emerging role of xanthine oxidase inhibition for suppression of breast cancer cell migration and metastasis associated with hypercholesterolemia. <i>FASEB Journal</i> , 2019, 33, 7301-7314.	0.2	25

#	ARTICLE	IF	CITATIONS
55	The Association between Body Mass Index and Mortality on Peritoneal Dialysis: A Prospective Cohort Study. <i>Peritoneal Dialysis International</i> , 2014, 34, 383-389.	1.1	24
56	Not Early Referral but Planned Dialysis Improves Quality of Life and Depression in Newly Diagnosed End Stage Renal Disease Patients: A Prospective Cohort Study in Korea. <i>PLoS ONE</i> , 2015, 10, e0117582.	1.1	24
57	Glycemic Control and Mortality in Diabetic Patients Undergoing Dialysis Focusing on the Effects of Age and Dialysis Type: A Prospective Cohort Study in Korea. <i>PLoS ONE</i> , 2015, 10, e0136085.	1.1	24
58	Elderly Peritoneal Dialysis Compared with Elderly Hemodialysis Patients and Younger Peritoneal Dialysis Patients: Competing Risk Analysis of a Korean Prospective Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0131393.	1.1	24
59	Elevation of urinary $\beta_2$ -microglobulin, transforming growth factor- $\beta_2$ -induced protein in patients with type 2 diabetes and nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2004, 65, 167-173.	1.1	23
60	A targeted ferritin-microplasma based thrombolytic nanocage selectively dissolves blood clots. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2018, 14, 633-642.	1.7	23
61	The Optimal Blood Pressure Target in Different Dialysis Populations. <i>Scientific Reports</i> , 2018, 8, 14123.	1.6	23
62	Serum Alkaline Phosphatase Levels Predict Infection-Related Mortality and Hospitalization in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2016, 11, e0157361.	1.1	22
63	Medium cut-off dialyzer improves erythropoiesis stimulating agent resistance in a hepcidin-independent manner in maintenance hemodialysis patients: results from a randomized controlled trial. <i>Scientific Reports</i> , 2020, 10, 16062.	1.6	22
64	The atherogenic index of plasma and the risk of mortality in incident dialysis patients: Results from a nationwide prospective cohort in Korea. <i>PLoS ONE</i> , 2017, 12, e0177499.	1.1	22
65	Low glucose degradation products dialysis solution modulates the levels of surrogate markers of peritoneal inflammation, integrity, and angiogenesis: preliminary report. <i>Nephrology</i> , 2003, 8, S28-S32.	0.7	21
66	Patterns in renal diseases diagnosed by kidney biopsy: A single-center experience. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 60-69.	0.9	21
67	Vitamin D deficiency is associated with increased risk of bacterial infections after kidney transplantation. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 505-513.	0.7	21
68	New-Onset Kidney Diseases after COVID-19 Vaccination: A Case Series. <i>Vaccines</i> , 2022, 10, 302.	2.1	21
69	The Effect of Low-GDP Solution on Ultrafiltration and Solute Transport in Continuous Ambulatory Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2013, 33, 382-390.	1.1	20
70	Depressive Symptoms, Patient Satisfaction, and Quality of Life Over Time in Automated and Continuous Ambulatory Peritoneal Dialysis Patients. <i>Medicine (United States)</i> , 2016, 95, e3795.	0.4	20
71	Rapid deterioration of preexisting renal insufficiency after autologous mesenchymal stem cell therapy. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 200-204.	0.9	20
72	Prediction of the Mortality Risk in Peritoneal Dialysis Patients using Machine Learning Models: A Nation-wide Prospective Cohort in Korea. <i>Scientific Reports</i> , 2020, 10, 7470.	1.6	19

#	ARTICLE	IF	CITATIONS
73	Aquaporin 3 Expression Is Up-Regulated by TGF- $\beta$ 1 in Rat Peritoneal Mesothelial Cells and Plays a Role in Wound Healing. <i>American Journal of Pathology</i> , 2012, 181, 2047-2057.	1.9	18
74	Systemic and Local Impact of Glucose and Glucose Degradation Products in Peritoneal Dialysis Solution. , 2013, 23, 218-222.		18
75	The role of Toll-like receptor 4 in high-glucose-induced inflammatory and fibrosis markers in human peritoneal mesothelial cells. <i>International Urology and Nephrology</i> , 2017, 49, 171-181.	0.6	18
76	Cancer in Korean patients with end-stage renal disease: A 7-year follow-up. <i>PLoS ONE</i> , 2017, 12, e0178649.	1.1	18
77	NOX1 Inhibition Attenuates Kidney Ischemia-Reperfusion Injury via Inhibition of ROS-Mediated ERK Signaling. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6911.	1.8	18
78	Adverse impact of renin-angiotensin system blockade on the clinical course in hospitalized patients with severe COVID-19: a retrospective cohort study. <i>Scientific Reports</i> , 2020, 10, 20250.	1.6	18
79	Worldwide Early Impact of COVID-19 on Dialysis Patients and Staff and Lessons Learned: A DOPPS Roundtable Discussion. <i>Kidney Medicine</i> , 2021, 3, 619-634.	1.0	18
80	Peritoneal Dialysate Glucose Load and Systemic Glucose Metabolism in Non-Diabetics: Results from the GLOBAL Fluid Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0155564.	1.1	18
81	Effect of glucose degradation products on the peritoneal membrane in a chronic inflammatory infusion model of peritoneal dialysis in the rat. <i>Peritoneal Dialysis International</i> , 2004, 24, 115-22.	1.1	18
82	3,4-Dideoxyglucosone-3-Ene Induces Apoptosis in Human Peritoneal Mesothelial Cells. <i>Peritoneal Dialysis International</i> , 2009, 29, 44-51.	1.1	17
83	Characteristics and Clinical Significance of De Novo Donor-Specific Anti-HLA Antibodies after Kidney Transplantation. <i>Journal of Korean Medical Science</i> , 2018, 33, e217.	1.1	17
84	Effect of Dialysis Initiation Timing on Clinical Outcomes: A Propensity-Matched Analysis of a Prospective Cohort Study in Korea. <i>PLoS ONE</i> , 2014, 9, e105532.	1.1	17
85	The impact of blood flow rate during hemodialysis on all-cause mortality. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 1131-1139.	0.7	16
86	Factors Affecting the Referral Time to Nephrologists in Patients With Chronic Kidney Disease. <i>Medicine (United States)</i> , 2016, 95, e3648.	0.4	16
87	The Effect of Mycophenolate Mofetil versus Cyclosporine as Combination Therapy with Low Dose Corticosteroids in High-risk Patients with Idiopathic Membranous Nephropathy: a Multicenter Randomized Trial. <i>Journal of Korean Medical Science</i> , 2018, 33, e74.	1.1	16
88	Excellent outcome after desensitization in high immunologic risk kidney transplantation. <i>PLoS ONE</i> , 2019, 14, e0222537.	1.1	16
89	Low serum phosphate as an independent predictor of increased infection-related mortality in dialysis patients: A prospective multicenter cohort study. <i>PLoS ONE</i> , 2017, 12, e0185853.	1.1	15
90	Differential Effect of Viral Hepatitis Infection on Mortality among Korean Maintenance Dialysis Patients: A Prospective Multicenter Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0135476.	1.1	15

#	ARTICLE	IF	CITATIONS
91	Early dialysis initiation does not improve clinical outcomes in elderly end-stage renal disease patients: A multicenter prospective cohort study. PLoS ONE, 2017, 12, e0175830.	1.1	14
92	Variation in Peritoneal Dialysis Time on Therapy by Country. Clinical Journal of the American Society of Nephrology: CJASN, 2022, 17, 861-871.	2.2	14
93	Dipeptidyl peptidase-4 inhibitor gemigliptin protects against vascular calcification in an experimental chronic kidney disease and vascular smooth muscle cells. PLoS ONE, 2017, 12, e0180393.	1.1	13
94	Anti-phospholipase A2 receptor antibody as a prognostic marker in patients with primary membranous nephropathy. Kidney Research and Clinical Practice, 2018, 37, 248-256.	0.9	13
95	Hypertension and Electrolyte Disorders in Patients with COVID-19. Electrolyte and Blood Pressure, 2020, 18, 23.	0.6	13
96	Shared Decision-Making for a Dialysis Modality. Kidney International Reports, 2022, 7, 15-27.	0.4	13
97	The efficacy and stability of an information and communication technology-based centralized monitoring system of adherence to immunosuppressive medication in kidney transplant recipients: study protocol for a randomized controlled trial. Trials, 2017, 18, 480.	0.7	12
98	Survival in patients on hemodialysis: Effect of gender according to body mass index and creatinine. PLoS ONE, 2018, 13, e0196550.	1.1	12
99	Comparison of Transplant Outcomes for Low-level and Standard-level Tacrolimus at Different Time Points after Kidney Transplantation. Journal of Korean Medical Science, 2019, 34, e103.	1.1	12
100	The Crucial Role of Xanthine Oxidase in CKD Progression Associated with Hypercholesterolemia. International Journal of Molecular Sciences, 2020, 21, 7444.	1.8	12
101	Comparison of the Efficacy and Safety of Tacrolimus and Low-Dose Corticosteroid with High-Dose Corticosteroid for Minimal Change Nephrotic Syndrome in Adults. Journal of the American Society of Nephrology: JASN, 2021, 32, 199-210.	3.0	12
102	The Impact of Timing of Dialysis Initiation on Mortality in Patients with Peritoneal Dialysis. Peritoneal Dialysis International, 2015, 35, 703-711.	1.1	11
103	ICT-based adherence monitoring in kidney transplant recipients: a randomized controlled trial. BMC Medical Informatics and Decision Making, 2020, 20, 105.	1.5	11
104	Increased Circulating T Lymphocytes Expressing HLA-DR in Kidney Transplant Recipients with Microcirculation Inflammation. Journal of Korean Medical Science, 2017, 32, 908.	1.1	10
105	Protective Effect of Alpha 1-Antitrypsin on Renal Ischemia-Reperfusion Injury. Transplantation Proceedings, 2019, 51, 2814-2822.	0.3	10
106	Network-based integrated analysis of omics data reveal novel players of TGF- $\beta$ 1-induced EMT in human peritoneal mesothelial cells. Scientific Reports, 2019, 9, 1497.	1.6	10
107	The Korean Clinical Research Center for End-Stage Renal Disease Study Validates the Association of Hemoglobin and Erythropoiesis-Stimulating Agent Dose with Mortality in Hemodialysis Patients. PLoS ONE, 2015, 10, e0140241.	1.1	10
108	Impact of dialysis modality on technique survival in end-stage renal disease patients. Korean Journal of Internal Medicine, 2016, 31, 106-115.	0.7	10



#	ARTICLE	IF	CITATIONS
109	The effect of low glucose degradation product dialysis solution on epithelial-to-mesenchymal transition in continuous ambulatory peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2005, 25 Suppl 3, S22-5.	1.1	10
110	Peritoneal-mediastinal leakage complication of peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2003, 42, e7.1-e7.3.	2.1	9
111	Free Thyroxine Level as an Independent Predictor of Infection-Related Mortality in Patients on Peritoneal Dialysis: A Prospective Multicenter Cohort Study. <i>PLoS ONE</i> , 2014, 9, e112760.	1.1	9
112	Dialysis modality-related disparities in sudden cardiac death: hemodialysis versus peritoneal dialysis. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 490-498.	0.9	9
113	Fimasartan attenuates renal ischemia-reperfusion injury by modulating inflammation-related apoptosis. <i>Korean Journal of Physiology and Pharmacology</i> , 2018, 22, 661.	0.6	8
114	Gender-specific discrepancy in subjective global assessment for mortality in hemodialysis patients. <i>Scientific Reports</i> , 2018, 8, 17846.	1.6	8
115	Idiopathic membranous nephropathy in older patients: Clinical features and outcomes. <i>PLoS ONE</i> , 2020, 15, e0240566.	1.1	8
116	Outcomes of Remote Patient Monitoring for Automated Peritoneal Dialysis: A Randomized Controlled Trial. <i>Nephron</i> , 2021, 145, 702-710.	0.9	8
117	Individualized prediction of mortality using multiple inflammatory markers in patients on dialysis. <i>PLoS ONE</i> , 2018, 13, e0193511.	1.1	8
118	Elderly kidney transplant recipients have favorable outcomes but increased infection-related mortality. <i>Kidney Research and Clinical Practice</i> , 2022, 41, 372-383.	0.9	8
119	Higher Serum Total Cholesterol to High-Density Lipoprotein Cholesterol Ratio Is Associated with Increased Mortality among Incident Peritoneal Dialysis Patients. <i>Nutrients</i> , 2022, 14, 144.	1.7	8
120	Are ex vivo mesothelial cells representative of the in vivo transition from epithelial-to-mesenchymal cells in peritoneal membrane?. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1768-1779.	0.4	7
121	Usefulness of mycophenolic acid monitoring with PETINIA for prediction of adverse events in kidney transplant recipients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 296-303.	0.6	7
122	A Real-world Cost-effectiveness Analysis of Sevelamer Versus Calcium Acetate in Korean Dialysis Patients. <i>Clinical Therapeutics</i> , 2018, 40, 123-134.	1.1	7
123	Novel histopathologic predictors for renal outcomes in crescentic glomerulonephritis. <i>PLoS ONE</i> , 2020, 15, e0236051.	1.1	7
124	Histopathologic and clinicopathologic classifications of antineutrophil cytoplasmic antibody-associated glomerulonephritis: a validation study in a Korean cohort. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 77-88.	0.9	7
125	Comparison of the Impact of High-Flux Dialysis on Mortality in Hemodialysis Patients with and without Residual Renal Function. <i>PLoS ONE</i> , 2014, 9, e97184.	1.1	7
126	Impact of health-related quality of life on survival after dialysis initiation: a prospective cohort study in Korea. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 426-440.	0.9	7



#	ARTICLE	IF	CITATIONS
127	3,4-dideoxyglucosone-3-ene induces apoptosis in human peritoneal mesothelial cells. Peritoneal Dialysis International, 2009, 29, 44-51.	1.1	7
128	The TGF- $\beta$ -induced gene product, ig-h3: its biological implications in peritoneal dialysis. Nephrology Dialysis Transplantation, 2007, 23, 126-135.	0.4	6
129	Randomized trial to compare the dosage of darbepoetin alfa by administration route in haemodialysis patients. Nephrology, 2009, 14, 482-487.	0.7	6
130	Evaluation of the Korean Network for Organ Sharing Expanded Donor Criteria in Deceased Donor Renal Transplantation. The Journal of the Korean Society for Transplantation, 2013, 27, 166.	0.2	6
131	What Is the Best Dialysis Therapy in Developed and Developing Countries? Peritoneal Dialysis and/or Hemodialysis: The Trend in Korea. Contributions To Nephrology, 2017, 189, 65-70.	1.1	6
132	Analysis of Clinical Outcomes According to the Definition of Slow Graft Function in Deceased Donor Kidney Transplantation. Transplantation Proceedings, 2019, 51, 2587-2592.	0.3	6
133	Anemia Management in Peritoneal Dialysis: Perspectives From the Asia Pacific Region. Kidney Medicine, 2021, 3, 405-411.	1.0	6
134	Duration of anuria predicts recovery of renal function after acute kidney injury requiring continuous renal replacement therapy. Korean Journal of Internal Medicine, 2016, 31, 930-937.	0.7	6
135	Omics-based biomarkers for diagnosis and prediction of kidney allograft rejection. Korean Journal of Internal Medicine, 2022, 37, 520-533.	0.7	6
136	Three-year income trends in Korean adults commencing haemodialysis: A prospective cohort. Nephrology, 2018, 23, 625-632.	0.7	5
137	Survival predictors in anuric patients on peritoneal dialysis: A prospective, multicenter, propensity score-matched cohort study. PLoS ONE, 2018, 13, e0196294.	1.1	5
138	Paricalcitol Improves Hypoxia-Induced and TGF- $\beta$ 1-Induced Injury in Kidney Pericytes. International Journal of Molecular Sciences, 2021, 22, 9751.	1.8	5
139	Can we Overcome the Predestined Poor Survival of Diabetic Patients? Perspectives from Pre- and Post-Dialysis. Peritoneal Dialysis International, 2007, 27, 171-175.	1.1	5
140	Mycophenolic Acid Trough Concentration and Dose Are Associated with Hematologic Abnormalities but Not Rejection in Kidney Transplant Recipients. Journal of Korean Medical Science, 2020, 35, e185.	1.1	5
141	Impact of gene polymorphisms of interleukin-18, transforming growth factor- $\beta$ 2, and vascular endothelial growth factor on development of IgA nephropathy and thin glomerular basement membrane disease. Kidney Research and Clinical Practice, 2012, 31, 234-241.	0.9	4
142	Effect of Renin-Angiotensin-Aldosterone System Blockade on Outcomes in Patients With ESRD: A Prospective Cohort Study in Korea. Kidney International Reports, 2018, 3, 1385-1393.	0.4	4
143	Pretransplant Osteoporosis and Osteopenia are Risk Factors for Fractures After Kidney Transplantation. Transplantation Proceedings, 2019, 51, 2704-2709.	0.3	4
144	The Effect of Aspirin on Preventing Vascular Access Dysfunction in Incident Hemodialysis Patients: A Prospective Cohort Study in Korean Clinical Research Centers for End-Stage Renal Disease (CRC for) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.0	0

#	ARTICLE	IF	CITATIONS
145	Outcomes of open heart surgery in patients with end-stage renal disease. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 399-406.	0.9	4
146	Risk of Stroke in Elderly Dialysis Patients. <i>Journal of Korean Medical Science</i> , 2017, 32, 1460.	1.1	3
147	Exceptional mucocutaneous manifestations with amyloid nephropathy: a case report. <i>Journal of Medical Case Reports</i> , 2018, 12, 241.	0.4	3
148	Renin Angiotensin Aldosterone System Blockades Does Not Protect Residual Renal Function in Patients with Hemodialysis at 1 Year After Dialysis Initiation: A Prospective Observational Cohort Study. <i>Scientific Reports</i> , 2019, 9, 18103.	1.6	3
149	Efficacy and safety of CKD-11101 (darbepoetin-alfa proposed biosimilar) compared with NESP in anaemic chronic kidney disease patients not on dialysis. <i>Current Medical Research and Opinion</i> , 2019, 35, 1111-1118.	0.9	3
150	Activation of Complement System in Henoch-Schönlein Purpura Nephritis. <i>Fetal and Pediatric Pathology</i> , 2022, 41, 29-36.	0.4	3
151	Tacrolimus trough levels higher than 6 ng/mL might not be required after a year in stable kidney transplant recipients. <i>PLoS ONE</i> , 2020, 15, e0235418.	1.1	3
152	Alpha-1 antitrypsin inhibits formaldehyde-induced apoptosis of human peritoneal mesothelial cells. <i>Peritoneal Dialysis International</i> , 2020, 40, 124-131.	1.1	3
153	GDF-15 Predicts In-Hospital Mortality of Critically Ill Patients with Acute Kidney Injury Requiring Continuous Renal Replacement Therapy: A Multicenter Prospective Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3660.	1.0	3
154	Serum Gamma-Glutamyltransferase Levels Predict Clinical Outcomes in Hemodialysis Patients. <i>PLoS ONE</i> , 2015, 10, e0138159.	1.1	3
155	The differential effects of anemia on mortality in young and elderly end-stage renal disease patients. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 192-201.	0.9	3
156	The impact of high-flux dialysis on mortality rates in incident and prevalent hemodialysis patients. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 774.	0.7	3
157	The impact of high serum bicarbonate levels on mortality in hemodialysis patients. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 109-116.	0.7	3
158	Can we overcome the predestined poor survival of diabetic patients? Perspectives from pre- and post-dialysis. <i>Peritoneal Dialysis International</i> , 2007, 27 Suppl 2, S171-5.	1.1	3
159	Vitamin C and functional iron deficiency anemia in hemodialysis. <i>Kidney Research and Clinical Practice</i> , 2012, 31, 1-3.	0.9	2
160	Safety and Efficacy of the Early Introduction of Everolimus (Certican <sup>®</sup> ) with Low Dose of Cyclosporine in de Novo Kidney Recipients after 1 Month of Transplantation (Preliminary Results). <i>The Journal of the Korean Society for Transplantation</i> , 2012, 26, 83-91.	0.2	2
161	Clinical outcomes by dialysis modality in patients with end stage renal disease. <i>Journal of the Korean Medical Association</i> , 2013, 56, 569.	0.1	2
162	Association of Hepcidin With Anemia Parameters in Incident Dialysis Patients: Differences Between Dialysis Modalities. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 4-16.	0.4	2

#	ARTICLE	IF	CITATIONS
163	Efficacy and Safety of CKD-11101 (Proposed Biosimilar of Darbepoetin-Alfa) Compared with Darbepoetin-Alfa in Patients on Hemodialysis: A Randomized, Double-Blinded, Parallel-Group Phase III Study. <i>BioDrugs</i> , 2020, 34, 99-110.	2.2	2
164	Renal Infarction after NSAID Treatment. <i>Korean Journal of Medicine</i> , 2012, 82, 618.	0.1	2
165	Declining trend of preemptive kidney transplantation and impact of pretransplant dialysis: a Korean nationwide prospective cohort study. <i>Transplant International</i> , 2021, 34, 2769-2780.	0.8	2
166	Superiority of Simplified Acute Physiologic Score II Compared with Acute Physiologic and Chronic Health Evaluation II and Sequential Organ Failure Assessment Scores for Predicting 48-Hour Mortality in Patients Receiving Continuous Kidney Replacement Therapy. <i>Nephron</i> , 2022, 146, 369-376.	0.9	2
167	SuO011RANDOMIZED CONTROLLED TRIAL OF MEDIUM CUT-OFF OR HIGH-FLUX DIALYZER ON QUALITY-OF-LIFE OUTCOMES IN MAINTENANCE HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	1
168	Renoprotective Effects of Alpha-1 Antitrypsin against Tacrolimus-Induced Renal Injury. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8628.	1.8	1
169	P1734INFORMATION AND COMMUNICATION TECHNOLOGY-BASED CENTRALIZED MONITORING SYSTEM TO INCREASE ADHERENCE TO IMMUNOSUPPRESSIVE MEDICATION IN KIDNEY TRANSPLANT RECIPIENTS: A RANDOMIZED CONTROLLED TRIAL. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	1
170	Impact of Donor-Recipient Age Difference on Graft Function and Survival After Deceased Donor Kidney Transplantation. <i>Transplantation Proceedings</i> , 2020, 52, 3074-3079.	0.3	1
171	Sodium-glucose cotransporter 2 inhibitors in kidney transplant recipients. <i>Korean Journal of Transplantation</i> , 2021, 35, S14-S14.	0.0	1
172	Clinical Characteristics and Long-Term Prognosis of Alport Syndrome: A Retrospective Single-Center Study. <i>Childhood Kidney Diseases</i> , 2020, 24, 91-97.	0.1	1
173	Cardiovascular Screening before Transplantation. <i>The Journal of the Korean Society for Transplantation</i> , 2011, 25, 225.	0.2	0
174	Bortezomib Treatment for Refractory Antibody-Mediated Rejection Superimposed with BK Virus-Associated Nephropathy during the Progression of Recurrent C3 Glomerulonephritis. <i>The Journal of the Korean Society for Transplantation</i> , 2018, 32, 57.	0.2	0
175	Impact of Conversion From Cyclosporine to Tacrolimus on Glucose Metabolism and Cardiovascular Risk Profiles in Long-Term Stable Kidney Transplant Recipients. <i>Transplantation Proceedings</i> , 2019, 51, 2697-2703.	0.3	0
176	P0411PREDICTORS OF RENAL AND PATIENT OUTCOME IN PATIENTS WITH IDIOPATHIC MEMBRANOUS NEPHROPATHY: FROM KOGNET DATA. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
177	P1656THE IMPACT OF PRE-TRANSPLANT DIALYSIS MODALITY ON EARLY POST-TRANSPLANT PERIOD ADVERSE EVENTS : A PROSPECTIVE COHORT STUDY WITH PROPENSITY SCORE MATCHING. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
178	P1798MYCOPHENOLIC ACID TROUGH CONCENTRATION AND DOSE ARE ASSOCIATED WITH HEMATOLOGIC ABNORMALITIES BUT NOT REJECTION IN KIDNEY TRANSPLANT RECIPIENTS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
179	MO680INTERNATIONAL COMPARISONS OF ICODextrin PRESCRIPTION PRACTICE AND ITS ASSOCIATION WITH FLUID REMOVAL, BLOOD PRESSURE, PATIENT AND TECHNIQUE SURVIVAL*. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.4	0
180	Single-Dose Toxicity Study on ML171, a Selective NOX1 Inhibitor, in Mice. <i>BioMed Research International</i> , 2021, 2021, 1-8.	0.9	0

#	ARTICLE	IF	CITATIONS
181	MO681 PERITONEAL DIALYSIS TIME ON THERAPY AND REGIONAL DIFFERENCES IN DEATH, TRANSFER TO HEMODIALYSIS AND KIDNEY TRANSPLANTATION: RESULTS FROM THE PDOPPS. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
182	Impact of recipient and donor smoking in living donor kidney transplantation: a prospective multicenter cohort study. Transplant International, 2021, 34, 2794-2802.	0.8	0
183	Incidentally discovered renal arteriovenous malformation. Kidney Research and Clinical Practice, 2018, 37, 94-95.	0.9	0
184	Impact of high-dose diuretic combination therapy on volume status in peritoneal dialysis patients. Kidney Research and Clinical Practice, 2019, 38, 3-5.	0.9	0
185	Treatment of rituximab in patients with idiopathic membranous nephropathy: a case series and literature review. Korean Journal of Internal Medicine, 2022, , .	0.7	0
186	MO716: A Different Pet Test: The Relationship between Pet Ownership and Peritonitis Risk in the Peritoneal Dialysis Outcomes and Practice Patterns Study. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0