

# Erdem Yesilada

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3040985/erdem-yesilada-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221  
papers

8,749  
citations

51  
h-index

83  
g-index

240  
ext. papers

9,723  
ext. citations

3.9  
avg, IF

5.92  
L-index

#	Paper	IF	Citations
221	Traditional medicine in Turkey X. Folk medicine in Central Anatolia. <i>Journal of Ethnopharmacology</i> , <b>2001</b> , 75, 95-115	5	315
220	Traditional medicine in Turkey. V. Folk medicine in the inner Taurus Mountains. <i>Journal of Ethnopharmacology</i> , <b>1995</b> , 46, 133-52	5	283
219	A comparative study on the anti-inflammatory, antinociceptive and antipyretic effects of isoquinoline alkaloids from the roots of Turkish Berberis species. <i>Life Sciences</i> , <b>2002</b> , 72, 645-57	6.8	273
218	Preparation of 5-aryl-3-alkylthio-1,2,4-triazoles and corresponding sulfones with antiinflammatory-analgesic activity. <i>Bioorganic and Medicinal Chemistry</i> , <b>2007</b> , 15, 1808-14	3.4	176
217	Traditional medicine in Turkey IX: folk medicine in north-west Anatolia. <i>Journal of Ethnopharmacology</i> , <b>1999</b> , 64, 195-210	5	176
216	A new therapeutic approach in Alzheimer disease: some novel pyrazole derivatives as dual MAO-B inhibitors and antiinflammatory analgesics. <i>Bioorganic and Medicinal Chemistry</i> , <b>2007</b> , 15, 5775-86	3.4	160
215	Investigations on the in vivo wound healing potential of Hypericum perforatum L. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 127, 468-77	5	158
214	Screening of Turkish anti-ulcerogenic folk remedies for anti-Helicobacter pylori activity. <i>Journal of Ethnopharmacology</i> , <b>1999</b> , 66, 289-93	5	154
213	Traditional medicine in Turkey VII. Folk medicine in middle and west Black Sea regions. <i>Economic Botany</i> , <b>1995</b> , 49, 406-422	1.7	147
212	Hypoglycaemic activity of Gentiana olivieri and isolation of the active constituent through bioassay-directed fractionation techniques. <i>Life Sciences</i> , <b>2005</b> , 76, 1223-38	6.8	142
211	Anti-inflammatory and antinociceptive activity assessment of plants used as remedy in Turkish folk medicine. <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 89, 123-9	5	142
210	Berberis crataegina DC. root exhibits potent anti-inflammatory, analgesic and febrifuge effects in mice and rats. <i>Journal of Ethnopharmacology</i> , <b>2002</b> , 79, 237-48	5	138
209	Effects of triterpene saponins from Astragalus species on in vitro cytokine release. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 96, 71-7	5	133
208	6-Benzylidenethiazolo[3,2-b]-1,2,4-triazole-5(6H)-ones substituted with ibuprofen: synthesis, characterization and evaluation of anti-inflammatory activity. <i>European Journal of Medicinal Chemistry</i> , <b>2000</b> , 35, 743-50	6.8	133
207	Traditional medicine in Turkey. IV. Folk medicine in the Mediterranean subdivision. <i>Journal of Ethnopharmacology</i> , <b>1993</b> , 39, 31-8	5	132
206	Traditional medicine in Turkey VIII. Folk medicine in east anatolia; Erzurum, Erzincan, Ağrı, Kars, Iğdir provinces. <i>Economic Botany</i> , <b>1997</b> , 51, 195-211	1.7	130
205	Inhibitory effects of Turkish folk remedies on inflammatory cytokines: interleukin-1alpha, interleukin-1beta and tumor necrosis factor alpha. <i>Journal of Ethnopharmacology</i> , <b>1997</b> , 58, 59-73	5	125

204	In vivo anti-inflammatory and antinociceptive activity of the crude extract and fractions from <i>Rosa canina</i> L. fruits. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 112, 394-400	5	119
203	Anti-ulcerogenic activity of some plants used as folk remedy in Turkey. <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 88, 93-7	5	114
202	Traditional medicine and gastroprotective crude drugs. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 100, 61-6	5	108
201	Traditional medicine in Turkey. I. Folk medicine in northeast Anatolia. <i>Journal of Ethnopharmacology</i> , <b>1991</b> , 35, 191-6	5	105
200	Flavonoids with antinociceptive and anti-inflammatory activities from the leaves of <i>Tilia argentea</i> (silver linden). <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 95, 393-7	5	104
199	Isolation of an anti-inflammatory principle from the fruit juice of <i>Ecballium elaterium</i> . <i>Journal of Natural Products</i> , <b>1988</b> , 51, 504-8	4.9	101
198	In vivo antidiabetic and antioxidant potential of <i>Helichrysum plicatum</i> ssp. <i>plicatum capitulum</i> in streptozotocin-induced-diabetic rats. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 109, 54-9	5	95
197	Wound healing potential of <i>Sambucus ebulus</i> L. leaves and isolation of an active component, quercetin 3-O-glucoside. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 129, 106-14	5	92
196	Effects of in vivo antioxidant enzyme activities of myrtle oil in normoglycaemic and alloxan diabetic rabbits. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 110, 498-503	5	80
195	Hypoglycaemic effects of myrtle oil in normal and alloxan-diabetic rabbits. <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 93, 311-8	5	74
194	Effect of in vitro gastrointestinal digestion on the bioavailability of phenolic components and the antioxidant potentials of some Turkish fruit wines. <i>Food Research International</i> , <b>2015</b> , 78, 209-215	7	73
193	Anti-ulcerogenic effect of <i>Momordica charantia</i> L. fruits on various ulcer models in rats. <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 71, 77-82	5	73
192	A novel wound healing ointment: a formulation of <i>Hypericum perforatum</i> oil and sage and oregano essential oils based on traditional Turkish knowledge. <i>Journal of Ethnopharmacology</i> , <b>2011</b> , 134, 89-96	5	71
191	Traditional Medicine in Turkey III. Folk Medicine in East Anatolia, Van and Bitlis Provinces. <i>International Journal of Pharmacognosy</i> , <b>1994</b> , 32, 3-12		71
190	Flavonoids with anti-inflammatory and antinociceptive activity from <i>Cistus laurifolius</i> L. leaves through bioassay-guided procedures. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 112, 524-30	5	70
189	Evaluation of the hypoglycemic effect and antioxidant activity of three <i>Viscum album</i> subspecies (European mistletoe) in streptozotocin-diabetic rats. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 98, 95-102	5	69
188	Rearranged abietane-type diterpenes from <i>Salvia dichroantha</i> . <i>Phytochemistry</i> , <b>1999</b> , 50, 493-497	4	69
187	<i>Clematis vitalba</i> L. aerial part exhibits potent anti-inflammatory, antinociceptive and antipyretic effects. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 110, 504-15	5	68

186	In-vivo assessment of antidiabetic and antioxidant activities of grapevine leaves ( <i>Vitis vinifera</i> ) in diabetic rats. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 108, 280-6	5	67
185	Synthesis of some 1,2,4-triazolo[3,2-b]-1,3-thiazine-7-ones with potential analgesic and antiinflammatory activities. <i>Il Farmaco</i> , <b>2002</b> , 57, 145-52		66
184	Anti-ulcerogenic activity of some plants used in folk medicine of Pinarbasi (Kayseri, Turkey). <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 101, 313-8	5	65
183	Megastigmane glucosides from <i>Stachys byzantina</i> . <i>Phytochemistry</i> , <b>1997</b> , 44, 1335-1337	4	63
182	Comparative evaluation of the anti-inflammatory and antinociceptive activity of Turkish <i>Eryngium</i> species. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 107, 32-7	5	61
181	Inferences from an ethnobotanical field expedition in the selected locations of Sivas and Yozgat provinces (Turkey). <i>Journal of Ethnopharmacology</i> , <b>2011</b> , 137, 85-98	5	59
180	Antihypercholesterolaemic and antioxidant activity assessment of some plants used as remedy in Turkish folk medicine. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 107, 418-23	5	59
179	Flavonoids with anti- <i>Helicobacter pylori</i> activity from <i>Cistus laurifolius</i> leaves. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 108, 457-61	5	59
178	A comparative study on the in vitro antioxidant potentials of three edible fruits: cornelian cherry, Japanese persimmon and cherry laurel. <i>Food and Chemical Toxicology</i> , <b>2012</b> , 50, 3329-35	4-7	57
177	Effects of <i>Cistus laurifolius</i> L. flowers on gastric and duodenal lesions. <i>Journal of Ethnopharmacology</i> , <b>1997</b> , 55, 201-11	5	57
176	An Ethnobotanical survey of the beypazari, ayas, and Gölbaşı district towns of Ankara Province (Turkey). <i>Economic Botany</i> , <b>2004</b> , 58, 705-720	1-7	56
175	In vivo gastroprotective effects of five Turkish folk remedies against ethanol-induced lesions. <i>Journal of Ethnopharmacology</i> , <b>2002</b> , 83, 241-4	5	56
174	Antiviral and antimicrobial activities of three sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> . <i>Microbiological Research</i> , <b>2009</b> , 164, 545-52	5-3	55
173	Comparative evaluation of the flavonoid content in officinal <i>Tiliae flos</i> and Turkish lime species for quality assessment. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2001</b> , 26, 111-21	3-5	55
172	Evaluation of hepatoprotective effect of <i>Gentiana olivieri</i> herbs on subacute administration and isolation of active principle. <i>Life Sciences</i> , <b>2003</b> , 72, 2273-83	6-8	54
171	Iridoid and eugenol glycosides from <i>Nepeta cadmea</i> . <i>Phytochemistry</i> , <b>1998</b> , 49, 787-791	4	51
170	Traditional medicine in Turkey. VI. Folk medicine in west Anatolia: Afyon, Kütahya, Denizli, Muğla, Aydın provinces. <i>Journal of Ethnopharmacology</i> , <b>1996</b> , 53, 75-87	5	51
169	Appraisal of anti-inflammatory potential of the clubmoss, <i>Lycopodium clavatum</i> L. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 109, 146-50	5	50

168	Bioassay-guided evaluation of anti-inflammatory and antinociceptive activities of pistachio, <i>Pistacia vera</i> L. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 105, 235-40	5	50
167	Folk medicine in Uzbekistan. I. Toshkent, Djizzax, and Samarqand provinces. <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 92, 197-207	5	50
166	Exploring the wound healing activity of <i>Arnebia densiflora</i> (Nordm.) Ledeb. by in vivo models. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 124, 137-41	5	49
165	In vivo anti-inflammatory and wound healing activities of <i>Centaurea iberica</i> Trev. ex Spreng. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 126, 551-6	5	49
164	Prostaglandin inhibitory and antioxidant components of <i>Cistus laurifolius</i> , a Turkish medicinal plant. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 108, 371-8	5	48
163	Evaluation of in vivo biological activity profile of isoorientin. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2004</b> , 59, 787-90	1.7	48
162	Synthesis of new 2-[1(2H)-phthalazinon-2-yl]acetamide and 3-[1(2H)-phthalazinon-2-yl]propanamide derivatives as antinociceptive and anti-inflammatory agents. <i>Archiv Der Pharmazie</i> , <b>2004</b> , 337, 303-10	4.3	47
161	Isolation and characterization of free radical scavenging flavonoid glycosides from the flowers of <i>Spartium junceum</i> by activity-guided fractionation. <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 73, 471-8	5	46
160	Anti-nociceptive and anti-inflammatory activity of some (2-benzoxazolone-3-yl and 2-benzothiazolone-3-yl)acetic acid derivatives. <i>Il Farmaco</i> , <b>1998</b> , 53, 80-4		45
159	Bioassay-guided isolation of anti-inflammatory and antinociceptive principles from a folk remedy, <i>Rhododendron ponticum</i> L. leaves. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 119, 172-8	5	45
158	Iridoid, phenylethanoid and flavonoid glycosides from <i>Sideritis trojana</i> . <i>Phytotherapy</i> , <b>2012</b> , 83, 130-6	3.2	43
157	Evaluation of some plants used in Turkish folk medicine against parasitic infections for their in vivo anthelmintic activity. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 108, 211-6	5	43
156	Anti-inflammatory and antinociceptive activity of taxoids and lignans from the heartwood of <i>Taxus baccata</i> L. <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 89, 265-70	5	43
155	Hepatoprotective effects of Turkish folk remedies on experimental liver injury. <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 73, 121-9	5	43
154	Bioassay-guided isolation of anti-inflammatory and antinociceptive glycoterpenoids from the flowers of <i>Verbascum lasianthum</i> Boiss. ex Bentham. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 110, 444-50	5	42
153	Beneficial effects of <i>Aesculus hippocastanum</i> L. seed extract on the body's own antioxidant defense system on subacute administration. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 129, 18-22	5	41
152	A comparative study on the antinociceptive and anti-inflammatory activities of five <i>Juniperus taxa</i> . <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 125, 330-6	5	41
151	Anti-inflammatory and antinociceptive activities of <i>Seseli</i> L. species (Apiaceae) growing in Turkey. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 104, 310-4	5	41

150	Isolation of anti-ulcerogenic sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> through bioassay-guided fractionation procedures in rats. <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 95, 213-9 <sup>5</sup>		4 <sup>1</sup>
149	Synthesis, analgesic, and anti-inflammatory activities of [6-(3,5-dimethyl-4-chloropyrazole-1-yl)-3(2H)-pyridazinon-2-yl]acetamides. <i>Archives of Pharmacol Research</i> , <b>2005</b> , 28, 509-17	6.1	4 <sup>1</sup>
148	In vitro inhibitory effects of <i>Daphne oleoides</i> ssp. <i>oleoides</i> on inflammatory cytokines and activity-guided isolation of active constituents. <i>Cytokine</i> , <b>2001</b> , 13, 359-64	4	4 <sup>0</sup>
147	Appraisal of in vitro and in vivo antioxidant activity potential of cornelian cherry leaves. <i>Food and Chemical Toxicology</i> , <b>2013</b> , 62, 448-55	4.7	39
146	Anticholinesterase and antioxidant effects of the ethanol extract, ethanol fractions and isolated flavonoids from <i>Cistus laurifolius</i> L. leaves. <i>Food Chemistry</i> , <b>2012</b> , 131, 626-631	8.5	39
145	Bioassay-guided isolation of iridoid glucosides with antinociceptive and anti-inflammatory activities from <i>Veronica anagallis-aquatica</i> L. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 102, 170-6	5	39
144	Evaluation of the anti-ulcerogenic effect of sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> by using various in vivo and biochemical techniques. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 112, 284-91	5	38
143	Phenolic compounds of <i>Sideritis ozturkii</i> and their in vivo anti-inflammatory and antinociceptive activities. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 112, 356-60	5	38
142	Past and future contributions to traditional medicine in the health care system of the Middle-East. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 100, 135-7	5	38
141	Anti-inflammatory and antinociceptive activity of flavonoids isolated from <i>Viscum album</i> ssp. <i>album</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2006</b> , 61, 26-30	1.7	37
140	Development and validation of an HPTLC method for apigenin 7-O-glucoside in chamomile flowers and its application for fingerprint discrimination of chamomile-like materials. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 107, 108-18	3.5	36
139	Efficacy of <i>Daphne oleoides</i> subsp. <i>kurdica</i> used for wound healing: identification of active compounds through bioassay guided isolation technique. <i>Journal of Ethnopharmacology</i> , <b>2012</b> , 141, 1058-70 <sup>5</sup>		3 <sup>6</sup>
138	Anti-inflammatory and antinociceptive potential of <i>Maclura pomifera</i> (Rafin.) Schneider fruit extracts and its major isoflavonoids, scandenone and auricularin. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 107, 169-74	5	36
137	Phlorigidosides A-C, iridoid glucosides from <i>Phlomis rigida</i> . <i>Phytochemistry</i> , <b>2000</b> , 53, 931-5	4	36
136	Screening of some Turkish medicinal plants for their antiulcerogenic activities. <i>Phytotherapy Research</i> , <b>1993</b> , 7, 263-265	6.7	36
135	A study of antidiabetic and antioxidant effects of <i>Helichrysum graveolens capitulum</i> in streptozotocin-induced diabetic rats. <i>Journal of Medicinal Food</i> , <b>2007</b> , 10, 396-400	2.8	35
134	Comparative determination of sibutramine as an adulterant in natural slimming products by HPLC and HPTLC densitometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2012</b> , 64-65, 77-81	3.5	34
133	Analytical Methods in Tracing Honey Authenticity. <i>Journal of AOAC INTERNATIONAL</i> , <b>2017</b> , 100, 827-839 <sup>1.7</sup>		34

132	Amide derivatives of [6-(5-methyl-3-phenylpyrazole-1-yl)-3(2H)-pyridazinone-2-yl]acetic acids as potential analgesic and anti-inflammatory compounds. <i>Archiv Der Pharmazie</i> , <b>2004</b> , 337, 7-14	4.3	34
131	A saponin with anti-ulcerogenic effect from the flowers of <i>Spartium junceum</i> . <i>Phytochemistry</i> , <b>1999</b> , 51, 903-8	4	34
130	Estimation of antinociceptive and anti-inflammatory activity on <i>Geranium pratense</i> subsp. <i>finitimum</i> and its phenolic compounds. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 114, 234-40	5	33
129	Effect of <i>Cistus laurifolius</i> L. leaf extracts and flavonoids on acetaminophen-induced hepatotoxicity in mice. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 103, 455-60	5	33
128	Influence of in vitro human digestion on the bioavailability of phenolic content and antioxidant activity of <i>Viburnum opulus</i> L. (European cranberry) fruit extracts. <i>Industrial Crops and Products</i> , <b>2019</b> , 131, 62-69	5.9	32
127	Exploration of the wound healing potential of <i>Helichrysum graveolens</i> (Bieb.) Sweet: isolation of apigenin as an active component. <i>Journal of Ethnopharmacology</i> , <b>2013</b> , 149, 103-10	5	32
126	Synthesis and analgesic and anti-inflammatory activity of some new (6-acyl-2-benzoxazolinone and 6-acyl-2-benzothiazolinone derivatives with acetic acid and propanoic acid residues. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 353-61	4.3	32
125	Studies on novel 7-acyl-5-chloro-2-oxo-3H-benzoxazole derivatives as potential analgesic and anti-inflammatory agents. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 310-21	4.3	32
124	Terpenoids and aromatic compounds from <i>Daphne oleoides</i> ssp. <i>oleoides</i> . <i>Phytochemistry</i> , <b>1999</b> , 52, 1525-1529	4	32
123	Comparative evaluation of traditional prescriptions from <i>Cichorium intybus</i> L. for wound healing: stepwise isolation of an active component by in vivo bioassay and its mode of activity. <i>Journal of Ethnopharmacology</i> , <b>2012</b> , 143, 299-309	5	30
122	In vivo anti-inflammatory and antinociceptive activity evaluation of phenolic compounds from <i>Sideritis stricta</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2007</b> , 62, 519-25	1.7	30
121	Authentication of Turkish propolis through HPTLC fingerprints combined with multivariate analysis and palynological data and their comparative antioxidant activity. <i>LWT - Food Science and Technology</i> , <b>2018</b> , 87, 23-32	5.4	29
120	Bioassay-guided isolation of kaempferol-3-O-beta-D-galactoside with anti-inflammatory and antinociceptive activity from the aerial part of <i>Calluna vulgaris</i> L. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 114, 32-7	5	29
119	The bioaccessible phenolic profile and antioxidant potential of <i>Hypericum perforatum</i> L. after simulated human digestion. <i>Industrial Crops and Products</i> , <b>2017</b> , 109, 717-723	5.9	28
118	Characterization of volatiles and anti-ulcerogenic effect of Turkish sweetgum balsam ( <i>Styrax liquidus</i> ). <i>Journal of Ethnopharmacology</i> , <b>2013</b> , 148, 332-6	5	28
117	Sesquiterpene lactones with antinociceptive and antipyretic activity from two <i>Centaurea</i> species. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 122, 210-5	5	28
116	Anti-ulcerogenic activity and isolation of the active principles from <i>Sambucus ebulus</i> L. leaves. <i>Journal of Ethnopharmacology</i> , <b>2014</b> , 153, 478-83	5	27
115	Megastigmane glycosides from <i>Salvia nemorosa</i> . <i>Phytochemistry</i> , <b>1997</b> , 44, 117-20	4	27

114	Analgesic and antiinflammatory activities of some new Mannich bases of 5-nitro-2-benzoxazolinones. <i>Archives of Pharmacal Research</i> , <b>2007</b> , 30, 419-24	6.1	26
113	Synthesis, anti-inflammatory and analgesic activity of some new 4(3H)-quinazolinone derivatives. <i>Archiv Der Pharmazie</i> , <b>2004</b> , 337, 96-104	4.3	26
112	Investigations of new pyridazinone derivatives for the synthesis of potent analgesic and anti-inflammatory compounds with cyclooxygenase inhibitory activity. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 406-12	4.3	26
111	Quality assessment of marketed chamomile tea products by a validated HPTLC method combined with multivariate analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 132, 35-45	3.5	25
110	Chemical composition and antimicrobial activity of the essential oils of <i>Lavandula stoechas</i> L. ssp. <i>stoechas</i> growing wild in Turkey. <i>Natural Product Communications</i> , <b>2009</b> , 4, 1001-6	0.9	25
109	Profiling of Turkish propolis subtypes: Comparative evaluation of their phytochemical compositions, antioxidant and antimicrobial activities. <i>LWT - Food Science and Technology</i> , <b>2018</b> , 95, 367-379	5.4	23
108	Evaluation of in vitro antiprotozoal activity of <i>Ajuga laxmannii</i> and its secondary metabolites. <i>Pharmaceutical Biology</i> , <b>2016</b> , 54, 1808-14	3.8	22
107	The potential role of female flowers inflorescence of <i>Typha domingensis</i> Pers. in wound management. <i>Journal of Ethnopharmacology</i> , <b>2011</b> , 133, 1027-32	5	22
106	In vivo activity assessment of a "honey-bee pollen mix" formulation. <i>Pharmaceutical Biology</i> , <b>2010</b> , 48, 253-9	3.8	22
105	Evaluation of Some Plants Used in Turkish Folk Medicine for Their Anti-inflammatory and Antinociceptive Activities. <i>Pharmaceutical Biology</i> , <b>2007</b> , 45, 547-555	3.8	22
104	Antiinflammatory effects of the fruit juice of <i>Ecballium elaterium</i> on edemas in mice. <i>Phytotherapy Research</i> , <b>1989</b> , 3, 75-76	6.7	22
103	Assessment of potential bioavailability of major phenolic compounds in <i>Lavandula stoechas</i> L. ssp. <i>stoechas</i> . <i>Industrial Crops and Products</i> , <b>2018</b> , 118, 111-117	5.9	21
102	An anti-ulcerogenic flavonol diglucoside from <i>Equisetum palustre</i> L. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 121, 360-5	5	21
101	Cholesterol-reducer, antioxidant and liver protective effects of <i>Thymbra spicata</i> L. var. <i>spicata</i> . <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 126, 314-9	5	21
100	Valuation of anti-inflammatory and antinociceptive activities of <i>Erica</i> species native to Turkey. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 116, 251-7	5	21
99	Anti-inflammatory and antinociceptive potential of major phenolics from <i>Verbascum salviifolium</i> Boiss. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2008</b> , 63, 196-202	1.7	21
98	Evaluation of anti-inflammatory and antinociceptive activities of some <i>Onosma</i> L. species growing in Turkey. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 120, 378-81	5	20
97	Nepetanudoside, an Iridoid Glucoside with an Unusual Stereostructure from <i>Nepeta nuda</i> ssp. <i>albiflora</i> . <i>Journal of Natural Products</i> , <b>1995</b> , 58, 1217-1221	4.9	20



96	Flavonoid variation in the leaves of <i>Glycyrrhiza glabra</i> . <i>Phytochemistry</i> , <b>1996</b> , 42, 701-704	4	20
95	Antiprotozoal activity of <i>Melampyrum arvense</i> and its metabolites. <i>Phytotherapy Research</i> , <b>2011</b> , 25, 142-6	6.7	19
94	In vivo anti-inflammatory and antinociceptive actions of some <i>Lamium</i> species. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 118, 166-72	5	19
93	4-(5-chloro-2(3H)-benzoxazolone-3-yl) butanoic acid derivatives: synthesis, antinociceptive and anti-inflammatory properties. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 477-82	4.3	18
92	Phlomisethanoside, a phenylethanoid glycoside from <i>Phlomis grandiflora</i> var. <i>grandiflora</i> . <i>Phytochemistry</i> , <b>1999</b> , 51, 323-325	4	18
91	Enzyme inhibitory and antioxidant activities of <i>Nerium oleander</i> L. flower extracts and activity guided isolation of the active components. <i>Industrial Crops and Products</i> , <b>2018</b> , 112, 24-31	5.9	18
90	Clinical effects of the fruit juice of <i>Ecbalium elaterium</i> in the treatment of sinusitis. <i>Journal of Toxicology: Clinical Toxicology</i> , <b>1995</b> , 33, 381-3		17
89	Phenolic compounds from the aerial parts of <i>L.</i> and their anti-inflammatory activities. <i>Natural Product Research</i> , <b>2019</b> , 33, 2541-2544	2.3	17
88	Effects of escin mixture from the seeds of <i>Aesculus hippocastanum</i> on obesity in mice fed a high fat diet. <i>Pharmaceutical Biology</i> , <b>2010</b> , 48, 247-52	3.8	16
87	Nepetanudosides and iridoid glucosides having novel stereochemistry from <i>Nepeta nuda</i> ssp. <i>albiflora</i> . <i>Phytochemistry</i> , <b>1996</b> , 42, 1085-1088	4	16
86	Assessment of anti-inflammatory and antinociceptive activities of <i>Daphne pontica</i> L. (Thymelaeaceae). <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 113, 332-7	5	15
85	Synthesis and evaluation of analgesic/ anti-inflammatory and antimicrobial activities of 3-substituted- 1,2,4-triazole-5-thiones. <i>Arzneimittelforschung</i> , <b>2005</b> , 55, 533-40		15
84	Anti-ulcerogenic effects of <i>Spartium junceum</i> flowers on in vivo test models in rats. <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 70, 219-26	5	15
83	Influence of extraction method on enzyme inhibition, phenolic profile and antioxidant capacity of <i>Sideritis trojana</i> Bornm. <i>South African Journal of Botany</i> , <b>2019</b> , 121, 360-365	2.9	15
82	Evaluation of the antiulcerogenic activity profile of a flavonol diglucoside from <i>Equisetum palustre</i> L. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 131, 17-21	5	14
81	Phenylethyl Glycosides from <i>Digitalis lanata</i> . <i>Helvetica Chimica Acta</i> , <b>2009</b> , 92, 1845-1852	2	14
80	Labdane diterpenoids from <i>Marrubium globosum</i> ssp. <i>globosum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2000</b> , 48, 1234-5	1.9	14
79	The antiinflammatory activity of the fractions from <i>Eryngium billardieri</i> in mice. <i>Phytotherapy Research</i> , <b>1989</b> , 3, 38-40	6.7	14

78	Biodiversity in Turkish Folk Medicine <b>2002</b> , 119-135		14
77	Secondary metabolites from Sambucus ebulus. <i>Turkish Journal of Chemistry</i> , <b>2015</b> , 39, 34-41	1	13
76	Antioxidant activities of several Scutellaria taxa and bioactive phytoconstituents from Scutellaria hastifolia L.. <i>Industrial Crops and Products</i> , <b>2015</b> , 77, 196-203	5.9	13
75	Synthesis, analgesic and antiinflammatory properties of certain 5-/6-acyl-3-(4-substituted-1-piperazinylmethyl)-2-benzoxazolinones derivatives. <i>Archiv Der Pharmazie</i> , <b>2005</b> , 338, 117-25	4.3	13
74	A comparative investigation on the in vitro anti-inflammatory, antioxidant and antimicrobial potentials of subextracts from the aerial parts of Daphne oleoides Schreb. subsp. oleoides. <i>Industrial Crops and Products</i> , <b>2017</b> , 95, 695-703	5.9	12
73	Effect of St.John's wort ( <i>Hypericum perforatum</i> ) oily extract for the care and treatment of pressure sores; a case report. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 196, 236-241	5	12
72	Anti-inflammatory and antinociceptive activity of coumarins from <i>Seseli gummiferum</i> subsp. <i>corymbosum</i> (Apiaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2009</b> , 64, 56-62	1.7	12
71	<i>Hypericum olympicum</i> L. recovers DNA damage and prevents MMP-9 activation induced by UVB in human dermal fibroblasts. <i>Journal of Ethnopharmacology</i> , <b>2020</b> , 246, 112202	5	12
70	An overview of Turkish folk medicine; past and present. <i>Current Drug Delivery</i> , <b>2013</b> , 10, 92-5	3.2	11
69	Synthesis of new Mannich bases of arylpyridazinones as analgesic and anti-inflammatory agents. <i>Arzneimittelforschung</i> , <b>2005</b> , 55, 318-25		11
68	Marrubinones A and B, New Labdane Diterpenoids from <i>Marrubium astracanicum</i> (Labiatae).. <i>Chemical and Pharmaceutical Bulletin</i> , <b>1995</b> , 43, 1454-1457	1.9	11
67	Comparative biochemical and histopathological evaluations proved that receptacle is the most effective part of <i>Cynara scolymus</i> against liver and kidney damages. <i>Journal of Ethnopharmacology</i> , <b>2020</b> , 249, 112458	5	11
66	Sambulin A and B, non-glycosidic iridoids from <i>Sambucus ebulus</i> , exert significant in vitro anti-inflammatory activity in LPS-induced RAW 264.7 macrophages via inhibition of MAPKs's phosphorylation. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 206, 347-352	5	10
65	The effect of <i>Hypericum perforatum</i> L. (St. John's Wort) on prevention of myringosclerosis after myringotomy in a rat model. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2015</b> , 79, 1128-34	1.7	10
64	A New Type of Anatolian Propolis: Evaluation of Its Chemical Composition, Activity Profile and Botanical Origin. <i>Chemistry and Biodiversity</i> , <b>2019</b> , 16, e1900492	2.5	10
63	Contribution of traditional medicine in the healthcare system of the Middle East. <i>Chinese Journal of Integrative Medicine</i> , <b>2011</b> , 17, 95-8	2.9	10
62	Antinociceptive and Anti-inflammatory Activities of Seven Endemic <i>Verbascum</i> Species Growing in Turkey. <i>Pharmaceutical Biology</i> , <b>2008</b> , 46, 781-788	3.8	10
61	Anti-ulcerogenic lignans from <i>Taxus baccata</i> L. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2004</b> , 59, 233-6	1.7	10

60	Amide derivatives of [5-chloro-6-(2-chloro/fluorobenzoyl)-2-benzoxazolinone-3-yl]acetic acids as potential analgesic and anti-inflammatory compounds. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 251-7	4.3	10
59	Importance of chromatographic and spectrophotometric methods in determining authenticity, classification and bioactivity of honey. <i>LWT - Food Science and Technology</i> , <b>2020</b> , 132, 109921	5.4	10
58	Monofloral and polyfloral bee pollens: Comparative evaluation of their phenolics and bioactivity profiles. <i>LWT - Food Science and Technology</i> , <b>2021</b> , 142, 110973	5.4	10
57	Folk medicine in Dıce Province (Turkey). <i>Turkish Journal of Botany</i> , <b>2019</b> , 43, 769-784	1.3	10
56	An ethnobotanical survey in selected districts of the Black Sea region (Turkey). <i>Turkish Journal of Botany</i> , <b>2017</b> , 41, 47-62	1.3	9
55	Chemical Composition and Antimicrobial Activity of the Essential Oils of <i>Lavandula Stoechas</i> L. Ssp. <i>Stoechas</i> Growing Wild in Turkey. <i>Natural Product Communications</i> , <b>2009</b> , 4, 1934578X0900400	0.9	9
54	Effects of the Turkish subspecies of <i>Viscum album</i> on macrophage-derived cytokines. <i>Journal of Ethnopharmacology</i> , <b>1998</b> , 61, 195-200	5	9
53	Callus formation and cucurbitacin B accumulation in <i>Ecballium elaterium</i> callus cultures. <i>Floterap</i> <b>2003</b> , 74, 618-23	3.2	9
52	The fruit extract of <i>Berberis crataegina</i> DC: exerts potent antioxidant activity and protects DNA integrity. <i>DARU, Journal of Pharmaceutical Sciences</i> , <b>2015</b> , 23, 24	3.9	8
51	A rapid validated HPLC method for determination of sulforaphane and glucoraphanin in broccoli and red cabbage prepared by various cooking techniques. <i>Analytical Methods</i> , <b>2014</b> , 6, 4559-4566	3.2	8
50	Cytotoxic and apoptotic effects of <i>Ebenus boissieri</i> Barbey on human lung cancer cell line A549. <i>Pharmacognosy Magazine</i> , <b>2015</b> , 11, S37-45	0.8	8
49	Analgesic Activity of <i>Cistus laurifolius</i> in Mice. <i>Pharmaceutical Biology</i> , <b>2004</b> , 42, 176-178	3.8	8
48	Nepetalicoside, a New Iridoid Glucoside from <i>Nepeta cilicia</i> . <i>Journal of Natural Products</i> , <b>1996</b> , 59, 518-519	4.9	8
47	A Guidance Manual for the Toxicity Assessment of Traditional Herbal Medicines. <i>Natural Product Communications</i> , <b>2016</b> , 11, 1934578X1601101	0.9	8
46	Assessment of anticholinesterase and antioxidant properties of the extracts and (+)-catechin obtained from <i>Arceuthobium oxycedri</i> (D.C.) M. Bieb (dwarf mistletoe). <i>South African Journal of Botany</i> , <b>2019</b> , 120, 309-312	2.9	8
45	Isolation of active constituents from cherry laurel ( <i>Laurocerasus officinalis</i> Roem.) leaves through bioassay-guided procedures. <i>Journal of Ethnopharmacology</i> , <b>2012</b> , 139, 527-32	5	7
44	Chemical constituents of <i>Salvia dichroantha</i> . <i>Biochemical Systematics and Ecology</i> , <b>2012</b> , 42, 18-20	1.4	7
43	Synthesis and pharmacological activity of diterpenyl-naphthoquinone derivatives. <i>Molecules</i> , <b>2011</b> , 16, 8614-28	4.8	7

42	Design and synthesis of some new thiazolo [3,2-b]-1,2,4-triazole-5(6H)-ones substituted with flurbiprofen as anti-inflammatory and analgesic agents. <i>Arzneimittelforschung</i> , <b>2007</b> , 57, 196-202		7
41	A mixture of St. John's wort and sea buckthorn oils regresses endometriotic implants and affects the levels of inflammatory mediators in peritoneal fluid of the rat: A surgically induced endometriosis model. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , <b>2016</b> , 55, 786-790	1.6	7
40	Safety evaluation of styrax liquidus from the viewpoint of genotoxicity and mutagenicity. <i>Journal of Ethnopharmacology</i> , <b>2016</b> , 194, 506-512	5	6
39	In vitro Antiprotozoal Activity of Extracts of five Turkish Lamiaceae Species. <i>Natural Product Communications</i> , <b>2011</b> , 6, 1934578X1100601	0.9	6
38	Bioactivity guided evaluation of anti-inflammatory and antinociceptive activities of Arceuthobium oxycedri (D.C.) M. Bieb. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 128, 79-84	5	6
37	Antimicrobial effect of Helichrysum plicatum subsp. plicatum. <i>Pharmaceutical Biology</i> , <b>2009</b> , 47, 289-297	3.8	6
36	Synthesis and analgesic activity of some 4,6-disubstituted-3(2H)-pyridazinone derivatives. <i>Arzneimittelforschung</i> , <b>2006</b> , 56, 337-45		6
35	Synthesis and evaluation of the analgesic and anti-inflammatory activity of new 3(2H)-pyridazinone derivatives. <i>Arzneimittelforschung</i> , <b>2004</b> , 54, 396-401		6
34	Synthesis of amide derivatives of [6-(3,5-dimethylpyrazol-1-yl)-3(2H)-pyridazinone-2-yl] acetic acid and their analgesic and anti-inflammatory properties. <i>Arzneimittelforschung</i> , <b>2005</b> , 55, 520-7		6
33	Nepetaracemosides A and B, Iridoid Glucosides from Nepeta racemosa.. <i>Chemical and Pharmaceutical Bulletin</i> , <b>1999</b> , 47, 1433-1435	1.9	6
32	In vitro antiprotozoal activity of extracts of five Turkish Lamiaceae species. <i>Natural Product Communications</i> , <b>2011</b> , 6, 1697-700	0.9	6
31	The effect of Nigella sativa oil on prevention of myringosclerosis in a Guinea pig model. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2016</b> , 88, 52-7	1.7	5
30	Synthesis of some thiazolo[3,2-b]-1,2,4-triazole-5(6H)-ones and their novel Michael addition products with anti-inflammatory activities. <i>Arzneimittelforschung</i> , <b>2001</b> , 51, 470-7		5
29	The Antiinflammatory Principle of the Roots of Paeonia daurica. <i>International Journal of Pharmacognosy</i> , <b>1992</b> , 30, 66-70		5
28	Marmara Bölgesinin Bazı Yerleşim Merkezlerinde Halk İçin Olarak Kullanılan Bitkiler. <i>Marmara Pharmaceutical Journal</i> , <b>2016</b> , 21, 132-148		5
27	An investigation on the enzyme inhibitory activities, phenolic profile and antioxidant potentials of Salvia virgata Jacq. <i>South African Journal of Botany</i> , <b>2020</b> , 143, 350-350	2.9	5
26	Stability of phenolic content of some herbal infusions and their antioxidant activity following in vitro digestion. <i>Biyokimya Dergisi</i> , <b>2017</b> , 42,	0.7	4
25	Synthesis, characterization and antiinflammatory-analgesic properties of 6-(alpha-amino-4-chlorobenzyl)thiazolo [3,2-b]-1,2,4-triazol-5-ols. <i>Arzneimittelforschung</i> , <b>2004</b> , 54, 35-41		4

24	Comparatively Investigation of Grape Molasses Produced by Conventional and Industrial Techniques. <i>Marmara Pharmaceutical Journal</i> , <b>2018</b> , 22, 44-51		4
23	In vitro human digestion simulation of the bioavailability and antioxidant activity of phenolics from <i>Sambucus ebulus</i> L. fruit extracts. <i>Food Bioscience</i> , <b>2020</b> , 37, 100711	4.9	4
22	Flavonol Glycosides and Iridoids from <i>Asperula lilaciflora</i> . <i>Helvetica Chimica Acta</i> , <b>2014</b> , 97, 1571-1576	2	3
21	New gastroprotective labdeneamides from (4S,9R,10R) methyl 18-carboxy-labda-8,13(E)-diene-15-oate. <i>Planta Medica</i> , <b>2012</b> , 78, 362-7	3.1	3
20	Influence of honey addition on the bioaccessibility of phenolic contents and antioxidant capacities of different coffee types. <i>Marmara Pharmaceutical Journal</i> , <b>2017</b> , 21, 906-914		3
19	Development and Validation of a High-performance Liquid Chromatography-Diode-array Detection Method for the Determination of Eight Phenolic Constituents in Extracts of Different Wine Species. <i>Turkish Journal of Pharmaceutical Sciences</i> , <b>2018</b> , 15, 22-28	1.1	3
18	Phenolic Compounds from <i>Hypericum Calycinum</i> and Their Antioxidant Activity. <i>Natural Product Communications</i> , <b>2009</b> , 4, 1934578X0900400	0.9	2
17	Design and synthesis of some (S)-2-(6-methoxynaphthalen-2-yl)-N-substituted ethyl propanamide derivatives as potent non-ulcerogenic anti-inflammatory and analgesic agents. <i>Arzneimittelforschung</i> , <b>2009</b> , 59, 195-201		2
16	Caspase-mediated Apoptotic Effects of Barbey Extracts on Human Cervical Cancer Cell Line HeLa. <i>Pharmacognosy Magazine</i> , <b>2017</b> , 13, 254-259	0.8	2
15	Investigation of the Protective Effect of <i>Nigella Sativa</i> Oil in Cisplatin Induced Oral Mucositis: An Experimental Study. <i>Turkish Archives of Otorhinolaryngology</i> , <b>2020</b> , 58, 10-15	1.2	2
14	Cereal source and microbial consortia of the starter culture influence the chemical composition and physicochemical characteristics of boza. <i>Turk Tarim Ve Ormancilik Dergisi/Turkish Journal of Agriculture and Forestry</i> , <b>2018</b> , 42, 412-422	2.2	2
13	Synthesis, Antiinflammatory and Analgesic Activity Screening of Some New 4(3H)-Quinazolinone Derivatives.. <i>ChemInform</i> , <b>2004</b> , 35, no		1
12	A comprehensive study to evaluate the wound healing potential of okra ( <i>Abelmoschus esculentus</i> ) fruit. <i>Journal of Ethnopharmacology</i> , <b>2021</b> , 114843	5	1
11	Investigation of the effectiveness of algan hemostatic agent in bleeding control using an experimental partial splenectomy model in rats. <i>Marmara Medical Journal</i> , 27-32		1
10	Protective Effect of <i>Nigella sativa</i> and <i>Nigella damascena</i> Fixed Oils Against Aflatoxin Induced Mutagenicity in the Classical and Modified Ames Test. <i>Chemistry and Biodiversity</i> , <b>2021</b> , 18, e2000936	2.5	1
9	Influence of In Vitro Human Digestion Simulation on the Phenolics Contents and Biological Activities of the Aqueous Extracts from Turkish Species. <i>Molecules</i> , <b>2021</b> , 26,	4.8	1
8	Comparison of antioxidant and anti-inflammatory activity profiles of various chemically characterized Turkish propolis sub-types: Which propolis type is a promising source for pharmaceutical product development?. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2021</b> , 203, 114196	3.5	1
7	The Protective Effect of <i>Nigella sativa</i> Oil against Experimentally Induced Cisplatin Ototoxicity: An Animal Study. <i>Journal of International Advanced Otolaryngology</i> , <b>2020</b> , 16, 346-352	1.1	0

6	Hemostatic Activity of Cistus creticus Extract in Wistar Albino Rats. <i>Revista Brasileira De Farmacognosia</i> , <b>2020</b> , 30, 844-847	2	0
5	Quorum sensing attenuation properties of ethnobotanically valuable lichens against <i>Pseudomonas aeruginosa</i> . <i>Plant Biosystems</i> , <b>2020</b> , 154, 792-799	1.6	0
4	In vitro evaluation of the bioactivity and bioaccessibility of <i>Hypericum olympicum</i> L.. <i>South African Journal of Botany</i> , <b>2021</b> , 142, 316-324	2.9	0
3	Ethnopharmacology in the Eastern Mediterranean and the Middle East: The Sun Rises from the East, but Shines on the Eastern Mediterranean <b>2015</b> , 357-364		
2	Investigation of The Effectiveness of Plant Based Algan Hemostatic Agent in a Rat Model of Femoral Arterial Bleeding. <i>Bezmiilem Science</i> , <b>2022</b> , 10, 88-95	1.7	
1	The Protective Effect of <i>Nigella sativa</i> Oil against Experimentally Induced Cisplatin Ototoxicity: An Animal Study. <i>Journal of International Advanced Otology</i> , <b>2020</b> , 16, 346-352	1.1	