

# Erdem Yesilada

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3040985/erdem-yesilada-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221  
papers

8,749  
citations

51  
h-index

83  
g-index

240  
ext. papers

9,723  
ext. citations

3.9  
avg, IF

5.92  
L-index

#	Paper	IF	Citations
221	Investigation of The Effectiveness of Plant Based Algan Hemostatic Agent in a Rat Model of Femoral Arterial Bleeding. <i>Bezmiilem Science</i> , <b>2022</b> , 10, 88-95	1.7	
220	A comprehensive study to evaluate the wound healing potential of okra ( <i>Abelmoschus esculentus</i> ) fruit. <i>Journal of Ethnopharmacology</i> , <b>2021</b> , 114843	5	1
219	Monofloral and polyfloral bee pollens: Comparative evaluation of their phenolics and bioactivity profiles. <i>LWT - Food Science and Technology</i> , <b>2021</b> , 142, 110973	5.4	10
218	Protective Effect of <i>Nigella sativa</i> and <i>Nigella damascena</i> Fixed Oils Against Aflatoxin Induced Mutagenicity in the Classical and Modified Ames Test. <i>Chemistry and Biodiversity</i> , <b>2021</b> , 18, e2000936	2.5	1
217	Influence of In Vitro Human Digestion Simulation on the Phenolics Contents and Biological Activities of the Aqueous Extracts from Turkish Species. <i>Molecules</i> , <b>2021</b> , 26,	4.8	1
216	Comparison of antioxidant and anti-inflammatory activity profiles of various chemically characterized Turkish propolis sub-types: Which propolis type is a promising source for pharmaceutical product development?. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2021</b> , 203, 114196	3.5	1
215	In vitro evaluation of the bioactivity and bioaccessibility of <i>Hypericum olympicum</i> L.. <i>South African Journal of Botany</i> , <b>2021</b> , 142, 316-324	2.9	0
214	The Protective Effect of <i>Nigella sativa</i> Oil against Experimentally Induced Cisplatin Ototoxicity: An Animal Study. <i>Journal of International Advanced Otology</i> , <b>2020</b> , 16, 346-352	1.1	
213	The Protective Effect of <i>Nigella sativa</i> Oil against Experimentally Induced Cisplatin Ototoxicity: An Animal Study. <i>Journal of International Advanced Otology</i> , <b>2020</b> , 16, 346-352	1.1	0
212	Investigation of the Protective Effect of <i>Nigella Sativa</i> Oil in Cisplatin Induced Oral Mucositis: An Experimental Study. <i>Turkish Archives of Otorhinolaryngology</i> , <b>2020</b> , 58, 10-15	1.2	2
211	Hemostatic Activity of <i>Cistus creticus</i> Extract in Wistar Albino Rats. <i>Revista Brasileira De Farmacognosia</i> , <b>2020</b> , 30, 844-847	2	0
210	An investigation on the enzyme inhibitory activities, phenolic profile and antioxidant potentials of <i>Salvia virgata</i> Jacq. <i>South African Journal of Botany</i> , <b>2020</b> , 143, 350-350	2.9	5
209	Quorum sensing attenuation properties of ethnobotanically valuable lichens against <i>Pseudomonas aeruginosa</i> . <i>Plant Biosystems</i> , <b>2020</b> , 154, 792-799	1.6	0
208	Comparative biochemical and histopathological evaluations proved that receptacle is the most effective part of <i>Cynara scolymus</i> against liver and kidney damages. <i>Journal of Ethnopharmacology</i> , <b>2020</b> , 249, 112458	5	11
207	Importance of chromatographic and spectrophotometric methods in determining authenticity, classification and bioactivity of honey. <i>LWT - Food Science and Technology</i> , <b>2020</b> , 132, 109921	5.4	10
206	In vitro human digestion simulation of the bioavailability and antioxidant activity of phenolics from <i>Sambucus ebulus</i> L. fruit extracts. <i>Food Bioscience</i> , <b>2020</b> , 37, 100711	4.9	4
205	<i>Hypericum olympicum</i> L. recovers DNA damage and prevents MMP-9 activation induced by UVB in human dermal fibroblasts. <i>Journal of Ethnopharmacology</i> , <b>2020</b> , 246, 112202	5	12

204	Influence of in vitro human digestion on the bioavailability of phenolic content and antioxidant activity of <i>Viburnum opulus</i> L. (European cranberry) fruit extracts. <i>Industrial Crops and Products</i> , <b>2019</b> , 131, 62-69	5.9	32
203	A New Type of Anatolian Propolis: Evaluation of Its Chemical Composition, Activity Profile and Botanical Origin. <i>Chemistry and Biodiversity</i> , <b>2019</b> , 16, e1900492	2.5	10
202	Folk medicine in Düzce Province (Turkey). <i>Turkish Journal of Botany</i> , <b>2019</b> , 43, 769-784	1.3	10
201	Influence of extraction method on enzyme inhibition, phenolic profile and antioxidant capacity of <i>Sideritis trojana</i> Bornm. <i>South African Journal of Botany</i> , <b>2019</b> , 121, 360-365	2.9	15
200	Assessment of anticholinesterase and antioxidant properties of the extracts and (+)-catechin obtained from <i>Arceuthobium oxycedri</i> (D.C.) M. Bieb (dwarf mistletoe). <i>South African Journal of Botany</i> , <b>2019</b> , 120, 309-312	2.9	8
199	Phenolic compounds from the aerial parts of <i>L.</i> and their anti-inflammatory activities. <i>Natural Product Research</i> , <b>2019</b> , 33, 2541-2544	2.3	17
198	Profiling of Turkish propolis subtypes: Comparative evaluation of their phytochemical compositions, antioxidant and antimicrobial activities. <i>LWT - Food Science and Technology</i> , <b>2018</b> , 95, 367-379	5.4	23
197	Assessment of potential bioavailability of major phenolic compounds in <i>Lavandula stoechas</i> L. ssp. <i>stoechas</i> . <i>Industrial Crops and Products</i> , <b>2018</b> , 118, 111-117	5.9	21
196	Authentication of Turkish propolis through HPTLC fingerprints combined with multivariate analysis and palynological data and their comparative antioxidant activity. <i>LWT - Food Science and Technology</i> , <b>2018</b> , 87, 23-32	5.4	29
195	Comparatively Investigation of Grape Molasses Produced by Conventional and Industrial Techniques. <i>Marmara Pharmaceutical Journal</i> , <b>2018</b> , 22, 44-51		4
194	Development and Validation of a High-performance Liquid Chromatography-Diode-array Detection Method for the Determination of Eight Phenolic Constituents in Extracts of Different Wine Species. <i>Turkish Journal of Pharmaceutical Sciences</i> , <b>2018</b> , 15, 22-28	1.1	3
193	Enzyme inhibitory and antioxidant activities of <i>Nerium oleander</i> L. flower extracts and activity guided isolation of the active components. <i>Industrial Crops and Products</i> , <b>2018</b> , 112, 24-31	5.9	18
192	Cereal source and microbial consortia of the starter culture influence the chemical composition and physicochemical characteristics of boza. <i>Turk Tarim Ve Ormancilik Dergisi/Turkish Journal of Agriculture and Forestry</i> , <b>2018</b> , 42, 412-422	2.2	2
191	A comparative investigation on the in vitro anti-inflammatory, antioxidant and antimicrobial potentials of subextracts from the aerial parts of <i>Daphne oleoides</i> Schreb. subsp. <i>oleoides</i> . <i>Industrial Crops and Products</i> , <b>2017</b> , 95, 695-703	5.9	12
190	Sambulin A and B, non-glycosidic iridoids from <i>Sambucus ebulus</i> , exert significant in vitro anti-inflammatory activity in LPS-induced RAW 264.7 macrophages via inhibition of MAPKs's phosphorylation. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 206, 347-352	5	10
189	Effect of St. John's wort ( <i>Hypericum perforatum</i> ) oily extract for the care and treatment of pressure sores; a case report. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 196, 236-241	5	12
188	The bioaccessible phenolic profile and antioxidant potential of <i>Hypericum perforatum</i> L. after simulated human digestion. <i>Industrial Crops and Products</i> , <b>2017</b> , 109, 717-723	5.9	28
187	Stability of phenolic content of some herbal infusions and their antioxidant activity following in vitro digestion. <i>Biyokimya Dergisi</i> , <b>2017</b> , 42,	0.7	4

186	Quality assessment of marketed chamomile tea products by a validated HPTLC method combined with multivariate analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 132, 35-45	3.5	25
185	An ethnobotanical survey in selected districts of the Black Sea region (Turkey). <i>Turkish Journal of Botany</i> , <b>2017</b> , 41, 47-62	1.3	9
184	Analytical Methods in Tracing Honey Authenticity. <i>Journal of AOAC INTERNATIONAL</i> , <b>2017</b> , 100, 827-839	1.7	34
183	Influence of honey addition on the bioaccessibility of phenolic contents and antioxidant capacities of different coffee types. <i>Marmara Pharmaceutical Journal</i> , <b>2017</b> , 21, 906-914		3
182	Caspase-mediated Apoptotic Effects of Barbey Extracts on Human Cervical Cancer Cell Line HeLa. <i>Pharmacognosy Magazine</i> , <b>2017</b> , 13, 254-259	0.8	2
181	Safety evaluation of styrax liquidus from the viewpoint of genotoxicity and mutagenicity. <i>Journal of Ethnopharmacology</i> , <b>2016</b> , 194, 506-512	5	6
180	The effect of Nigella sativa oil on prevention of myringosclerosis in a Guinea pig model. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2016</b> , 88, 52-7	1.7	5
179	Evaluation of in vitro antiprotozoal activity of Ajuga laxmannii and its secondary metabolites. <i>Pharmaceutical Biology</i> , <b>2016</b> , 54, 1808-14	3.8	22
178	Marmara Bölgesinin Bazı Yerleşim Merkezlerinde Halk İçin Olarak Kullanılan Bitkiler. <i>Marmara Pharmaceutical Journal</i> , <b>2016</b> , 21, 132-148		5
177	A Guidance Manual for the Toxicity Assessment of Traditional Herbal Medicines. <i>Natural Product Communications</i> , <b>2016</b> , 11, 1934578X1601101	0.9	8
176	A mixture of St. John's wort and sea buckthorn oils regresses endometriotic implants and affects the levels of inflammatory mediators in peritoneal fluid of the rat: A surgically induced endometriosis model. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , <b>2016</b> , 55, 786-790	1.6	7
175	The effect of Hypericum perforatum L. (St. John's Wort) on prevention of myringosclerosis after myringotomy in a rat model. <i>International Journal of Pediatric Otorhinolaryngology</i> , <b>2015</b> , 79, 1128-34	1.7	10
174	Secondary metabolites from Sambucus ebulus. <i>Turkish Journal of Chemistry</i> , <b>2015</b> , 39, 34-41	1	13
173	The fruit extract of Berberis crataegina DC: exerts potent antioxidant activity and protects DNA integrity. <i>DARU, Journal of Pharmaceutical Sciences</i> , <b>2015</b> , 23, 24	3.9	8
172	Antioxidant activities of several Scutellaria taxa and bioactive phytoconstituents from Scutellaria hastifolia L.. <i>Industrial Crops and Products</i> , <b>2015</b> , 77, 196-203	5.9	13
171	Ethnopharmacology in the Eastern Mediterranean and the Middle East: The Sun Rises from the East, but Shines on the Eastern Mediterranean <b>2015</b> , 357-364		
170	Cytotoxic and apoptotic effects of Ebenus boissieri Barbey on human lung cancer cell line A549. <i>Pharmacognosy Magazine</i> , <b>2015</b> , 11, S37-45	0.8	8
169	Effect of in vitro gastrointestinal digestion on the bioavailability of phenolic components and the antioxidant potentials of some Turkish fruit wines. <i>Food Research International</i> , <b>2015</b> , 78, 209-215	7	73

168	Development and validation of an HPTLC method for apigenin 7-O-glucoside in chamomile flowers and its application for fingerprint discrimination of chamomile-like materials. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 107, 108-18	3.5	36
167	Anti-ulcerogenic activity and isolation of the active principles from Sambucus ebulus L. leaves. <i>Journal of Ethnopharmacology</i> , <b>2014</b> , 153, 478-83	5	27
166	Flavonol Glycosides and Iridoids from Asperula lilaciflora. <i>Helvetica Chimica Acta</i> , <b>2014</b> , 97, 1571-1576	2	3
165	A rapid validated HPLC method for determination of sulforaphane and glucoraphanin in broccoli and red cabbage prepared by various cooking techniques. <i>Analytical Methods</i> , <b>2014</b> , 6, 4559-4566	3.2	8
164	Characterization of volatiles and anti-ulcerogenic effect of Turkish sweetgum balsam ( <i>Styrax liquidus</i> ). <i>Journal of Ethnopharmacology</i> , <b>2013</b> , 148, 332-6	5	28
163	Appraisal of in vitro and in vivo antioxidant activity potential of cornelian cherry leaves. <i>Food and Chemical Toxicology</i> , <b>2013</b> , 62, 448-55	4.7	39
162	Exploration of the wound healing potential of <i>Helichrysum graveolens</i> (Bieb.) Sweet: isolation of apigenin as an active component. <i>Journal of Ethnopharmacology</i> , <b>2013</b> , 149, 103-10	5	32
161	An overview of Turkish folk medicine; past and present. <i>Current Drug Delivery</i> , <b>2013</b> , 10, 92-5	3.2	11
160	Comparative determination of sibutramine as an adulterant in natural slimming products by HPLC and HPTLC densitometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2012</b> , 64-65, 77-81	3.5	34
159	Isolation of active constituents from cherry laurel ( <i>Laurocerasus officinalis</i> Roem.) leaves through bioassay-guided procedures. <i>Journal of Ethnopharmacology</i> , <b>2012</b> , 139, 527-32	5	7
158	Efficacy of <i>Daphne oleoides</i> subsp. <i>kurdica</i> used for wound healing: identification of active compounds through bioassay guided isolation technique. <i>Journal of Ethnopharmacology</i> , <b>2012</b> , 141, 1058-70	5.70	36
157	A comparative study on the in vitro antioxidant potentials of three edible fruits: cornelian cherry, Japanese persimmon and cherry laurel. <i>Food and Chemical Toxicology</i> , <b>2012</b> , 50, 3329-35	4.7	57
156	Comparative evaluation of traditional prescriptions from <i>Cichorium intybus</i> L. for wound healing: stepwise isolation of an active component by in vivo bioassay and its mode of activity. <i>Journal of Ethnopharmacology</i> , <b>2012</b> , 143, 299-309	5	30
155	Chemical constituents of <i>Salvia dichroantha</i> . <i>Biochemical Systematics and Ecology</i> , <b>2012</b> , 42, 18-20	1.4	7
154	Iridoid, phenylethanoid and flavonoid glycosides from <i>Sideritis trojana</i> . <i>Phytotherapy Research</i> , <b>2012</b> , 83, 130-6	3.2	43
153	Anticholinesterase and antioxidant effects of the ethanol extract, ethanol fractions and isolated flavonoids from <i>Cistus laurifolius</i> L. leaves. <i>Food Chemistry</i> , <b>2012</b> , 131, 626-631	8.5	39
152	New gastroprotective labdeneamides from (4S,9R,10R) methyl 18-carboxy-labda-8,13(E)-diene-15-oate. <i>Planta Medica</i> , <b>2012</b> , 78, 362-7	3.1	3
151	The potential role of female flowers inflorescence of <i>Typha domingensis</i> Pers. in wound management. <i>Journal of Ethnopharmacology</i> , <b>2011</b> , 133, 1027-32	5	22

150	A novel wound healing ointment: a formulation of Hypericum perforatum oil and sage and oregano essential oils based on traditional Turkish knowledge. <i>Journal of Ethnopharmacology</i> , <b>2011</b> , 134, 89-96	5	71
149	Inferences from an ethnobotanical field expedition in the selected locations of Sivas and Yozgat provinces (Turkey). <i>Journal of Ethnopharmacology</i> , <b>2011</b> , 137, 85-98	5	59
148	In vitro Antiprotozoal Activity of Extracts of five Turkish Lamiaceae Species. <i>Natural Product Communications</i> , <b>2011</b> , 6, 1934578X1100601	0.9	6
147	Contribution of traditional medicine in the healthcare system of the Middle East. <i>Chinese Journal of Integrative Medicine</i> , <b>2011</b> , 17, 95-8	2.9	10
146	Antiprotozoal activity of Melampyrum arvense and its metabolites. <i>Phytotherapy Research</i> , <b>2011</b> , 25, 142-6	6.7	19
145	Synthesis and pharmacological activity of diterpenyl-naphthoquinone derivatives. <i>Molecules</i> , <b>2011</b> , 16, 8614-28	4.8	7
144	In vitro antiprotozoal activity of extracts of five Turkish Lamiaceae species. <i>Natural Product Communications</i> , <b>2011</b> , 6, 1697-700	0.9	6
143	Investigations on the in vivo wound healing potential of Hypericum perforatum L. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 127, 468-77	5	158
142	Bioactivity guided evaluation of anti-inflammatory and antinociceptive activities of Arceuthobium oxycedri (D.C.) M. Bieb. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 128, 79-84	5	6
141	Wound healing potential of Sambucus ebulus L. leaves and isolation of an active component, quercetin 3-O-glucoside. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 129, 106-14	5	92
140	Beneficial effects of Aesculus hippocastanum L. seed extract on the body's own antioxidant defense system on subacute administration. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 129, 18-22	5	41
139	Evaluation of the antiulcerogenic activity profile of a flavonol diglucoside from Equisetum palustre L. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 131, 17-21	5	14
138	Effects of escin mixture from the seeds of Aesculus hippocastanum on obesity in mice fed a high fat diet. <i>Pharmaceutical Biology</i> , <b>2010</b> , 48, 247-52	3.8	16
137	In vivo activity assessment of a "honey-bee pollen mix" formulation. <i>Pharmaceutical Biology</i> , <b>2010</b> , 48, 253-9	3.8	22
136	Chemical Composition and Antimicrobial Activity of the Essential Oils of Lavandula Stoechas L. Ssp. Stoechas Growing Wild in Turkey. <i>Natural Product Communications</i> , <b>2009</b> , 4, 1934578X0900400	0.9	9
135	Phenolic Compounds from Hypericum Calycinum and Their Antioxidant Activity. <i>Natural Product Communications</i> , <b>2009</b> , 4, 1934578X0900400	0.9	2
134	Antimicrobial effect of Helichrysum plicatum subsp. plicatum. <i>Pharmaceutical Biology</i> , <b>2009</b> , 47, 289-297	3.8	6
133	Design and synthesis of some (S)-2-(6-methoxynaphthalen-2-yl)-N-substituted ethyl propanamide derivatives as potent non-ulcerogenic anti-inflammatory and analgesic agents. <i>Arzneimittelforschung</i> , <b>2009</b> , 59, 195-201		2

132	Antiviral and antimicrobial activities of three sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> . <i>Microbiological Research</i> , <b>2009</b> , 164, 545-52	5.3	55
131	Phenylethyl Glycosides from <i>Digitalis lanata</i> . <i>Helvetica Chimica Acta</i> , <b>2009</b> , 92, 1845-1852	2	14
130	An anti-ulcerogenic flavonol diglucoside from <i>Equisetum palustre</i> L. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 121, 360-5	5	21
129	Sesquiterpene lactones with antinociceptive and antipyretic activity from two <i>Centaurea</i> species. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 122, 210-5	5	28
128	Exploring the wound healing activity of <i>Arnebia densiflora</i> (Nordm.) Ledeb. by in vivo models. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 124, 137-41	5	49
127	A comparative study on the antinociceptive and anti-inflammatory activities of five <i>Juniperus</i> taxa. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 125, 330-6	5	41
126	In vivo anti-inflammatory and wound healing activities of <i>Centaurea iberica</i> Trev. ex Spreng. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 126, 551-6	5	49
125	Cholesterol-reducer, antioxidant and liver protective effects of <i>Thymbra spicata</i> L. var. <i>spicata</i> . <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 126, 314-9	5	21
124	Anti-inflammatory and antinociceptive activity of coumarins from <i>Seseli gummiferum</i> subsp. <i>corymbosum</i> (Apiaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2009</b> , 64, 56-62 <sup>1.7</sup>	1.7	12
123	Chemical composition and antimicrobial activity of the essential oils of <i>Lavandula stoechas</i> L. ssp. <i>stoechas</i> growing wild in Turkey. <i>Natural Product Communications</i> , <b>2009</b> , 4, 1001-6	0.9	25
122	Valuation of anti-inflammatory and antinociceptive activities of <i>Erica</i> species native to Turkey. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 116, 251-7	5	21
121	In vivo anti-inflammatory and antinociceptive actions of some <i>Lamium</i> species. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 118, 166-72	5	19
120	Bioassay-guided isolation of anti-inflammatory and antinociceptive principles from a folk remedy, <i>Rhododendron ponticum</i> L. leaves. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 119, 172-8	5	45
119	Evaluation of anti-inflammatory and antinociceptive activities of some <i>Onosma</i> L. species growing in Turkey. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 120, 378-81	5	20
118	Antinociceptive and Anti-inflammatory Activities of Seven Endemic <i>Verbascum</i> Species Growing in Turkey. <i>Pharmaceutical Biology</i> , <b>2008</b> , 46, 781-788	3.8	10
117	Anti-inflammatory and antinociceptive potential of major phenolics from <i>Verbascum salviifolium</i> Boiss. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2008</b> , 63, 196-202	1.7	21
116	Preparation of 5-aryl-3-alkylthio-1,2,4-triazoles and corresponding sulfones with antiinflammatory-analgesic activity. <i>Bioorganic and Medicinal Chemistry</i> , <b>2007</b> , 15, 1808-14	3.4	176
115	A new therapeutic approach in Alzheimer disease: some novel pyrazole derivatives as dual MAO-B inhibitors and antiinflammatory analgesics. <i>Bioorganic and Medicinal Chemistry</i> , <b>2007</b> , 15, 5775-86	3.4	160

114	Evaluation of Some Plants Used in Turkish Folk Medicine for Their Anti-inflammatory and Antinociceptive Activities. <i>Pharmaceutical Biology</i> , <b>2007</b> , 45, 547-555	3.8	22
113	Analgesic and antiinflammatory activities of some new Mannich bases of 5-nitro-2-benzoxazolinones. <i>Archives of Pharmacal Research</i> , <b>2007</b> , 30, 419-24	6.1	26
112	In vivo anti-inflammatory and antinociceptive activity evaluation of phenolic compounds from <i>Sideritis stricta</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2007</b> , 62, 519-25	1.7	30
111	Design and synthesis of some new thiazolo [3,2-b]-1,2,4-triazole-5(6H)-ones substituted with flurbiprofen as anti-inflammatory and analgesic agents. <i>Arzneimittelforschung</i> , <b>2007</b> , 57, 196-202		7
110	A study of antidiabetic and antioxidant effects of <i>Helichrysum graveolens capitulum</i> in streptozotocin-induced diabetic rats. <i>Journal of Medicinal Food</i> , <b>2007</b> , 10, 396-400	2.8	35
109	In vivo antidiabetic and antioxidant potential of <i>Helichrysum plicatum</i> ssp. <i>plicatum</i> capitulum in streptozotocin-induced-diabetic rats. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 109, 54-9	5	95
108	Appraisal of anti-inflammatory potential of the clubmoss, <i>Lycopodium clavatum</i> L. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 109, 146-50	5	50
107	Bioassay-guided isolation of anti-inflammatory and antinociceptive glycoterpenoids from the flowers of <i>Verbascum lasianthum</i> Boiss. ex Benth. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 110, 444-50	5	42
106	Effects of in vivo antioxidant enzyme activities of myrtle oil in normoglycaemic and alloxan diabetic rabbits. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 110, 498-503	5	80
105	<i>Clematis vitalba</i> L. aerial part exhibits potent anti-inflammatory, antinociceptive and antipyretic effects. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 110, 504-15	5	68
104	Evaluation of the anti-ulcerogenic effect of sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> by using various in vivo and biochemical techniques. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 112, 284-91	5	38
103	Phenolic compounds of <i>Sideritis ozturkii</i> and their in vivo anti-inflammatory and antinociceptive activities. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 112, 356-60	5	38
102	In vivo anti-inflammatory and antinociceptive activity of the crude extract and fractions from <i>Rosa canina</i> L. fruits. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 112, 394-400	5	119
101	Flavonoids with anti-inflammatory and antinociceptive activity from <i>Cistus laurifolius</i> L. leaves through bioassay-guided procedures. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 112, 524-30	5	70
100	Bioassay-guided isolation of kaempferol-3-O-beta-D-galactoside with anti-inflammatory and antinociceptive activity from the aerial part of <i>Calluna vulgaris</i> L. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 114, 32-7	5	29
99	Assessment of anti-inflammatory and antinociceptive activities of <i>Daphne pontica</i> L. (Thymelaeaceae). <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 113, 332-7	5	15
98	Estimation of antinociceptive and anti-inflammatory activity on <i>Geranium pratense</i> subsp. <i>finitimum</i> and its phenolic compounds. <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 114, 234-40	5	33
97	Synthesis and analgesic activity of some 4,6-disubstituted-3(2H)-pyridazinone derivatives. <i>Arzneimittelforschung</i> , <b>2006</b> , 56, 337-45		6



96	Anti-inflammatory and antinociceptive activity of flavonoids isolated from <i>Viscum album</i> ssp. <i>album</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2006</b> , 61, 26-30	1.7	37
95	Effect of <i>Cistus laurifolius</i> L. leaf extracts and flavonoids on acetaminophen-induced hepatotoxicity in mice. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 103, 455-60	5	33
94	Anti-inflammatory and antinociceptive activities of <i>Seseli</i> L. species (Apiaceae) growing in Turkey. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 104, 310-4	5	41
93	Bioassay-guided evaluation of anti-inflammatory and antinociceptive activities of pistachio, <i>Pistacia vera</i> L. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 105, 235-40	5	50
92	Comparative evaluation of the anti-inflammatory and antinociceptive activity of Turkish <i>Eryngium</i> species. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 107, 32-7	5	61
91	Anti-inflammatory and antinociceptive potential of <i>Maclura pomifera</i> (Rafin.) Schneider fruit extracts and its major isoflavonoids, scandenone and auriculasin. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 107, 169-74	5	36
90	Antihypercholesterolaemic and antioxidant activity assessment of some plants used as remedy in Turkish folk medicine. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 107, 418-23	5	59
89	Evaluation of some plants used in Turkish folk medicine against parasitic infections for their in vivo anthelmintic activity. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 108, 211-6	5	43
88	In-vivo assessment of antidiabetic and antioxidant activities of grapevine leaves ( <i>Vitis vinifera</i> ) in diabetic rats. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 108, 280-6	5	67
87	Prostaglandin inhibitory and antioxidant components of <i>Cistus laurifolius</i> , a Turkish medicinal plant. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 108, 371-8	5	48
86	Flavonoids with anti- <i>Helicobacter pylori</i> activity from <i>Cistus laurifolius</i> leaves. <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 108, 457-61	5	59
85	Effects of triterpene saponins from <i>Astragalus</i> species on in vitro cytokine release. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 96, 71-7	5	133
84	Evaluation of the hypoglycemic effect and antioxidant activity of three <i>Viscum album</i> subspecies (European mistletoe) in streptozotocin-diabetic rats. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 98, 95-102	5	69
83	Anti-ulcerogenic activity of some plants used in folk medicine of Pinarbasi (Kayseri, Turkey). <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 101, 313-8	5	65
82	Bioassay-guided isolation of iridoid glucosides with antinociceptive and anti-inflammatory activities from <i>Veronica anagallis-aquatica</i> L. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 102, 170-6	5	39
81	Traditional medicine and gastroprotective crude drugs. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 100, 61-6	5	108
80	Past and future contributions to traditional medicine in the health care system of the Middle-East. <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 100, 135-7	5	38
79	Hypoglycaemic activity of <i>Gentiana olivieri</i> and isolation of the active constituent through bioassay-directed fractionation techniques. <i>Life Sciences</i> , <b>2005</b> , 76, 1223-38	6.8	142

78	Synthesis, analgesic and antiinflammatory properties of certain 5-/6-acyl-3-(4-substituted-1-piperazinylmethyl)-2-benzoxazolinones derivatives. <i>Archiv Der Pharmazie</i> , <b>2005</b> , 338, 117-25	4.3	13
77	Synthesis, analgesic, and anti-inflammatory activities of [6-(3,5-dimethyl-4-chloropyrazole-1-yl)-3(2H)-pyridazinon-2-yl]acetamides. <i>Archives of Pharmacol Research</i> , <b>2005</b> , 28, 509-17	6.1	41
76	Synthesis of new Mannich bases of arylpyridazinones as analgesic and anti-inflammatory agents. <i>Arzneimittelforschung</i> , <b>2005</b> , 55, 318-25		11
75	Synthesis of amide derivatives of [6-(3,5-dimethylpyrazol-1-yl)-3(2H)-pyridazinone-2-yl] acetic acid and their analgesic and anti-inflammatory properties. <i>Arzneimittelforschung</i> , <b>2005</b> , 55, 520-7		6
74	Synthesis and evaluation of analgesic/ anti-inflammatory and antimicrobial activities of 3-substituted- 1,2,4-triazole-5-thiones. <i>Arzneimittelforschung</i> , <b>2005</b> , 55, 533-40		15
73	Synthesis and evaluation of the analgesic and anti-inflammatory activity of new 3(2H)-pyridazinone derivatives. <i>Arzneimittelforschung</i> , <b>2004</b> , 54, 396-401		6
72	Synthesis, characterization and antiinflammatory-analgesic properties of 6-(alpha-amino-4-chlorobenzyl)thiazolo [3,2-b]-1,2,4-triazol-5-ols. <i>Arzneimittelforschung</i> , <b>2004</b> , 54, 35-41		4
71	Anti-ulcerogenic lignans from <i>Taxus baccata</i> L. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2004</b> , 59, 233-6	1.7	10
70	Analgesic Activity of <i>Cistus laurifolius</i> in Mice. <i>Pharmaceutical Biology</i> , <b>2004</b> , 42, 176-178	3.8	8
69	Evaluation of in vivo biological activity profile of isoorientin. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2004</b> , 59, 787-90	1.7	48
68	An Ethnobotanical survey of the beypazari, ayas, and Gölbaşı district towns of Ankara Province (Turkey). <i>Economic Botany</i> , <b>2004</b> , 58, 705-720	1.7	56
67	Synthesis of new 2-[1(2H)-phthalazinon-2-yl]acetamide and 3-[1(2H)-phthalazinon-2-yl]propanamide derivatives as antinociceptive and anti-inflammatory agents. <i>Archiv Der Pharmazie</i> , <b>2004</b> , 337, 303-10	4.3	47
66	Amide derivatives of [6-(5-methyl-3-phenylpyrazole-1-yl)-3(2H)-pyridazinone-2-yl]acetic acids as potential analgesic and anti-inflammatory compounds. <i>Archiv Der Pharmazie</i> , <b>2004</b> , 337, 7-14	4.3	34
65	Synthesis, anti-inflammatory and analgesic activity of some new 4(3H)-quinazolinone derivatives. <i>Archiv Der Pharmazie</i> , <b>2004</b> , 337, 96-104	4.3	26
64	Synthesis, Antiinflammatory and Analgesic Activity Screening of Some New 4(3H)-Quinazolinone Derivatives.. <i>ChemInform</i> , <b>2004</b> , 35, no		1
63	Folk medicine in Uzbekistan. I. Toshkent, Djizzax, and Samarqand provinces. <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 92, 197-207	5	50
62	Hypoglycaemic effects of myrtle oil in normal and alloxan-diabetic rabbits. <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 93, 311-8	5	74
61	Isolation of anti-ulcerogenic sesquiterpene lactones from <i>Centaurea solstitialis</i> L. ssp. <i>solstitialis</i> through bioassay-guided fractionation procedures in rats. <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 95, 213-9		41

60	Flavonoids with antinociceptive and anti-inflammatory activities from the leaves of <i>Tilia argentea</i> (silver linden). <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 95, 393-7	5	104
59	Callus formation and cucurbitacin B accumulation in <i>Ecballium elaterium</i> callus cultures. <i>Phytotherapy Research</i> , <b>2003</b> , 74, 618-23	3-2	9
58	4-(5-chloro-2(3H)-benzoxazolone-3-yl) butanoic acid derivatives: synthesis, antinociceptive and anti-inflammatory properties. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 477-82	4-3	18
57	Amide derivatives of [5-chloro-6-(2-chloro/fluorobenzoyl)-2-benzoxazolinone-3-yl]acetic acids as potential analgesic and anti-inflammatory compounds. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 251-7	4-3	10
56	Synthesis and analgesic and anti-inflammatory activity of some new (6-acyl-2-benzoxazolinone and 6-acyl-2-benzothiazolinone derivatives with acetic acid and propanoic acid residues. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 353-61	4-3	32
55	Studies on novel 7-acyl-5-chloro-2-oxo-3H-benzoxazole derivatives as potential analgesic and anti-inflammatory agents. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 310-21	4-3	32
54	Investigations of new pyridazinone derivatives for the synthesis of potent analgesic and anti-inflammatory compounds with cyclooxygenase inhibitory activity. <i>Archiv Der Pharmazie</i> , <b>2003</b> , 336, 406-12	4-3	26
53	Anti-inflammatory and antinociceptive activity of taxoids and lignans from the heartwood of <i>Taxus baccata</i> L. <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 89, 265-70	5	43
52	Evaluation of hepatoprotective effect of <i>Gentiana olivieri</i> herbs on subacute administration and isolation of active principle. <i>Life Sciences</i> , <b>2003</b> , 72, 2273-83	6.8	54
51	Anti-ulcerogenic activity of some plants used as folk remedy in Turkey. <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 88, 93-7	5	114
50	Anti-inflammatory and antinociceptive activity assessment of plants used as remedy in Turkish folk medicine. <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 89, 123-9	5	142
49	Synthesis of some 1,2,4-triazolo[3,2-b]-1,3-thiazine-7-ones with potential analgesic and antiinflammatory activities. <i>Il Farmaco</i> , <b>2002</b> , 57, 145-52		66
48	A comparative study on the anti-inflammatory, antinociceptive and antipyretic effects of isoquinoline alkaloids from the roots of Turkish <i>Berberis</i> species. <i>Life Sciences</i> , <b>2002</b> , 72, 645-57	6.8	273
47	<i>Berberis crataegina</i> DC. root exhibits potent anti-inflammatory, analgesic and febrifuge effects in mice and rats. <i>Journal of Ethnopharmacology</i> , <b>2002</b> , 79, 237-48	5	138
46	In vivo gastroprotective effects of five Turkish folk remedies against ethanol-induced lesions. <i>Journal of Ethnopharmacology</i> , <b>2002</b> , 83, 241-4	5	56
45	Biodiversity in Turkish Folk Medicine <b>2002</b> , 119-135		14
44	Comparative evaluation of the flavonoid content in officinal <i>Tiliae flos</i> and Turkish lime species for quality assessment. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2001</b> , 26, 111-21	3-5	55
43	Synthesis of some thiazolo[3,2-b]-1,2,4-triazole-5(6H)-ones and their novel Michael addition products with anti-inflammatory activities. <i>Arzneimittelforschung</i> , <b>2001</b> , 51, 470-7		5

42	In vitro inhibitory effects of <i>Daphne oleoides</i> ssp. <i>oleoides</i> on inflammatory cytokines and activity-guided isolation of active constituents. <i>Cytokine</i> , <b>2001</b> , 13, 359-64	4	40
41	Traditional medicine in Turkey X. Folk medicine in Central Anatolia. <i>Journal of Ethnopharmacology</i> , <b>2001</b> , 75, 95-115	5	315
40	Labdane diterpenoids from <i>Marrubium globosum</i> ssp. <i>globosum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2000</b> , 48, 1234-5	1.9	14
39	Phlorigidosides A-C, iridoid glucosides from <i>Phlomis rigida</i> . <i>Phytochemistry</i> , <b>2000</b> , 53, 931-5	4	36
38	6-Benzylidenethiazolo[3,2-b]-1,2,4-triazole-5(6H)-ones substituted with ibuprofen: synthesis, characterization and evaluation of anti-inflammatory activity. <i>European Journal of Medicinal Chemistry</i> , <b>2000</b> , 35, 743-50	6.8	133
37	Hepatoprotective effects of Turkish folk remedies on experimental liver injury. <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 73, 121-9	5	43
36	Isolation and characterization of free radical scavenging flavonoid glycosides from the flowers of <i>Spartium junceum</i> by activity-guided fractionation. <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 73, 471-8	5	46
35	Anti-ulcerogenic effect of <i>Momordica charantia</i> L. fruits on various ulcer models in rats. <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 71, 77-82	5	73
34	Anti-ulcerogenic effects of <i>Spartium junceum</i> flowers on in vivo test models in rats. <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 70, 219-26	5	15
33	Rearranged abietane-type diterpenes from <i>Salvia dichroantha</i> . <i>Phytochemistry</i> , <b>1999</b> , 50, 493-497	4	69
32	Phlomisethanoside, a phenylethanoid glycoside from <i>Phlomis grandiflora</i> var. <i>grandiflora</i> . <i>Phytochemistry</i> , <b>1999</b> , 51, 323-325	4	18
31	A saponin with anti-ulcerogenic effect from the flowers of <i>Spartium junceum</i> . <i>Phytochemistry</i> , <b>1999</b> , 51, 903-8	4	34
30	Terpenoids and aromatic compounds from <i>Daphne oleoides</i> ssp. <i>oleoides</i> . <i>Phytochemistry</i> , <b>1999</b> , 52, 1525-1529	4	32
29	Traditional medicine in Turkey IX: folk medicine in north-west Anatolia. <i>Journal of Ethnopharmacology</i> , <b>1999</b> , 64, 195-210	5	176
28	Screening of Turkish anti-ulcerogenic folk remedies for anti- <i>Helicobacter pylori</i> activity. <i>Journal of Ethnopharmacology</i> , <b>1999</b> , 66, 289-93	5	154
27	Nepetaracemosides A and B, Iridoid Glucosides from <i>Nepeta racemosa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>1999</b> , 47, 1433-1435	1.9	6
26	Anti-nociceptive and anti-inflammatory activity of some (2-benzoxazolone-3-yl and 2-benzothiazolone-3-yl)acetic acid derivatives. <i>Il Farmaco</i> , <b>1998</b> , 53, 80-4		45
25	Iridoid and eugenol glycosides from <i>Nepeta cadmea</i> . <i>Phytochemistry</i> , <b>1998</b> , 49, 787-791	4	51

24	Effects of the Turkish subspecies of <i>Viscum album</i> on macrophage-derived cytokines. <i>Journal of Ethnopharmacology</i> , <b>1998</b> , 61, 195-200	5	9
23	Effects of <i>Cistus laurifolius</i> L. flowers on gastric and duodenal lesions. <i>Journal of Ethnopharmacology</i> , <b>1997</b> , 55, 201-11	5	57
22	Inhibitory effects of Turkish folk remedies on inflammatory cytokines: interleukin-1alpha, interleukin-1beta and tumor necrosis factor alpha. <i>Journal of Ethnopharmacology</i> , <b>1997</b> , 58, 59-73	5	125
21	Traditional medicine in Turkey VIII. Folk medicine in east anatolia; Erzurum, Erz̄ncan, Aġ, Kars, Iġir provinces. <i>Economic Botany</i> , <b>1997</b> , 51, 195-211	1.7	130
20	Megastigmane glycosides from <i>Salvia nemorosa</i> . <i>Phytochemistry</i> , <b>1997</b> , 44, 117-20	4	27
19	Megastigmane glucosides from <i>Stachys byzantina</i> . <i>Phytochemistry</i> , <b>1997</b> , 44, 1335-1337	4	63
18	Nepetacilioside, a New Iridoid Glucoside from <i>Nepeta cilicia</i> . <i>Journal of Natural Products</i> , <b>1996</b> , 59, 518-519	4.9	8
17	Traditional medicine in Turkey. VI. Folk medicine in west Anatolia: Afyon, K̄ahya, Denizli, Muġla, Aydin provinces. <i>Journal of Ethnopharmacology</i> , <b>1996</b> , 53, 75-87	5	51
16	Nepetanudosides and iridoid glucosides having novel stereochemistry from <i>Nepeta nuda</i> ssp. <i>albiflora</i> . <i>Phytochemistry</i> , <b>1996</b> , 42, 1085-1088	4	16
15	Flavonoid variation in the leaves of <i>Glycyrrhiza glabra</i> . <i>Phytochemistry</i> , <b>1996</b> , 42, 701-704	4	20
14	Traditional medicine in Turkey VII. Folk medicine in middle and west Black Sea regions. <i>Economic Botany</i> , <b>1995</b> , 49, 406-422	1.7	147
13	Clinical effects of the fruit juice of <i>Ecbalium elaterium</i> in the treatment of sinusitis. <i>Journal of Toxicology: Clinical Toxicology</i> , <b>1995</b> , 33, 381-3		17
12	Nepetanudoside, an Iridoid Glucoside with an Unusual Stereostructure from <i>Nepeta nuda</i> ssp. <i>albiflora</i> . <i>Journal of Natural Products</i> , <b>1995</b> , 58, 1217-1221	4.9	20
11	Traditional medicine in Turkey. V. Folk medicine in the inner Taurus Mountains. <i>Journal of Ethnopharmacology</i> , <b>1995</b> , 46, 133-52	5	283
10	Marrubinones A and B, New Labdane Diterpenoids from <i>Marrubium astracanicum</i> (Labiatae).. <i>Chemical and Pharmaceutical Bulletin</i> , <b>1995</b> , 43, 1454-1457	1.9	11
9	Traditional Medicine in Turkey III. Folk Medicine in East Anatolia, Van and Bitlis Provinces. <i>International Journal of Pharmacognosy</i> , <b>1994</b> , 32, 3-12		71
8	Traditional medicine in Turkey. IV. Folk medicine in the Mediterranean subdivision. <i>Journal of Ethnopharmacology</i> , <b>1993</b> , 39, 31-8	5	132
7	Screening of some Turkish medicinal plants for their antiulcerogenic activities. <i>Phytotherapy Research</i> , <b>1993</b> , 7, 263-265	6.7	36

6	The Antiinflammatory Principle of the Roots of <i>Paeonia daurica</i> . <i>International Journal of Pharmacognosy</i> , <b>1992</b> , 30, 66-70		5
5	Traditional medicine in Turkey. I. Folk medicine in northeast Anatolia. <i>Journal of Ethnopharmacology</i> , <b>1991</b> , 35, 191-6	5	105
4	The antiinflammatory activity of the fractions from <i>Eryngium billardieri</i> in mice. <i>Phytotherapy Research</i> , <b>1989</b> , 3, 38-40	6.7	14
3	Antiinflammatory effects of the fruit juice of <i>Ecballium elaterium</i> on edemas in mice. <i>Phytotherapy Research</i> , <b>1989</b> , 3, 75-76	6.7	22
2	Isolation of an anti-inflammatory principle from the fruit juice of <i>Ecballium elaterium</i> . <i>Journal of Natural Products</i> , <b>1988</b> , 51, 504-8	4.9	101
1	Investigation of the effectiveness of algal hemostatic agent in bleeding control using an experimental partial splenectomy model in rats. <i>Marmara Medical Journal</i> , 27-32		1