MaÅ,gorzata Szkup

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3041579/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Faecal Short Chain Fatty Acids Profile is Changed in Polish Depressive Women. Nutrients, 2018, 10, 1939.	4.1	153
2	Effects of Socio-Demographic, Personality and Medical Factors on Quality of Life of Postmenopausal Women. International Journal of Environmental Research and Public Health, 2014, 11, 6692-6708.	2.6	25
3	Analysis of Relations Between the Level of Mg, Zn, Ca, Cu, and Fe and Depressiveness in Postmenopausal Women. Biological Trace Element Research, 2017, 176, 56-63.	3.5	25
4	Influence of Pb and Cd levels in whole blood of postmenopausal women on the incidence of anxiety and depressive symptoms. Annals of Agricultural and Environmental Medicine, 2018, 25, 219-223.	1.0	19
5	Relationships between Vitamin D3 and Metabolic Syndrome. International Journal of Environmental Research and Public Health, 2019, 16, 175.	2.6	19
6	Analysis of Sociodemographic, Psychological, and Genetic Factors Contributing to Depressive symptoms in Pre-, Peri- and Postmenopausal Women. International Journal of Environmental Research and Public Health, 2018, 15, 712.	2.6	18
7	The Cross-Cultural Competence Inventory: Validity and psychometric properties of the Polish adaptation. PLoS ONE, 2019, 14, e0212730.	2.5	18
8	The assessment of the relationship between personality, the presence of the 5HTT and MAO-A polymorphisms, and the severity of climacteric and depressive symptoms in postmenopausal women. Archives of Women's Mental Health, 2015, 18, 613-621.	2.6	17
9	The Polish version of the Cultural Intelligence Scale: Assessment of its reliability and validity among healthcare professionals and medical faculty students. PLoS ONE, 2019, 14, e0225240.	2.5	16
10	Associations between the components of metabolic syndrome and the polymorphisms in the peroxisome proliferator-activated receptor gamma (PPAR-γ), the fat mass and obesity-associated (FTO), and the melanocortin-4 receptor (MC4R) genes. Aging, 2018, 10, 72-82.	3.1	15
11	The influence of the TNFα rs1800629 polymorphism on some inflammatory biomarkers in 45-60-year-old women with metabolic syndrome. Aging, 2018, 10, 2935-2943.	3.1	12
12	Searching for the relationship between the parameters of metabolic syndrome and the rs17782313 (T>C) polymorphism of the MC4R gene in postmenopausal women. Clinical Interventions in Aging, 2017, Volume 12, 549-555.	2.9	11
13	Prevalence, subtypes and risk factors of Blastocystis spp. infection among pre- and perimenopausal women. BMC Infectious Diseases, 2021, 21, 1125.	2.9	8
14	Depressive Symptoms among Middle-Aged Women—Understanding the Cause. Brain Sciences, 2021, 11, 26.	2.3	8
15	Evaluation of the Relationship between 5-HTT and MAO Gene Polymorphisms, Mood and Level of Anxiety among Postmenopausal Women. International Journal of Environmental Research and Public Health, 2015, 12, 268-281.	2.6	7
16	The Relationship between AMH and AMHR2 Polymorphisms and the Follicular Phase in Late Reproductive Stage Women. International Journal of Environmental Research and Public Health, 2016, 13, 185.	2.6	7
17	Analysis of personality traits and their influence on the quality of life of postmenopausal women with regard to genetic factors. Annals of General Psychiatry, 2016, 15, 25.	2.7	7
18	Serum levels of proinflammatory cytokines and selected bioelements in perimenopausal women with regard to body mass index. Aging, 2021, 13, 25025-25037.	3.1	5

MaÅ,gorzata Szkup

#	Article	IF	CITATIONS
19	Searching for the Role of the IFNÎ ³ rs2430561 Polymorphism in Inducible Inflammation: Contribution to Metabolic Syndrome in 45 to 60-Year-Old Women. International Journal of Environmental Research and Public Health, 2019, 16, 884.	2.6	4
20	An Analysis of the Influence of Selected Genetic and Hormonal Factors on the Occurrence of Depressive Symptoms in Late-Reproductive-Age Women. International Journal of Environmental Research and Public Health, 2015, 12, 3547-3563.	2.6	3
21	The influence of the serotonergic system on the personality and quality of life of postmenopausal women. Clinical Interventions in Aging, 2017, Volume 12, 963-970.	2.9	3
22	Seeking genetic determinants of selected metabolic disorders in women aged 45–60. Annals of Agricultural and Environmental Medicine, 2020, 27, 407-412.	1.0	3
23	Analysis of the Impact of Type 2 Diabetes on the Psychosocial Functioning and Quality of Life of Perimenopausal Women. International Journal of Environmental Research and Public Health, 2020, 17, 4349.	2.6	3
24	Body Composition and Biological Functioning in Polish Perimenopausal Women with Type 2 Diabetes. International Journal of Environmental Research and Public Health, 2021, 18, 11422.	2.6	3
25	The analysis of anxiety and mood in healthy late-reproductive-stage women with regard to hormonal and genetic factors. Archives of Women's Mental Health, 2016, 19, 1141-1148.	2.6	2
26	<p>The influence of genetic factors on personality and coping with stress among healthy late reproductive age women</p> . Clinical Interventions in Aging, 2019, Volume 14, 1353-1360.	2.9	2
27	The Relationship between the IFNG (rs2430561) Polymorphism and Metabolic Syndrome in Perimenopausal Women. Medicina (Lithuania), 2020, 56, 384.	2.0	1
28	Analysis of diagnostic methods of a population-based breast cancer early detection screening programme. Medycyna Ogólna I Nauki O Zdrowiu, 2021, , .	0.2	0
29	Analysis of the relationship between the severity of climacteric and depressive symptoms in healthy women and those with type 2 diabetes. Pomeranian Journal of Life Sciences, 2019, 65, 54-59.	0.1	0