

Carolina Aliaga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3042761/publications.pdf>

Version: 2024-02-01

63
papers

1,327
citations

331670

21
h-index

377865

34
g-index

64
all docs

64
docs citations

64
times ranked

1480
citing authors

#	ARTICLE	IF	CITATIONS
1	Bond Dissociation Energies for Radical Dimers Derived from Highly Stabilized Carbon-Centered Radicals. <i>Organic Letters</i> , 2004, 6, 2579-2582.	4.6	119
2	Reactions of the radical cation derived from 2,2'-azinobis(3-ethylbenzothiazoline-6-sulfonic acid) (ABTS ^{•+}) with amino acids. Kinetics and mechanism. <i>Canadian Journal of Chemistry</i> , 2000, 78, 1052-1059.	1.1	69

3

#	ARTICLE	IF	CITATIONS
19	Clean Photochemical Synthesis Mediated by Radical~Radical Reactions:~ Radical Buffer or the Persistent Free Radical Effect?. <i>Organic Letters</i> , 2005, 7, 4979-4982.	4.6	26
20	How meaningful is the assessment of antioxidant activities in microheterogeneous media?. <i>Food Chemistry</i> , 2009, 113, 1083-1087.	8.2	26
21	Hydroxyl Radical Generation and DNA Nuclease Activity: A Mechanistic Study Based on a Surface~Immobilized Copper Thioether Clip~Phen Derivative. <i>Chemistry - A European Journal</i> , 2016, 22, 10081-10089.	3.3	23
22	The Solvatofluorochromism of 2,4,6~Triarylpyrimidine Derivatives. <i>Photochemistry and Photobiology</i> , 2018, 94, 1100-1108.	2.5	21
23	Influence of cyano substituents on the electron density and catalytic activity towards the oxygen reduction reaction for iron phthalocyanine. The case for Fe(II) 2,3,9,10,16,17,23,24-octa(cyano)phthalocyanine. <i>Electrochemistry Communications</i> , 2020, 118, 106784.	4.7	20
24	Interfacial kinetics in olive oil-in-water nanoemulsions: Relationships between rates of initiation of lipid peroxidation, induction times and effective interfacial antioxidant concentrations. <i>Journal of Colloid and Interface Science</i> , 2021, 604, 248-259.	9.4	20
25	Exchange Interactions Through π - π Stacking in the Lamellar Compound $[\{Cu(bipy)(en)\}\{Cu(bipy)(H_{2}O)\}\{VO_{3}\}_{4}\}_{n}$. <i>Inorganic Chemistry</i> , 2011, 50, 11461-11471.	4.0	19
26	Mechanism of fluorophore quenching in a pre-fluorescent nitroxide probe: A theoretical illustration. <i>Chemical Physics Letters</i> , 2014, 593, 89-92.	2.6	18
27	Fluorescence sensor applications as detectors for DNA damage, free radical formation, and in microlithography. <i>Pure and Applied Chemistry</i> , 2005, 77, 1009-1018.	1.9	17
28	The inverted solvatochromism of protonated ferrocenylethenyl-pyrimidines: the first example of the solvatochromic reversal of a hybrid organic/inorganic dye. <i>Organic Chemistry Frontiers</i> , 2019, 6, 3896-3901.	4.5	16
29	Solvatochromism of conjugated 4-N,N-dimethylaminophenyl-pyridinium donor~acceptor pairs. <i>New Journal of Chemistry</i> , 2018, 42, 4223-4231.	2.8	15
30	On the solvatochromic reversal of merocyanine dyes. Part 2.1 An experimental and semi-empirical study of the solvatochromism of β - and β -vinylogous pyridones. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 1055-1058.	0.9	14
31	Kinetics and Mechanism of the Reaction of a Nitroxide Radical (Tempol) With a Phenolic Antioxidant. <i>Free Radical Research</i> , 2003, 37, 225-230.	3.3	14
32	A new dual probe for hydrogen abstraction. <i>Tetrahedron</i> , 2009, 65, 6025-6028.	1.9	14
33	A comparison of multiparametric methods for the interpretation of solvent-dependent chemical processes. <i>Journal of Molecular Liquids</i> , 2020, 312, 113362.	4.9	14
34	A simple method for the determination of the partitioning of nitroxide probes in microheterogeneous media. <i>Magnetic Resonance in Chemistry</i> , 2012, 50, 779-783.	1.9	13
35	Influence of the lanthanide(III) ion in $\{[Cu_{3}Ln_{2}(oda)_{6}(H_{2}O)_{6}]\cdot nH_{2}O\}_{n}$ (Ln(III): La, Gd, Yb) catalysts on the heterogeneous oxidation of olefins. <i>Catalysis Science and Technology</i> , 2017, 7, 231-242.	4.1	13
36	Magnetic and catalytic properties of the 2D copper(II) functionalized VPO hybrid system $[\{Cu(bpy)\}_{2}(VO)_{3}(PO_{4})_{2}(HPO_{4})_{2}]\cdot 2H_{2}O$. <i>Polyhedron</i> , 2010, 29, 2426-2434.	2.2	12

#	ARTICLE	IF	CITATIONS
37	Ferromagnetic resonance investigation in permalloy magnetic antidot arrays on alumina nanoporous membranes. <i>Journal of Magnetism and Magnetic Materials</i> , 2014, 350, 88-93.	2.3	11
38	TEMPO-Attached Pre-fluorescent Probes Based on Pyridinium Fluorophores. <i>Journal of Fluorescence</i> , 2015, 25, 979-983.	2.5	11
39	The thermochromism of the ET(30) betaine in a micro-heterogeneous medium: A spectral and dynamics simulation study. <i>Journal of Colloid and Interface Science</i> , 2010, 349, 565-570.	9.4	10
40	Angular dependence of hysteresis shift in oblique deposited ferromagnetic/antiferromagnetic coupled bilayers. <i>Journal of Applied Physics</i> , 2014, 116, 033910.	2.5	9
41	“Cut-off” effect of antioxidants and/or probes of variable lipophilicity in microheterogeneous media. <i>Food Chemistry</i> , 2016, 206, 119-123.	8.2	9
42	The location of amphiphobic antioxidants in micellar systems: The diving-swan analogy. <i>Food Chemistry</i> , 2019, 279, 288-293.	8.2	9
43	A single theoretical descriptor for the bond-dissociation energy of substituted phenols. <i>Journal of Molecular Modeling</i> , 2015, 21, 12.	1.8	7
44	Sensing different micellar microenvironments with solvatochromic dyes of variable lipophilicity. <i>Dyes and Pigments</i> , 2011, 90, 219-224.	3.7	6
45	Cut-off effect of radical TEMPO derivatives in olive oil-in-water emulsions. <i>Food Chemistry</i> , 2017, 224, 342-346.	8.2	6
46	Solvatofluorochromism of conjugated 4-methoxyphenyl-Pyridinium electron donor-acceptor pairs. <i>Dyes and Pigments</i> , 2019, 166, 395-402.	3.7	6
47	Generation, Spectroscopic Characterization by EPR, and Decay of a Pyranine-Derived Radical. <i>Helvetica Chimica Acta</i> , 2007, 90, 2009-2016.	1.6	5
48	Change of mechanism with a change of substituents for a Zincke reaction. <i>Tetrahedron Letters</i> , 2014, 55, 3097-3099.	1.4	5
49	RAMAN AND SURFACE ENHANCED RAMAN SIGNALS OF THE SENSOR 1-(4-MERCAPTOPHENYL)-2,4,6-TRIPHENYLPYRIDINIUM PERCHLORATE. <i>Journal of the Chilean Chemical Society</i> , 2015, 60, 2944-2948.	1.2	5
50	On the interactions of TEMPO radicals with gold nanostructures. <i>New Journal of Chemistry</i> , 2018, 42, 9764-9770.	2.8	5
51	Antioxidant-spotting in micelles and emulsions. <i>Food Chemistry</i> , 2018, 245, 240-245.	8.2	5
52	Visualization of Phase-Transfer Catalysis through Charge-Transfer Complexes. <i>Journal of Chemical Education</i> , 2018, 95, 1631-1635.	2.3	5
53	Distribution and reactivity of gallates toward galvinoxyl radicals in SDS micellar solutions—Effect of the alkyl chain length. <i>Canadian Journal of Chemistry</i> , 2011, 89, 181-185.	1.1	4
54	The effect of micellization on the EPR spectra and reactivity of 2,2,4,4-tetramethylpiperidinoxyl (TEMPO) radicals. <i>Magnetic Resonance in Chemistry</i> , 2016, 54, 870-873.	1.9	4

#	ARTICLE	IF	CITATIONS
55	Interaction of Nitroxide Radicals with an Au ₈ Nanostructure: Theoretical and Calorimetric Studies. <i>Journal of Physical Chemistry C</i> , 2019, 123, 21713-21720.	3.1	4
56	EPR spectrum of a radical from a nontypical antioxidant. <i>Magnetic Resonance in Chemistry</i> , 2014, 52, 409-411.	1.9	3
57	Symposium-in-Print in Honor of Eduardo A. Lissi Introduction. <i>Photochemistry and Photobiology</i> , 2007, 83, 471-474.	2.5	1
58	Special Issue Dedicated to the Memory of Elsa Beatriz Abuin Saccomano (1942-2012). <i>Photochemistry and Photobiology</i> , 2013, 89, 1270-1272.	2.5	1
59	Synthesis and evaluation of new heteroaryl nitrones with spin trap properties. <i>RSC Advances</i> , 2020, 10, 40127-40135.	3.6	1
60	Reactivity of 4-pyrimidyl Sulfonic Esters in Suzuki-Miyaura Cross-Coupling Reactions in Water Under Microwave Irradiation. <i>ChemistrySelect</i> , 2021, 6, 12858-12861.	1.5	1
61	Generation and Reactivity Toward Oxygen of Carbon-Centered Radicals Containing Indane, Indene, and Fluorenyl Moieties. <i>ChemInform</i> , 2003, 34, no.	0.0	0
62	Influence of the NiII/MnII ratio on the physical properties of heterometallic Ni ₂ Mn(2-x)P ₂ S ₆ phases and potassium intercalates K _{0.8} Ni ₂ Mn(1.6-x)P ₂ S ₆ ·2H ₂ O. <i>New Journal of Chemistry</i> , 2021, 45, 2175-2183.	2.8	0
63	A simple method to estimate the mean number of lipophilic molecules on nanoparticle surfaces by fluorescence measurements. <i>Nanotechnology</i> , 2021, 32, 315711.	2.6	0