## Deborah C Mash

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3042999/publications.pdf

Version: 2024-02-01

36303 18647 23,869 121 51 119 citations h-index g-index papers 136 136 136 43053 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The Genotype-Tissue Expression (GTEx) project. Nature Genetics, 2013, 45, 580-585.	21.4	6,815
2	The Genotype-Tissue Expression (GTEx) pilot analysis: Multitissue gene regulation in humans. Science, 2015, 348, 648-660.	12.6	4,659
3	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates Aβ, tau, immunity and lipid processing. Nature Genetics, 2019, 51, 414-430.	21.4	1,962
4	Dynamics of Hippocampal Neurogenesis in Adult Humans. Cell, 2013, 153, 1219-1227.	28.9	1,523
5	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. Nature Genetics, 2017, 49, 1373-1384.	21.4	783
6	Genome-Wide Association Meta-analysis of Neuropathologic Features of Alzheimer's Disease and Related Dementias. PLoS Genetics, 2014, 10, e1004606.	3.5	305
7	Immunocytochemical localization of the dopamine transporter in human brain. Journal of Comparative Neurology, 1999, 409, 38-56.	1.6	282
8	Cocaethylene: A Unique Cocaine Metabolite Displays High Affinity for the Dopamine Transporter. Journal of Neurochemistry, 1991, 56, 698-701.	3.9	272
9	A novel Alzheimer disease locus located near the gene encoding tau protein. Molecular Psychiatry, 2016, 21, 108-117.	7.9	260
10	Differential cholinergic innervation within functional subdivisions of the human cerebral cortex: A choline acetyltransferase study. Journal of Comparative Neurology, 1992, 318, 316-328.	1.6	256
11	A Quantitative Proteome Map of the Human Body. Cell, 2020, 183, 269-283.e19.	28.9	243
12	Cyanobacterial blooms and the occurrence of the neurotoxin, beta-N-methylamino-l-alanine (BMAA), in South Florida aquatic food webs. Harmful Algae, 2010, 9, 620-635.	4.8	217
13	Substance-specific and shared transcription and epigenetic changes in the human hippocampus chronically exposed to cocaine and alcohol. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 6626-6631.	7.1	214
14	Differential Regulation of Molecular Subtypes of Muscarinic Receptors in Alzheimer's Disease. Journal of Neurochemistry, 1995, 64, 1888-1891.	3.9	195
15	Immunochemical analysis of dopamine transporter protein in Parkinson's disease. Annals of Neurology, 1997, 41, 530-539.	<b>5.</b> 3	190
16	Dietary exposure to an environmental toxin triggers neurofibrillary tangles and amyloid deposits in the brain. Proceedings of the Royal Society B: Biological Sciences, 2016, 283, 20152397.	2.6	176
17	Beyond Guam: The cyanobacteria/BMAA hypothesis of the cause of ALS and other neurodegenerative diseases. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2009, 10, 7-20.	2.1	170
18	Determinants of buildup of the toxic dopamine metabolite <scp>DOPAL</scp> in Parkinson's disease. Journal of Neurochemistry, 2013, 126, 591-603.	3.9	169

#	Article	IF	CITATIONS
19	Effects of Multiple Genetic Loci on Age at Onset in Late-Onset Alzheimer Disease. JAMA Neurology, 2014, 71, 1394.	9.0	166
20	Transethnic genomeâ€wide scan identifies novel Alzheimer's disease loci. Alzheimer's and Dementia, 2017, 13, 727-738.	0.8	166
21	Cholinergic innervation of the human striatum, globus pallidus, subthalamic nucleus, substantia nigra, and red nucleus. Journal of Comparative Neurology, 1992, 323, 252-268.	1.6	154
22	Dopamine transporter messenger RNA in Parkinson's disease and control substantia nigra neurons. Annals of Neurology, 1994, 35, 494-498.	5.3	147
23	Loss of high-affinity agonist binding to M1 muscarinic receptors in Alzheimer's disease: Implications for the failure of cholinergic replacement therapies. Annals of Neurology, 1991, 29, 256-262.	5.3	142
24	Dopamine transport function is elevated in cocaine users. Journal of Neurochemistry, 2002, 81, 292-300.	3.9	142
25	Robust single-cell DNA methylome profiling with snmC-seq2. Nature Communications, 2018, 9, 3824.	12.8	138
26	Excited Delirium Syndrome (ExDS): Defining Based on a Review of the Literature. Journal of Emergency Medicine, 2012, 43, 897-905.	0.7	124
27	Cocaine Abusers Have an Overexpression of α-Synuclein in Dopamine Neurons. Journal of Neuroscience, 2003, 23, 2564-2571.	3.6	119
28	Fatal Excited Delirium Following Cocaine Use: Epidemiologic Findings Provide New Evidence for Mechanisms of Cocaine Toxicity. Journal of Forensic Sciences, 1997, 42, 25-31.	1.6	113
29	Cocaine-associated agitated delirium and the neuroleptic malignant syndrome. American Journal of Emergency Medicine, 1996, 14, 425-428.	1.6	112
30	Brain biomarkers for identifying excited delirium as a cause of sudden death. Forensic Science International, 2009, 190, e13-e19.	2.2	108
31	Ibogaine: Complex Pharmacokinetics, Concerns for Safety, and Preliminary Efficacy Measures. Annals of the New York Academy of Sciences, 2000, 914, 394-401.	3.8	106
32	Gene Expression in Human Hippocampus from Cocaine Abusers Identifies Genes which Regulate Extracellular Matrix Remodeling. PLoS ONE, 2007, 2, e1187.	2.5	102
33	Characterization and Distribution of Transferrin Receptors in the Rat Brain. Journal of Neurochemistry, 1990, 55, 1972-1979.	3.9	99
34	Medication Development of Ibogaine as a Pharmacotherapy for Drug Dependencea. Annals of the New York Academy of Sciences, 1998, 844, 274-292.	3.8	99
35	D3 Dopamine and Kappa Opioid Receptor Alterations in Human Brain of Cocaine-overdose Victims. Annals of the New York Academy of Sciences, 1999, 877, 507-522.	3.8	98
36	Visualizing Dopamine and Serotonin Transporters in the Human Brain with the Potent Cocaine Analogue [ <sup>125</sup> I]RTIâ€55: In Vitro Binding and Autoradiographic Characterization. Journal of Neurochemistry, 1994, 62, 549-556.	3.9	98

#	Article	IF	CITATIONS
37	Cyanobacterial Neurotoxin β-N-Methylamino-L-alanine (BMAA) in Shark Fins. Marine Drugs, 2012, 10, 509-520.	4.6	93
38	Identification of the Sites of Tau Hyperphosphorylation and Activation of Tau Kinases in Synucleinopathies and Alzheimer's Diseases. PLoS ONE, 2013, 8, e75025.	2.5	85
39	GABAergic Gene Expression in Postmortem Hippocampus from Alcoholics and Cocaine Addicts; Corresponding Findings in Alcohol-NaÃ-ve P and NP Rats. PLoS ONE, 2012, 7, e29369.	2.5	84
40	The natural non-protein amino acid $N-\hat{l}^2$ -methylamino-l-alanine (BMAA) is incorporated into protein during synthesis. Amino Acids, 2014, 46, 2553-2559.	2.7	80
41	Prevalent Polymorphism in Thyroid Hormone-Activating Enzyme Leaves a Genetic Fingerprint That Underlies Associated Clinical Syndromes. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 920-933.	3.6	75
42	Repeat expansions in the C9ORF72 gene contribute to Alzheimer's disease in Caucasians. Neurobiology of Aging, 2013, 34, 1519.e5-1519.e12.	3.1	74
43	Pharmacological screen for activities of 12-hydroxyibogamine: a primary metabolite of the indole alkaloid ibogaine. Psychopharmacology, 1996, 127, 10-18.	3.1	73
44	Criteria for the Interpretation of Cocaine Levels in Human Biological Samples and Their Relation to the Cause of Death. American Journal of Forensic Medicine and Pathology, 2004, 25, 1-10.	0.8	73
45	Chapter 8 Ibogaine in the treatment of heroin withdrawal. The Alkaloids Chemistry and Biology, 2001, 56, 155-171.	2.0	71
46	Somatic mtDNA Mutation Spectra in the Aging Human Putamen. PLoS Genetics, 2013, 9, e1003990.	3.5	69
47	The neuroprotective enzyme CYP2D6 increases in the brain with age and is lower in Parkinson's disease patients. Neurobiology of Aging, 2012, 33, 2160-2171.	3.1	68
48	CYP3A5 Mediates Effects of Cocaine on Human Neocorticogenesis: Studies using an In Vitro 3D Self-Organized hPSC Model with a Single Cortex-Like Unit. Neuropsychopharmacology, 2017, 42, 774-784.	5.4	68
49	A vast resource of allelic expression data spanning human tissues. Genome Biology, 2020, 21, 234.	8.8	68
50	Multiregional Gene Expression Profiling Identifies MRPS6 as a Possible Candidate Gene for Parkinson's Disease. Gene Expression, 2006, 13, 205-215.	1.2	67
51	Species and cell-type properties of classically defined human and rodent neurons and glia. ELife, 2018, 7, .	6.0	66
52	Integrated Whole Transcriptome and DNA Methylation Analysis Identifies Gene Networks Specific to Late-Onset Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 44, 977-987.	2.6	62
53	Cerebral uptake and protein incorporation of cyanobacterial toxin $\hat{l}^2$ -N-methylamino-L-alanine. NeuroReport, 2013, 24, 779-784.	1.2	61
54	Nicotinic α5 receptor subunit mRNA expression is associated with distant 5′ upstream polymorphisms. European Journal of Human Genetics, 2011, 19, 76-83.	2.8	58

#	Article	IF	CITATIONS
55	Single nucleus multi-omics identifies human cortical cell regulatory genome diversity. Cell Genomics, 2022, 2, 100107.	6.5	58
56	Cocaine abuse elevates alpha-synuclein and dopamine transporter levels in the human striatum. NeuroReport, 2005, 16, 1489-1493.	1.2	52
57	A Common DIO2 Polymorphism and Alzheimer Disease Dementia in African and European Americans. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1818-1826.	3.6	52
58	National Association of Medical Examiners Position Paper on the Certification of Cocaine-Related Deaths. American Journal of Forensic Medicine and Pathology, 2004, 25, 11-13.	0.8	51
59	Genome-wide brain DNA methylation analysis suggests epigenetic reprogramming in Parkinson disease. Neurology: Genetics, 2019, 5, e342.	1.9	50
60	Environmental neurotoxins $\hat{l}^2$ -N-methylamino-l-alanine (BMAA) and mercury in shark cartilage dietary supplements. Food and Chemical Toxicology, 2014, 70, 26-32.	3.6	49
61	<i>PARK10</i> is a major locus for sporadic neuropathologically confirmed Parkinson disease. Neurology, 2015, 84, 972-980.	1.1	48
62	Ibogaine Detoxification Transitions Opioid and Cocaine Abusers Between Dependence and Abstinence: Clinical Observations and Treatment Outcomes. Frontiers in Pharmacology, 2018, 9, 529.	3.5	48
63	Noribogaine is a G-protein biased îº-opioid receptor agonist. Neuropharmacology, 2015, 99, 675-688.	4.1	47
64	Galanin: Neurobiologic Mechanisms and Therapeutic Potential for Alzheimer's Disease. CNS Neuroscience & Therapeutics, 2001, 7, 445-470.	4.0	45
65	l-Serine Reduces Spinal Cord Pathology in a Vervet Model of Preclinical ALS/MND. Journal of Neuropathology and Experimental Neurology, 2020, 79, 393-406.	1.7	42
66	Rarity of the Alzheimer Disease–Protective <i>APP</i> A673T Variant in the United States. JAMA Neurology, 2015, 72, 209.	9.0	41
67	Alzheimer disease (AD) specific transcription, DNA methylation and splicing in twenty AD associated loci. Molecular and Cellular Neurosciences, 2015, 67, 37-45.	2.2	41
68	Gene Network Dysregulation in Dorsolateral Prefrontal Cortex Neurons of Humans with Cocaine Use Disorder. Scientific Reports, 2017, 7, 5412.	3.3	40
69	DNA Methylation Dynamics and Cocaine in the Brain: Progress and Prospects. Genes, 2017, 8, 138.	2.4	37
70	Cyanobacterial neurotoxin BMAA and brain pathology in stranded dolphins. PLoS ONE, 2019, 14, e0213346.	2.5	37
71	Reduced LRRK2 in association with retromer dysfunction in post-mortem brain tissue from LRRK2 mutation carriers. Brain, 2018, 141, 486-495.	7.6	36
72	Chapter 5 Comparative neuropharmacology of ibogaine and its O-desmethyl metabolite, noribogaine. The Alkaloids Chemistry and Biology, 2001, 56, 79-113.	2.0	33

#	Article	IF	Citations
73	Norepinephrine transporter immunoblotting and radioligand binding in cocaine abusers. Journal of Neuroscience Methods, 2005, 143, 79-85.	2.5	33
74	Modified Ibogaine Fragments:Â Synthesis and Preliminary Pharmacological Characterization of 3-Ethyl-5-phenyl-1,2,3,4,5,6-hexahydroazepino[4,5-b]benzothiophenes. Journal of Medicinal Chemistry, 1998, 41, 4486-4491.	6.4	32
75	Alpha synuclein protein levels are increased in serum from recently abstinent cocaine abusers. Drug and Alcohol Dependence, 2008, 94, 246-250.	3.2	32
76	Excited Delirium and Sudden Death: A Syndromal Disorder at the Extreme End of the Neuropsychiatric Continuum. Frontiers in Physiology, 2016, 7, 435.	2.8	32
77	Cyanobacterial Neurotoxin BMAA and Mercury in Sharks. Toxins, 2016, 8, 238.	3.4	31
78	Altered Dopamine Synaptic Markers in Postmortem Brain of Obese Subjects. Frontiers in Human Neuroscience, 2017, 11, 386.	2.0	31
79	The human brainome: network analysis identifies HSPA2 as a novel Alzheimer's disease target. Brain, 2018, 141, 2721-2739.	7.6	31
80	Deficient vesicular storage: A common theme in catecholaminergic neurodegeneration. Parkinsonism and Related Disorders, 2015, 21, 1013-1022.	2.2	30
81	Galanin Expression within the Basal Forebrain in Alzheimer's Disease: Comments on Therapeutic Potentiala. Annals of the New York Academy of Sciences, 1998, 863, 291-304.	3.8	29
82	RNA sequencing of transcriptomes in human brain regions: protein-coding and non-coding RNAs, isoforms and alleles. BMC Genomics, 2015, 16, 990.	2.8	28
83	Correlating Human and Animal Studies of Cocaine Abuse and Gene Expression. Annals of the New York Academy of Sciences, 2008, 1141, 58-75.	3.8	27
84	Noribogaine stimulates naloxone-sensitive [35S]GTPγS binding. NeuroReport, 1998, 9, 109-114.	1.2	26
85	Determinants of denervation-independent depletion of putamen dopamine in Parkinson's disease and multiple system atrophy. Parkinsonism and Related Disorders, 2017, 35, 88-91.	2.2	26
86	RIG-1 receptor expression in the pathology of Alzheimer's disease. Journal of Neuroinflammation, 2014, 11, 67.	7.2	25
87	Absence of <i>C9ORF72</i> expanded or intermediate repeats in autopsyâ€confirmed Parkinson's disease. Movement Disorders, 2014, 29, 827-830.	3.9	24
88	Assessment of the Association of D2 Dopamine Receptor Gene and Reported Allele Frequencies With Alcohol Use Disorders. JAMA Network Open, 2019, 2, e1914940.	5.9	24
89	Oral noribogaine shows high brain uptake and anti-withdrawal effects not associated with place preference in rodents. Journal of Psychopharmacology, 2016, 30, 688-697.	4.0	23
90	21-Aminosteroids Interact with the Dopamine Transporter to Protect Against 1-Methyl-4-Phenylpyridinium-Induced Neurotoxicity. Journal of Neurochemistry, 1992, 58, 328-334.	3.9	20

#	Article	IF	CITATIONS
91	Noribogaine reduces nicotine self-administration in rats. Journal of Psychopharmacology, 2015, 29, 704-711.	4.0	20
92	Decreased vesicular storage and aldehyde dehydrogenase activity in multiple system atrophy. Parkinsonism and Related Disorders, 2015, 21, 567-572.	2.2	20
93	First-in-class thyrotropin-releasing hormone (TRH)-based compound binds to a pharmacologically distinct TRH receptor subtype in human brain and is effective in neurodegenerative models. Neuropharmacology, 2015, 89, 193-203.	4.1	18
94	Breaking the cycle of opioid use disorder with Ibogaine. American Journal of Drug and Alcohol Abuse, 2018, 44, 1-3.	2.1	18
95	Human Serotonin Transporter Coding Variation Establishes Conformational Bias with Functional Consequences. ACS Chemical Neuroscience, 2019, 10, 3249-3260.	3.5	17
96	Do vervets and macaques respond differently to BMAA?. NeuroToxicology, 2016, 57, 310-311.	3.0	15
97	Cocaine-related DNA methylation in caudate neurons alters 3D chromatin structure of the IRXA gene cluster. Molecular Psychiatry, 2021, 26, 3134-3151.	7.9	15
98	Evaluating the toxicity and therapeutic potential of ibogaine in the treatment of chronic opioid abuse. Expert Opinion on Drug Metabolism and Toxicology, 2021, 17, 1019-1022.	3.3	13
99	BMAA, Methylmercury, and Mechanisms of Neurodegeneration in Dolphins: A Natural Model of Toxin Exposure. Toxins, 2021, 13, 697.	3.4	12
100	Reading <scp>LINE</scp> s within the cocaine addicted brain. Brain and Behavior, 2017, 7, e00678.	2.2	11
101	BisQC: an operational pipeline for multiplexed bisulfite sequencing. BMC Genomics, 2014, 15, 290.	2.8	10
102	Cocaine promotes primary human astrocyte proliferation via JNK-dependent up-regulation of cyclin A2. Restorative Neurology and Neuroscience, 2016, 34, 965-976.	0.7	10
103	EXCITATION study: Unexplained in-custody deaths: Evaluating biomarkers of stress and agitation. Journal of Clinical Forensic and Legal Medicine, 2019, 66, 100-106.	1.0	10
104	Methylation of the tyrosine hydroxylase gene is dysregulated by cocaine dependence in the human striatum. IScience, 2021, 24, 103169.	4.1	8
105	A Multicomponent Learning Model of Drug Abuse: Drug Taking and Craving May Involve Separate Brain Circuits Underlying Instrumental and Classical Conditioning, Respectively. Annals of the New York Academy of Sciences, 1999, 877, 811-819.	3.8	6
106	Generation of disease-specific autopsy-confirmed iPSCs lines from postmortem isolated Peripheral Blood Mononuclear Cells. Neuroscience Letters, 2017, 637, 201-206.	2.1	6
107	Making a family decision to donate the brain for genomic research: lessons from the genotype-tissue expression project (GTEx). Cell and Tissue Banking, 2021, 22, 431-441.	1.1	5
108	Ibogaine therapy for substance abuse disorders., 0,, 50-60.		4

#	Article	IF	CITATIONS
109	A review of brain biorepository management and operations. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 150, 83-92.	1.8	4
110	Restriction Enzyme Based Enriched L1Hs Sequencing (REBELseq): A Scalable Technique for Detection of Ta Subfamily L1Hs in the Human Genome. G3: Genes, Genomes, Genetics, 2020, 10, 1647-1655.	1.8	4
111	Hypothesizing Las Vegas and Sutherland Springs Mass Shooters Suffer from Reward Deficiency Syndrome: "Born Bad― , 2017, 03, 28-31.		4
112	CNVs in neurodevelopmental disorders. Oncotarget, 2015, 6, 18238-18239.	1.8	4
113	The neurochemical mechanism of rebound psychosis in Parkinson's disease. Movement Disorders, 2005, 20, 515-515.	3.9	2
114	<b>Commentary on:</b> Johnson MM, David JA, Michelhaugh SK, Schmidt CJ, Bannon MJ. Increased heat shock protein 70 gene expression in the brains of cocaineâ€related fatalities may be reflective of postdrug survival and intervention rather than excited delirium. J Forensic Sci 2012;57(6):1519â€23 Journal of Forensic Sciences, 2013, 58, 559-561.	1.6	2
115	Reply to Knuijver <i>et al</i> . on the †Safety of ibogaine administration in detoxification of opioidâ€dependent individuals: a descriptive openâ€label observational study'. Addiction, 2022, 117, 835-83	6. <sup>3.3</sup>	2
116	Zhou et al. reply. Nature, 2009, 458, E7-E7.	27.8	1
117	O2â€06â€01: The Human Brainome: Human Brain Genome, Transcriptome, and Proteome Integration. Alzheimer's and Dementia, 2016, 12, P237.	0.8	1
118	Assessment of stress markers in restrained individuals following physical stress with and without sham CED activation. Journal of Clinical Forensic and Legal Medicine, 2020, 74, 101982.	1.0	1
119	F269. Mitochondrial Transcriptome and Epigenetic Changes in the Human Hippocampus Chronically Exposed to Cocaine. Biological Psychiatry, 2018, 83, S343-S344.	1.3	O
120	Noribogaine is a Mixed Agonist/Antagonist Opioid Ligand with Profound Functional Selectivity. FASEB Journal, 2015, 29, LB505.	0.5	0
121	Characterization of Noribogaine at nAChRs and Effect on Nicotine Selfâ€Administration in Rats. FASEB Journal, 2015, 29, 1019.2.	0.5	0