

# Cassia R Silva

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3043214/publications.pdf>

Version: 2024-02-01

45  
papers

1,621  
citations

257101

24  
h-index

301761

39  
g-index

46  
all docs

46  
docs citations

46  
times ranked

2554  
citing authors

#	ARTICLE	IF	CITATIONS
1	What do we know about Toll-Like Receptors Involvement in Gout Arthritis?. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2023, 23, 446-457.	0.6	2
2	Stephalagine, an aporphinic alkaloid with therapeutic effects in acute gout arthritis in mice. <i>Journal of Ethnopharmacology</i> , 2022, 293, 115291.	2.0	3
3	A 20-hydroxyecdysone-enriched fraction from <i>Pfaffia glomerata</i> (Spreng.) pedersen roots alleviates stress, anxiety, and depression in mice. <i>Journal of Ethnopharmacology</i> , 2021, 267, 113599.	2.0	15
4	Inhibitors of angiotensin I converting enzyme potentiate fibromyalgia-like pain symptoms via kinin receptors in mice. <i>European Journal of Pharmacology</i> , 2021, 895, 173870.	1.7	12
5	Analgesic potential of different available commercial brands of botulinum neurotoxin-A in formalin-induced orofacial pain in mice. <i>Toxicon: X</i> , 2021, 12, 100083.	1.2	0
6	Dacarbazine alone or associated with melanoma-bearing cancer pain model induces painful hypersensitivity by TRPA1 activation in mice. <i>International Journal of Cancer</i> , 2020, 146, 2797-2809.	2.3	16
7	Protective effects of a polyphenol-enriched fraction of the fruit peel of <i>Annona crassiflora</i> Mart. on acute and persistent inflammatory pain. <i>Inflammopharmacology</i> , 2020, 28, 759-771.	1.9	10
8	Stephalagine, an aporphine alkaloid from <i>Annona crassiflora</i> fruit peel, induces antinociceptive effects by TRPA1 and TRPV1 channels modulation in mice. <i>Bioorganic Chemistry</i> , 2020, 96, 103562.	2.0	18
9	S100A9 plays a pivotal role in a mouse model of herpetic neuralgia via TLR4/TNF pathway. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 353-362.	2.0	13
10	Monosodium urate crystal interleukin-1 $\beta$ release is dependent on Toll-like receptor 4 and transient receptor potential V1 activation. <i>Rheumatology</i> , 2019, 59, 233-242.	0.9	6
11	Kinins and their B1 and B2 receptors are involved in fibromyalgia-like pain symptoms in mice. <i>Biochemical Pharmacology</i> , 2019, 168, 119-132.	2.0	26
12	<i>Tabernaemontana catharinensis</i> leaves effectively reduce the irritant contact dermatitis by glucocorticoid receptor-dependent pathway in mice. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 646-657.	2.5	15
13	<i>Tabernaemontana catharinensis</i> leaves exhibit topical anti-inflammatory activity without causing toxicity. <i>Journal of Ethnopharmacology</i> , 2019, 231, 205-216.	2.0	11
14	<i>Cariniana domestica</i> fruit peels present topical anti-inflammatory efficacy in a mouse model of skin inflammation. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019, 392, 513-528.	1.4	9
15	<i>Nasturtium officinale</i> R. Br. effectively reduces the skin inflammation induced by croton oil via glucocorticoid receptor-dependent and NF- $\kappa$ B pathways without causing toxicological effects in mice. <i>Journal of Ethnopharmacology</i> , 2019, 229, 190-204.	2.0	24
16	Transient receptor potential ankyrin 1 (TRPA1) plays a critical role in a mouse model of cancer pain. <i>International Journal of Cancer</i> , 2019, 144, 355-365.	2.3	43
17	Participation of transient receptor potential vanilloid 1 in paclitaxel-induced acute visceral and peripheral nociception in rodents. <i>European Journal of Pharmacology</i> , 2018, 828, 42-51.	1.7	25
18	Topical treatment with a transient receptor potential ankyrin 1 (TRPA1) antagonist reduced nociception and inflammation in a thermal lesion model in rats. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 125, 28-38.	1.9	15

#	ARTICLE	IF	CITATIONS
19	Paclitaxel Reduces Tumor Growth by Reprogramming Tumor-Associated Macrophages to an M1 Profile in a TLR4-Dependent Manner. <i>Cancer Research</i> , 2018, 78, 5891-5900.	0.4	283
20	Neuroimmune-Glia Interactions in the Sensory Ganglia Account for the Development of Acute Herpetic Neuralgia. <i>Journal of Neuroscience</i> , 2017, 37, 6408-6422.	1.7	45
21	Potential of Paclitaxel-Induced Pain Syndrome in Mice by Angiotensin I Converting Enzyme Inhibition and Involvement of Kinins. <i>Molecular Neurobiology</i> , 2017, 54, 7824-7837.	1.9	20
22	The role of kinin B <sub>1</sub> receptor and the effect of angiotensin I-converting enzyme inhibition on acute gout attacks in rodents. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 260-268.	0.5	38
23	Antinociceptive effect of a novel armed spider peptide Tx3-5 in pathological pain models in mice. <i>Pflugers Archiv European Journal of Physiology</i> , 2016, 468, 881-894.	1.3	32
24	Nanoencapsulation of rice bran oil increases its protective effects against UVB radiation-induced skin injury in mice. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015, 93, 11-17.	2.0	50
25	Characterization of the antinociceptive effect of PhTx3-4, a toxin from <i>Phoneutria nigriventer</i> , in models of thermal, chemical and incisional pain in mice. <i>Toxicon</i> , 2015, 108, 53-61.	0.8	21
26	The involvement of the TRPA1 receptor in a mouse model of sympathetically maintained neuropathic pain. <i>European Journal of Pharmacology</i> , 2015, 747, 105-113.	1.7	29
27	Participation of the TRPV1 receptor in the development of acute gout attacks. <i>Rheumatology</i> , 2014, 53, 240-249.	0.9	42
28	TRPA1 receptor stimulation by hydrogen peroxide is critical to trigger hyperalgesia and inflammation in a model of acute gout. <i>Free Radical Biology and Medicine</i> , 2014, 72, 200-209.	1.3	98
29	Antinociceptive effect of 3-(4-fluorophenyl)-5-trifluoromethyl-1H-1-tosylpyrazole. A Celecoxib structural analog in models of pathological pain. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 124, 396-404.	1.3	46
30	Anti-inflammatory and antioxidant effects of <i>Aloe saponaria</i> Haw in a model of UVB-induced paw sunburn in rats. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2014, 133, 47-54.	1.7	42
31	Antinociceptive effect of <i>Mirabilis jalapa</i> on acute and chronic pain models in mice. <i>Journal of Ethnopharmacology</i> , 2013, 149, 685-693.	2.0	30
32	A novel, potent, oral active and safe antinociceptive pyrazole targeting kappa opioid receptors. <i>Neuropharmacology</i> , 2013, 73, 261-273.	2.0	29
33	Antinociceptive and anti-inflammatory effects of <i>Aloe saponaria</i> Haw on thermal injury in rats. <i>Journal of Ethnopharmacology</i> , 2013, 146, 393-401.	2.0	42
34	Triterpene 3 $\beta$ , 6 $\beta$ , 16 $\beta$ trihidroxilup-20(29)-ene protects against excitability and oxidative damage induced by pentylentetrazol: The role of Na <sup>+</sup> ,K <sup>+</sup> -ATPase activity. <i>Neuropharmacology</i> , 2013, 67, 455-464.	2.0	12
35	Antiinflammatory effects of <i>Viola tricolor</i> gel in a model of sunburn in rats and the gel stability study. <i>Journal of Ethnopharmacology</i> , 2013, 150, 458-465.	2.0	31
36	The antinociceptive and anti-inflammatory effects of the crude extract of <i>Jatropha isabellei</i> in a rat gout model. <i>Journal of Ethnopharmacology</i> , 2013, 145, 205-213.	2.0	39

#	ARTICLE	IF	CITATIONS
37	Mechanisms involved in abdominal nociception induced by either TRPV1 or TRPA1 stimulation of rat peritoneum. <i>European Journal of Pharmacology</i> , 2013, 714, 332-344.	1.7	12
38	Anti-nociceptive and anti-edematogenic effects of glibenclamide in a model of acute gouty attack in rats. <i>Inflammation Research</i> , 2013, 62, 617-625.	1.6	9
39	Anxiolytic-like effect of lavender essential oil inhalation in mice: Participation of serotonergic but not GABAA/benzodiazepine neurotransmission. <i>Journal of Ethnopharmacology</i> , 2013, 147, 412-418.	2.0	111
40	Critical Role of Protease-activated Receptor 2 Activation by Mast Cell Tryptase in the Development of Postoperative Pain. <i>Anesthesiology</i> , 2013, 118, 679-690.	1.3	40
41	Anxiolytic-like effects of acute and chronic treatment with <i>Achillea millefolium</i> L. extract. <i>Journal of Ethnopharmacology</i> , 2012, 140, 46-54.	2.0	61
42	Involvement of monoamine oxidase B on models of postoperative and neuropathic pain in mice. <i>European Journal of Pharmacology</i> , 2012, 690, 107-114.	1.7	26
43	The involvement of TRPA1 channel activation in the inflammatory response evoked by topical application of cinnamaldehyde to mice. <i>Life Sciences</i> , 2011, 88, 1077-1087.	2.0	43
44	Antinociceptive effect of Brazilian armed spider venom toxin Tx3 in animal models of neuropathic pain. <i>Pain</i> , 2011, 152, 2224-2232.	2.0	56
45	Involvement of mast cells in a mouse model of postoperative pain. <i>European Journal of Pharmacology</i> , 2011, 672, 88-95.	1.7	63