

Jean-Jacques Feige

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3043966/publications.pdf>

Version: 2024-02-01

165
papers

8,144
citations

41627

51
h-index

66518

82
g-index

174
all docs

174
docs citations

174
times ranked

8570
citing authors

#	ARTICLE	IF	CITATIONS
1	Transforming growth factor- β as a therapeutic target for the cardiac damage of Chagas disease. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2022, 117, e210395.	0.8	6
2	The Search for Biomarkers and Treatments in Chagas Disease: Insights From TGF-Beta Studies and Immunogenetics. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 767576.	1.8	8
3	Future treatments for hereditary hemorrhagic telangiectasia. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 4.	1.2	76
4	TGF- β inhibitor therapy decreases fibrosis and stimulates cardiac improvement in a pre-clinical study of chronic Chagas heart disease. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007602.	1.3	64
5	Differential Consequences of Bmp9 Deletion on Sinusoidal Endothelial Cell Differentiation and Liver Fibrosis in 129/Ola and C57BL/6 Mice. <i>Cells</i> , 2019, 8, 1079.	1.8	23
6	Response by Guignabert et al to Letter Regarding Article, "Selective BMP-9 Inhibition Partially Protects Against Experimental Pulmonary Hypertension". <i>Circulation Research</i> , 2019, 124, e82-e83.	2.0	2
7	Targeting AU-rich element-mediated mRNA decay with a truncated active form of the zinc-finger protein TIS11b/BRF1 impairs major hallmarks of mammary tumorigenesis. <i>Oncogene</i> , 2019, 38, 5174-5190.	2.6	12
8	Deciphering the complex role of thrombospondin-1 in glioblastoma development. <i>Nature Communications</i> , 2019, 10, 1146.	5.8	143
9	Bone Morphogenetic Protein 9 Is a Paracrine Factor Controlling Liver Sinusoidal Endothelial Cell Fenestration and Protecting Against Hepatic Fibrosis. <i>Hepatology</i> , 2019, 70, 1392-1408.	3.6	78
10	Bone Morphogenetic Protein 9 Regulates Early Lymphatic-Specified Endothelial Cell Expansion during Mouse Embryonic Stem Cell Differentiation. <i>Stem Cell Reports</i> , 2019, 12, 98-111.	2.3	14
11	Selective BMP-9 Inhibition Partially Protects Against Experimental Pulmonary Hypertension. <i>Circulation Research</i> , 2019, 124, 846-855.	2.0	81
12	MiR-483-5p and miR-139-5p promote aggressiveness by targeting N-myc downstream-regulated gene family members in adrenocortical cancer. <i>International Journal of Cancer</i> , 2018, 143, 944-957.	2.3	51
13	Risk factors and poor prognostic factors of preeclampsia in Ibn Rochd University Hospital of Casablanca: about 401 preeclamptic cases. <i>Pan African Medical Journal</i> , 2018, 31, 225.	0.3	4
14	A heterodimer formed by bone morphogenetic protein 9 (BMP9) and BMP10 provides most BMP biological activity in plasma. <i>Journal of Biological Chemistry</i> , 2018, 293, 10963-10974.	1.6	77
15	TGF- β Polymorphisms Are a Risk Factor for Chagas Disease. <i>Disease Markers</i> , 2018, 2018, 1-10.	0.6	8
16	Tristetraprolin (ZFP36) and TIS11B (ZFP36-L1)., 2018, , 5709-5718.		1
17	Antagonism of EG-VEGF Receptors as Targeted Therapy for Choriocarcinoma Progression <i>In Vitro</i> and <i>In Vivo</i> . <i>Clinical Cancer Research</i> , 2017, 23, 7130-7140.	3.2	31
18	Indolizine-Based Scaffolds as Efficient and Versatile Tools: Application to the Synthesis of Biotin-Tagged Antiangiogenic Drugs. <i>ACS Omega</i> , 2017, 2, 9221-9230.	1.6	19

#	ARTICLE	IF	CITATIONS
19	ACTH Action on Messenger RNA Stability Mechanisms. <i>Frontiers in Endocrinology</i> , 2017, 8, 3.	1.5	4
20	Sustained Endocrine Glandâ€‘Derived Vascular Endothelial Growth Factor Levels Beyond the First Trimester of Pregnancy Display Phenotypic and Functional Changes Associated With the Pathogenesis of Pregnancy-Induced Hypertension. <i>Hypertension</i> , 2016, 68, 148-156.	1.3	20
21	The cAMP pathway regulates mRNA decay through phosphorylation of the RNA-binding protein TIS11b/BRF1. <i>Molecular Biology of the Cell</i> , 2016, 27, 3841-3854.	0.9	20
22	PROK1 Level in the Follicular Microenvironment: A New Noninvasive Predictive Biomarker of Embryo Implantation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 435-444.	1.8	10
23	Proteins involved on TGF-Î² pathway are up-regulated during the acute phase of experimental Chagas disease. <i>Immunobiology</i> , 2016, 221, 587-594.	0.8	26
24	Tristetraprolin (ZFP36) and TIS11B (ZFP36-L1). , 2016, , 1-10.		0
25	Cruzipain Activates Latent TGF-Î² from Host Cells during T. cruzi Invasion. <i>PLoS ONE</i> , 2015, 10, e0124832.	1.1	28
26	An EG-VEGF-Dependent Decrease in Homeobox Gene NKX3.1 Contributes to Cytotrophoblast Dysfunction: A Possible Mechanism in Human Fetal Growth Restriction. <i>Molecular Medicine</i> , 2015, 21, 645-656.	1.9	12
27	Functional analysis of endoglin mutations from hereditary hemorrhagic telangiectasia type 1 patients reveals different mechanisms for endoglin loss of function. <i>Human Molecular Genetics</i> , 2015, 24, 1142-1154.	1.4	63
28	BMP9 and BMP10 are necessary for proper closure of the ductus arteriosus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E3207-15.	3.3	54
29	PPARÎ³ controls pregnancy outcome through activation of EG-VEGF: new insights into the mechanism of placental development. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 309, E357-E369.	1.8	23
30	Inhibition of human placental endothelial cell proliferation and angiogenesis by netrin-4. <i>Placenta</i> , 2015, 36, 1260-1265.	0.7	16
31	EG-VEGF, BV8, and their receptor expression in human bronchi and their modification in cystic fibrosis: Impact of CFTR mutation (delF508). <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015, 309, L314-L322.	1.3	9
32	Prokineticins in central and peripheral control of human reproduction. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2015, 24, 73-81.	0.3	19
33	A new chemical inhibitor of angiogenesis and tumorigenesis that targets the VEGF signaling pathway upstream of Ras. <i>Oncotarget</i> , 2015, 6, 5382-5411.	0.8	11
34	The Multiple Roles of EG-VEGF/PROK1 in Normal and Pathological Placental Angiogenesis. <i>BioMed Research International</i> , 2014, 2014, 1-10.	0.9	50
35	Influence of the Umbilical Cord Insertion Site on the Optimal Individual Birth Weight Achievement. <i>BioMed Research International</i> , 2014, 2014, 1-8.	0.9	24
36	EG-VEGF and its receptors are deregulated in complete hydatiform moles: Potential role in placental tumor development. <i>Placenta</i> , 2014, 35, A50.	0.7	0

#	ARTICLE	IF	CITATIONS
37	New insights into the mechanism of PPAR β regulation of trophoblast invasion and placental vascularisation. <i>Placenta</i> , 2014, 35, A10-A11.	0.7	0
38	Role of EG-VEGF (endocrine gland derived endothelial growth factor) in the human fetal membranes. <i>Placenta</i> , 2014, 35, A45.	0.7	2
39	EG-VEGF controls placental growth and survival in normal and pathological pregnancies: case of fetal growth restriction (FGR). <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 511-525.	2.4	49
40	Prion Protein Expression and Functional Importance in Developmental Angiogenesis: Role in Oxidative Stress and Copper Homeostasis. <i>Antioxidants and Redox Signaling</i> , 2013, 18, 400-411.	2.5	51
41	Noninvasive and Quantitative Assessment of In Vivo Angiogenesis Using RGD-Based Fluorescence Imaging of Subcutaneous Sponges. <i>Molecular Imaging and Biology</i> , 2013, 15, 239-244.	1.3	11
42	Azaindole derivatives are inhibitors of microtubule dynamics, with anti-cancer and anti-angiogenic activities. <i>British Journal of Pharmacology</i> , 2013, 168, 673-685.	2.7	30
43	Multiple functions of tristetraprolin/TIS11 RNA-binding proteins in the regulation of mRNA biogenesis and degradation. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 2031-2044.	2.4	56
44	Bone morphogenetic protein 9 (BMP9) controls lymphatic vessel maturation and valve formation. <i>Blood</i> , 2013, 122, 598-607.	0.6	121
45	Acquisition Order of Ras and p53 Gene Alterations Defines Distinct Adrenocortical Tumor Phenotypes. <i>PLoS Genetics</i> , 2012, 8, e1002700.	1.5	16
46	Oral Administration of GW788388, an Inhibitor of Transforming Growth Factor Beta Signaling, Prevents Heart Fibrosis in Chagas Disease. <i>PLoS Neglected Tropical Diseases</i> , 2012, 6, e1696.	1.3	54
47	BMP9 and BMP10 are critical for postnatal retinal vascular remodeling. <i>Blood</i> , 2012, 119, 6162-6171.	0.6	206
48	The TGF- β Pathway as an Emerging Target for Chagas Disease Therapy. <i>Clinical Pharmacology and Therapeutics</i> , 2012, 92, 613-621.	2.3	46
49	EG-VEGF: a key endocrine factor in placental development. <i>Trends in Endocrinology and Metabolism</i> , 2012, 23, 501-508.	3.1	64
50	TGF β 1 inhibits lymphatic endothelial cell differentiation from mouse embryonic stem cells. <i>Journal of Cellular Physiology</i> , 2012, 227, 3593-3602.	2.0	10
51	Revisiting the role of hCG: new regulation of the angiogenic factor EG-VEGF and its receptors. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 1537-1550.	2.4	57
52	Dysregulation of microRNAs in adrenocortical tumors. <i>Molecular and Cellular Endocrinology</i> , 2012, 351, 118-128.	1.6	34
53	BMP9 is produced by hepatocytes and circulates mainly in an active mature form complexed to its prodomain. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 313-324.	2.4	143
54	A novel function of Tis11b/BRF1 as a regulator of <i>Dll4</i> mRNA 3'-end processing. <i>Molecular Biology of the Cell</i> , 2011, 22, 3625-3633.	0.9	14

#	ARTICLE	IF	CITATIONS
55	Hypoxia-inducible factor-1 β mRNA: a new target for destabilization by tristetraprolin in endothelial cells. <i>Molecular Biology of the Cell</i> , 2011, 22, 3366-3378.	0.9	95
56	Functional analysis of the BMP9 response of ALK1 mutants from HHT2 patients: a diagnostic tool for novel ACVRL1 mutations. <i>Blood</i> , 2010, 116, 1604-1612.	0.6	79
57	A novel concept in antiangiogenic and antitumoral therapy: multitarget destabilization of short-lived mRNAs by the zinc finger protein ZFP36L1. <i>Oncogene</i> , 2010, 29, 5989-6003.	2.6	45
58	Molecular Characterization of EG-VEGF-mediated Angiogenesis: Differential Effects on Microvascular and Macrovascular Endothelial Cells. <i>Molecular Biology of the Cell</i> , 2010, 21, 2832-2843.	0.9	84
59	Systematic Analysis of G Protein-Coupled Receptor Gene Expression in Adrenocorticotropin-Independent Macronodular Adrenocortical Hyperplasia Identifies Novel Targets for Pharmacological Control of Adrenal Cushing's Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, F253-F262.	1.8	43
60	Effects of adiponectin on human trophoblast invasion. <i>Journal of Endocrinology</i> , 2010, 207, 45-53.	1.2	45
61	Gap junction reduction in cardiomyocytes following transforming growth factor- β 2 treatment and <i>Trypanosoma cruzi</i> infection. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009, 104, 1083-1090.	0.8	32
62	cAMP-Dependent Posttranscriptional Regulation of Steroidogenic Acute Regulatory (STAR) Protein by the Zinc Finger Protein ZFP36L1/TIS11b. <i>Molecular Endocrinology</i> , 2009, 23, 497-509.	3.7	42
63	Pharmacological Inhibition of Transforming Growth Factor β 2 Signaling Decreases Infection and Prevents Heart Damage in Acute Chagas' Disease. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 4694-4701.	1.4	64
64	Role of EG-VEGF in human placentation: Physiological and pathological implications. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 2224-2235.	1.6	89
65	Emerging role of bone morphogenetic proteins in angiogenesis. <i>Cytokine and Growth Factor Reviews</i> , 2009, 20, 203-212.	3.2	248
66	Insights into the role of genetic alterations in adrenocortical tumorigenesis. <i>Molecular and Cellular Endocrinology</i> , 2009, 300, 169-174.	1.6	11
67	Angiogenesis in adrenocortical physiology and tumor development. <i>Annales D'Endocrinologie</i> , 2009, 70, 153-155.	0.6	8
68	Pivotal role for TGF- β 2 in infectious heart disease: The case of <i>Trypanosoma cruzi</i> infection and consequent Chagasic myocardopathy. <i>Cytokine and Growth Factor Reviews</i> , 2008, 19, 405-413.	3.2	71
69	Mitogenic functions of endocrine gland-derived vascular endothelial growth factor and Bombina variegata 8 on steroidogenic adrenocortical cells. <i>Journal of Endocrinology</i> , 2008, 196, 473-482.	1.2	15
70	Bone Morphogenetic Protein-9 Is a Circulating Vascular Quiescence Factor. <i>Circulation Research</i> , 2008, 102, 914-922.	2.0	362
71	Prokineticin 2/Bv8 is expressed in Kupffer cells in liver and is down regulated in human hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2008, 14, 1182.	1.4	22
72	SB-431542, a Transforming Growth Factor β 2 Inhibitor, Impairs <i>Trypanosoma cruzi</i> Infection in Cardiomyocytes and Parasite Cycle Completion. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 2905-2910.	1.4	43

#	ARTICLE	IF	CITATIONS
73	Identification of BMP9 and BMP10 as functional activators of the orphan activin receptor-like kinase 1 (ALK1) in endothelial cells. <i>Blood</i> , 2007, 109, 1953-1961.	0.6	603
74	Cellular and molecular abnormalities of a macronodular adrenal hyperplasia causing beta-blocker-sensitive Cushing's syndrome. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2007, 51, 1452-1462.	1.3	31
75	Activin receptor-like kinase 1 inhibits human microvascular endothelial cell migration: Potential roles for JNK and ERK. <i>Journal of Cellular Physiology</i> , 2007, 213, 484-489.	2.0	67
76	Expression and Localization of Cellular Prion and COMMD1 Proteins in Human Placenta throughout Pregnancy. <i>Placenta</i> , 2007, 28, 907-911.	0.7	20
77	Placental Expression of EG-VEGF and its Receptors PKR1 (Prokineticin Receptor-1) and PKR2 Throughout Mouse Gestation. <i>Placenta</i> , 2007, 28, 1049-1058.	0.7	43
78	TGF β 1 Induces Vasculogenesis and Inhibits Angiogenic Sprouting in an Embryonic Stem Cell Differentiation Model: Respective Contribution of ALK1 and ALK5. <i>Stem Cells</i> , 2006, 24, 2420-2427.	1.4	61
79	Expression and Oxygen Regulation of Endocrine Gland-Derived Vascular Endothelial Growth Factor/Prokineticin-1 and Its Receptors in Human Placenta during Early Pregnancy. <i>Endocrinology</i> , 2006, 147, 1675-1684.	1.4	100
80	Aberrant Expression of Human Luteinizing Hormone Receptor by Adrenocortical Cells Is Sufficient to Provoke Both Hyperplasia and Cushing's Syndrome Features. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 196-203.	1.8	68
81	Antagonistic Functions of Tetradecanoyl Phorbol Acetate-Inducible-Sequence 11b and HuR in the Hormonal Regulation of Vascular Endothelial Growth Factor Messenger Ribonucleic Acid Stability by Adrenocorticotropin. <i>Molecular Endocrinology</i> , 2006, 20, 916-930.	3.7	35
82	Ectopic Expression of the Gastric Inhibitory Polypeptide Receptor Gene Is a Sufficient Genetic Event to Induce Benign Adrenocortical Tumor in a Xenotransplantation Model. <i>Endocrinology</i> , 2006, 147, 782-790.	1.4	64
83	Gene Expression Profiling of Human Adrenocortical Tumors Using Complementary Deoxyribonucleic Acid Microarrays Identifies Several Candidate Genes as Markers of Malignancy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 1819-1829.	1.8	233
84	Thrombospondin and Vascular Endothelial Growth Factor Are Cyclically Expressed in an Inverse Pattern During Bovine Ovarian Follicle Development. <i>Biology of Reproduction</i> , 2005, 72, 1071-1078.	1.2	79
85	Uptake of Host Cell Transforming Growth Factor- β 2 by <i>Trypanosoma cruzi</i> Amastigotes in Cardiomyocytes. <i>American Journal of Pathology</i> , 2005, 167, 993-1003.	1.9	44
86	Expression of VEGF and angiopoietins in subfoveal membranes from patients with age-related macular degeneration. <i>American Journal of Ophthalmology</i> , 2005, 139, 589-596.	1.7	75
87	Coordinated Regression of Adrenocortical Endocrine and Endothelial Compartments Under Adrenocorticotropin Deprivation. <i>Endocrine Research</i> , 2004, 30, 543-549.	0.6	3
88	Dual Hormonal Regulation of Endocrine Tissue Mass and Vasculature by Adrenocorticotropin in the Adrenal Cortex. <i>Endocrinology</i> , 2004, 145, 4320-4329.	1.4	53
89	Activation of transforming growth factor β 2 by <i>Trypanosoma cruzi</i> . <i>Cellular Microbiology</i> , 2004, 7, 511-517.	1.1	48
90	Expression of the thrombospondin 1 fragment 167-569 in C6 glioma cells stimulates tumorigenicity despite reduced neovascularization. <i>Oncogene</i> , 2004, 23, 3642-3649.	2.6	22

#	ARTICLE	IF	CITATIONS
91	Destabilization of vascular endothelial growth factor mRNA by the zinc-finger protein TIS11b. <i>Oncogene</i> , 2004, 23, 8673-8680.	2.6	113
92	AU-rich elements and the control of gene expression through regulated mRNA stability. <i>Animal Health Research Reviews</i> , 2004, 5, 49-63.	1.4	71
93	Role of adrenocorticotrophic hormone in the development and maintenance of the adrenal cortical vasculature. <i>Microscopy Research and Technique</i> , 2003, 61, 247-251.	1.2	29
94	Transforming growth factor beta1 inhibits aldosterone and cortisol production in the human adrenocortical cell line NCI-H295R through inhibition of CYP11B1 and CYP11B2 expression. <i>Journal of Endocrinology</i> , 2003, 176, 69-82.	1.2	42
95	Thrombospondins as Anti-Angiogenic Therapeutic Agents. <i>Current Pharmaceutical Design</i> , 2003, 9, 583-588.	0.9	46
96	Expression and Localization of Thrombospondin-1 and -2 and Their Cell-Surface Receptor, CD36, During Rat Follicular Development and Formation of the Corpus Luteum1. <i>Biology of Reproduction</i> , 2002, 67, 1522-1531.	1.2	56
97	Identification of Two Novel ACTH-Responsive Genes Encoding Manganese-Dependent Superoxide Dismutase (SOD2) and the Zinc Finger Protein TIS11b [Tetradecanoyl Phorbol Acetate (TPA)-Inducible Sequence 11b]. <i>Molecular Endocrinology</i> , 2002, 16, 1417-1427.	3.7	30
98	Implication of Transforming Growth Factor β 21 in Chagas Disease Myocardiopathy. <i>Journal of Infectious Diseases</i> , 2002, 186, 1823-1828.	1.9	70
99	Increased Trypanosoma cruzi Invasion and Heart Fibrosis Associated with High Transforming Growth Factor β 2 Levels in Mice Deficient in β 2-Macroglobulin. <i>Infection and Immunity</i> , 2002, 70, 5115-5123.	1.0	43
100	EXPRESSION OF THE MELANOCORTIN RECEPTORS MC2-R (ACTH-RECEPTOR) AND MC5-R DURING EMBRYONIC DEVELOPMENT OF OVINE ADRENALS. <i>Endocrine Research</i> , 2002, 28, 631-635.	0.6	4
101	TRANSCRIPTION PROFILING OF BENIGN AND MALIGNANT ADRENAL TUMORS BY cDNA MACRO-ARRAY ANALYSIS. <i>Endocrine Research</i> , 2002, 28, 785-786.	0.6	11
102	Activin receptor β 1-like kinase 1 is implicated in the maturation phase of angiogenesis. <i>Blood</i> , 2002, 100, 4495-4501.	0.6	190
103	In Vitro Models of Vasculogenesis and Angiogenesis. <i>Laboratory Investigation</i> , 2001, 81, 439-452.	1.7	301
104	Thrombospondins and tumor angiogenesis. <i>Trends in Molecular Medicine</i> , 2001, 7, 401-407.	3.5	158
105	ACTH-regulated expression of vascular endothelial growth factor in the adult bovine adrenal cortex: A possible role in the maintenance of the microvasculature. <i>Journal of Cellular Physiology</i> , 2000, 185, 226-234.	2.0	34
106	Transcriptional Regulation of the Gene Encoding the Star Protein in the Human Adrenocortical Cell Line, H295R by Camp and Tgf β 1. <i>Endocrine Research</i> , 2000, 26, 1045-1053.	0.6	14
107	Thrombospondin-1 Is Downregulated by Anoxia and Suppresses Tumorigenicity of Human Glioblastoma Cells. <i>Journal of Experimental Medicine</i> , 2000, 191, 1789-1798.	4.2	102
108	Fibroblast Growth Factor-2 Inhibits the Maturation of Pro-Insulin-Like Growth Factor-II (Pro-IGF-II) and the Expression of Insulin-Like Growth Factor Binding Protein-2 (IGFBP-2) in the Human Adrenocortical Tumor Cell Line NCI-H295R*. <i>Endocrinology</i> , 2000, 141, 3127-3136.	1.4	30

#	ARTICLE	IF	CITATIONS
109	Expression and regulation of melanocortin receptor-5 (MC5-R) in the bovine adrenal cortex. <i>Molecular and Cellular Endocrinology</i> , 2000, 159, 99-107.	1.6	13
110	Paracrine Control of the Adult Adrenal Cortex Vasculature by Vascular Endothelial Growth Factor. <i>Endocrine Research</i> , 2000, 26, 843-852.	0.6	22
111	Expression of the Angiogenesis Markers Vascular Endothelial Growth Factor-A, Thrombospondin-1, and Platelet-Derived Endothelial Cell Growth Factor in Human Sporadic Adrenocortical Tumors: Correlation with Genotypic Alterations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 4734-4741.	1.8	48
112	Regulation of the Three-Dimensional Organization of Thyroid Epithelial Cells into Follicle Structures by the Matricellular Protein, Thrombospondin-1. <i>Endocrinology</i> , 1999, 140, 1094-1103.	1.4	13
113	Bovine Thrombospondin-2: Complete Complementary Deoxyribonucleic Acid Sequence and Immunolocalization in the External Zones of the Adrenal Cortex*. <i>Endocrinology</i> , 1999, 140, 2771-2780.	1.4	9
114	Tissue inhibitor of metalloproteinase-2 (TIMP-2) expression is strongly induced by ACTH in adrenocortical cells. , 1999, 180, 372-380.		3
115	Biology and physiopathology of angiogenesis: the 1997 Philippe Laudat Conference. , 1998, 2, 111-113.		0
116	Expression of acth receptors (MC2-R AND MC5-R) in the glomerulosa and the fasciculata-reticularis zones of bovine adrenal cortex.. <i>Endocrine Research</i> , 1998, 24, 427-432.	0.6	20
117	Gastric inhibitory polypeptide (GIP) stimulates cortisol secretion, cAMP production and DNA synthesis in an adrenal adenoma responsible for food-dependent cushing's syndrome.. <i>Endocrine Research</i> , 1998, 24, 851-856.	0.6	20
118	Smad3 Is Involved in the Intracellular Signaling Pathways That Mediate the Inhibitory Effects of Transforming Growth Factor- β^2 on StAR Expression. <i>Biochemical and Biophysical Research Communications</i> , 1998, 253, 780-785.	1.0	18
119	Cushing's Syndrome due to a Gastric Inhibitory Polypeptide-Dependent Adrenal Adenoma: Insights into Hormonal Control of Adrenocortical Tumorigenesis1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 3134-3143.	1.8	57
120	Differential implication of StAR and P450C17 in TGF β^2 -induced decrease of adrenocortical steroidogenesis. <i>Endocrine Research</i> , 1998, 24, 763-768.	0.6	2
121	Fine tuning of adrenocortical functions by locally produced growth factors. <i>Journal of Endocrinology</i> , 1998, 158, 7-19.	1.2	63
122	Hormonal regulation of focal adhesions in bovine adrenocortical cells: induction of paxillin dephosphorylation by adrenocorticotrophic hormone. <i>Biochemical Journal</i> , 1998, 332, 533-540.	1.7	28
123	Transforming Growth Factor β^2 Decreases Cholesterol Supply to Mitochondria via Repression of Steroidogenic Acute Regulatory Protein Expression. <i>Journal of Biological Chemistry</i> , 1998, 273, 6410-6416.	1.6	58
124	Cushing's Syndrome due to a Gastric Inhibitory Polypeptide-Dependent Adrenal Adenoma: Insights into Hormonal Control of Adrenocortical Tumorigenesis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 3134-3143.	1.8	52
125	Analysis of Small Latent Transforming Growth Factor- β^2 Complex Formation and Dissociation by Surface Plasmon Resonance. <i>Journal of Biological Chemistry</i> , 1997, 272, 16329-16334.	1.6	34
126	Expression of Laminin and Its Possible Role in Adrenal Cortex Homeostasis*. <i>Endocrinology</i> , 1997, 138, 1321-1327.	1.4	22

#	ARTICLE	IF	CITATIONS
127	Acth, angiotensin II and TGF β 2 participate in the regulation of steroidogenesis in bovine adrenal glomerulosa cells. <i>Endocrine Research</i> , 1996, 22, 607-612.	0.6	7
128	Opposite regulation of thrombospondin-1 and corticotropin-induced secreted protein/thrombospondin-2 expression by adrenocorticotrophic hormone in adrenocortical cells. , 1996, 167, 164-172.		23
129	α 2-Macroglobulin: A Binding Protein for Transforming Growth Factor- β ; and Various Cytokines. <i>Hormone Research</i> , 1996, 45, 227-232.	1.8	66
130	Basic Fibroblast Growth Factor Activates Calcium Channels in Neonatal Rat Cardiomyocytes. <i>Journal of Biological Chemistry</i> , 1995, 270, 17361-17367.	1.6	35
131	Transforming Growth Factors β 2 Stimulate Both Thrombospondin-1 and CISP/Thrombospondin-2 Synthesis by Bovine Adrenocortical Cells. <i>Experimental Cell Research</i> , 1995, 217, 404-409.	1.2	31
132	Inhibition of Angiogenesis by Thrombospondin-2. <i>Biochemical and Biophysical Research Communications</i> , 1995, 217, 326-332.	1.0	201
133	Contribution of apoptosis to the phenotypic changes of adrenocortical cells in primary culture. <i>Molecular and Cellular Endocrinology</i> , 1995, 110, 175-184.	1.6	16
134	β 2-Macroglobulin and the Control of Adrenocortical Steroidogenic Function. <i>Annals of the New York Academy of Sciences</i> , 1994, 737, 399-408.	1.8	0
135	Distinct effects of thrombospondin-1 and CISP/thrombospondin-2 on adrenocortical cell spreading. <i>Molecular and Cellular Endocrinology</i> , 1994, 106, 181-186.	1.6	18
136	Expression of Fibroblast Growth Factor Receptor-2 Splice Variants is Developmentally and Tissue-Specifically Regulated in the Amphibian Embryo. <i>Developmental Biology</i> , 1994, 164, 173-182.	0.9	38
137	Steroidogenic adrenocortical cells synthesize α 2-macroglobulin in vitro, not in vivo. <i>Molecular and Cellular Endocrinology</i> , 1994, 105, 155-163.	1.6	13
138	Synergistic Induction of α 2-Macroglobulin Synthesis by Fibroblast Growth Factor-2 and Transforming Growth Factor β 2 in Bovine Adrenocortical Cells. <i>Growth Factors</i> , 1994, 10, 197-205.	0.5	2
139	Extracellular signals and transduction mechanisms in target cells. <i>Placenta</i> , 1992, 13, 39-54.	0.7	0
140	Basic fibroblast growth factor enhances testosterone secretion in cultured porcine Leydig cells: Site(s) of action. <i>Molecular and Cellular Endocrinology</i> , 1992, 89, 163-171.	1.6	24
141	Inhibition of adrenocortical steroidogenesis by α 2-macroglobulin is caused by associated transforming growth factor β 2. <i>Molecular and Cellular Endocrinology</i> , 1992, 84, 243-251.	1.6	15
142	Transforming growth factor β 1 and adrenocorticotropin differentially regulate the synthesis of adrenocortical cell heparan sulfate proteoglycans and their binding of basic fibroblast growth factor. <i>Journal of Cellular Physiology</i> , 1992, 153, 266-276.	2.0	9
143	Phosphorylation of basic fibroblast growth factor by purified protein kinase C and the identification of a cryptic site of phosphorylation. <i>Biochemical and Biophysical Research Communications</i> , 1991, 175, 31-36.	1.0	6
144	cAMP-Mediated Regulation of Adrenocortical Cell bFGF Receptors. <i>Annals of the New York Academy of Sciences</i> , 1991, 638, 412-415.	1.8	8

#	ARTICLE	IF	CITATIONS
145	Growth factor regulation of adrenal cortex growth and function. Progress in Growth Factor Research, 1991, 3, 103-113.	1.7	47
146	Phosphorylation and identification of phosphorylated forms of basic fibroblast growth factor. Methods in Enzymology, 1991, 198, 138-147.	0.4	2
147	Transforming Growth Factor β 1: An Autocrine Regulator of Adrenocortical Steroidogenesis. Endocrine Research, 1991, 17, 267-279.	0.6	44
148	Immunolocalization of Transforming Growth Factor- β 1 in the Bovine Adrenal Cortex Using Antipeptide Antibodies*. Endocrinology, 1991, 129, 517-526.	1.4	35
149	Transforming Growth Factor β 1 is a Negative Regulator of Steroid 17 α -Hydroxylase Expression in Bovine Adrenocortical Cells*. Endocrinology, 1991, 128, 357-362.	1.4	58
150	Proteoglycan Sulfates Contribute to the Binding of Basic FGF to its High Affinity Receptors on Bovine Adrenocortical Cells. Growth Factors, 1991, 5, 273-282.	0.5	27
151	Stimulation of fibronectin production by TGF- β 1 is independent of effects on cell proliferation: The example of bovine adrenocortical cells. Journal of Cellular Physiology, 1990, 145, 60-68.	2.0	20
152	Differential effects of heparin, fibronectin, and laminin on the phosphorylation of basic fibroblast growth factor by protein kinase C and the catalytic subunit of protein kinase A.. Journal of Cell Biology, 1989, 109, 3105-3114.	2.3	55
153	Basic fibroblast growth factor is a substrate for protein phosphorylation and is phosphorylated by capillary endothelial cells in culture.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 3174-3178.	3.3	66
154	Temperature-sensitive Chinese hamster cell mutant with a defect in glycoprotein synthesis: Accumulation of the EGF receptor in the endoplasmic reticulum and the role of the glucose-regulated protein GRP78. Journal of Cellular Physiology, 1988, 136, 33-42.	2.0	12
155	Membrane receptors with protein-tyrosine kinase activity. Biochimie, 1987, 69, 379-385.	1.3	8
156	Analysis of the protein glycosylation defect of a temperature-sensitive cell cycle mutant by the use of mutant cells overexpressing the human epidermal growth factor receptor after transfection of the gene. Journal of Cellular Physiology, 1987, 133, 461-470.	2.0	11
157	Type β transforming growth factor is a potent modulator of differentiated adrenocortical cell functions. Biochemical and Biophysical Research Communications, 1986, 139, 693-700.	1.0	56
158	Reversibility of the phosphate transfer between ATP and phosphoproteins catalysed by a cyclic nucleotide independent (G type) casein kinase. BBA - Proteins and Proteomics, 1983, 744, 147-154.	2.1	1
159	Catalytic and molecular properties of a highly purified G type casein kinase from bovine lung tissue. BBA - Proteins and Proteomics, 1983, 743, 1-12.	2.1	23
160	Control of glycosaminoglycan metabolism by ACTH in bovine adrenocortical cells in primary culture. Molecular and Cellular Endocrinology, 1982, 28, 645-655.	1.6	5
161	Selective inhibition of a cyclic nucleotide independent protein kinase (G type casein kinase) by quercetin and related polyphenols. Biochemical Pharmacology, 1982, 31, 1357-1361.	2.0	102
162	Identification of a specific endogenous inhibitor of a casein kinase (G type) in bovine adrenal cortex as a glycosaminoglycan mixture. Biochemical and Biophysical Research Communications, 1981, 100, 613-620.	1.0	15

#	ARTICLE	IF	CITATIONS
163	Selective inhibition of a cyclic nucleotide-independent protein kinase (G-type casein kinase) by naturally occurring glycosaminoglycans. FEBS Letters, 1980, 121, 139-142.	1.3	70
164	Expression of Laminin and Its Possible Role in Adrenal Cortex Homeostasis. , 0, .		5
165	Fibroblast Growth Factor-2 Inhibits the Maturation of Pro-Insulin-Like Growth Factor-II (Pro-IGF-II) and the Expression of Insulin-Like Growth Factor Binding Protein-2 (IGFBP-2) in the Human Adrenocortical Tumor Cell Line NCI-H295R. , 0, .		8