

Fanbo Meng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3044786/publications.pdf>

Version: 2024-02-01

24
papers

275
citations

759233

12
h-index

940533

16
g-index

24
all docs

24
docs citations

24
times ranked

347
citing authors

#	ARTICLE	IF	CITATIONS
1	Decreased Iron Ion Concentrations in the Peripheral Blood Correlate with Coronary Atherosclerosis. <i>Nutrients</i> , 2022, 14, 319.	4.1	13
2	Expression of Membrane Bound O-Acyltransferase Domain Containing 7 after Myocardial Infarction and its Role in Lipid Metabolism <i>in vitro</i> . <i>International Journal of Medical Sciences</i> , 2022, 19, 609-617.	2.5	3
3	Low ZCCHC9 Gene Expression in Peripheral Blood May Be an Acute Myocardial Infarction Genetic Molecular Marker in Patients with Stable Coronary Atherosclerotic Disease. <i>International Journal of General Medicine</i> , 2022, Volume 15, 1795-1804.	1.8	1
4	Expression of ATP-binding cassette subfamily B member 1 gene in peripheral blood of patients with acute myocardial infarction. <i>Bioengineered</i> , 2022, 13, 11095-11105.	3.2	1
5	An Investigation into the Pressures Experienced by Medical Masters Students during the COVID-19 Pandemic Based on the Perceived Stress Scale-14 and Its Alleviation Methods. <i>Healthcare (Switzerland)</i> , 2022, 10, 1072.	2.0	0
6	Reduced Serum Zinc Ion Concentration Is Associated with Coronary Heart Disease. <i>Biological Trace Element Research</i> , 2021, 199, 4109-4118.	3.5	17
7	High retinoic acid receptor-related orphan receptor A gene expression in peripheral blood leukocytes may be related to acute myocardial infarction. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110196.	1.0	4
8	Low GOS2 gene expression levels in peripheral blood may be a genetic marker of acute myocardial infarction in patients with stable coronary atherosclerotic disease. <i>Medicine (United States)</i> , 2021, 100, e23468.	1.0	3
9	Investigation of Specific Proteins Related to Different Types of Coronary Atherosclerosis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 758035.	2.4	6
10	Early application of extracorporeal membrane oxygenation for myocarditis with shock: a case report. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110588.	1.0	0
11	High Expression Levels of the <i>SOCS3</i> Gene Are Associated with Acute Myocardial Infarction. <i>Genetic Testing and Molecular Biomarkers</i> , 2020, 24, 443-450.	0.7	11
12	Low Expression of <i>FFAR2</i> in Peripheral White Blood Cells May Be a Genetic Marker for Early Diagnosis of Acute Myocardial Infarction. <i>Cardiology Research and Practice</i> , 2020, 2020, 1-8.	1.1	17
13	Low expression of PRMT5 in peripheral blood may serve as a potential independent risk factor in assessments of the risk of stable CAD and AMI. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 31.	1.7	14
14	Low expression of PIK3C2A gene. <i>Medicine (United States)</i> , 2019, 98, e15061.	1.0	16
15	Low CPNE3 expression is associated with risk of acute myocardial infarction: A feasible genetic marker of acute myocardial infarction in patients with stable coronary artery disease. <i>Cardiology Journal</i> , 2019, 26, 186-193.	1.2	13
16	MicroRNA 199a-5p induces apoptosis by targeting JunB. <i>Scientific Reports</i> , 2018, 8, 6699.	3.3	31
17	Differential gene expression profiles in peripheral blood in Northeast Chinese Han people with acute myocardial infarction. <i>Genetics and Molecular Biology</i> , 2018, 41, 59-66.	1.3	18
18	High expression of long chain acyl-coenzyme A synthetase β 1 in peripheral blood may be a molecular marker for assessing the risk of acute myocardial infarction. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 4065-4072.	1.8	16

#	ARTICLE	IF	CITATIONS
19	Meta-analysis of interleukin 6, 8, and 10 between off-pump and on-pump coronary artery bypass groups. <i>Bosnian Journal of Basic Medical Sciences</i> , 2017, 17, 85-94.	1.0	9
20	NOX2 Antisense Attenuates Hypoxia-Induced Oxidative Stress and Apoptosis in Cardiomyocyte. <i>International Journal of Medical Sciences</i> , 2016, 13, 646-652.	2.5	25
21	Parathyroid hormone and risk of heart failure in the general population. <i>Medicine (United States)</i> , 2016, 95, e4810.	1.0	13
22	Obstructive sleep apnea syndrome is a risk factor of hypertension. <i>Minerva Medica</i> , 2016, 107, 294-9.	0.9	13
23	14-3-3 Proteins interact with FRMD6 and regulate its subcellular localization in breast cancer cells. <i>Chemical Research in Chinese Universities</i> , 2015, 31, 558-563.	2.6	4
24	pH-Responsive Drug Delivery by Amphiphilic Copolymer through Boronate-Catechol Complexation. <i>ChemPlusChem</i> , 2013, 78, 175-184.	2.8	27