

Stefano Guerriero

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3046408/stefano-guerriero-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

269
papers

6,979
citations

43
h-index

74
g-index

365
ext. papers

8,457
ext. citations

4.4
avg, IF

5.39
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 269 | Laparoscopic versus abdominal myomectomy: a prospective, randomized trial to evaluate benefits in early outcome. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 174, 654-8 | 6.4 | 368 |
| 268 | Systematic approach to sonographic evaluation of the pelvis in women with suspected endometriosis, including terms, definitions and measurements: a consensus opinion from the International Deep Endometriosis Analysis (IDEA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 318-32 | 5.8 | 310 |
| 267 | Terms, definitions and measurements to describe sonographic features of myometrium and uterine masses: a consensus opinion from the Morphological Uterus Sonographic Assessment (MUSA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 284-98 | 5.8 | 268 |
| 266 | Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. <i>BMJ, The</i> , 2010 , 341, c6839 | 5.9 | 235 |
| 265 | Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. <i>BMJ, The</i> , 2014 , 349, g5920 | 5.9 | 194 |
| 264 | The efficiency of transvaginal ultrasonography in the diagnosis of endometrioma. <i>Fertility and Sterility</i> , 1993 , 60, 776-80 | 4.8 | 169 |
| 263 | Terms, definitions and measurements to describe the sonographic features of the endometrium and intrauterine lesions: a consensus opinion from the International Endometrial Tumor Analysis (IETA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 103-12 | 5.8 | 159 |
| 262 | Ovarian cancer prediction in adnexal masses using ultrasound-based logistic regression models: a temporal and external validation study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 226-34 | 5.8 | 133 |
| 261 | Predicting the risk of malignancy in adnexal masses based on the Simple Rules from the International Ovarian Tumor Analysis group. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 424-437 | 6.4 | 131 |
| 260 | Accuracy of transvaginal ultrasound for diagnosis of deep endometriosis in uterosacral ligaments, rectovaginal septum, vagina and bladder: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 534-45 | 5.8 | 130 |
| 259 | Diagnostic value of transvaginal 'tenderness-guided' ultrasonography for the prediction of location of deep endometriosis. <i>Human Reproduction</i> , 2008 , 23, 2452-7 | 5.7 | 129 |
| 258 | Endometriomas: their ultrasound characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 730-40 | 5.8 | 120 |
| 257 | Relationship between stage, site and morphological characteristics of pelvic endometriosis and pain. <i>Human Reproduction</i> , 2001 , 16, 2668-71 | 5.7 | 118 |
| 256 | Mature and immature ovarian teratomas: CT, US and MR imaging characteristics. <i>European Journal of Radiology</i> , 2009 , 72, 454-63 | 4.7 | 110 |
| 255 | Prevention of de-novo adhesion formation after laparoscopic myomectomy: a randomized trial to evaluate the effectiveness of an oxidized regenerated cellulose absorbable barrier. <i>Human Reproduction</i> , 1995 , 10, 3133-5 | 5.7 | 108 |
| 254 | "Tenderness-guided" transvaginal ultrasonography: a new method for the detection of deep endometriosis in patients with chronic pelvic pain. <i>Fertility and Sterility</i> , 2007 , 88, 1293-7 | 4.8 | 98 |
| 253 | The diagnosis of endometriomas using colour Doppler energy imaging. <i>Human Reproduction</i> , 1998 , 13, 1691-5 | 5.7 | 96 |

| | | | |
|-----|---|------|----|
| 252 | Transvaginal ultrasound vs magnetic resonance imaging for diagnosing deep infiltrating endometriosis: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 586-595 | 5.8 | 94 |
| 251 | Treatment of nonendometriotic benign adnexal cysts: a randomized comparison of laparoscopy and laparotomy. <i>Obstetrics and Gynecology</i> , 1995 , 86, 770-4 | 4.9 | 89 |
| 250 | Accuracy of transvaginal ultrasound for diagnosis of deep endometriosis in the rectosigmoid: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 47, 281-9 | 5.8 | 89 |
| 249 | Transvaginal ultrasonography in the diagnosis of cystic teratoma. <i>Obstetrics and Gynecology</i> , 1995 , 85, 48-52 | 4.9 | 88 |
| 248 | Complex pelvic mass as a target of evaluation of vessel distribution by color Doppler sonography for the diagnosis of adnexal malignancies: results of a multicenter European study. <i>Journal of Ultrasound in Medicine</i> , 2002 , 21, 1105-11 | 2.9 | 80 |
| 247 | Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. <i>British Journal of Cancer</i> , 2014 , 111, 680-8 | 8.7 | 72 |
| 246 | Transvaginal ultrasonography combined with CA-125 plasma levels in the diagnosis of endometrioma. <i>Fertility and Sterility</i> , 1996 , 65, 293-8 | 4.8 | 72 |
| 245 | Spontaneous reversibility of bone loss induced by gonadotropin-releasing hormone analog treatment**Reprint requests: Gian Benedetto Melis, M.D., Istituto di Ginecologia Ostetrica e Fisiopatologia della Riproduzione Umana, Università degli Studi di Cagliari, Via Ospedale 46, 09124 Italy (FAX: +39-70-668575). <i>Fertility and Sterility</i> , 1996 , 65, 707-710 | 4.8 | 64 |
| 244 | MRI and "tenderness guided" transvaginal ultrasonography in the diagnosis of recto-sigmoid endometriosis. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 35, 352-60 | 5.6 | 63 |
| 243 | External validation of diagnostic models to estimate the risk of malignancy in adnexal masses. <i>Clinical Cancer Research</i> , 2012 , 18, 815-25 | 12.9 | 62 |
| 242 | Adnexal masses difficult to classify as benign or malignant using subjective assessment of gray-scale and Doppler ultrasound findings: logistic regression models do not help. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 456-65 | 5.8 | 61 |
| 241 | Congenital Uterine Malformation by Experts (CUME): better criteria for distinguishing between normal/arcuate and septate uterus?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 101-109 | 5.8 | 57 |
| 240 | Transvaginal ultrasonography associated with colour Doppler energy in the diagnosis of hydrosalpinx. <i>Human Reproduction</i> , 2000 , 15, 1568-72 | 5.7 | 57 |
| 239 | Clinical applications of colour Doppler energy imaging in the female reproductive tract and pregnancy. <i>Human Reproduction Update</i> , 1999 , 5, 515-29 | 15.8 | 56 |
| 238 | Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. <i>Lancet Oncology, The</i> , 2019 , 20, 448-458 | 21.7 | 55 |
| 237 | Diagnosis of adnexal malignancies by using color Doppler energy imaging as a secondary test in persistent masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 1998 , 11, 277-82 | 5.8 | 55 |
| 236 | Influence of cryopreservation on perinatal outcome after blastocyst- vs cleavage-stage embryo transfer: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 54-63 | 5.8 | 54 |
| 235 | Transvaginal ultrasound and computed tomography combined with clinical parameters and CA-125 determinations in the differential diagnosis of persistent ovarian cysts in premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 1997 , 9, 339-43 | 5.8 | 54 |

| | | | |
|-----|--|-----|----|
| 234 | Transvaginal ultrasonography in the diagnosis of pelvic adhesions. <i>Human Reproduction</i> , 1997 , 12, 2649-53 | 5.7 | 52 |
| 233 | Ultrasonography and color Doppler-based triage for adnexal masses to provide the most appropriate surgical approach. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 401-6 | 6.4 | 49 |
| 232 | Comparison of conventional color Doppler imaging and power doppler imaging for the diagnosis of ovarian cancer: results of a European study. <i>Gynecologic Oncology</i> , 2001 , 83, 299-304 | 4.9 | 49 |
| 231 | Counting ovarian antral follicles by ultrasound: a practical guide. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 10-20 | 5.8 | 47 |
| 230 | Risk of malignancy in unilocular cysts: a study of 1148 adnexal masses classified as unilocular cysts at transvaginal ultrasound and review of the literature. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 80-9 | 5.8 | 45 |
| 229 | Three-dimensional sonographic morphologic assessment in complex adnexal masses: preliminary experience. <i>Journal of Ultrasound in Medicine</i> , 2003 , 22, 249-54 | 2.9 | 43 |
| 228 | Ovulation induction with gonadotropins as sole treatment in infertile couples with open tubes: a randomized prospective comparison between intrauterine insemination and timed vaginal intercourse. <i>Fertility and Sterility</i> , 1995 , 64, 1088-93 | 4.8 | 43 |
| 227 | Transvaginal ultrasound assessment of myometrial and cervical stromal invasion in women with endometrial cancer: interobserver reproducibility among ultrasound experts and gynecologists. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 476-82 | 5.8 | 42 |
| 226 | The role of endovaginal ultrasound in differentiating endometriomas from other ovarian cysts. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 1995 , 22, 20-2 | 1.2 | 42 |
| 225 | Reduction of adhesion reformation after laparoscopic endometriosis surgery: a randomized trial with an oxidized regenerated cellulose absorbable barrier. <i>Obstetrics and Gynecology</i> , 1995 , 86, 512-5 | 4.9 | 42 |
| 224 | Acoustic streaming cannot discriminate reliably between endometriomas and other types of adnexal lesion: a multicenter study of 633 adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 349-53 | 5.8 | 41 |
| 223 | Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 818-828 | 5.8 | 40 |
| 222 | Tumor markers and transvaginal ultrasonography in the diagnosis of endometrioma. <i>Obstetrics and Gynecology</i> , 1996 , 88, 403-7 | 4.9 | 38 |
| 221 | New models to predict depth of infiltration in endometrial carcinoma based on transvaginal sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 27, 664-71 | 5.8 | 37 |
| 220 | Role of transvaginal sonography in the diagnosis of peritoneal inclusion cysts. <i>Journal of Ultrasound in Medicine</i> , 2004 , 23, 1193-200 | 2.9 | 37 |
| 219 | Treatment with flutamide improves hyperinsulinemia in women with idiopathic hirsutism. <i>Fertility and Sterility</i> , 1999 , 72, 448-53 | 4.8 | 37 |
| 218 | Bone metabolism in young women taking a monophasic pill containing 20 mcg ethinylestradiol: a prospective study. <i>Contraception</i> , 1993 , 48, 445-52 | 2.5 | 37 |
| 217 | Three-dimensional ultrasonography in the diagnosis of deep endometriosis. <i>Human Reproduction</i> , 2014 , 29, 1189-98 | 5.7 | 36 |

| | | | |
|-----|--|-----|----|
| 216 | Diagnosis of endometriosis of the rectovaginal septum using introital three-dimensional ultrasonography. <i>Fertility and Sterility</i> , 2010 , 94, 2761-5 | 4.8 | 36 |
| 215 | A thin and regular endometrium on ultrasound is very unlikely in patients with endometrial malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 29, 674-9 | 5.8 | 35 |
| 214 | Diagnosis of pelvic adhesions in patients with endometrioma: the role of transvaginal ultrasonography. <i>Fertility and Sterility</i> , 2010 , 94, 742-6 | 4.8 | 34 |
| 213 | Transvaginal ultrasound versus magnetic resonance imaging for preoperative assessment of myometrial infiltration in patients with endometrial cancer: a systematic review and meta-analysis. <i>Journal of Gynecologic Oncology</i> , 2017 , 28, e86 | 4 | 33 |
| 212 | The antiandrogenic effect of flutamide improves uterine perfusion in women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2002 , 77, 1136-40 | 4.8 | 33 |
| 211 | Evidence that treatment with monophasic oral contraceptive formulations containing ethinylestradiol plus gestodene reduces bone resorption in young women. <i>Contraception</i> , 2000 , 61, 259-63 | 2.5 | 33 |
| 210 | Does quantitative analysis of three-dimensional power Doppler angiography have a role in the diagnosis of malignant pelvic solid tumors? A preliminary study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 67-72 | 5.8 | 32 |
| 209 | Investigational drugs for the treatment of endometriosis, an update on recent developments. <i>Expert Opinion on Investigational Drugs</i> , 2018 , 27, 445-458 | 5.9 | 31 |
| 208 | Imaging of gynecological disease (6): clinical and ultrasound characteristics of ovarian dysgerminoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 596-602 | 5.8 | 31 |
| 207 | Epidemiology and diagnosis of endometriosis. <i>Annals of the New York Academy of Sciences</i> , 1994 , 734, 352-7 | 6.5 | 30 |
| 206 | Imaging in gynecological disease (15): clinical and ultrasound characteristics of uterine sarcoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 676-687 | 5.8 | 29 |
| 205 | Age-related differences in the sonographic characteristics of endometriomas. <i>Human Reproduction</i> , 2016 , 31, 1723-31 | 5.7 | 29 |
| 204 | Ovarian tumor characterization and classification using ultrasound-a new online paradigm. <i>Journal of Digital Imaging</i> , 2013 , 26, 544-53 | 5.3 | 28 |
| 203 | IOTA simple rules for discriminating between benign and malignant adnexal masses: prospective external validation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 42, 467-71 | 5.8 | 28 |
| 202 | Transvaginal color Doppler imaging in the detection of ovarian cancer in a large study population. <i>International Journal of Gynecological Cancer</i> , 2010 , 20, 781-6 | 3.5 | 28 |
| 201 | Short-term variations in bone remodeling markers of an oral contraception formulation containing 3 mg of drospirenone plus 30 microg of ethinyl estradiol: observational study in young postadolescent women. <i>Contraception</i> , 2004 , 70, 293-8 | 2.5 | 28 |
| 200 | Learning curve in the detection of ovarian and deep endometriosis by using Magnetic Resonance: comparison with surgical results. <i>European Journal of Radiology</i> , 2011 , 79, 237-44 | 4.7 | 27 |
| 199 | Three-dimensional sonographic characteristics of deep endometriosis. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 1061-6 | 2.9 | 27 |

| | | | |
|-----|--|------|----|
| 198 | Clinical Utility of Risk Models to Refer Patients with Adnexal Masses to Specialized Oncology Care: Multicenter External Validation Using Decision Curve Analysis. <i>Clinical Cancer Research</i> , 2017 , 23, 5082-5090 | 12.0 | 26 |
| 197 | Diagnostic performance of transvaginal gray-scale ultrasound for specific diagnosis of benign ovarian cysts in relation to menopausal status. <i>Maturitas</i> , 2011 , 68, 182-8 | 5 | 26 |
| 196 | Diagnosis of the most frequent benign ovarian cysts: is ultrasonography accurate and reproducible?. <i>Journal of Women's Health</i> , 2009 , 18, 519-27 | 3 | 26 |
| 195 | Intraobserver and interobserver reproducibility of 3-dimensional power Doppler vascular indices in assessment of solid and cystic-solid adnexal masses. <i>Journal of Ultrasound in Medicine</i> , 2008 , 27, 1-6 | 2.9 | 26 |
| 194 | Laparoscopic Management of Endometriomas: A Randomized Trial Versus Laparotomy. <i>Journal of Gynecologic Surgery</i> , 1996 , 12, 41-46 | 0.4 | 26 |
| 193 | Endosonographic diagnosis, pre-operative treatment and laparoscopic removal with endoscopic stapler of a rudimentary horn in a woman with unicornuate uterus. <i>Human Reproduction</i> , 1994 , 9, 1297-957 | 5.7 | 25 |
| 192 | The prevalence of endometriosis in premenopausal women undergoing gynecological surgery. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 1994 , 21, 195-7 | 1.2 | 25 |
| 191 | Pharmacokinetic evaluation of ulipristal acetate for uterine leiomyoma treatment. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2012 , 8, 901-8 | 5.5 | 24 |
| 190 | Ovarian tumor characterization using 3D ultrasound. <i>Technology in Cancer Research and Treatment</i> , 2012 , 11, 543-52 | 2.7 | 24 |
| 189 | External validation of IOTA simple descriptors and simple rules for classifying adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 397-402 | 5.8 | 24 |
| 188 | Imaging in gynecological disease (9): clinical and ultrasound characteristics of tubal cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 43, 328-35 | 5.8 | 23 |
| 187 | Deep Infiltrating Endometriosis: Comparison Between 2-Dimensional Ultrasonography (US), 3-Dimensional US, and Magnetic Resonance Imaging. <i>Journal of Ultrasound in Medicine</i> , 2018 , 37, 1511-1521 | 2.9 | 23 |
| 186 | Endometrial cancer off-line staging using two-dimensional transvaginal ultrasound and three-dimensional volume contrast imaging: Intermethod agreement, interrater reliability and diagnostic accuracy. <i>Gynecologic Oncology</i> , 2018 , 150, 438-445 | 4.9 | 22 |
| 185 | Expectant management of adnexal masses in selected premenopausal women: a prospective observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 582-8 | 5.8 | 22 |
| 184 | Agreement and reproducibility in identification of endometriosis using magnetic resonance imaging. <i>Acta Radiologica</i> , 2010 , 51, 573-80 | 2 | 22 |
| 183 | Assessment of cyst content using mean gray value for discriminating endometrioma from other unilocular cysts in premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 228-32 | 5.8 | 22 |
| 182 | Intraobserver and interobserver agreement of grayscale typical ultrasonographic patterns for the diagnosis of ovarian cancer. <i>Ultrasound in Medicine and Biology</i> , 2008 , 34, 1711-6 | 3.5 | 22 |
| 181 | Learning curve for ultrasonographic diagnosis of deep infiltrating endometriosis using structured offline training program. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 262-269 | 5.8 | 22 |

| | | | |
|-----|---|-----|----|
| 180 | Role of imaging in the management of endometriosis. <i>Minerva Ginecologica</i> , 2013 , 65, 143-66 | 1.2 | 22 |
| 179 | Prospective external validation of the 'ovarian crescent sign' as a single ultrasound parameter to distinguish between benign and malignant adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 81-7 | 5.8 | 21 |
| 178 | Overview of elagolix for the treatment of endometriosis. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2016 , 12, 581-8 | 5.5 | 21 |
| 177 | Ovarian tissue characterization in ultrasound: a review. <i>Technology in Cancer Research and Treatment</i> , 2015 , 14, 251-61 | 2.7 | 20 |
| 176 | The Distribution of Stroma and Antral Follicles Differs between Insulin-Resistance and Hyperandrogenism-Related Polycystic Ovarian Syndrome. <i>Frontiers in Endocrinology</i> , 2017 , 8, 117 | 5.7 | 20 |
| 175 | Imaging in gynecological disease (8): ultrasound characteristics of recurrent borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 452-8 | 5.8 | 20 |
| 174 | Endocrinological, metabolic and clinical features of treatment with oral contraceptive formulation containing ethinylestradiol plus chlormadinone acetate in nonobese women with polycystic ovary syndrome. <i>Contraception</i> , 2010 , 82, 131-8 | 2.5 | 20 |
| 173 | Imaging in gynecological disease (13): clinical and ultrasound characteristics of endometrioid ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 535-543 | 5.8 | 19 |
| 172 | Evolutionary algorithm-based classifier parameter tuning for automatic ovarian cancer tissue characterization and classification. <i>Ultraschall in Der Medizin</i> , 2014 , 35, 237-45 | 3.8 | 19 |
| 171 | Unilocular adnexal cysts with papillary projections but no other solid components: is there a diagnostic method that can classify them reliably as benign or malignant before surgery?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 570-81 | 5.8 | 19 |
| 170 | Congenital Uterine Malformation by Experts (CUME): diagnostic criteria for T-shaped uterus. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 815-829 | 5.8 | 19 |
| 169 | Pain during Fallopian-tube patency testing by hysterosalpingo-foam sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 346-50 | 5.8 | 18 |
| 168 | Extragenital endometrial stromal sarcoma arising in endometriosis. <i>Gynecologic and Obstetric Investigation</i> , 2012 , 73, 265-71 | 2.5 | 18 |
| 167 | Color Doppler energy imaging in the diagnosis of fetal intracranial hemorrhage in the second trimester. <i>Ultrasound in Obstetrics and Gynecology</i> , 1997 , 10, 205-8 | 5.8 | 18 |
| 166 | Puerperal vulvovaginal hematoma: sonographic findings with MRI correlation. <i>Journal of Clinical Ultrasound</i> , 2004 , 32, 415-8 | 1 | 18 |
| 165 | Imaging in gynecological disease (16): clinical and ultrasound characteristics of serous cystadenofibromas in adnexa. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 823-830 | 5.8 | 17 |
| 164 | Diagnostic confidence analysis in the magnetic resonance imaging of ovarian and deep endometriosis: comparison with surgical results. <i>European Radiology</i> , 2014 , 24, 335-43 | 8 | 17 |
| 163 | Three-dimensional quantification of tumor vascularity as a tertiary test after B-mode and power Doppler evaluation for detection of ovarian cancer. <i>Journal of Ultrasound in Medicine</i> , 2007 , 26, 1271-8 | 2.9 | 17 |

| | | | |
|-----|---|-----|----|
| 162 | Endometriosis: the role of magnetic resonance imaging. <i>Acta Radiologica</i> , 2015 , 56, 355-67 | 2 | 16 |
| 161 | Imaging in gynecological disease (20): clinical and ultrasound characteristics of adnexal torsion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 934-943 | 5.8 | 16 |
| 160 | Preoperative diagnosis of metastatic ovarian cancer is related to origin of primary tumor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 39, 581-6 | 5.8 | 16 |
| 159 | Reproducibility of endometrial vascular patterns in endometrial disease as assessed by transvaginal power Doppler sonography in women with postmenopausal bleeding. <i>Journal of Ultrasound in Medicine</i> , 2006 , 25, 159-63 | 2.9 | 16 |
| 158 | The diagnosis of functional ovarian cysts using transvaginal ultrasound combined with clinical parameters, CA125 determinations, and color Doppler. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003 , 110, 83-8 | 2.4 | 16 |
| 157 | Uterine perfusion and hormonal pattern in patients with polycystic ovary syndrome. <i>Journal of Assisted Reproduction and Genetics</i> , 2001 , 18, 436-40 | 3.4 | 16 |
| 156 | Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020 , 370, m2614 | 5.9 | 16 |
| 155 | Contribution of power Doppler blood flow mapping to gray-scale ultrasound for predicting malignancy of adnexal masses in symptomatic and asymptomatic women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 155, 99-105 | 2.4 | 15 |
| 154 | No recurrence of mature ovarian teratomas after laparoscopic cystectomy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 624-626 | 3.7 | 15 |
| 153 | Serial ultrasonographic evaluation of a decidualized endometrioma in pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 304-6 | 5.8 | 15 |
| 152 | Intensive training program for ultrasound diagnosis of adnexal masses: protocol and preliminary results. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 42, 218-23 | 5.8 | 14 |
| 151 | Three-dimensional power Doppler vascular network assessment of adnexal masses: intraobserver and interobserver agreement analysis. <i>Journal of Ultrasound in Medicine</i> , 2008 , 27, 997-1001 | 2.9 | 14 |
| 150 | Efficacy and safety of oral and transdermal hormonal replacement treatment containing levonorgestrel. <i>Maturitas</i> , 2002 , 42, 137-47 | 5 | 14 |
| 149 | ESHRE/ESGE female genital tract anomalies classification system-the potential impact of discarding arcuate uterus on clinical practice. <i>Human Reproduction</i> , 2018 , 33, 600-606 | 5.7 | 13 |
| 148 | International Endometrial Tumor Analysis (IETA) terminology in women with postmenopausal bleeding and sonographic endometrial thickness ≥ 5 mm: agreement and reliability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 259-268 | 5.8 | 13 |
| 147 | Is three-dimensional power Doppler ultrasound better than two-dimensional power Doppler?. <i>Gynecologic Oncology</i> , 2002 , 84, 352-3 | 4.9 | 13 |
| 146 | Clinical and sonographic features of uncommon primary ovarian malignancies. <i>Journal of Clinical Ultrasound</i> , 2012 , 40, 323-9 | 1 | 12 |
| 145 | Diagnosis of paraovarian cysts using transvaginal sonography combined with CA 125 determination. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 856-8 | 5.8 | 12 |

| | | | |
|-----|--|-----|----|
| 144 | Three-dimensional volume off-line analysis as compared to real-time ultrasound for assessing adnexal masses. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012 , 161, 92-5 | 2.4 | 11 |
| 143 | Tissue characterization using mean gray value analysis in deep infiltrating endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 459-64 | 5.8 | 11 |
| 142 | The diagnosis of ovarian cancer: is color Doppler imaging reproducible and accurate in examiners with different degrees of experience?. <i>Journal of Women's Health</i> , 2011 , 20, 273-7 | 3 | 11 |
| 141 | Effectiveness of cabergoline in reducing follicle-stimulating hormone and prolactin hypersecretion from pituitary macroadenoma in an infertile woman. <i>Fertility and Sterility</i> , 1994 , 62, 882-5 | 4.8 | 11 |
| 140 | Validation of ultrasound strategies to assess tumor extension and to predict high-risk endometrial cancer in women from the prospective IETA (International Endometrial Tumor Analysis)-4 cohort. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 115-124 | 5.8 | 11 |
| 139 | Performance of three-dimensional power Doppler angiography as third-step assessment in differential diagnosis of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 613-7 | 5.8 | 10 |
| 138 | Improving the preoperative classification of adnexal masses as benign or malignant by second-stage tests. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 100-6 | 5.8 | 10 |
| 137 | Transvaginal ultrasonography in the diagnosis of extrauterine pelvic diseases. <i>Expert Review of Obstetrics and Gynecology</i> , 2008 , 3, 731-752 | | 10 |
| 136 | Pattern of bone markers during pregnancy and their changes after delivery. <i>Hormone Research in Paediatrics</i> , 2003 , 59, 21-9 | 3.3 | 10 |
| 135 | Effect of chronic administration of cabergoline on uterine perfusion in women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 1999 , 71, 314-8 | 4.8 | 10 |
| 134 | Pre-operative assessment of intra-abdominal disease spread in epithelial ovarian cancer: a comparative study between ultrasound and computed tomography. <i>International Journal of Gynecological Cancer</i> , 2019 , 29, 227-233 | 3.5 | 10 |
| 133 | Three-dimensional sonography for diagnosis of rectovaginal septum endometriosis: interobserver agreement. <i>Journal of Ultrasound in Medicine</i> , 2013 , 32, 931-5 | 2.9 | 9 |
| 132 | An open multicenter study to compare the efficacy of intraperitoneal insemination and intrauterine insemination following multiple follicular development as treatment for unexplained infertility. <i>Journal of Assisted Reproduction and Genetics</i> , 1997 , 14, 15-20 | 3.4 | 9 |
| 131 | Comparison between color Doppler cineloop- and conventional spectral Doppler-derived maximum velocity and flow in the umbilical vein. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 156-61 | 5.8 | 9 |
| 130 | Spontaneous reversibility of bone loss induced by gonadotropin-releasing hormone analog treatment. <i>Fertility and Sterility</i> , 1996 , 65, 707-10 | 4.8 | 9 |
| 129 | Assessing the reproducibility of the IOTA simple ultrasound rules for classifying adnexal masses as benign or malignant using stored 3D volumes. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013 , 171, 157-60 | 2.4 | 8 |
| 128 | Adding cancer antigen 125 screening to gray scale sonography for predicting specific diagnosis of benign adnexal masses in premenopausal women: is it worthwhile?. <i>Journal of Ultrasound in Medicine</i> , 2011 , 30, 1381-6 | 2.9 | 8 |
| 127 | Hyperinsulinemia and uterine perfusion in patients with polycystic ovary syndrome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002 , 20, 276-80 | 5.8 | 8 |

| | | | |
|-----|---|------|---|
| 126 | The screening of tubal abnormalities in the infertile couple. <i>Journal of Assisted Reproduction and Genetics</i> , 1996 , 13, 407-12 | 3.4 | 8 |
| 125 | Predictive value of color Doppler for ovarian endometrioma. <i>Fertility and Sterility</i> , 1995 , 63, 1136-7 | 4.8 | 8 |
| 124 | Critical reappraisal of the clinical effectiveness of different methods of assisted fertilization. <i>Journal of Endocrinological Investigation</i> , 1990 , 13, 263-74 | 5.2 | 8 |
| 123 | Ultrasonographic soft markers for detection of rectosigmoid deep endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 269-273 | 5.8 | 8 |
| 122 | The treatment of polycystic ovary syndrome. <i>Minerva Ginecologica</i> , 2004 , 56, 15-26 | 1.2 | 8 |
| 121 | Ultrasonography and Atypical Sites of Endometriosis. <i>Diagnostics</i> , 2020 , 10, | 3.8 | 7 |
| 120 | Imaging in gynecological disease (17): ultrasound features of malignant ovarian yolk sac tumors (endodermal sinus tumors). <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 276-284 | 5.8 | 7 |
| 119 | Ovarian tumor characterization and classification: a class of GyneScan systems. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2012 , 2012, 4446-9 | 0.9 | 7 |
| 118 | Prelaparoscopic assessment of ovarian cysts in reproductive-age women. <i>Gynaecological Endoscopy</i> , 1997 , 6, 157-167 | | 7 |
| 117 | Performance of US in the diagnosis of endometrioma. <i>Radiology</i> , 2000 , 215, 305-7 | 20.5 | 7 |
| 116 | Involvement of ovarian factors magnified by pharmacological induction of multiple follicular development (MFD) in the increase in Ca125 occurring during the luteal phase and the first 12 weeks of induced pregnancies. <i>Journal of Assisted Reproduction and Genetics</i> , 1995 , 12, 263-8 | 3.4 | 7 |
| 115 | Imaging in gynaecology: How good are we in identifying endometriomas?. <i>Facts, Views & Vision in ObGyn</i> , 2009 , 1, 7-17 | 1.4 | 7 |
| 114 | Consensus on revised definitions of morphological uterus sonographic assessment (MUSA) features of adenomyosis: results of a modified Delphi procedure. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , | 5.8 | 7 |
| 113 | Differential Diagnosis of Endometriosis by Ultrasound: A Rising Challenge. <i>Diagnostics</i> , 2020 , 10, | 3.8 | 6 |
| 112 | Past, present and future ultrasonographic techniques for analyzing ovarian masses. <i>Women's Health</i> , 2015 , 11, 369-83 | 3 | 5 |
| 111 | The sonographic diagnosis of deep endometriosis. <i>Journal of Ultrasound in Medicine</i> , 2009 , 28, 408-9; author reply 409-10 | 2.9 | 5 |
| 110 | Influence of vaginal danazol on uterine and brain perfusion during hormonal replacement therapy. <i>Menopause</i> , 2001 , 8, 424-8 | 2.5 | 5 |
| 109 | Is colour Doppler useful in the diagnosis of functional ovarian cysts?. <i>Human Reproduction</i> , 1998 , 13, 503-5 | 5.7 | 5 |

| | | | |
|-----|---|-----|---|
| 108 | Relationship between abnormally high levels of plasma CA 125 and resolution of acute pelvic pain in two women with endometrioma. <i>Gynecologic and Obstetric Investigation</i> , 1995 , 40, 61-3 | 2.5 | 5 |
| 107 | Ultrasound and Clinical Preoperative Characteristics for Discrimination Between Ovarian Metastatic Colorectal Cancer and Primary Ovarian Cancer: A Case-Control Study. <i>Diagnostics</i> , 2019 , 9, | 3.8 | 5 |
| 106 | Importance of transient myometrial contractions in diagnosis of adenomyosis and congenital uterine anomalies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 651-653 | 5.8 | 5 |
| 105 | Reproducibility of the International Endometrial Analysis Group Color Score for Assigning the Amount of Flow Within the Endometrium Using Stored 3-Dimensional Volumes. <i>Journal of Ultrasound in Medicine</i> , 2017 , 36, 1347-1354 | 2.9 | 4 |
| 104 | Does the clinical information play a role in the magnetic resonance diagnostic confidence analysis of ovarian and deep endometriosis?. <i>British Journal of Radiology</i> , 2019 , 92, 20180548 | 3.4 | 4 |
| 103 | Long-term Results for Expectant Management of Ultrasonographically Diagnosed Benign Ovarian Teratomas. <i>Obstetrics and Gynecology</i> , 2017 , 130, 1244-1250 | 4.9 | 4 |
| 102 | Gray-scale ultrasound versus CA-125 levels for predicting malignancy in adnexal masses. <i>International Journal of Gynecology and Obstetrics</i> , 2011 , 114, 290-1 | 4 | 4 |
| 101 | Three-dimensional power Doppler in ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 29, 718-9 | 5.8 | 4 |
| 100 | Italian consensus conference on management of uterine sarcomas on behalf of S.I.G.O. (Societa' italiana di Ginecologia E Ostetricia). <i>European Journal of Cancer</i> , 2020 , 139, 149-168 | 7.5 | 4 |
| 99 | Vessel morphology depicted by three-dimensional power Doppler ultrasound as second-stage test in adnexal tumors that are difficult to classify: prospective diagnostic accuracy study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 324-334 | 5.8 | 4 |
| 98 | Evolutionary Algorithm-Based Classifier Parameter Tuning for Automatic Ovarian Cancer Tissue Characterization and Classification 2013 , 425-440 | | 4 |
| 97 | Clinical and ultrasound features of benign, borderline, and malignant invasive mucinous ovarian tumors. <i>European Journal of Gynaecological Oncology (discontinued)</i> , 2017 , 38, 382-386 | 1.6 | 4 |
| 96 | Malignancy risk of sonographically benign appearing purely solid adnexal masses in asymptomatic postmenopausal women. <i>Menopause</i> , 2017 , 24, 613-616 | 2.5 | 3 |
| 95 | Training Performance in Diagnosis of Congenital Uterine Anomalies With 3-Dimensional Sonography: A Learning Curve Cumulative Summation Analysis. <i>Journal of Ultrasound in Medicine</i> , 2016 , 35, 2589-2594 | 2.9 | 3 |
| 94 | Transvaginal sonography in diagnosis of vesicoperitoneal fistula due to deep infiltrating endometriosis as a cause of uoperitoneum. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 727-9 | 5.8 | 3 |
| 93 | Bilateral fetal hyperechogenic kidneys associated with normal amniotic fluid: an ethical dilemma in a normal variant?. <i>Prenatal Diagnosis</i> , 2006 , 26, 190-1 | 3.2 | 3 |
| 92 | Luteal dynamics during the human menstrual cycle: new insight from imaging. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 25, 425-7 | 5.8 | 3 |
| 91 | Imaging the human corpus luteum. <i>Journal of Ultrasound in Medicine</i> , 2001 , 20, 1376-7 | 2.9 | 3 |

| | | | |
|----|--|-----|---|
| 90 | Postoperative pain and postoperative recovery following respective laparoscopy: no relation to the intra-abdominal surgical procedure. <i>Gynaecological Endoscopy</i> , 1996 , 5, 197-210 | | 3 |
| 89 | Endosonography and ovarian endometriosis. <i>Journal of Clinical Ultrasound</i> , 1996 , 24, 220 | 1 | 3 |
| 88 | IDEAL study: magnetic resonance imaging for suspected deep endometriosis assessment prior to laparoscopy is as reliable as radiological imaging as a complement to transvaginal ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 255-266 | 5.8 | 3 |
| 87 | No recurrence of mature ovarian teratomas after laparoscopic cystectomy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 624-6 | 3.7 | 3 |
| 86 | Two-dimensional hysterosalpingo-contrast-sonography compared to three/four-dimensional hysterosalpingo-contrast-sonography for the assessment of tubal occlusion in women with infertility/subfertility: a systematic review with meta-analysis. <i>Human Fertility</i> , 2020 , 1-13 | 1.9 | 2 |
| 85 | Reproducibility of two different methods for performing mean gray value evaluation of cyst content in endometriomas using VOCAL. <i>Journal of Medical Ultrasonics (2001)</i> , 2014 , 41, 325-32 | 1.4 | 2 |
| 84 | Modified ultrasound scanning is a cost-effective method for the detection of deep infiltrating endometriosis. <i>Fertility and Sterility</i> , 2009 , 91, e38; author reply e39 | 4.8 | 2 |
| 83 | The preoperative evaluation of ovarian tumors can be improved?. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 246-7 | 6.4 | 2 |
| 82 | Ultrasonographic diagnosis of cystic teratoma. <i>Ultrasound in Obstetrics and Gynecology</i> , 1996 , 8, 210-1 | 5.8 | 2 |
| 81 | The role of follicle-stimulating hormone in the depletion of follicular reserve: menopause in a woman with hypogonadotropic hypogonadal amenorrhea: a case report. <i>Fertility and Sterility</i> , 1995 , 63, 669-72 | 4.8 | 2 |
| 80 | The role of laparoscopy in the treatment of endometriosis. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 1994 , 21, 225-7 | 1.2 | 2 |
| 79 | Shrinkage of pituitary PRL-secreting adenoma after short-term treatment with bromocriptine long-acting repeatable injections. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 1994 , 21, 124-8 | 1.2 | 2 |
| 78 | Ultrasound-based risk model for preoperative prediction of lymph-node metastases in women with endometrial cancer: model-development study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 443-452 | 5.8 | 2 |
| 77 | Two-dimensional transvaginal sonography vs saline contrast sonohysterography for diagnosing endometrial polyps: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 506-515 | 5.8 | 2 |
| 76 | Preoperative Assessment of Cervical Involvement in Endometrial Cancer by Transvaginal Ultrasound and Magnetic Resonance Imaging: A Systematic Review and Meta-Analysis. <i>Ultraschall in Der Medizin</i> , 2021 , | 3.8 | 2 |
| 75 | Diagnostic accuracy of transvaginal sonography for detecting parametrial involvement in women with deep endometriosis: systematic review and meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 669-676 | 5.8 | 2 |
| 74 | Severe pain during hysterosalpingo-contrast sonography (HyCoSy): a systematic review and meta-analysis. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 304, 1389-1398 | 2.5 | 2 |
| 73 | Transvaginal ultrasonography in superficial endometriosis. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020 , 60, E5 | 1.7 | 1 |

| | | | |
|----|---|-----|---|
| 72 | Effect of cancer prevalence on the use of risk-assessment cut-off levels and the performance of mathematical models to distinguish malignant from benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 226-31 | 5.8 | 1 |
| 71 | OP30.10: Extrauterine undifferentiated endometrioid stromal sarcoma arising in endometriosis of the rectovaginal septum of a postmenopausal patient with recent onset of pelvic pain. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 160-161 | 5.8 | 1 |
| 70 | OC23.04: Which adnexal masses are difficult to classify as benign or malignant with prediction models?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 42-43 | 5.8 | 1 |
| 69 | OC27.01: Ultrasound features of metastases in the ovary depending of the origin of the primary tumor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 48-49 | 5.8 | 1 |
| 68 | OC24: The role of magnetic resonance imaging and transvaginal ultrasonography in patients with an adnexal mass and chronic pelvic pain or infertility. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 374-374 | 5.8 | 1 |
| 67 | OC025: Ultrasound characteristics of typical and atypical endometriomas. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 251-251 | 5.8 | 1 |
| 66 | OC144: Prospective evaluation of logistic regression models to predict malignancy of adnexal masses prior to surgery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 289-290 | 5.8 | 1 |
| 65 | External validation of a new logistic model in the diagnosis of ovarian cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 292-3; author reply 293 | 6.4 | 1 |
| 64 | The 'war' of logistic regression models in the diagnosis of ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 218-9; author reply 219-20 | 5.8 | 1 |
| 63 | The screening of embryonic viability in early asymptomatic pregnancy by a single endosonographic scan associated with plasma human chorionic gonadotropin determination. <i>Journal of Assisted Reproduction and Genetics</i> , 1994 , 11, 346-52 | 3.4 | 1 |
| 62 | Efficacy and endocrine effects of medical treatment of endometriosis. <i>Annals of the New York Academy of Sciences</i> , 1991 , 622, 275-82 | 6.5 | 1 |
| 61 | Routine gynecological ultrasound: look at the bladder and the ureters!. <i>Facts, Views & Vision in ObGyn</i> , 2020 , 11, 347-351 | 1.4 | 1 |
| 60 | Evaluation of the Four-dimensional Spatiotemporal Image Correlation Technology with High-definition Color Doppler as Third Step for Preoperative Differential Diagnosis of Ovarian Tumors: A Prospective Study. <i>Donald School Journal of Ultrasound in Obstetrics and Gynecology</i> , 2018 , 12, 108-115 | 0.4 | 1 |
| 59 | Transvaginal Strain Elastasonography in the Differential Diagnosis of Rectal Endometriosis: Some Potentials and Limits. <i>Diagnostics</i> , 2021 , 11, | 3.8 | 1 |
| 58 | Ovarian Tumor Characterization and Classification Using Ultrasound: A New Online Paradigm 2013 , 413-423 | | 1 |
| 57 | The Ovarian Endometrioma: Clinical Setting and Ultrasound Findings 2013 , 55-69 | | 1 |
| 56 | Artificial intelligence (AI) in the detection of rectosigmoid deep endometriosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 261, 29-33 | 2.4 | 0 |
| 55 | Reply: To PMID 22915525. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 597 | 5.8 | |

| | | |
|----|---|-----|
| 54 | OC11.01: Prevalence of deep endometriosis in patients of a second level ultrasound laboratory and tissue US characterization of nodules using VOCAL. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 20-20 | 5.8 |
| 53 | OP24.06: Three-dimensional volume off-line analysis as compared to real-time ultrasound for assessing adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 126-127 | 5.8 |
| 52 | OC05.01: Predicting ovarian malignancy if simple rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 7-7 | 5.8 |
| 51 | OC05.02: Transvaginal color Doppler in the detection of ovarian cancer in a large study population of postmenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 7-7 | 5.8 |
| 50 | OC05.05: External validation of BIA and new mathematical models to distinguish between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 8-8 | 5.8 |
| 49 | OC13.04: Magnetic resonance imaging and transvaginal modified ultrasonography in the diagnosis of rectosigmoid endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 24-24 | 5.8 |
| 48 | OC13.05: Assessment of cyst content by using mean grey value for discriminating ovarian endometrioma from other unilocular cysts in premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 25-25 | 5.8 |
| 47 | OC21.01: Biomarkers and transvaginal ultrasonography in the detection of ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 38-38 | 5.8 |
| 46 | OC21.02: Adnexal masses difficult to classify as benign or malignant using subjective evaluation of ultrasound findings: logistic regression models do not help. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 38-38 | 5.8 |
| 45 | OC25.01 Unilocular solid adnexal masses with papillary projections but no other solid components: is there a logistic regression model that can help?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 48-48 | 5.8 |
| 44 | OC25.02: Intercenter variability in ultrasound features of malignant and benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 48-49 | 5.8 |
| 43 | OC25.05: Adjusting prediction models for ovarian tumor classification to new clinical settings. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 49-50 | 5.8 |
| 42 | OP24.08: Intraobserver and interobserver agreement of color Doppler in adnexal malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 141-141 | 5.8 |
| 41 | P27.02: The potential of three-dimensional (3D) ultrasound for the detection of deep endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 282-282 | 5.8 |
| 40 | P27.11: Transvaginal ultrasonography in the diagnosis of vesico-peritoneal fistula due to deep infiltrating endometriosis as a cause of uroperitoneum. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 285-286 | 5.8 |
| 39 | OC19.01: Additional value of CA-125 to ultrasound for predicting specific diagnosis of benign adnexal cysts in premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 35-35 | 5.8 |
| 38 | OC19.04: Diagnostic performance of transvaginal gray-scale ultrasound for specific diagnosis of common benign ovarian cysts related to menopausal status. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 36-36 | 5.8 |
| 37 | OC21.01: Expectant management for sonographically benign cysts in asymptomatic premenopausal women: long term follow-up study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 38-38 | 5.8 |

| | | |
|----|---|-----|
| 36 | OC23.01: New logistic regression model to predict ovarian malignancy in cases for which simple ultrasound rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 41-42 | 5.8 |
| 35 | OP11.01: Standardization of three dimensional ultrasonographic evaluation for the assessment of deep infiltrating endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 82-82 | 5.8 |
| 34 | OP21.02: Three-dimensional power Doppler angiography (3D-PDA) as a third step technique for differential diagnosis of adnexal masses: a prospective multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 113-113 | 5.8 |
| 33 | OP21.06: Diagnostic performance of transvaginal power Doppler ultrasound for predicting malignancy of adnexal masses in symptomatic and asymptomatic women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 114-114 | 5.8 |
| 32 | OP21.07: Gray-scale ultrasound and Ca-125 levels for diagnosing ovarian cancer in more than 1700 women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 114-115 | 5.8 |
| 31 | B-mode and color Doppler endosonographic findings of mesenchymal vaginal hamartoma. <i>Journal of Clinical Ultrasound</i> , 1997 , 25, 271-4 | 1 |
| 30 | Transvaginal ultrasound in the diagnosis of uterine pathology. <i>Expert Review of Obstetrics and Gynecology</i> , 2008 , 3, 753-760 | |
| 29 | OC07: Diagnosis of location of deep infiltrating endometriosis by transvaginal tenderness-guided ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 368-369 | 5.8 |
| 28 | OC23: Magnetic resonance imaging and transvaginal tenderness-guided ultrasonography in diagnosis of the location of deep infiltrating endometriosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 374-374 | 5.8 |
| 27 | OC198: Sonohistology: the use of simple findings to predict the histological diagnosis in more than 900 adnexal masses evaluated by a single center. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 427-428 | 5.8 |
| 26 | OP16.03: Reproducibility of different patterns of benign ovarian masses assessed by transvaginal ultrasonography evaluated by several operators with different degree of experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 509-510 | 5.8 |
| 25 | OP16.07: Intraobserver and interobserver agreement of B-mode typical ultrasonographic patterns suggestive of presence of ovarian malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 510-511 | 5.8 |
| 24 | OC021: Assessment of pattern recognition for the ultrasound diagnosis of an endometrioma. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 250-250 | 5.8 |
| 23 | OC147: Confirming the limited role of CA-125 for adnexal mass diagnosis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 290-291 | 5.8 |
| 22 | OC152: Prevalence of cancer and optimal cut-off levels for mathematical models to distinguish between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 292-293 | 5.8 |
| 21 | OC162: Presence of acoustic streaming in different types of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 296-296 | 5.8 |
| 20 | OC165: Differential diagnosis of the most common benign ovarian cysts using transvaginal ultrasonography: Results of Sardinia-Navarra (Sa.Na.) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 297-297 | 5.8 |
| 19 | OC168: Transvaginal color Doppler in the detection of ovarian cancer in a large study population: Results of sardinia-navarra (Sa.Na.) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 298-298 | 5.8 |

- 18 OP06.01: Transvaginal ultrasonography and pelvic adhesions in patients with cystic ovarian endometriosis. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 328-328 5.8
- 17 Pattern recognition and descriptive sonographic scoring in the diagnosis of ovarian cancer. *Journal of Ultrasound in Medicine*, **2006**, 25, 558-9; author reply 559-60 2.9
- 16 OC176: Three-dimensional (3D) quantification of tumor vascularity as third step after B-mode and power Doppler evaluation for detection of ovarian cancer. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 411-411 5.8
- 15 OP22.02: The use of simple ultrasonographic findings makes accurate differential diagnosis of adnexal masses unrelated to the increase of experience of the operators. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 509-509 5.8
- 14 P01.39: Experience on 1,282 cases of genetic amniocentesis: fetal loss and complications. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 521-521 5.8
- 13 P132: Comparison of a new scoring system to differentiate benign from malignant adnexal masses with a simplified subjective approach based on color flow localization. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 106-107 5.8
- 12 Repeated transient hypergonadotropic amenorrhea during pharmacologic induction of multiple follicular development with exogenous gonadotropins. *Journal of Endocrinological Investigation*, **1990**, 13, 749-52 5.2
- 11 Additional Radiological Techniques (MRI) **2018**, 147-168
- 10 Other Locations of Deep Endometriosis **2018**, 121-131
- 9 Imaging for Endometriosis in Adolescents **2020**, 315-331
- 8 Non-enhanced Transvaginal Ultrasonography **2020**, 43-52
- 7 Echoscopie van het ovarium **2016**, 47-58
- 6 Tubal Diseases **2017**, 29-42
- 5 Endometrioma: Computed Tomography and Magnetic Resonance Imaging **2013**, 71-89
- 4 Entrapped tube into an inflammatory or endometriosis ovarian cyst may mimic malignancy. *Ultrasound in Obstetrics and Gynecology*, **2021**, 5.8
- 3 Forniceal-Vaginal Deep Endometriosis **2018**, 89-96
- 2 Effect of multiple follicular development on uterine perfusion in subsequent spontaneous cycles. *Journal of reproductive medicine, The*, **1999**, 44, 769-74
- 1 Endometriosis Diagnostic Modalities: The Sonographic Diagnosis of Deep Endometriosis **2022**, 109-124

