## Kinga Kamińska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3046498/publications.pdf

Version: 2024-02-01

17 papers	188 citations	9 h-index	1125271 13 g-index
18	18	18	239
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Depressive-like neurochemical and behavioral markers of Parkinson's disease after 6-OHDA administered unilaterally to the rat medial forebrain bundle. Pharmacological Reports, 2017, 69, 985-994.	1.5	33
2	Chronic l-DOPA treatment attenuates behavioral and biochemical deficits induced by unilateral lactacystin administration into the rat substantia nigra. Behavioural Brain Research, 2014, 261, 79-88.	1.2	19
3	Alterations in the Antioxidant Enzyme Activities in the Neurodevelopmental Rat Model of Schizophrenia Induced by Glutathione Deficiency during Early Postnatal Life. Antioxidants, 2020, 9, 538.	2.2	19
4	Molsidomine, a nitric oxide donor, modulates rotational behavior and monoamine metabolism in 6-OHDA lesioned rats treated chronically with L-DOPA. Neurochemistry International, 2013, 63, 790-804.	1.9	18
5	Glutathione Deficiency and Alterations in the Sulfur Amino Acid Homeostasis during Early Postnatal Development as Potential Triggering Factors for Schizophrenia-Like Behavior in Adult Rats. Molecules, 2019, 24, 4253.	1.7	15
6	Effect of combined treatment with aripiprazole and antidepressants on the MK-801-induced deficits in recognition memory in novel recognition test and on the release of monoamines in the rat frontal cortex. Behavioural Brain Research, 2020, 393, 112769.	1.2	15
7	The significance of rotational behavior and sensitivity of striatal dopamine receptors in hemiparkinsonian rats: A comparative study of lactacystin and 6-OHDA. Neuroscience, 2017, 340, 308-318.	1.1	13
8	Glutathione Deficiency during Early Postnatal Development Causes Schizophrenia-Like Symptoms and a Reduction in BDNF Levels in the Cortex and Hippocampus of Adult Sprague–Dawley Rats. International Journal of Molecular Sciences, 2021, 22, 6171.	1.8	13
9	Co-treatment with antidepressants and aripiprazole reversed the MK-801-induced some negative symptoms of schizophrenia in rats. Pharmacological Reports, 2019, 71, 768-773.	1.5	10
10	N-Acetylcysteine and Aripiprazole Improve Social Behavior and Cognition and Modulate Brain BDNF Levels in a Rat Model of Schizophrenia. International Journal of Molecular Sciences, 2022, 23, 2125.	1.8	10
11	Decreased behavioral response to intranigrally administered GABAA agonist muscimol in the lactacystin model of Parkinson's disease may result from partial lesion of nigral non-dopamine neurons: Comparison to the classical neurotoxin 6-OHDA. Behavioural Brain Research, 2015, 283, 203-214.	1.2	9
12	Interactions of the tricyclic antidepressant drug amitriptyline with L-DOPA in the striatum and substantia nigra of unilaterally 6-OHDA-lesioned rats. Relevance to motor dysfunction in Parkinson's disease. Neurochemistry International, 2018, 121, 125-139.	1.9	7
13	Impact of repeated co-treatment with escitalopram and aripiprazole on the schizophrenia-like behaviors and BDNF mRNA expression in the adult Sprague–Dawley rats exposed to glutathione deficit during early postnatal development of the brain. Pharmacological Reports, 2021, 73, 1712-1723.	1.5	3
14	Contribution of the nitric oxide donor molsidomine and the antiparkinsonian drug l-DOPA to the modulation of the blood pressure in unilaterally 6-OHDA-lesioned rats. Pharmacological Reports, 2017, 69, 29-35.	1.5	2
15	Evaluation of Cysteine Metabolism in the Rat Liver and Kidney Following Intravenous Cocaine Administration and Abstinence. Antioxidants, 2021, 10, 74.	2.2	2
16	Effects of L-DOPA on Gene Expression in the Frontal Cortex of Rats with Unilateral Lesions of Midbrain Dopaminergic Neurons. ENeuro, $2021,8,.$	0.9	0
17	Effects of L-DOPA on Gene Expression in the Frontal Cortex of Rats with Unilateral Lesions of Midbrain Dopaminergic Neurons. ENeuro, 2021, 8, ENEURO.0234-20.2020.	0.9	O