

Lisa M Kalisch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/30474/publications.pdf>

Version: 2024-02-01

84
papers

1,389
citations

394421

19
h-index

395702

33
g-index

86
all docs

86
docs citations

86
times ranked

1851
citing authors

#	ARTICLE	IF	CITATIONS
1	The Risk of Preoperative Central Nervous System-Acting Medications on Delirium Following Hip or Knee Surgery: A Matched Case-Control Study. <i>Drug Safety</i> , 2022, 45, 75-82.	3.2	3
2	Implementation and Evaluation of a Digitally Enabled Precision Public Health Intervention to Reduce Inappropriate Gabapentinoid Prescription: Cluster Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2022, 24, e33873.	4.3	5
3	The Extent of Medication-Related Hospital Admissions in Australia: A Review from 1988 to 2021. <i>Drug Safety</i> , 2022, 45, 249-257.	3.2	32
4	The effects of anticholinergic medications on cognition in children: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2021, 11, 219.	3.3	9
5	Post-market utilization patterns of Alzheimer's disease treatments in South Korea: comparison with countries with universal health coverage. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 921-929.	1.9	5
6	Prevalence of multiple risk factors for poor outcomes associated with COVID-19 among an elderly Australian population. <i>Australian Journal of General Practice</i> , 2021, 50, 84-89.	0.8	2
7	Variation in health service use by veterans with an accepted disability of post-traumatic stress disorder who had a service record post 1975: a cluster analysis. <i>BMJ Military Health</i> , 2021, , bmjmilitary-2020-001456.	0.9	0
8	Medication-related hospital admissions in aged care residents. <i>Australasian Journal on Ageing</i> , 2021, 40, .	0.9	2
9	Evaluation of Renal Function Testing in Older Australian Veterans Dispensed Medicines that Require Renal Function Monitoring. <i>Drugs and Aging</i> , 2021, 38, 995-1002.	2.7	0
10	Patient-Reported Questionnaires to Identify Adverse Drug Reactions: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11877.	2.6	5
11	Generating Real-World Evidence on the Quality Use, Benefits and Safety of Medicines in Australia: History, Challenges and a Roadmap for the Future. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13345.	2.6	11
12	Rationalisation of polypharmacy in practice: a survey of physicians and pharmacists. <i>Journal of Pharmacy Practice and Research</i> , 2020, 50, 233-241.	0.8	3
13	Uncertain Association Between Benzodiazepine Use and the Risk of Dementia: A Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 201-211.e2.	2.5	20
14	Reducing medicine-induced deterioration and adverse reactions (ReMInDAR) trial: study protocol for a randomised controlled trial in residential aged-care facilities assessing frailty as the primary outcome. <i>BMJ Open</i> , 2020, 10, e032851.	1.9	13
15	Predictors of Mortality in the Older Population: The Role of Polypharmacy and Other Medication and Chronic Disease-Related Factors. <i>Drugs and Aging</i> , 2020, 37, 767-776.	2.7	11
16	Potentially inappropriate medication use and related hospital admissions in aged care residents: The impact of dementia. <i>British Journal of Clinical Pharmacology</i> , 2020, 86, 2414-2423.	2.4	9
17	Use of health and support services by people living with dementia in the community setting. <i>Australasian Journal on Ageing</i> , 2020, 39, 341-349.	0.9	3
18	Use of analgesics following rescheduling of codeine in Australia: An interrupted time series analysis in the veteran population. <i>International Journal of Drug Policy</i> , 2020, 81, 102767.	3.3	7

#	ARTICLE	IF	CITATIONS
19	We need to do better: most people with dementia living in aged care facilities use antipsychotics for too long, for off-label indications and without documented consent. <i>International Psychogeriatrics</i> , 2020, 32, 299-302.	1.0	5
20	Detecting Medicine Safety Signals Using Prescription Sequence Symmetry Analysis of a National Prescribing Data Set. <i>Drug Safety</i> , 2020, 43, 787-795.	3.2	8
21	Predictors of unplanned hospitalisation in the older population: The role of polypharmacy and other medication and chronic disease-related factors. <i>Australasian Journal on Ageing</i> , 2020, 39, e436-e446.	0.9	2
22	Risk of chronic opioid use in older persons with pre-existing anxiety. <i>Journal of Opioid Management</i> , 2020, 16, 59-66.	0.5	1
23	Comorbidities in an Australian sample of chronic and new opioid users. <i>Journal of Opioid Management</i> , 2020, 16, 103-110.	0.5	0
24	A cross-sectional assessment of the relationship between sedative medication and anticholinergic medication use and the movement behaviour of older adults living in residential aged care. <i>PeerJ</i> , 2020, 8, e9605.	2.0	1
25	Impact of a patient-specific national programme aimed at increasing the use of emollient moisturisers to reduce the risk of skin tears: a longitudinal cohort study. <i>BMJ Open</i> , 2020, 10, e039579.	1.9	0
26	Impact of a patient-specific national programme aimed at increasing the use of emollient moisturisers to reduce the risk of skin tears: a longitudinal cohort study. <i>BMJ Open</i> , 2020, 10, e039579.	1.9	0
27	Implementation of medication-related indicators of potentially preventable hospitalizations in a national chronic disease management program for older patients with multimorbidity. <i>International Journal for Quality in Health Care</i> , 2019, 31, 133-139.	1.8	3
28	Reduction in Use of Risperidone for Dementia in Australia Following Changed Guidelines. <i>Pharmacy (Basel, Switzerland)</i> , 2019, 7, 100.	1.6	5
29	Initiation and continuation of antipsychotic medicines in older people following non-psychiatric hospital admission. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 1341-1347.	2.1	4
30	Medication Use for Comorbidities in People with Alzheimer's Disease: An Australian Population-Based Study. <i>Pharmacotherapy</i> , 2019, 39, 1146-1156.	2.6	17
31	Use of medicines that may precipitate delirium prior to hospitalisation in older Australians with delirium: An observational study. <i>Australasian Journal on Ageing</i> , 2019, 38, 124-131.	0.9	8
32	Potentially inappropriate prescribing in people with dementia: An Australian population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1498-1505.	2.7	16
33	Prevalence and Duration of Use of Medicines Recommended for Short-Term Use in Aged Care Facility Residents. <i>Pharmacy (Basel, Switzerland)</i> , 2019, 7, 55.	1.6	6
34	Comparative effectiveness and safety of low-strength and high-strength direct oral anticoagulants compared with warfarin: a sequential cohort study. <i>BMJ Open</i> , 2019, 9, e026486.	1.9	8
35	Potentially inappropriate prescribing before and after initiation of medicines for dementia: An Australian population-based study. <i>Geriatrics and Gerontology International</i> , 2019, 19, 654-659.	1.5	4
36	Analysis of anticholinergic and sedative medicine effects on physical function, cognitive function, appetite and frailty: a cross-sectional study in Australia. <i>BMJ Open</i> , 2019, 9, e029221.	1.9	23

#	ARTICLE	IF	CITATIONS
37	Adaptation of potentially preventable medication-related hospitalisation indicators for indigenous populations in Australia using a modified Delphi technique. <i>BMJ Open</i> , 2019, 9, e031369.	1.9	9
38	The validity of the Rx-Risk Comorbidity Index using medicines mapped to the Anatomical Therapeutic Chemical (ATC) Classification System. <i>BMJ Open</i> , 2018, 8, e021122.	1.9	166
39	The Uncertainty of the Association Between Proton Pump Inhibitor Use and the Risk of Dementia: Prescription Sequence Symmetry Analysis Using a Korean Healthcare Database Between 2002 and 2013. <i>Drug Safety</i> , 2018, 41, 615-624.	3.2	23
40	Do Risk Prediction Models for Postoperative Delirium Consider Patients' Preoperative Medication Use?. <i>Drugs and Aging</i> , 2018, 35, 213-222.	2.7	7
41	Knowledge of Australian hospital pharmacists regarding delirium in elderly patients. <i>Journal of Pharmacy Practice and Research</i> , 2018, 48, 116-123.	0.8	3
42	Antipsychotic polypharmacy in older Australians. <i>International Psychogeriatrics</i> , 2018, 30, 539-546.	1.0	6
43	A narrative review of problems with medicines use in people with dementia. <i>Expert Opinion on Drug Safety</i> , 2018, 17, 825-836.	2.4	17
44	Reducing hypnotic use in insomnia management among Australian veterans: results from repeated national interventions. <i>BMC Health Services Research</i> , 2018, 18, 626.	2.2	7
45	Sustaining practice change in health care: the impact of a national quality improvement program on the uptake of collaborative medicines reviews. <i>Journal of Pharmacy Practice and Research</i> , 2018, 48, 222-230.	0.8	9
46	Patient-specific prescriber feedback can increase the rate of osteoporosis screening and treatment: results from two national interventions. <i>Archives of Osteoporosis</i> , 2017, 12, 17.	2.4	7
47	Posttraumatic Stress Disorder, Antipsychotic Use and Risk of Dementia in Veterans. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1521-1526.	2.6	18
48	Use of proton pump inhibitors among older Australians: national quality improvement programmes have led to sustained practice change. <i>International Journal for Quality in Health Care</i> , 2017, 29, 75-82.	1.8	30
49	Current practice and opinions of hospital pharmacists regarding their role in the screening, prevention and treatment of delirium. <i>International Journal of Clinical Pharmacy</i> , 2017, 39, 1194-1200.	2.1	6
50	Preoperative medication use and postoperative delirium: a systematic review. <i>BMC Geriatrics</i> , 2017, 17, 298.	2.7	75
51	Apixaban, concomitant medicines and spontaneous reports of haemorrhagic events. <i>Therapeutic Advances in Drug Safety</i> , 2017, 8, 157-164.	2.4	8
52	Central Nervous System-Acting Medicines and Risk of Hospital Admission for Confusion, Delirium, or Dementia. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 530-534.	2.5	7
53	Increased risk of hospital admission for dehydration or heat-related illness after initiation of medicines: a sequence symmetry analysis. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2016, 41, 503-507.	1.5	21
54	Sequence Symmetry Analysis as a Signal Detection Tool for Potential Heart Failure Adverse Events in an Administrative Claims Database. <i>Drug Safety</i> , 2016, 39, 347-354.	3.2	20

#	ARTICLE	IF	CITATIONS
55	Commitment questions targeting patients promotes uptake of under-used health services: Findings from a national quality improvement program in Australia. <i>Social Science and Medicine</i> , 2015, 145, 1-6.	3.8	12
56	Suboptimal medication-related quality of care preceding hospitalisation of older patients. <i>Medical Journal of Australia</i> , 2015, 203, 220-220.	1.7	8
57	Association between Ophthalmic Timolol and Hospitalisation for Bradycardia. <i>Journal of Ophthalmology</i> , 2015, 2015, 1-6.	1.3	15
58	Response to Lertxundi and Colleagues. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1054-1055.	2.6	1
59	An international comparison of spontaneous adverse event reports and potentially inappropriate medicine use associated with dabigatran. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 399-405.	1.9	22
60	Multiple Anticholinergic Medication Use and Risk of Hospital Admission for Confusion or Dementia. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1916-1922.	2.6	100
61	Ranibizumab and Risk of Hospitalisation for Ischaemic Stroke and Myocardial Infarction in Patients with Age-Related Macular Degeneration: A Self-Controlled Case-Series Analysis. <i>Drug Safety</i> , 2014, 37, 1021-1027.	3.2	18
62	Development of evidence-based Australian medication-related indicators of potentially preventable hospitalisations: a modified RAND appropriateness method. <i>BMJ Open</i> , 2014, 4, e004625.	1.9	28
63	A Cross-Country Comparison of Rivaroxaban Spontaneous Adverse Event Reports and Concomitant Medicine Use with the Potential to Increase the Risk of Harm. <i>Drug Safety</i> , 2014, 37, 1029-1035.	3.2	17
64	Comparing Time to Adverse Drug Reaction Signals in a Spontaneous Reporting Database and a Claims Database: A Case Study of Rofecoxib-Induced Myocardial Infarction and Rosiglitazone-Induced Heart Failure Signals in Australia. <i>Drug Safety</i> , 2014, 37, 53-64.	3.2	26
65	Risk of Medication-Associated Initiation of Oxybutynin in Elderly Men and Women. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 690-695.	2.6	17
66	Association Between Use of Multiple Psychoactive Medicines and Hospitalization for Falls: Retrospective Analysis of a Large Healthcare Claim Database. <i>Drug Safety</i> , 2014, 37, 529-535.	3.2	33
67	Bridging evidence-practice gaps: improving use of medicines in elderly Australian veterans. <i>BMC Health Services Research</i> , 2013, 13, 514.	2.2	32
68	The validity of sequence symmetry analysis (SSA) for adverse drug reaction signal detection. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 496-502.	1.9	57
69	Home Medicines Reviews: Extent of Uptake by High-Risk Veterans. <i>Journal of Pharmacy Practice and Research</i> , 2013, 43, 182-186.	0.8	8
70	The Detection of Adverse Events in Randomized Clinical Trials: Can we Really Say New Medicines are Safe?. <i>Current Drug Safety</i> , 2013, 8, 104-113.	0.6	13
71	Prevalence of preventable medication-related hospitalizations in Australia: an opportunity to reduce harm. <i>International Journal for Quality in Health Care</i> , 2012, 24, 239-249.	1.8	61
72	Managing Glaucoma in those with Co-morbidity: Not as Easy as it Seems. <i>Ophthalmic Epidemiology</i> , 2012, 19, 74-82.	1.7	32

#	ARTICLE	IF	CITATIONS
73	Prescriber Feedback to Improve Quality Use of Medicines among Older People: the Veterans' MATES Program. <i>Journal of Pharmacy Practice and Research</i> , 2011, 41, 316-319.	0.8	12
74	Continuity of care: when do patients visit community healthcare providers after leaving hospital?. <i>Internal Medicine Journal</i> , 2011, 41, 662-667.	0.8	34
75	The prescribing cascade. <i>Australian Prescriber</i> , 2011, 34, 162-166.	1.0	58
76	Pharmaceutical brand substitution in Australia: Identifying factors associated with having multiple brand substitutions. <i>International Journal of Pharmacy Practice</i> , 2010, 17, 339-344.	0.6	0
77	Use of health services and medicines amongst Australian war veterans: a comparison of young elderly, near centenarians and centenarians. <i>BMC Geriatrics</i> , 2010, 10, 83.	2.7	11
78	Prevalence of potentially hazardous drug interactions amongst Australian veterans. <i>British Journal of Clinical Pharmacology</i> , 2010, 70, 252-257.	2.4	48
79	Improving heart failure outcomes with pharmacist-physician collaboration: how close are we?. <i>Future Cardiology</i> , 2010, 6, 255-268.	1.2	11
80	Pharmaceutical brand substitution in Australia: identifying factors associated with having multiple brand substitutions. <i>International Journal of Pharmacy Practice</i> , 2009, 17, 339-344.	0.6	0
81	Brand substitution or multiple switches per patient? An analysis of pharmaceutical brand substitution in Australia. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 620-625.	1.9	11
82	Do Pharmacists Adhere to Brand Substitution Guidelines? The Example of Simvastatin. <i>Journal of Pharmacy Practice and Research</i> , 2007, 37, 292-294.	0.8	0
83	Pharmaceutical brand substitution in Australia - are there multiple switches per prescription?. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 348-352.	1.8	13
84	Use of medicines in adults with autism spectrum disorder in Australia. <i>Journal of Pharmacy Practice and Research</i> , 0, , .	0.8	1