

Urs Wilgen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3048690/publications.pdf>

Version: 2024-02-01

25
papers

311
citations

932766

10
h-index

839053

18
g-index

25
all docs

25
docs citations

25
times ranked

540
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of the Atellica TnI cardiac troponin I assay and assessment of biological equivalence. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, .	1.4	1
2	How comparable are total human chorionic gonadotropin (hCGt) tumour markers assays?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 438-444.	1.4	7
3	Unusual Iron and Copper Studies in a Patient with Liver Injury and Normocytic Anemia. <i>Clinical Chemistry</i> , 2020, 66, 277-281.	1.5	0
4	An Unusual Cause of Metabolic Alkalosis and Hypocalcemia in Childhood. <i>Clinical Chemistry</i> , 2019, 65, 514-517.	1.5	1
5	A critical evaluation of the Beckman Coulter Access hsTnI : Analytical performance, reference interval and concordance. <i>Clinical Biochemistry</i> , 2018, 55, 49-55.	0.8	22
6	Mind the gap: shortcomings of the osmotic gap and a possible solution. <i>Annals of Clinical Biochemistry</i> , 2018, 55, 136-142.	0.8	2
7	Australasian harmonisation efforts in the biochemical diagnosis of hypophosphatasia. <i>Pathology</i> , 2017, 49, S97-S98.	0.3	0
8	A Term Newborn with Suspected Sepsis Following Prolonged Premature Rupture of Membranes. <i>Clinical Chemistry</i> , 2017, 63, 1906-1908.	1.5	0
9	Cardiac Troponin I carryover by very high patient samples still causes false-positive results on the Beckman Coulter AccuTnI+â€%3. <i>Annals of Clinical Biochemistry</i> , 2016, 53, 177-179.	0.8	11
10	<scp>ELF</scp> score â€%9.8 indicates advanced hepatic fibrosis and is influenced by age, steatosis and histological activity. <i>Liver International</i> , 2015, 35, 1673-1681.	1.9	60
11	Combined light chain immunofixation to detect monoclonal gammopathy: a comparison to standard electrophoresis in serum and urine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 981-7.	1.4	10
12	Towards a consistent definition of a significant delta troponin with z-scores: a way out of chaos?. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014, 3, 149-157.	0.4	14
13	Hook effect in Abbott i-STAT Î²-human chorionic gonadotropin (Î²-hCG) point of care assay. <i>Clinical Biochemistry</i> , 2014, 47, 1320-1322.	0.8	12
14	Improved sensitivity of point of care troponin I values using reporting to below 99th percentile of normals. Schneider HG et al.. <i>Clinical Biochemistry</i> , 2013, 46, 1774-1775.	0.8	1
15	Response to Basu <i>et al</i>. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 280-280.	0.8	0
16	Assays for Cardiac Troponins. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 1502.	3.8	0
17	Evaluation of the N Latex FLC free light chain assay on the Siemens BN analyser: precision, agreement, linearity and variation between reagent lots. <i>Annals of Clinical Biochemistry</i> , 2012, 49, 450-455.	0.8	47
18	Probing indiscretions: contamination of cardiac troponin reagent by very high patient samples causes false-positive results. <i>Annals of Clinical Biochemistry</i> , 2012, 49, 395-398.	0.8	7

#	ARTICLE	IF	CITATIONS
19	Investigation of cholesterol bias due to a matrix effect of external quality assurance samples: how true is your cholesterol method?. <i>Annals of Clinical Biochemistry</i> , 2012, 49, 538-541.	0.8	1
20	Concordance, Variance, and Outliers in 4 Contemporary Cardiac Troponin Assays: Implications for Harmonization. <i>Clinical Chemistry</i> , 2012, 58, 274-283.	1.5	42
21	Clinical utility of ADAMTS-13 testing in suspected thrombotic microangiopathy: an audit of ADAMTS-13 activity assay requests in routine practice from a tertiary hospital. <i>Pathology</i> , 2012, 44, 638-641.	0.3	2
22	Ambiguous Cardiac Troponin Recommendations. <i>Heart Lung and Circulation</i> , 2012, 21, 197.	0.2	1
23	Serial cardiac troponin differences measured on four contemporary analyzers: Relative differences, actual differences and reference change values compared. <i>Clinica Chimica Acta</i> , 2012, 413, 1786-1791.	0.5	24
24	Outliers as a Cause of False Cardiac Troponin Results: Investigating the Robustness of 4 Contemporary Assays. <i>Clinical Chemistry</i> , 2011, 57, 710-718.	1.5	46
25	Screening Panels for Detection of Monoclonal Gammopathies: Confidence Intervals. <i>Clinical Chemistry</i> , 2010, 56, 677-679.	1.5	0