

Wim Veling

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3048940/publications.pdf>

Version: 2024-02-01

98
papers

3,090
citations

172457

29
h-index

182427

51
g-index

104
all docs

104
docs citations

104
times ranked

3230
citing authors

#	ARTICLE	IF	CITATIONS
1	The Validity of the 16-Item Version of the Prodromal Questionnaire (PQ-16) to Screen for Ultra High Risk of Developing Psychosis in the General Help-Seeking Population. Schizophrenia Bulletin, 2012, 38, 1288-1296.	4.3	304
2	Ethnic Density of Neighborhoods and Incidence of Psychotic Disorders Among Immigrants. American Journal of Psychiatry, 2008, 165, 66-73.	7.2	290
3	Discrimination and the incidence of psychotic disorders among ethnic minorities in The Netherlands. International Journal of Epidemiology, 2007, 36, 761-768.	1.9	214
4	Incidence of schizophrenia among ethnic minorities in the Netherlands: A four-year first-contact study. Schizophrenia Research, 2006, 86, 189-193.	2.0	148
5	Virtual-reality-based cognitive behavioural therapy versus waiting list control for paranoid ideation and social avoidance in patients with psychotic disorders: a single-blind randomised controlled trial. Lancet Psychiatry, 2018, 5, 217-226.	7.4	144
6	Environmental Social Stress, Paranoia and Psychosis Liability: A Virtual Reality Study. Schizophrenia Bulletin, 2016, 42, 1363-1371.	4.3	106
7	Hostile attribution bias and aggression in adults - a systematic review. Aggression and Violent Behavior, 2019, 46, 66-81.	2.1	84
8	Age at Migration and Future Risk of Psychotic Disorders Among Immigrants in the Netherlands: A 7-Year Incidence Study. American Journal of Psychiatry, 2011, 168, 1278-1285.	7.2	82
9	Ethnic minority position and risk for psychotic disorders. Current Opinion in Psychiatry, 2013, 26, 166-171.	6.3	77
10	Perceived discrimination and the risk of schizophrenia in ethnic minorities. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 953-959.	3.1	71
11	Symptoms at first contact for psychotic disorder: Comparison between native Dutch and ethnic minorities. Schizophrenia Research, 2007, 95, 30-38.	2.0	61
12	Advances in immersive virtual reality interventions for mental disorders: A new reality?. Current Opinion in Psychology, 2021, 41, 40-45.	4.9	61
13	Four-Year Follow-up of Cognitive Behavioral Therapy in Persons at Ultra-High Risk for Developing Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. Schizophrenia Bulletin, 2016, 42, 1243-1252.	4.3	57
14	Brave New Worlds--Review and Update on Virtual Reality Assessment and Treatment in Psychosis. Schizophrenia Bulletin, 2014, 40, 1194-1197.	4.3	54
15	Ethnic Identity and the Risk of Schizophrenia in Ethnic Minorities: A Case-Control Study. Schizophrenia Bulletin, 2010, 36, 1149-1156.	4.3	53
16	Virtual Reality Relaxation for Patients With a Psychiatric Disorder: Crossover Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e17233.	4.3	53
17	Virtual reality-based cognitive behavioural therapy for patients with generalized social anxiety disorder: a pilot study. Behavioural and Cognitive Psychotherapy, 2019, 47, 745-750.	1.2	51
18	Social Cognition Training for People With a Psychotic Disorder: A Network Meta-analysis. Schizophrenia Bulletin, 2020, 46, 1086-1103.	4.3	47

#	ARTICLE	IF	CITATIONS
19	Psychosocial functioning in first-episode psychosis and associations with neurocognition, social cognition, psychotic and affective symptoms. <i>Microbial Biotechnology</i> , 2017, 11, 23-36.	1.7	46
20	Anxiety Partially Mediates Cybersickness Symptoms in Immersive Virtual Reality Environments. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2018, 21, 187-193.	3.9	44
21	Migration and psychotic disorders. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 65-76.	2.8	42
22	Virtual Reality Experiments Linking Social Environment and Psychosis: A Pilot Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2014, 17, 191-195.	3.9	41
23	Virtual Reality Aggression Prevention Therapy (VRAPT) versus Waiting List Control for Forensic Psychiatric Inpatients: A Multicenter Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 2258.	2.4	41
24	To continue or not to continue? Antipsychotic medication maintenance versus dose-reduction/discontinuation in first episode psychosis: HAMLETT, a pragmatic multicenter single-blind randomized controlled trial. <i>Trials</i> , 2020, 21, 147.	1.6	41
25	The effect of rehabilitation combined with cognitive remediation on functioning in persons with severe mental illness: systematic review and meta-analysis. <i>Psychological Medicine</i> , 2019, 49, 1414-1425.	4.5	38
26	The validity and utility of subtyping bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2009, 42, 595-602.	4.0	37
27	Psychotic symptoms, cognition and affect as predictors of psychosocial problems and functional change in first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 158, 113-119.	2.0	37
28	Cost-Effectiveness of Virtual Reality Cognitive Behavioral Therapy for Psychosis: Health-Economic Evaluation Within a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e17098.	4.3	35
29	The link between ethnicity, social disadvantage and mental health problems in a school-based multiethnic sample of children in the Netherlands. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1103-1113.	4.7	33
30	The association between posttraumatic stress symptoms and functional impairment during ongoing conflict in the Democratic Republic of Congo. <i>Journal of Anxiety Disorders</i> , 2013, 27, 225-230.	3.2	32
31	Effect of virtual reality aggression prevention training for forensic psychiatric patients (VRAPT): study protocol of a multi-center RCT. <i>BMC Psychiatry</i> , 2018, 18, 251.	2.6	32
32	A pilot study on immuno-psychiatry in the 22q11.2 deletion syndrome: A role for Th17 cells in psychosis?. <i>Brain, Behavior, and Immunity</i> , 2018, 70, 88-95.	4.1	31
33	Four-Year Cost-effectiveness of Cognitive Behavior Therapy for Preventing First-episode Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw084.	4.3	29
34	Dynamic Interactive Social Cognition Training in Virtual Reality (DISCoVR) for social cognition and social functioning in people with a psychotic disorder: study protocol for a multicenter randomized controlled trial. <i>BMC Psychiatry</i> , 2019, 19, 272.	2.6	29
35	Towards a comprehensive routine outcome monitoring program for people with psychotic disorders: The Pharmacotherapy Monitoring and Outcome Survey (PHAMOUS). <i>Schizophrenia Research</i> , 2018, 197, 281-287.	2.0	26
36	Social environments and interpersonal distance regulation in psychosis: A virtual reality study. <i>Schizophrenia Research</i> , 2018, 192, 96-101.	2.0	26

#	ARTICLE	IF	CITATIONS
37	Neighborhood ethnic density and psychotic disorders among ethnic minority groups in Utrecht City. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1093-1102.	3.1	24
38	Simvastatin Augmentation for Patients With Early-Phase Schizophrenia-Spectrum Disorders: A Double-Blind, Randomized Placebo-Controlled Trial. <i>Schizophrenia Bulletin</i> , 2021, 47, 1108-1115.	4.3	24
39	Dynamic Interactive Social Cognition Training in Virtual Reality (DiSCoVR) for People With a Psychotic Disorder: Single-Group Feasibility and Acceptability Study. <i>JMIR Mental Health</i> , 2020, 7, e17808.	3.3	24
40	The effect of childhood adversity on 4-year outcome in individuals at ultra high risk for psychosis in the Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. <i>Psychiatry Research</i> , 2017, 247, 55-62.	3.3	23
41	Psychotic experiences among ethnic majority and minority adolescents and the role of discrimination and ethnic identity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 343-353.	3.1	22
42	Virtual Reality Relaxation for Reducing Perceived Stress of Intensive Care Nurses During the COVID-19 Pandemic. <i>Frontiers in Psychology</i> , 2021, 12, 706527.	2.1	22
43	High psychosis liability is associated with altered autonomic balance during exposure to Virtual Reality social stressors. <i>Schizophrenia Research</i> , 2017, 184, 14-20.	2.0	19
44	Self-esteem moderates affective and psychotic responses to social stress in psychosis: A virtual reality study. <i>Schizophrenia Research</i> , 2018, 202, 80-85.	2.0	19
45	Changes in social functioning over the course of psychotic disordersâ€”A meta-analysis. <i>Schizophrenia Research</i> , 2022, 239, 55-82.	2.0	19
46	Incidence of schizophrenia among migrants in the Netherlands: a direct comparison of first contact longitudinal register approaches. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 147-154.	3.1	16
47	Peer status in relation to psychotic experiences and psychosocial problems in adolescents: a longitudinal school-based study. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 701-710.	4.7	15
48	Social exclusion and psychopathology in an online cohort of Moroccan-Dutch migrants: Results of the MEDINA-study. <i>PLoS ONE</i> , 2017, 12, e0179827.	2.5	14
49	Virtual reality based cognitive behavioral therapy for paranoia: Effects on mental states and the dynamics among them. <i>Schizophrenia Research</i> , 2020, 222, 227-234.	2.0	13
50	Longitudinal clinical and functional outcome in distinct cognitive subgroups of first-episode psychosis: a cluster analysis. <i>Psychological Medicine</i> , 2023, 53, 2317-2327.	4.5	13
51	Psychosis risk for parents and siblings of Dutch and Moroccan-Dutch patients with non-affective psychotic disorder. <i>Schizophrenia Research</i> , 2008, 104, 274-278.	2.0	12
52	Effect of virtual reality exposure therapy on social participation in people with a psychotic disorder (VRETP): study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 25.	1.6	12
53	Ancestral calling, traditional health practitioner training and mental illness: An ethnographic study from rural KwaZulu-Natal, South Africa. <i>Transcultural Psychiatry</i> , 2020, 58, 136346152090961.	1.6	12
54	Self-reported Cognitive Biases Moderate the Associations Between Social Stress and Paranoid Ideation in a Virtual Reality Experimental Study. <i>Schizophrenia Bulletin</i> , 2017, 44, 749-756.	4.3	11

#	ARTICLE	IF	CITATIONS
55	Inflammatory cytokines and growth factors were not associated with psychosis liability or childhood trauma. PLoS ONE, 2019, 14, e0219139.	2.5	11
56	Designing and Testing of a Health-Economic Markov Model for Prevention and Treatment of Early Psychosis. Expert Review of Pharmacoeconomics and Outcomes Research, 2020, 20, 269-279.	1.4	11
57	Cognitive deficits and ethnicity: a cohort study of early psychosis patients in The Netherlands. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 37-47.	3.1	9
58	Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. Schizophrenia Research, 2020, 218, 283-291.	2.0	9
59	Tapering antipsychotic medication: practical considerations. Psychological Medicine, 2022, 52, 32-35.	4.5	9
60	Factors associated with psychiatric symptoms and psychiatric disorders in ethnic minority youth. European Child and Adolescent Psychiatry, 2016, 25, 1067-1079.	4.7	8
61	An Observational Cohort of First Episode Psychosis in Iran: The Azeri Recent Onset Acute Phase Psychosis Survey (ARAS Cohort) Study Protocol. Frontiers in Psychiatry, 2021, 12, 627960.	2.6	8
62	Victims of Bullying: Emotion Recognition and Understanding. Frontiers in Psychology, 2021, 12, 729835.	2.1	8
63	The incidence of anorexia nervosa in Netherlands Antilles immigrants in the Netherlands. European Eating Disorders Review, 2010, 18, 399-403.	4.1	7
64	NAA: A multimodal database of negative affect and aggression. , 2017, , .		7
65	Psychopathology, cognition and outcome in Dutch and immigrant first episode psychosis patients. Microbial Biotechnology, 2019, 13, 646-656.	1.7	7
66	Psychopathology among apprentice traditional health practitioners: A quantitative study from rural KwaZulu-Natal, South Africa. Transcultural Psychiatry, 2021, 58, 486-498.	1.6	7
67	Discontinuation of antipsychotic medicationâ€”time to rethink trial design. Lancet Psychiatry,the, 2020, 7, 841-842.	7.4	7
68	Effects of IPS plus cognitive remediation in early psychosis: 18-month functioning outcomes of a randomized controlled trial. Schizophrenia Research, 2021, 236, 115-122.	2.0	7
69	Medication strategies in first episode psychosis patients: A survey among psychiatrists. Microbial Biotechnology, 2022, 16, 139-146.	1.7	6
70	Mapping aggressive behavior of forensic psychiatric inpatients with self-report and structured staff-monitoring. Psychiatry Research, 2021, 301, 113983.	3.3	6
71	Implementing Evidence-Based Interventions to Improve Vocational Recovery in Early Psychosis: A Quality-Improvement Report. Psychiatric Services, 2021, 72, 1168-1177.	2.0	6
72	School-based screening for psychiatric disorders in Moroccan-Dutch youth. Child and Adolescent Psychiatry and Mental Health, 2015, 9, 13.	2.5	5

#	ARTICLE	IF	CITATIONS
73	Psychotic experiences and trauma predict persistence of psychosocial problems in adolescence. European Child and Adolescent Psychiatry, 2019, 28, 1597-1606.	4.7	5
74	Spontaneous discontinuation of distressing auditory verbal hallucinations in a school-based sample of adolescents: a longitudinal study. European Child and Adolescent Psychiatry, 2020, 29, 777-790.	4.7	5
75	An Intersectional Approach to Ethnoracial Disparities in Pathways to Care Among Individuals With Psychosis in Coordinated Specialty Care. JAMA Psychiatry, 2022, 79, 790.	11.0	5
76	“Please tell me what happened”: A descriptive study on prevalence, disclosure and characteristics of victimization in people with a psychotic disorder. PLoS ONE, 2019, 14, e0219056.	2.5	4
77	A cognitive remediation training for young adults with psychotic disorders to support their participation in education—study protocol for a pilot randomized controlled trial. Pilot and Feasibility Studies, 2020, 6, 54.	1.2	3
78	The Details in Schizophrenia. Schizophrenia Bulletin, 2018, 44, 707-709.	4.3	2
79	Satisfaction with social connectedness as a predictor for positive and negative symptoms of psychosis: A PHAMOUS study. Schizophrenia Research, 2021, 238, 121-127.	2.0	2
80	S52. WORKING MECHANISMS OF VIRTUAL REALITY BASED CBT FOR PARANOIA: A RANDOMIZED CONTROLLED TRIAL EXAMINING COGNITIVE BIASES, SCHEMATIC BELIEFS AND SAFETY BEHAVIOR. Schizophrenia Bulletin, 2018, 44, S344-S344.	4.3	1
81	Transdiagnostic school-based intervention for adolescents with early persistent psychiatric symptoms: An initial single-group effect study. Microbial Biotechnology, 2019, 13, 1199-1207.	1.7	1
82	T152. AZERI RECENT ONSET ACUTE PHASE PSYCHOSIS SURVEY (ARAS COHORT): PRELIMINARY REPORTS FROM AN OBSERVATIONAL COHORT OF FIRST EPISODE PSYCHOSIS IN IRAN. Schizophrenia Bulletin, 2020, 46, S288-S289.	4.3	1
83	M230. VIRTUAL REALITY FOR IMPROVING SOCIAL ACTIVITIES AND PARTICIPATION (VR-SOAP): DEVELOPMENT OF A NEW TREATMENT FOR YOUNG PEOPLE WITH PSYCHOSIS. Schizophrenia Bulletin, 2020, 46, S224-S224.	4.3	1
84	Cognitive behavioral group treatment for low self-esteem in psychosis: a proof of concept study. BMC Psychiatry, 2021, 21, 567.	2.6	1
85	SU104. Reading the Mind of the Avatar: Dynamic Interactive Social Cognition Virtual Reality Training (DiSCoVR) for People With a Psychotic Disorder. Schizophrenia Bulletin, 2017, 43, S198-S199.	4.3	0
86	F132. IDENTIFICATION OF PATIENTS WITH RECENT ONSET PSYCHOSIS IN KWAZULU NATAL, SOUTH AFRICA: A PILOT STUDY WITH TRADITIONAL HEALTH PRACTITIONERS AND DIAGNOSTIC INSTRUMENTS. Schizophrenia Bulletin, 2018, 44, S271-S271.	4.3	0
87	S237. THE ACCEPTANCE, FEASIBILITY AND PRELIMINARY EFFECTS OF DYNAMIC INTERACTIVE SOCIAL COGNITION TRAINING IN VIRTUAL REALITY (DISCOVER): A PILOT STUDY. Schizophrenia Bulletin, 2018, 44, S419-S419.	4.3	0
88	T91. THE POSITIVE AND NEGATIVE SYNDROME SCALE SUPERIOR TO A SELF-REPORT QUESTIONNAIRE IN THE PHARMACOTHERAPY MONITORING AND OUTCOME SURVEY. Schizophrenia Bulletin, 2020, 46, S266-S266.	4.3	0
89	S231. A NETWORK META-ANALYSIS ON SOCIAL COGNITION TRAINING FOR PEOPLE WITH PSYCHOTIC DISORDER: RELATIVE EFFICACY, MODERATORS, AND LONG-TERM EFFECTS. Schizophrenia Bulletin, 2020, 46, S127-S127.	4.3	0
90	S243. RACIAL AND ETHNIC DIFFERENCES IN PATHWAY TO CARE AND BASELINE CHARACTERISTICS IN EARLY INTERVENTION SERVICES FOR PSYCHOSIS IN NEW YORK STATE. Schizophrenia Bulletin, 2020, 46, S131-S131.	4.3	0

#	ARTICLE	IF	CITATIONS
91	T94. VIRTUAL REALITY STRESS REDUCTION FOR PATIENTS WITH PSYCHIATRIC DISORDERS: CROSS-OVER RANDOMIZED CONTROLLED TRIAL. Schizophrenia Bulletin, 2020, 46, S267-S267.	4.3	0
92	M36. VIRTUAL REALITY COGNITIVE BEHAVIORAL THERAPY FOR PARANOID DELUSIONS. Schizophrenia Bulletin, 2020, 46, S148-S148.	4.3	0
93	M95. DSM-5 CLINICIAN-RATED DIMENSIONS OF PSYCHOSIS SYMPTOM SEVERITY: PSYCHOMETRIC PROPERTIES. Schizophrenia Bulletin, 2020, 46, S170-S171.	4.3	0
94	T103. THE EFFECT OF VIRTUAL REALITY COGNITIVE BEHAVIORAL THERAPY ON PARANOIA AND MOOD STATES. Schizophrenia Bulletin, 2020, 46, S270-S270.	4.3	0
95	Environmental Studies as a Tool for Detecting Epigenetic Mechanisms in Schizophrenia. , 2011, , 97-118.		0
96	Virtual Reality and Psychotic Disorders. Virtual Reality Technologies for Health and Clinical Applications, 2019, , 289-305.	0.8	0
97	8.8 Psychosesyndroom. , 2018, , 375-385.		0
98	Controlling a stream of paranoia evoking events in a virtual reality environment. Studies in Health Technology and Informatics, 2014, 199, 55-60.	0.3	0