

Maurizio Gasparini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3049277/publications.pdf>

Version: 2024-02-01

135
papers

11,133
citations

57681

46
h-index

34195

103
g-index

139
all docs

139
docs citations

139
times ranked

7209
citing authors

#	ARTICLE	IF	CITATIONS
1	AV junction ablation and cardiac resynchronization for patients with permanent atrial fibrillation and narrow QRS: the APAF-CRT mortality trial. <i>European Heart Journal</i> , 2021, 42, 4731-4739.	1.0	111
2	Sex differences in implantable cardiac defibrillator therapy according to arrhythmia detection times. <i>Heart</i> , 2020, 106, 520-526.	1.2	4
3	Second European Society of Cardiology Cardiac Resynchronization Therapy Survey: the Italian cohort. <i>Journal of Cardiovascular Medicine</i> , 2020, 21, 634-640.	0.6	1
4	Adherence to ESC cardiac resynchronization therapy guidelines: findings from the ESC CRT Survey II. <i>Europace</i> , 2020, 22, 932-938.	0.7	8
5	Favorable Trend of Implantable Cardioverter-Defibrillator Service Life in a Large Single-Nation Population: Insights From 10-Year Analysis of the Italian Implantable Cardioverter-Defibrillator Registry. <i>Journal of the American Heart Association</i> , 2019, 8, e012759.	1.6	13
6	Sex-Related Procedural Aspects and Complications in CRT Survey II. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 1048-1058.	1.3	12
7	Adaptive Cardiac Resynchronization Therapy Reduces Atrial Fibrillation Incidence in Heart Failure Patients With Prolonged AV Conduction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e007260.	2.1	14
8	Sex-Specific Differences in Survival and Heart Failure Hospitalization After Cardiac Resynchronization Therapy With or Without Defibrillation. <i>Journal of the American Heart Association</i> , 2019, 8, e013485.	1.6	11
9	CRT Survey II: a European Society of Cardiology survey of cardiac resynchronisation therapy in 11 088 patients "who is doing what to whom and how?". <i>European Journal of Heart Failure</i> , 2018, 20, 1039-1051.	2.9	107
10	Atrioventricular junction ablation in patients with atrial fibrillation treated with cardiac resynchronization therapy: positive impact on ventricular arrhythmias, implantable cardioverter-defibrillator therapies and hospitalizations. <i>European Journal of Heart Failure</i> , 2018, 20, 1472-1481.	2.9	39
11	Atrial fibrillation and cardiac resynchronization therapy. <i>Current Opinion in Cardiology</i> , 2018, 33, 1-6.	0.8	4
12	Left univentricular pacing for cardiac resynchronization therapy. <i>Europace</i> , 2017, 19, euw179.	0.7	13
13	Adaptive CRT in patients with normal AV conduction and left bundle branch block: Does QRS duration matter?. <i>International Journal of Cardiology</i> , 2017, 240, 297-301.	0.8	18
14	The economic impact of battery longevity in implantable cardioverter-defibrillators for cardiac resynchronization therapy: the hospital and healthcare system perspectives. <i>Europace</i> , 2017, 19, 1349-1356.	0.7	9
15	The increased risk of stroke/transient ischemic attack in women with a cardiac implantable electronic device is not associated with a higher atrial fibrillation burden. <i>Europace</i> , 2017, 19, 1767-1775.	0.7	5
16	Long-term requirement for pacemaker implantation after cardiac valve replacement surgery. <i>Heart Rhythm</i> , 2017, 14, 529-534.	0.3	48
17	Continuous optimization of cardiac resynchronization therapy reduces atrial fibrillation in heart failure patients: Results of the Adaptive Cardiac Resynchronization Therapy Trial. <i>Heart Rhythm</i> , 2017, 14, 1820-1825.	0.3	51
18	Atrioventricular Node Ablation. <i>Heart Failure Clinics</i> , 2017, 13, 193-198.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Long Detection Programming in Single-Chamber Defibrillators Reduces Unnecessary Therapies and Mortality. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 1275-1282.	1.3	21
20	Multipoint Pacing versus conventional ICD in Patients with a Narrow QRS complex (MPP Narrow QRS). <i>TJ ETQq0 0 0 rgBT /Overlock 10 T</i>	0.7	4
21	2015 HRS/EHRA/APHRS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Journal of Arrhythmia</i> , 2016, 32, 1-28.	0.5	34
22	Different impact of long-detection interval and anti-tachycardia pacing in reducing unnecessary shocks: data from the ADVANCE III trial. <i>Europace</i> , 2016, 18, 1719-1725.	0.7	29
23	Prognostic implications of mitral regurgitation in patients after cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2016, 18, 1060-1068.	2.9	30
24	2015 HRS/EHRA/APHRS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Heart Rhythm</i> , 2016, 13, e50-e86.	0.3	197
25	Reduction of inappropriate anti-tachycardia pacing therapies and shocks by a novel suite of detection algorithms in heart failure patients with cardiac resynchronization therapy defibrillators: a historical comparison of a prospective database. <i>Europace</i> , 2016, 18, 1391-1398.	0.7	4
26	2015 HRS/EHRA/APHRS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Europace</i> , 2016, 18, 159-183.	0.7	135
27	Ventricular antitachycardia pacing therapy in patients with heart failure implanted with a cardiac resynchronization therapy defibrillator device: Efficacy, safety, and impact on mortality. <i>Heart Rhythm</i> , 2016, 13, 472-480.	0.3	6
28	Validation of a simple risk stratification tool for patients implanted with Cardiac Resynchronization Therapy: the VALID-CRT risk score. <i>European Journal of Heart Failure</i> , 2015, 17, 717-724.	2.9	41
29	Longevity of implantable cardioverter-defibrillators for cardiac resynchronization therapy in current clinical practice: an analysis according to influencing factors, device generation, and manufacturer. <i>Europace</i> , 2015, 17, 1251-1258.	0.7	37
30	European Cardiac Resynchronization Therapy Survey II: rationale and design. <i>Europace</i> , 2015, 17, 137-141.	0.7	22
31	Cardiac resynchronization therapy in heart failure patients with less severe left ventricular dysfunction. <i>European Journal of Heart Failure</i> , 2015, 17, 135-143.	2.9	21
32	Atrioventricular Node Ablation. <i>Cardiac Electrophysiology Clinics</i> , 2015, 7, 749-754.	0.7	0
33	Device-detected atrial fibrillation and risk for stroke: an analysis of >10 000 patients from the SOS AF project (Stroke prevention Strategies based on Atrial Fibrillation information from implanted). <i>TJ ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	1.1	47
34	Association of Long vs Standard Detection Intervals for Implantable Cardioverter-Defibrillators With Hospitalizations and Costs. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 555.	3.8	7
35	Decline of defibrillation testing in the clinical practice: an 8-year nation-wide assessment. <i>Europace</i> , 2014, 16, 1103-1104.	0.7	10
36	Complete atrioventricular block DOES reduce mortality in patients with atrial fibrillation treated with cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2014, 16, 114-114.	2.9	5

#	ARTICLE	IF	CITATIONS
37	Letter by Gasparini Regarding Article, "Syncope in High-Risk Cardiomyopathy Patients With Implantable Defibrillators: Frequency, Risk Factors, Mechanisms, and Association With Mortality: Results From the Multicenter Automatic Defibrillator Implantation Trial" "Reduce Inappropriate Therapy (MADIT-RIT) Study". <i>Circulation</i> , 2014, 130, e132.	1.6	0
38	Ventricular rate monitoring as a tool to predict and prevent atrial fibrillation-related inappropriate shocks in heart failure patients treated with cardiac resynchronization therapy defibrillators. <i>Heart</i> , 2014, 100, 848-854.	1.2	14
39	Identification of Genetic Markers for Treatment Success in Heart Failure Patients. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 760-770.	5.1	32
40	Determinants of All-Cause Mortality in Different Age Groups in Patients With Severe Systolic Left Ventricular Dysfunction Receiving an Implantable Cardioverter Defibrillator (from the Italian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 T 1691-1696.	0.7	18
41	Absolute survival after cardiac resynchronization therapy according to baseline QRS duration: A multinational 10-year experience. <i>American Heart Journal</i> , 2014, 167, 203-209.e1.	1.2	22
42	Efficacy of Long Detection Interval Implantable Cardioverter-Defibrillator Settings in Secondary Prevention Population. <i>Circulation</i> , 2014, 130, 308-314.	1.6	68
43	Avoiding Unnecessary Aggressive ICD Programming After MADIT-RIT and ADVANCE III Trials. <i>Journal of the American College of Cardiology</i> , 2014, 63, 189-190.	1.2	4
44	Reply to letter to the editor by Goel and Kapoor. <i>American Heart Journal</i> , 2014, 167, e17.	1.2	0
45	Effect of Long-Detection Interval vs Standard-Detection Interval for Implantable Cardioverter-Defibrillators on Antitachycardia Pacing and Shock Delivery. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 1903.	3.8	359
46	Device Therapy in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2013, 61, 945-947.	1.2	8
47	Cardiac resynchronization therapy-defibrillator improves long-term survival compared with cardiac resynchronization therapy-pacemaker in patients with a class IA indication for cardiac resynchronization therapy: data from the Contak Italian Registry. <i>Europace</i> , 2013, 15, 1273-1279.	0.7	45
48	Clinical outcomes with synchronized left ventricular pacing: Analysis of the adaptive CRT trial. <i>Heart Rhythm</i> , 2013, 10, 1368-1374.	0.3	139
49	Cardiac Resynchronization Therapy in Patients With Atrial Fibrillation. <i>JACC: Heart Failure</i> , 2013, 1, 500-507.	1.9	147
50	Letter by Gasparini and Boriani Regarding Article, "Cardiac Resynchronization Therapy in Patients With Permanent Atrial Fibrillation: Results From the Resynchronization for Ambulatory Heart Failure Trial (RAFT)". <i>Circulation: Heart Failure</i> , 2013, 6, e22.	1.6	4
51	The importance of increased percentage of biventricular pacing to improve clinical outcomes in patients receiving cardiac resynchronization therapy. <i>Current Opinion in Cardiology</i> , 2013, 28, 50-54.	0.8	21
52	The values of defibrillation testing at implantable cardioverter defibrillator implantation. <i>Current Opinion in Cardiology</i> , 2012, 27, 8-12.	0.8	8
53	Improving Thromboprophylaxis Using Atrial Fibrillation Diagnostic Capabilities in Implantable Cardioverter-Defibrillators. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012, 5, 182-188.	0.9	33
54	The European CRT Survey: 1 year (9-15 months) follow-up results. <i>European Journal of Heart Failure</i> , 2012, 14, 61-73.	2.9	87

#	ARTICLE	IF	CITATIONS
55	Meta-analysis of randomized controlled trials evaluating left ventricular vs. biventricular pacing in heart failure: effect on all-cause mortality and hospitalizations. <i>European Journal of Heart Failure</i> , 2012, 14, 652-660.	2.9	45
56	Huge left atrial thrombus after left atrial appendage occlusion with a Watchman device. <i>European Heart Journal</i> , 2012, 33, 1998-1998.	1.0	13
57	Clinical Evaluation of Defibrillation Testing in an Unselected Population of 2,120 Consecutive Patients Undergoing First Implantable Cardioverter-Defibrillator Implant. <i>Journal of the American College of Cardiology</i> , 2012, 60, 981-987.	1.2	71
58	Investigation of a novel algorithm for synchronized left-ventricular pacing and ambulatory optimization of cardiac resynchronization therapy: Results of the adaptive CRT trial. <i>Heart Rhythm</i> , 2012, 9, 1807-1814.e1.	0.3	223
59	Low-dose dobutamine test associated with interventricular dyssynchrony: A useful tool to identify cardiac resynchronization therapy responders. <i>American Heart Journal</i> , 2012, 163, 422-429.	1.2	24
60	A novel algorithm for individualized cardiac resynchronization therapy: Rationale and design of the adaptive cardiac resynchronization therapy trial. <i>American Heart Journal</i> , 2012, 163, 747-752.e1.	1.2	54
61	Risk Stratification in Brugada Syndrome. <i>Journal of the American College of Cardiology</i> , 2012, 59, 37-45.	1.2	523
62	AV Junction Ablation in Heart Failure Patients With Atrial Fibrillation Treated With Cardiac Resynchronization Therapy. <i>Journal of the American College of Cardiology</i> , 2012, 59, 727-729.	1.2	13
63	Genetic Variants of the Renin-Angiotensin-Aldosterone System and Reverse Remodeling After Cardiac Resynchronization Therapy. <i>Journal of Cardiac Failure</i> , 2012, 18, 762-768.	0.7	10
64	Implantable cardioverter defibrillator harm?. <i>Europace</i> , 2012, 14, 1087-1093.	0.7	10
65	Impact of Mitral Regurgitation on the Outcome of Patients Treated with CRT: Data from the InSync ICD Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 146-154.	0.5	17
66	Device-Detected Atrial Tachyarrhythmias Predict Adverse Outcome in Real-World Patients With Implantable Biventricular Defibrillators. <i>Journal of the American College of Cardiology</i> , 2011, 57, 167-172.	1.2	116
67	Comparison of the Usefulness of Cardiac Resynchronization Therapy in Three Age-Groups (<65, 65-74) Tj ETQq1 1 0.784314 rgBT / Qv 1510-1516.	0.7	30
68	Incidence and clinical relevance of uncontrolled ventricular rate during atrial fibrillation in heart failure patients treated with cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2011, 13, 868-876.	2.9	53
69	Long-Term Complications Related to Biventricular Defibrillator Implantation. <i>Circulation</i> , 2011, 123, 2526-2535.	1.6	80
70	Low-Dose Dobutamine Stress Echocardiography to Assess Left Ventricular Contractile Reserve for Cardiac Resynchronization Therapy: Data From the Low-Dose Dobutamine Stress Echocardiography to Predict Cardiac Resynchronization Therapy Response (LODO-CRT) Trial. <i>Congestive Heart Failure</i> , 2010, 16, 104-110.	2.0	12
71	Atrial arrhythmias after cardiac resynchronization therapy: an inverse correlation with achieving 100% biventricular pacing and cardiac resynchronization therapy effectiveness. <i>Europace</i> , 2010, 12, 9-10.	0.7	9
72	Who Are the Long-QT Syndrome Patients Who Receive an Implantable Cardioverter-Defibrillator and What Happens to Them?. <i>Circulation</i> , 2010, 122, 1272-1282.	1.6	261

#	ARTICLE	IF	CITATIONS
73	2010 Focused Update of ESC Guidelines on device therapy in heart failure. <i>European Journal of Heart Failure</i> , 2010, 12, 1143-1153.	2.9	152
74	Resumption of sinus rhythm in patients with heart failure and permanent atrial fibrillation undergoing cardiac resynchronization therapy: a longitudinal observational study. <i>European Heart Journal</i> , 2010, 31, 976-983.	1.0	77
75	Presence of left ventricular contractile reserve predicts midterm response to cardiac resynchronization therapy—results from the LOW dose DObutamine Stress-Echo Test in Cardiac Resynchronization Therapy (LODO-CRT) Trial. <i>Heart Rhythm</i> , 2010, 7, 1600-1605.	0.3	27
76	BIVentricular versus right ventricular antitachycardia pacing to terminate ventricular tachyarrhythmias in patients receiving cardiac resynchronization therapy: The ADVANCE CRT-D Trial. <i>American Heart Journal</i> , 2010, 159, 1116-1123.e2.	1.2	51
77	2010 Focused Update of ESC Guidelines on device therapy in heart failure. <i>Europace</i> , 2010, 12, 1526-1536.	0.7	297
78	A simplified biventricular defibrillator with fixed long detection intervals reduces implantable cardioverter defibrillator (ICD) interventions and heart failure hospitalizations in patients with non-ischaemic cardiomyopathy implanted for primary prevention: the RELEVANT [Role of long detection window programming in patients with Left Ventricular dysfunction, Non-ischemic Etiology in primary prevention treated with a biventricular ICD] study. <i>European Heart Journal</i> , 2009, 30, 2758-2767.	1.0	149
79	Cardiac resynchronization therapy in heart failure patients with atrial fibrillation. <i>Europace</i> , 2009, 11, v82-v86.	0.7	43
80	Effectiveness of cardiac resynchronization therapy in heart failure patients with valvular heart disease: comparison with patients affected by ischaemic heart disease or dilated cardiomyopathy. The InSync/InSync ICD Italian Registry. <i>European Heart Journal</i> , 2009, 30, 2275-2283.	1.0	21
81	Indications for the use of diagnostic implantable and external ECG loop recorders. <i>Europace</i> , 2009, 11, 671-687.	0.7	309
82	Use of Implantable Cardioverter-Defibrillator in Inherited Arrhythmogenic Diseases: Data from Italian ICD Registry for the Years 2001-6. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, 434-445.	0.5	16
83	Avoid Delivering Therapies for Nonsustained Fast Ventricular Tachyarrhythmia in Patients with Implantable Cardioverter/Defibrillator: The ADVANCE III Trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2009, 20, 663-666.	0.8	22
84	Follow-up of CRT+ICD: Implications for the Use of Remote Follow-up Systems. Data from the InSync ICD Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 38-46.	0.5	32
85	Insulin-treated Type 2 Diabetes Is Associated with a Decreased Survival in Heart Failure Patients after Cardiac Resynchronization Therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 1425-1432.	0.5	31
86	Persistent Atrial Fibrillation Worsens Heart Rate Variability, Activity and Heart Rate, as Shown by a Continuous Monitoring by Implantable Biventricular Pacemakers in Heart Failure Patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2008, 19, 693-701.	0.8	27
87	Antiarrhythmic Effect of Reverse Ventricular Remodeling Induced by Cardiac Resynchronization Therapy. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1442-1449.	1.2	96
88	Remission of left ventricular systolic dysfunction and of heart failure symptoms after cardiac resynchronization therapy: Temporal pattern and clinical predictors. <i>American Heart Journal</i> , 2008, 155, 507-514.	1.2	60
89	Efficacy of LOW-dose DObutamine Stress-Echocardiography to predict Cardiac Resynchronization Therapy Response (LODO-CRT) multicenter prospective study—Design and rationale. <i>American Heart Journal</i> , 2008, 156, 656-661.	1.2	7
90	Electrical storm in patients with biventricular implantable cardioverter defibrillator: Incidence, predictors, and prognostic implications. <i>American Heart Journal</i> , 2008, 156, 847-854.	1.2	28

#	ARTICLE	IF	CITATIONS
91	Long-term survival in patients undergoing cardiac resynchronization therapy: the importance of performing atrio-ventricular junction ablation in patients with permanent atrial fibrillation. <i>European Heart Journal</i> , 2008, 29, 1644-1652.	1.0	248
92	Heart rate variability monitored by the implanted device predicts response to CRT and long-term clinical outcome in patients with advanced heart failure. <i>European Journal of Heart Failure</i> , 2008, 10, 1073-1079.	2.9	33
93	Guidelines for cardiac pacing and cardiac resynchronization therapy: The Task Force for Cardiac Pacing and Cardiac Resynchronization Therapy of the European Society of Cardiology. Developed in Collaboration with the European Heart Rhythm Association. <i>European Heart Journal</i> , 2007, 28, 2256-2295.	1.0	677
94	Defibrillation testing at the time of implantation of cardioverter defibrillator in the clinical practice: a nation-wide survey. <i>Europace</i> , 2007, 9, 540-543.	0.7	48
95	Efficacy of cardiac resynchronization therapy in very old patients: the InSync/InSync ICD Italian Registry. <i>Europace</i> , 2007, 9, 732-738.	0.7	36
96	Guidelines for cardiac pacing and cardiac resynchronization therapy: The Task Force for Cardiac Pacing and Cardiac Resynchronization Therapy of the European Society of Cardiology. Developed in Collaboration with the European Heart Rhythm Association. <i>Europace</i> , 2007, 9, 959-998.	0.7	278
97	Three Years of Cardiac Resynchronization Therapy: Could Superior Benefits be Obtained in Patients with Heart Failure and Narrow QRS?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007, 30, S34-9.	0.5	13
98	Long-Term Survival of Patients With Heart Failure and Ventricular Conduction Delay Treated With Cardiac Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2007, 99, 232-238.	0.7	87
99	Comparison of the Effects of Cardiac Resynchronization Therapy in Patients With Class II Versus Class III and IV Heart Failure (from the InSync/InSync ICD Italian Registry) – Conflicts of interest: Sergio Valsecchi and Alessandra Denaro are employees of Medtronic Italia, Rome, Italy. A list of centers and investigators participating in the InSync/InSync ICD Italian Registry is provided in the Appendix. <i>American Journal of Cardiology</i> , 2007, 100, 1007-1012.	0.7	39
100	Current Practice in Italy of VF Testing at Implant: What Do We Know and Where Do We Go From Here?. <i>Europace</i> , 2007, 9, 231-237.		0
101	Four-Year Efficacy of Cardiac Resynchronization Therapy on Exercise Tolerance and Disease Progression. <i>Journal of the American College of Cardiology</i> , 2006, 48, 734-743.	1.2	371
102	Clinical predictors of marked improvement in left ventricular performance after cardiac resynchronization therapy in patients with chronic heart failure. <i>American Heart Journal</i> , 2006, 151, 477.e1-477.e6.	1.2	42
103	Characteristics of ventricular tachyarrhythmias occurring in ischemic versus nonischemic patients implanted with a biventricular cardioverter-defibrillator for primary or secondary prevention of sudden death. <i>American Heart Journal</i> , 2006, 152, 527.e1-527.e11.	1.2	11
104	Comparison of 1-year effects of left ventricular and biventricular pacing in patients with heart failure who have ventricular arrhythmias and left bundle-branch block: The Bi vs Left Ventricular Pacing: An International Pilot Evaluation on Heart Failure Patients with Ventricular Arrhythmias (BELIEVE) multicenter prospective randomized pilot study. <i>American Heart Journal</i> , 2006, 152, 155.e1-155.e7.	1.2	83
105	Right Ventricular versus Biventricular Antitachycardia Pacing in the Termination of Ventricular Tachyarrhythmia in Patients Receiving Cardiac Resynchronization Therapy: The ADVANCE CRT-D Trial. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 504-507.	0.8	5
106	Atrial Fibrillation Burden During the Post-Implant Period After CRT Using Device-Based Diagnostics. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 813-817.	0.8	48
107	Clustering of Ventricular Tachyarrhythmias in Heart Failure Patients Implanted with a Biventricular Cardioverter Defibrillator. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 1299-1306.	0.8	18
108	To the Editor. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 457-457.	0.8	0

#	ARTICLE	IF	CITATIONS
109	Long-Term Survival in Patients Treated with Cardiac Resynchronization Therapy: A 3-Year Follow-Up Study from the InSync/InSync ICD Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2006, 29, S2-S10.	0.5	34
110	Hiccups and Dysphonic Metallic Voice. <i>Circulation</i> , 2006, 114, e534-5.	1.6	17
111	Delayed Defibrillation Testing in Patients Implanted with Biventricular ICD (CRT-D): A Reliable and Safe Approach. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, .	0.8	0
112	Endocardial Implantation of a Cardioverter Defibrillator in Early Childhood. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, .	0.8	0
113	Endocardial Implantation of a Cardioverter Defibrillator in Early Childhood. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 1381-1383.	0.8	5
114	Delayed Defibrillation Testing in Patients Implanted with Biventricular ICD (CRT-D): A Reliable and Safe Approach. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 1279-1283.	0.8	19
115	Endocardial Implantation of a Cardioverter-Defibrillator in a 13-Month-Old Child Affected by Long-QT Syndrome and Syndactyly. <i>Circulation</i> , 2004, 110, e525-7.	1.6	6
116	Cardiac resynchronization therapy in patients with narrow QRS. <i>Journal of the American College of Cardiology</i> , 2004, 44, 2096.	1.2	2
117	Cardiac Resynchronization and Implantable Cardioverter Defibrillator Therapy: Preliminary Results from the InSync Implantable Cardioverter Defibrillator Italian Registry. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 148-151.	0.5	17
118	Is the Left Ventricular Lateral Wall the Best Lead Implantation Site for Cardiac Resynchronization Therapy?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 162-168.	0.5	77
119	Beneficial Effects of Biventricular Pacing in Patients with a "Narrow" QRS. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 169-174.	0.5	60
120	Is the Outcome of Cardiac Resynchronization Therapy Related to the Underlying Etiology?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 175-180.	0.5	101
121	Relief of Drug Refractory Angina by Biventricular Pacing in Heart Failure. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 181-184.	0.5	10
122	Biventricular Pacing via a Persistent Left Superior Vena Cava: Report of Four Cases. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 192-196.	0.5	27
123	Flecainide Test in Brugada Syndrome: A Reproducible but Risky Tool. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 338-341.	0.5	92
124	Clinical and Molecular Characterization of Patients With Catecholaminergic Polymorphic Ventricular Tachycardia. <i>Circulation</i> , 2002, 106, 69-74.	1.6	1,103
125	Natural History of Brugada Syndrome. <i>Circulation</i> , 2002, 105, 1342-1347.	1.6	984
126	Programmed Electrical Stimulation in Brugada Syndrome: How Reproducible Are the Results?. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 880-887.	0.8	52

#	ARTICLE	IF	CITATIONS
127	Long-Term Follow-Up After Atrioventricular Nodal Ablation and Pacing: Low Incidence of Sudden Cardiac Death. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 1925-1929.	0.5	20
128	Noncontact System-Guided Simplified Right Atrial Linear Lesions Using Radiofrequency Transcatheter Ablation for Treatment of Refractory Atrial Fibrillation. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 1843-1847.	0.5	9
129	Inferior Vena Cava Loop of the Implantable Cardioverter Defibrillator Endocardial Lead: A Possible Solution to the Growth Problem in Pediatric Implantation. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 2108-2112.	0.5	24
130	Clinical and Genetic Heterogeneity of Right Bundle Branch Block and ST-Segment Elevation Syndrome. Circulation, 2000, 102, 2509-2515.	1.6	490
131	Thromboembolism after atrioventricular node ablation and pacing: long term follow up. Heart, 1999, 82, 494-498.	1.2	13
132	Congestive Heart Failure Induced by Recipient Atrial Tachycardia Conducted to the Donor Atrium after Orthotopic Heart Transplantation.. Journal of Cardiovascular Electrophysiology, 1999, 10, 399-404.	0.8	21
133	Pretreatment with verapamil in patients with persistent or chronic atrial fibrillation who underwent electrical cardioversion. Journal of the American College of Cardiology, 1999, 34, 810-814.	1.2	139
134	Assessment of Atrioventricular Junction Ablation and DDDR Mode-Switching Pacemaker Versus Pharmacological Treatment in Patients With Severely Symptomatic Paroxysmal Atrial Fibrillation. Circulation, 1997, 96, 2617-2624.	1.6	207
135	Prognostic significance of the extent of myocardial injury in acute myocardial infarction treated by streptokinase (the GISSI trial). American Journal of Cardiology, 1989, 63, 1291-1295.	0.7	114