

Veronica Calado

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3049354/veronica-calado-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers	2,765 citations	26 h-index	51 g-index
94 ext. papers	3,233 ext. citations	4.5 avg, IF	5.43 L-index

#	Paper	IF	Citations
90	Observations on the use of statistical methods in Food Science and Technology. <i>Food Research International</i> , 2014 , 55, 137-149	7	332
89	Correlation between cup quality and chemical attributes of Brazilian coffee. <i>Food Chemistry</i> , 2006 , 98, 373-380	8.5	249
88	Trends in Chemometrics: Food Authentication, Microbiology, and Effects of Processing. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2018 , 17, 663-677	16.4	236
87	Effect of chemical treatments on properties of green coconut fiber. <i>Carbohydrate Polymers</i> , 2010 , 79, 832-838	10.3	215
86	Thermogravimetric behavior of natural fibers reinforced polymer composites—An overview. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 557, 17-28	5.3	146
85	Thermogravimetric Stability of Polymer Composites Reinforced with Less Common Lignocellulosic Fibers —An Overview. <i>Journal of Materials Research and Technology</i> , 2012 , 1, 117-126	5.5	84
84	Production of nanocellulose by enzymatic hydrolysis: Trends and challenges. <i>Engineering in Life Sciences</i> , 2019 , 19, 279-291	3.4	82
83	Development and characterization of flexible film based on starch and passion fruit mesocarp flour with nanoparticles. <i>Food Research International</i> , 2012 , 49, 588-595	7	77
82	Whey acerola-flavoured drink submitted Ohmic Heating: Bioactive compounds, antioxidant capacity, thermal behavior, water mobility, fatty acid profile and volatile compounds. <i>Food Chemistry</i> , 2018 , 263, 81-88	8.5	70
81	Thermal analysis of less common lignocellulose fibers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2008 , 91, 405-408	4.1	67
80	Effective stabilization of CLA by microencapsulation in pea protein. <i>Food Chemistry</i> , 2015 , 168, 157-66	8.5	62
79	Production of 1,3-propanediol by <i>Clostridium beijerinckii</i> DSM 791 from crude glycerol and corn steep liquor: Process optimization and metabolic engineering. <i>Bioresource Technology</i> , 2016 , 212, 100-110	11	61
78	Assessing the effects of different prebiotic dietary oligosaccharides in sheep milk ice cream. <i>Food Research International</i> , 2017 , 91, 38-46	7	59
77	Sweet sorghum as a whole-crop feedstock for ethanol production. <i>Biomass and Bioenergy</i> , 2016 , 94, 46-56	5.3	58
76	Effective average permeability of multi-layer preforms in resin transfer molding. <i>Composites Science and Technology</i> , 1996 , 56, 519-531	8.6	54
75	Lignin-based carbon fiber: a current overview. <i>Materials Research Express</i> , 2018 , 5, 072001	1.7	53
74	Starch, inulin and maltodextrin as encapsulating agents affect the quality and stability of jussara pulp microparticles. <i>Carbohydrate Polymers</i> , 2016 , 151, 500-510	10.3	52

73	The effect of a chemical treatment on the structure and morphology of coir fibers. <i>Journal of Materials Science Letters</i> , 2000 , 19, 2151-2153		43
72	Thermogravimetric Stability Behavior of Less Common Lignocellulosic Fibers - a Review. <i>Journal of Materials Research and Technology</i> , 2012 , 1, 189-199	5.5	42
71	Byssochlamys nivea inactivation in pineapple juice and nectar using high pressure cycles. <i>Journal of Food Engineering</i> , 2009 , 95, 664-669	6	40
70	Usefulness of a real-time PCR platform for G+C content and DNA-DNA hybridization estimations in vibrios. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011 , 61, 2379-2383	2.2	30
69	Oxidative Stability and Changes in Chemical Composition of Extra Virgin Olive Oils After Short-Term Deep-Frying of French Fries. <i>JAOCs, Journal of the American Oil Chemists Society</i> , 2015 , 92, 409-421	1.8	29
68	Olive oil and lemon salad dressing microencapsulated by freeze-drying. <i>LWT - Food Science and Technology</i> , 2013 , 50, 569-574	5.4	27
67	Effect of Brewer's spent grain and temperature on physical properties of expanded extrudates from rice. <i>LWT - Food Science and Technology</i> , 2017 , 79, 145-151	5.4	26
66	Characterization of antibiotic-loaded alginate-OSA starch microbeads produced by ionotropic pregelation. <i>BioMed Research International</i> , 2013 , 2013, 472626	3	26
65	Characterization of the cellulolytic secretome of Trichoderma harzianum during growth on sugarcane bagasse and analysis of the activity boosting effects of swollenin. <i>Biotechnology Progress</i> , 2016 , 32, 327-36	2.8	26
64	Differential calorimetry scanning: current background and application in authenticity of dairy products. <i>Current Opinion in Food Science</i> , 2018 , 22, 88-94	9.8	23
63	An optimization procedure for the pultrusion process based on a finite element formulation. <i>Polymer Composites</i> , 2002 , 23, 329-341	3	22
62	Statistical Approaches to Assess the Association between Phenolic Compounds and the in vitro Antioxidant Activity of Camellia sinensis and Ilex paraguariensis Teas. <i>Critical Reviews in Food Science and Nutrition</i> , 2015 , 55, 1456-73	11.5	21
61	Effect of ultra-high pressure homogenization on viscosity and shear stress of fermented dairy beverage. <i>LWT - Food Science and Technology</i> , 2011 , 44, 495-501	5.4	21
60	Effects of Rubber Addition to an Epoxy Resin and Its Fiber Glass-Reinforced Composite. <i>Polymer Composites</i> , 2012 , 33, 295-305	3	20
59	FORMULATION OF A SOY-COFFEE BEVERAGE BY RESPONSE SURFACE METHODOLOGY AND INTERNAL PREFERENCE MAPPING. <i>Journal of Sensory Studies</i> , 2010 , 25, 226	2.2	19
58	Wear, friction, and microhardness of a thermal sprayed PET: poly (ethylene terephthalate) coating. <i>Materials Research</i> , 2009 , 12, 121-125	1.5	19
57	A truly bio-based benzoxazine derived from three natural reactants obtained under environmentally friendly conditions and its polymer properties. <i>Green Chemistry</i> , 2021 , 23, 4051-4064	10	18
56	Effects of Derivatization on Sponge Gourd (Luffa cylindrica) Fibres. <i>Polymers and Polymer Composites</i> , 2006 , 14, 73-80	0.8	17

55	Extraction, Modification, and Chemical, Thermal and Morphological Characterization of Starch From the Agro-Industrial Residue of Mango (<i>Mangifera indica</i> L) var. Ubã. <i>Starch/Staerke</i> , 2019 , 71, 1800023	2.3	15
54	Differential scanning calorimetry coupled with machine learning technique: An effective approach to determine the milk authenticity. <i>Food Control</i> , 2021 , 121, 107585	6.2	15
53	Effect of simultaneous consumption of soymilk and coffee on the urinary excretion of isoflavones, chlorogenic acids and metabolites in healthy adults. <i>Journal of Functional Foods</i> , 2015 , 19, 688-699	5.1	14
52	Addition of Surfactants and Non-Hydrolytic Proteins and Their Influence on Enzymatic Hydrolysis of Pretreated Sugarcane Bagasse. <i>Applied Biochemistry and Biotechnology</i> , 2017 , 181, 593-603	3.2	14
51	Cure kinetic parameter estimation of thermosetting resins with isothermal data by using particle swarm optimization. <i>European Polymer Journal</i> , 2008 , 44, 2678-2686	5.2	14
50	Optimisation of Cellulase Production by <i>Penicillium funiculosum</i> in a Stirred Tank Bioreactor Using Multivariate Response Surface Analysis. <i>Enzyme Research</i> , 2014 , 2014, 703291	2.4	12
49	Efeito da alta pressão hidrostática na atividade de enzimas da polpa de abacaxi. <i>Food Science and Technology</i> , 2008 , 28, 14-19	2	12
48	Microencapsulation of pomegranate (<i>Punica granatum</i> L.) seed oil by complex coacervation: Development of a potential functional ingredient for food application. <i>LWT - Food Science and Technology</i> , 2020 , 131, 109519	5.4	12
47	Wax Precipitation Temperature Measurements Revisited: The Role of the Degree of Sample Confinement. <i>Energy & Fuels</i> , 2017 , 31, 6862-6875	4.1	11
46	Interfacial aggregation of Janus rods in binary polymer blends and their effect on phase separation. <i>Journal of Chemical Physics</i> , 2019 , 151, 114907	3.9	11
45	Effect of surface treatments on the dynamic mechanical behavior of piassava fiber/polyester matrix composites. <i>Journal of Thermal Analysis and Calorimetry</i> , 2011 , 103, 179-184	4.1	10
44	Gelatin-Based Nanobiocomposite Films as Sensitive Layers for Monitoring Relative Humidity in Food Packaging. <i>Food and Bioprocess Technology</i> , 2020 , 13, 1063-1073	5.1	10
43	On the use of Modulated Temperature Differential Scanning Calorimetry to assess wax crystallization in crude oils. <i>Fuel</i> , 2017 , 202, 216-226	7.1	9
42	Effect of surface treatments on the thermal behavior and tensile strength of piassava (<i>Attalea funifera</i>) fibers. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 2508-2515	2.9	9
41	CFD-optimization algorithm to optimize the energy transport in pultruded polymer composites. <i>Brazilian Journal of Chemical Engineering</i> , 2012 , 29, 559-566	1.7	9
40	Microencapsulation of a craft beer, nutritional composition, antioxidant stability, and drink acceptance. <i>LWT - Food Science and Technology</i> , 2020 , 133, 110104	5.4	9
39	OPTIMIZATION OF A PULTRUSION PROCESS USING FINITE DIFFERENCE AND PARTICLE SWARM ALGORITHMS. <i>Brazilian Journal of Chemical Engineering</i> , 2015 , 32, 543-553	1.7	8
38	Comparative DSC kinetics of the reaction of DGEBA with aromatic diamines. III. Formal kinetic study of the reaction of DGEBA with diamino diphenyl methane. <i>Thermochimica Acta</i> , 2013 , 560, 95-103	2.9	7

37	Development and characterization of composite materials for production of composite risers by filament winding. <i>Materials Research</i> , 2011 , 14, 287-298	1.5	7
36	Parameter estimation of kinetic cure using DSC non-isothermal data. <i>Journal of Thermal Analysis and Calorimetry</i> , 2011 , 103, 495-499	4.1	7
35	Optimum Heating Configuration of Pultrusion Process. <i>Computer Aided Chemical Engineering</i> , 2009 , 27, 705-710	0.6	7
34	Thermal and oxidative stability of Sacha Inchi oil and capsules formed with biopolymers analyzed by DSC and ¹ H NMR. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018 , 131, 2093-2104	4.1	7
33	Isolating valuable coffee diterpenes by using an inexpensive procedure. <i>Industrial Crops and Products</i> , 2020 , 152, 112494	5.9	6
32	Thermogravimetric analysis and differential scanning calorimetry for investigating the stability of yellow smoke powders. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017 , 128, 387-398	4.1	6
31	Variation of the thermal diffusivity of glass and carbon fiber-epoxy composites as a function of water absorption. <i>Polymer Testing</i> , 2009 , 28, 543-547	4.5	6
30	Effect of a Two Step Fiber Treatment on the Flexural Mechanical Properties of Sisal-polyester Composites. <i>Polymers and Polymer Composites</i> , 2003 , 11, 31-36	0.8	6
29	Nacre-Mimetic Green Flame Retardant: Ultra-High Nanofiller Content, Thin Nanocomposite as an Effective Flame Retardant. <i>Polymers</i> , 2020 , 12,	4.5	6
28	Feasibility of a Gelatin Temperature Sensor Based on Electrical Capacitance. <i>Sensors</i> , 2016 , 16,	3.8	6
27	Highly Stable Microparticles of Cashew Apple (<i>Anacardium occidentale</i> L.) Juice with Maltodextrin and Chemically Modified Starch. <i>Food and Bioprocess Technology</i> , 2019 , 12, 2107-2119	5.1	6
26	Proposal of an optimum cure cycle for filament winding process using a hybrid neural network - first principles model. <i>Polymer Composites</i> , 2014 , 35, 1377-1387	3	5
25	Study of the Influence of Cement Slurry Composition in the Gas Migration 2013 ,		5
24	Evaluation of Surface Treatment Effects on the Tensile Strength of Piassava (<i>Attalea Funifera</i>) Fibers Using the Weibull Distribution. <i>Polymers From Renewable Resources</i> , 2010 , 1, 91-104	0.4	5
23	Transient behavior of Boger fluids under extended shear flow in a cone-and-plate rheometer. <i>Rheologica Acta</i> , 2005 , 44, 250-261	2.3	5
22	Improving propionic acid production from a hemicellulosic hydrolysate of sorghum bagasse by means of cell immobilization and sequential batch operation. <i>Biotechnology and Applied Biochemistry</i> , 2020 ,	2.8	5
21	Dynamic Interfacial Trapping of Janus Nanorod Aggregates. <i>Langmuir</i> , 2020 , 36, 4184-4193	4	5
20	Synthesis of Solketal Fuel Additive From Acetone and Glycerol Using CO ₂ as Switchable Catalyst. <i>Frontiers in Energy Research</i> , 2019 , 7,	3.8	4

19	Slip and momentum transfer mechanisms mediated by Janus rods at polymer interfaces. <i>Soft Matter</i> , 2020 , 16, 6662-6672	3.6	4
18	Mechanical and dimensional performance of poly(lactic acid) 3D-printed parts using thin plate spline interpolation. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 49171	2.9	4
17	Comparative DSC kinetics of the reaction of DGEBA with aromatic diamines IV. Iso-conversional kinetic analysis. <i>Thermochimica Acta</i> , 2014 , 596, 42-48	2.9	4
16	Rheological Parameters of Shear-Thickening Fluids Using an Experimental Design. <i>Materials Research</i> , 2019 , 22,	1.5	4
15	Statistical analysis of the crystallinity index of nanocellulose produced from Kraft pulp via controlled enzymatic hydrolysis. <i>Biotechnology and Applied Biochemistry</i> , 2020 , 67, 366-374	2.8	3
14	Fibras de carbono a partir de lignina: uma revisã da literatura. <i>Revista Materia</i> , 2015 , 20, 100-114	0.8	3
13	Fortification of Ground Roasted Coffees with Iron, Zinc, and Calcium Salts: Evaluation of Minerals Recovery in Filtered and Espresso Brews. <i>Beverages</i> , 2019 , 5, 4	3.4	3
12	Development of Composite Pipes for Riser Application in Deep Water 2010 ,		2
11	Optimization of Food Processes Using Mixture Experiments 2020 , 21-35		2
10	Delayed and stable flow-DST behavior for granular starch suspensions. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2020 , 282, 104285	2.7	1
9	Contents of key bioactive and detrimental compounds in health performance coffees compared to conventional types of coffees sold in the United States market. <i>Food and Function</i> , 2020 , 11, 7561-7575	6.1	1
8	Influence of particle shape and sample preparation on shear thickening behavior of precipitated calcium carbonate suspensions. <i>Advanced Powder Technology</i> , 2021 , 32, 802-809	4.6	1
7	Anthocyanin-sensitized gelatin-ZnO nanocomposite based film for meat quality assessment. <i>Food Chemistry</i> , 2022 , 372, 131228	8.5	1
6	A feasibility study for producing an egg matrix candidate reference material for the polyether ionophore salinomycin. <i>Talanta</i> , 2016 , 155, 222-8	6.2	0
5	Rheological characterization and influence of different biodegradable and edible coatings on postharvest quality of guava. <i>Journal of Food Processing and Preservation</i> , 2021 , 45, e15335	2.1	0
4	Enzymatic Hydrolysis of Lignocellulosic Biomass Using an Optimized Enzymatic Cocktail Prepared from Secretomes of Filamentous Fungi Isolated from Amazonian Biodiversity. <i>Applied Biochemistry and Biotechnology</i> , 2021 , 193, 3915-3935	3.2	0
3	Enhancement of Kraft lignin molecular relaxation based on laccases from <i>Pycnoporus sanguineus</i> produced in instrumented bioreactors. <i>Biomass Conversion and Biorefinery</i> , ¹	2.3	0
2	Carbon Fibers from Sustainable Resources 2017 , 1-23		

- 1 Shear Flow and Relaxation Behaviors of Entangled Viscoelastic Nanorod-Stabilized Immiscible Polymer Blends. *Macromolecules*, **2021**, 54, 4198-4210 5.5