Ji Hyun Baek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3049435/publications.pdf

Version: 2024-02-01

53	1,429	16	33
papers	citations	h-index	g-index
56	56	56	2035
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Dissecting the genetic architecture of suicide attempt and repeated attempts in Korean patients with bipolar disorder using polygenic risk scores. International Journal of Bipolar Disorders, 2022, 10, 3.	2.2	4
2	Estimated glomerular filtration rate in Korean patients exposed to long-term lithium maintenance therapy. International Journal of Bipolar Disorders, 2022, 10, 4.	2.2	3
3	Alteration of cortical functional networks in mood disorders with resting-state electroencephalography. Scientific Reports, 2022, 12, 5920.	3.3	6
4	Polygenic Risk Scores for Bipolar Disorder in Korean Populations in Comparison to European Populations. Journal of Korean Neuropsychiatric Association, 2021, 60, 167.	0.5	0
5	Psychopathologic Profiles and Clusters in Tertiary Clinic Referred Patients with Adult Attention Deficit Hyperactivity Disorder: A Person-Centered Analysis. Psychiatry Investigation, 2021, 18, 304-311.	1.6	2
6	Association of Resting Heart Rate and Heart Rate Variability With Proximal Suicidal Risk in Patients With Diverse Psychiatric Diagnoses. Frontiers in Psychiatry, 2021, 12, 652340.	2.6	4
7	Bipolar II disorder has the highest prevalence of seasonal affective disorder in earlyâ€onset mood disorders: Results from a prospective observational cohort study. Depression and Anxiety, 2021, 38, 661-670.	4.1	5
8	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21.4	629
9	Association between the Arylalkylamine N-Acetyltransferase (AANAT) Gene and Seasonality in Patients with Bipolar Disorder. Psychiatry Investigation, 2021, 18, 453-462.	1.6	2
10	A Case of Early-Onset Alzheimer's Disease Mimicking Schizophrenia in a Patient with Presenilin 1 Mutation (S170P). Journal of Alzheimer's Disease, 2021, 83, 1025-1031.	2.6	1
11	Machine-learning-based diagnosis of drug-naive adult patients with attention-deficit hyperactivity disorder using mismatch negativity. Translational Psychiatry, 2021, 11, 484.	4.8	16
12	Increased metabolic variability is associated with newly diagnosed depression: A nationwide cohort study. Journal of Affective Disorders, 2021, 294, 786-793.	4.1	7
13	Predictive factors of diagnostic conversion from major depressive disorder to bipolar disorder in young adults ages $193e^434$: A nationwide population study in South Korea. Journal of Affective Disorders, 2020, 265, 52-58.	4.1	13
14	Maternal depression trajectories and child executive function over 9 years. Journal of Affective Disorders, 2020, 276, 646-652.	4.1	19
15	Mismatch negativity indices and functional outcomes in unipolar and bipolar depression. Scientific Reports, 2020, 10, 12831.	3.3	13
16	Lifetime psychopathological characteristics associated with comorbid obsessive-compulsive disorder in clinically stable patients with chronic schizophrenia. Asian Journal of Psychiatry, 2020, 50, 101991.	2.0	8
17	Defining phenotypes of long-term lithium and valproate response, including combination therapy: a modified application of the Alda scale in patients with bipolar disorders. International Journal of Bipolar Disorders, 2020, 8, 36.	2.2	5
18	Clinical Correlates of False Positive Assignment in Bipolar Screening Measures Across Psychiatric Diagnoses among Patients without Bipolar Disorder. Psychiatry Investigation, 2020, 17, 1118-1125.	1.6	2

#	Article	IF	CITATIONS
19	Exploratory Analysis of Behavioral Impulsivity, Pro-inflammatory Cytokines, and Resting-State Frontal EEG Activity Associated With Non-suicidal Self-Injury in Patients With Mood Disorder. Frontiers in Psychiatry, 2020, 11, 124.	2.6	18
20	Comparison of Polygenic Risk for Schizophrenia between European and Korean Populations. Korean Journal of Schizophrenia Research, 2020, 23, 65-70.	0.3	3
21	Resting-state alpha and gamma activity in affective disorder with ADHD symptoms: Comparison between bipolar disorder and major depressive disorder. International Journal of Psychophysiology, 2019, 143, 57-63.	1.0	4
22	Association between dust storm occurrence and risk of suicide: Case-crossover analysis of the Korean national death database. Environment International, 2019, 133, 105146.	10.0	20
23	Long-Term Response to Clozapine and Its Clinical Correlates in the Treatment of Tardive Movement Syndromes. Journal of Clinical Psychopharmacology, 2019, 39, 591-596.	1.4	9
24	Psychopathologic structure of bipolar disorders: exploring dimensional phenotypes, their relationships, and their associations with bipolar I and II disorders. Psychological Medicine, 2019, 49, 2177-2185.	4.5	9
25	Effect of Korean Red Ginseng in individuals exposed to high stress levels: a 6-week, double-blind, randomized, placebo-controlled trial. Journal of Ginseng Research, 2019, 43, 402-407.	5.7	19
26	Similarities of Aspects of Biological Rhythms between Major Depression and Bipolar II Disorder Compared to Bipolar I Disorder: A Finding from the Early-Onset Mood Disorder Cohort. Psychiatry Investigation, 2019, 16, 829-835.	1.6	4
27	Effects of genetic variants of ST8SIA2 and NCAM1 genes on seasonal mood changes and circadian preference in the general population. Chronobiology International, 2018, 35, 405-415.	2.0	9
28	Exploration of comorbid obsessive-compulsive disorder in patients with bipolar disorder: The clinic-based prevalence rate, symptoms nature and clinical correlates. Journal of Affective Disorders, 2018, 225, 227-233.	4.1	26
29	S95. PREVALENCE AND CLINICAL CORRELATES OF COMORBID OBSESSIVE-COMPULSIVE DISORDER IN PATIENTS WITH SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S362-S362.	4.3	0
30	Binge eating, trauma, and suicide attempt in community adults with major depressive disorder. PLoS ONE, 2018, 13, e0198192.	2.5	13
31	Smart Stress Care: Usability, Feasibility and Preliminary Efficacy of Fully Automated Stress Management Application for Employees. Psychiatry Investigation, 2018, 15, 991-999.	1.6	5
32	Association between the zinc finger protein 804A (<i><scp>ZNF</scp>804A</i>) gene and the risk of schizophrenia and bipolar I disorder across diagnostic boundaries. Bipolar Disorders, 2017, 19, 305-313.	1.9	8
33	L-Methylfolate For Bipolar I depressive episodes: An open trial proof-of-concept registry. Journal of Affective Disorders, 2017, 207, 429-433.	4.1	18
34	Long-term response to mood stabilizer treatment and its clinical correlates in patients with bipolar disorders: a retrospective observational study. International Journal of Bipolar Disorders, 2017, 5, 24.	2.2	19
35	Design and Methods of the Mood Disorder Cohort Research Consortium (MDCRC) Study. Psychiatry Investigation, 2017, 14, 100.	1.6	15
36	Comparisons of Subthreshold Versus Full Posttraumatic Stress Disorder Distinguished by Subjective Functional Impairment Among Train Drivers: A Population-Based Nationwide Study in South Korea. Psychiatry Investigation, 2017, 14, 1.	1.6	7

#	Article	IF	Citations
37	Lifetime Characteristics of Evening-Preference and Irregular Bed-Rise Time Are Associated With Lifetime Seasonal Variation of Mood and Behavior: Comparison Between Individuals With Bipolar Disorder and Healthy Controls. Behavioral Sleep Medicine, 2016, 14, 155-168.	2.1	38
38	Review of Cohort Studies for Mood Disorders. Psychiatry Investigation, 2016, 13, 265.	1.6	7
39	Reduced Venous Blood Basophil Count and Anxious Depression in Patients with Major Depressive Disorder. Psychiatry Investigation, 2016, 13, 321.	1.6	18
40	Comparisons of Depressive Symptoms of the Hamilton Depression Rating Scale between Elderly and Non-Elderly Outpatients with Major Depressive Disorder. Journal of Korean Neuropsychiatric Association, 2015, 54, 316.	0.5	0
41	Prevalence, behavioral manifestations and associated individual and climatic factors of seasonality in the Korean general population. Comprehensive Psychiatry, 2015, 57, 148-154.	3.1	11
42	Anxiety symptoms are linked to new-onset suicidal ideation after six months of follow-up in outpatients with major depressive disorder. Journal of Affective Disorders, 2015, 187, 183-187.	4.1	26
43	Association between ST8SIA2 and the Risk of Schizophrenia and Bipolar I Disorder across Diagnostic Boundaries. PLoS ONE, 2015, 10, e0139413.	2.5	23
44	Review of Suicide Prevention Programs: Massachusetts, United States, in Comparison with Seoul. Psychiatry Investigation, 2015, 12, 281.	1.6	9
45	Pattern of Pharmacotherapy by Episode Types for Patients With Bipolar Disorders and Its Concordance With Treatment Guidelines. Journal of Clinical Psychopharmacology, 2014, 34, 577-587.	1.4	24
46	Thyroid stimulating hormone and serum, plasma, and platelet brain-derived neurotrophic factor during a 3-month follow-up in patients with major depressive disorder. Journal of Affective Disorders, 2014, 169, 112-117.	4.1	20
47	Lifetime experiences of hypomanic symptoms are associated with delayed and irregular sleep–wake cycle and seasonality in non-clinical adult samples. Comprehensive Psychiatry, 2014, 55, 1111-1115.	3.1	12
48	Serum lipids, recent suicide attempt and recent suicide status in patients with major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 51, 113-118.	4.8	70
49	The effects of ethnic, social and cultural factors on axis I comorbidity of bipolar disorder: Results from the clinical setting in Korea. Journal of Affective Disorders, 2014, 166, 264-269.	4.1	16
50	Association of genetic variations in <i>DTNBP1</i> with cognitive function in schizophrenia patients and healthy subjects. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 841-849.	1.7	14
51	Diagnostic stability of first-episode psychosis and predictors of diagnostic shift from non-affective psychosis to bipolar disorder: A retrospective evaluation after recurrence. Psychiatry Research, 2011, 188, 29-33.	3.3	44
52	Association of seasonality and premenstrual symptoms in Bipolar I and Bipolar II disorders. Journal of Affective Disorders, 2011, 129, 313-316.	4.1	39
53	Differences between bipolar I and bipolar II disorders in clinical features, comorbidity, and family history. Journal of Affective Disorders, 2011, 131, 59-67.	4.1	113