

Pitipat Kitpipatkun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3052291/publications.pdf>

Version: 2024-02-01

9
papers

75
citations

1683354
5
h-index

1719596
7
g-index

9
all docs

9
docs citations

9
times ranked

58
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Loading Changes on the Intraventricular Pressure Measured by Color M-Mode Echocardiography in Rats. <i>Diagnostics</i> , 2021, 11, 1403.	1.3	18
2	Metformin prevents the development of monocrotaline-induced pulmonary hypertension by decreasing serum levels of big endothelin-1. <i>Experimental and Therapeutic Medicine</i> , 2020, 20, 149.	0.8	15
3	Intraventricular pressure gradients change during the development of left ventricular hypertrophy: Effect of salvianolic acid B and beta-blocker. <i>Ultrasound</i> , 2021, 29, 1742271X2098758.	0.3	11
4	The Utility of Intraventricular Pressure Gradient for Early Detection of Chemotherapy-Induced Subclinical Cardiac Dysfunction in Dogs. <i>Animals</i> , 2021, 11, 1122.	1.0	10
5	Key factors of diastolic dysfunction and abnormal left ventricular relaxation in diabetic rats. <i>Journal of Medical Ultrasonics (2001)</i> , 2020, 47, 347-356.	0.6	9
6	Silk fibroin-based vascular repairing sheet with angiogenic-promoting activity of SVVYGLR peptide regenerated the damaged vascular in rats. <i>Journal of Biomaterials Applications</i> , 2020, , 088532822092866.	1.2	6
7	Effects of Individual and Coexisting Diabetes and Cardiomyopathy on Diastolic Function in Rats (<i>Rattus norvegicus domestica</i>). <i>Comparative Medicine</i> , 2020, 70, 499-509.	0.4	3
8	Silk fibroin/polyurethane patch implantation in hyperglycemic rat model. <i>Journal of Biomaterials Applications</i> , 2021, 36, 701-713.	1.2	2
9	Basic study on improvement of plastic drape adhesion for surgery: effect of adhesive layer thickness on drape detachment from wound edge. <i>ANZ Journal of Surgery</i> , 2020, 90, 1025-1029.	0.3	1