

Juan Moreira Da Rocha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3053349/publications.pdf>

Version: 2024-02-01

99

papers

1,065

citations

471509

17

h-index

552781

26

g-index

99

all docs

99

docs citations

99

times ranked

955

citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary analysis of the marine Amphipoda (Crustacea: Peracarida) from the Iberian Peninsula. <i>Journal of Sea Research</i> , 2014, 85, 508-517.	1.6	84
2	Seawalls do not sustain viable populations of limpets. <i>Marine Ecology - Progress Series</i> , 2006, 322, 179-188.	1.9	76
3	Maintenance of chitons on seawalls using crevices on sandstone blocks as habitat in Sydney Harbour, Australia. <i>Journal of Experimental Marine Biology and Ecology</i> , 2007, 347, 134-143.	1.5	51
4	Assemblages of peracarid crustaceans in subtidal sediments from the RÃa de AldÃn (Galicia, NW Spain). <i>Helgoland Marine Research</i> , 2008, 62, 289-301.	1.3	45
5	29 Cold-Water Coral Associated Fauna in the Mediterranean Sea and Adjacent Areas. <i>Coral Reefs of the World</i> , 2019, , 295-333.	0.7	37
6	Increasing sea surface temperature and range shifts of intertidal gastropods along the Iberian Peninsula. <i>Journal of Sea Research</i> , 2013, 77, 1-10.	1.6	27
7	Can invasive habitat-forming species play the same role as native ones? The case of the exotic marine macroalga <i>Rugulopteryx okamurae</i> in the Strait of Gibraltar. <i>Biological Invasions</i> , 2019, 21, 3319-3334.	2.4	27
8	Distribution and diversity of the Opheliidae (Annelida, Polychaeta) on the continental shelf and slope of Iceland, with a review of the genus <i>Ophelina</i> in northeast Atlantic waters and description of two new species. <i>Organisms Diversity and Evolution</i> , 2011, 11, 83-105.	1.6	24
9	Mobile epifauna of the invasive bryozoan <i>Tricellaria inopinata</i> : is there a potential invasional meltdown?. <i>Marine Biodiversity</i> , 2018, 48, 1169-1178.	1.0	23
10	Assessing environmental pollution levels in marinas. <i>Science of the Total Environment</i> , 2021, 762, 144169.	8.0	23
11	Taxonomy and distribution of <i>Terebellides</i> (Polychaeta, Trichobranchidae) in Icelandic waters, with the description of a new species. <i>Zootaxa</i> , 2011, 2983, 1.	0.5	22
12	Peracarid assemblages of <i>Zostera</i> meadows in an estuarine ecosystem (O Grove inlet, NW Iberian) Tj ETQq0 0 0 rgBT _{1.3} /Overlock 10 Tf 50		
13	Spatial distribution of soft-bottom polychaete annelids in the Ensenada de Baiona (RÃa de Vigo, Galicia,) Tj ETQq1 1 0.784314 ₂₂ rgBT /Ove		
14	Exploring annelid anatomy using micro-computed tomography: A taxonomic approach. <i>Zoologischer Anzeiger</i> , 2017, 270, 19-42.	0.9	21
15	Ecological quality assessment of marinas: An integrative approach combining biological and environmental data. <i>Journal of Environmental Management</i> , 2021, 286, 112237.	7.8	21
16	Diversity and temporal variation of peracarid fauna (Crustacea: Peracarida) in the shallow subtidal of a sandy beach: Playa AmÃ©rica (Galicia, NW Spain). <i>Marine Ecology</i> , 2008, 29, 12-18.	1.1	20
17	Taxonomy and distribution of the genus <i>Amphicteis</i> (Polychaeta: Ampharetidae) collected by the BIOICE project in Icelandic waters. <i>Journal of Natural History</i> , 2011, 45, 1477-1499.	0.5	20
18	A new species of <i>Terebellides</i> (Polychaeta: Trichobranchidae) from Scottish waters with an insight into branchial morphology. <i>Marine Biodiversity</i> , 2016, 46, 211-225.	1.0	18

#	ARTICLE	IF	CITATIONS
19	Redescription of <i>Terebellides kerguelensis</i> stat. nov. (Polychaeta: Trichobranchidae) from Antarctic and subantarctic waters. <i>Helgoland Marine Research</i> , 2008, 62, 143-152.	1.3	15
20	Leptostracans (Crustacea: Phyllocarida) from the RÃa de Ferrol (Galicia, NW Iberian Peninsula), with description of a new species of Nebalia Leach, 1814. <i>Scientia Marina</i> , 2009, 73, 269-285.	0.6	15
21	<i>Nebalia kocatasi</i> sp. nov., a new species of leptostracan (Crustacea: Phyllocarida) from Izmir Bay (Aegean Sea, eastern Mediterranean). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 1247-1254.	0.8	14
22	Diversity and distribution of peracard crustaceans in shallow subtidal soft bottoms at the Ensenada de Baiona (Galicia, N.W. Spain). <i>Crustaceana</i> , 2008, 81, 1069-1089.	0.3	14
23	Sphaerodoridae (Annelida: Polychaeta) from the Bellingshausen Sea (Antarctica) with the description of two new species. <i>Polar Biology</i> , 2011, 34, 193-204.	1.2	14
24	Polychaetes of the genus <i>Ampharete</i> (Polychaeta: Ampharetidae) collected in Icelandic waters during the BIOICE project. <i>Helgoland Marine Research</i> , 2012, 66, 331-344.	1.3	14
25	A new species of the genus <i>Terebellides</i> (Polychaeta, Trichobranchidae) from the Iranian coast. <i>Zootaxa</i> , 2016, 4117, 321-40.	0.5	14
26	The gastropod <i>Phorcus sauciatus</i> (Koch, 1845) along the north-west Iberian Peninsula: filling historical gaps. <i>Helgoland Marine Research</i> , 2014, 68, 169-177.	1.3	13
27	Marinas: An overlooked habitat for exploring the relation among polychaete assemblages and environmental factors. <i>Marine Pollution Bulletin</i> , 2019, 138, 584-597.	5.0	13
28	Two new species of <i>Sphaerodoropsis</i> Hartman & Fauchald, 1971 (Polychaeta: Sphaerodoridae) from Iceland (BIOICE programme). <i>Marine Biology Research</i> , 2012, 8, 584-593.	0.7	12
29	To name but a few: descriptions of five new species of <i>Terebellides</i> (Annelida, Trichobranchidae) from the North East Atlantic. <i>ZooKeys</i> , 2020, 992, 1-58.	1.1	12
30	DistribuciÃ³n de los poliquetos de fondos blandos en una rÃa gallega (NO EspaÃ±a). <i>Scientia Marina</i> , 2008, 72, 655-667.	0.6	12
31	<i>Nebalia troncosoi</i> sp. nov., a new species of leptostracan (Crustacea: Phyllocarida: Leptostraca) from Galicia, Iberian Peninsula (north-east Atlantic). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003, 83, 341-350.	0.8	11
32	A new species of <i>Sphaerodoropsis</i> (Polychaeta: Sphaerodoridae) from north-east Atlantic, with comments on other species of the genus. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2004, 84, 995-1000.	0.8	11
33	Temporal dynamics of gastropod fauna on subtidal sandy sediments of the Ensenada de Baiona (NW) Tj ETQq1 1 0,784314 rgBT /Overl...	1.3	11
34	Revision of three species of <i>Terebellides</i> (Polychaeta: Trichobranchidae) described by C. Hessle in 1917 from the Southern Ocean. <i>Journal of Natural History</i> , 2008, 42, 1261-1275.	0.5	10
35	<i>Apseudopsis adami</i> , a new species of tanaidacean (Crustacea: Peracarida) from the NW Iberian Peninsula: postmarsupial development and remarks on morphological characters. <i>Helgoland Marine Research</i> , 2012, 66, 601-619.	1.3	10
36	To the Mediterranean and beyond: An integrative approach to evaluate the spreading of <i>Branchiomma luctuosum</i> (Annelida: Sabellidae). <i>Estuarine, Coastal and Shelf Science</i> , 2021, 254, 107357.	2.1	10

#	ARTICLE	IF	CITATIONS
37	Spatial distribution of benthic macrofauna in subtidal sediments of the RÃa de AldÃn (Galicia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.6	10
38	An integrative approach to the anatomy of <i>< i>Syllis gracilis</i></i> Grube, 1840 (Annelida) using micro-computed X-ray tomography. PeerJ, 2019, 7, e7251.	2.0	10
39	Two new species of <i>Sarsinebalia</i> (Crustacea, Leptostraca) from the Northeast Atlantic, with comments on the genus. Sarsia, 2003, 88, 189-209.	0.5	9
40	Redescription and postmarsupial development of <i>< i>Apseudopsis latreillii</i></i> (Crustacea: Tanaidacea). Journal of the Marine Biological Association of the United Kingdom, 2012, 92, 1023-1041.	0.8	9
41	A new species of Leptostraca, <i>Nebalia koreana</i> (Malacostraca: Phyllocarida), from South Korea. Journal of Crustacean Biology, 2012, 32, 641-653.	0.8	9
42	First record of genus <i>Orbiniella</i> Day, 1954 (Polychaeta: Orbiniidae) in North Atlantic Ocean with the description of a new species. Zootaxa, 2015, 4006, 330-46.	0.5	9
43	A new species of Ampharete (Annelida: Ampharetidae) from the NW Iberian Peninsula, with a synoptic table comparing NE Atlantic species of the genus. Zoological Journal of the Linnean Society, 2018, 183, 526-555.	2.3	9
44	On the diversity of <i>Terebellides</i> (Annelida, Trichobranchidae) in West Africa,Âseven new species and the redescription of <i>T. africana</i> Augener, 1918 stat. prom.. Zootaxa, 2020, 4771, zootaxa.4771.1.1.	0.5	9
45	Evaluating the vulnerability of coralligenous epifauna to macroalgal invasions. Aquatic Conservation: Marine and Freshwater Ecosystems, 2021, 31, 2305-2319.	2.0	9
46	First occurrence of <i>Nebalia straus</i> Risso, 1827 (Phyllocarida, Leptostraca) in the Levantine Basin (eastern Mediterranean). Crustaceana, 2007, 80, 447-453.	0.3	8
47	<i>Nebalia pseudotroncosoi</i> n. sp. (Malacostraca: Leptostraca), from South Korea, with a peculiar sexual dimorphism. Journal of Crustacean Biology, 2013, 33, 124-136.	0.8	8
48	<i>< i>Pisione parapari</i></i> n. sp., a New Pisionid from the North-East Atlantic (Polychaeta: Pisionidae). Ophelia, 2000, 52, 177-182.	0.3	7
49	Diversity and Taxonomy of Ampharetidae (Polychaeta) from Icelandic Waters. Polish Polar Research, 2014, 35, 311-340.	0.9	7
50	A functional approach to the seasonal variation of benthic mollusc assemblages in an estuarine-like system. Journal of Sea Research, 2014, 85, 73-84.	1.6	7
51	Population attributes and traits of <i>Siphonaria pectinata</i> (Mollusca: Siphonariidae) in range-edge and non range-edge populations at its Eastern Atlantic northern distribution boundary. Journal of Experimental Marine Biology and Ecology, 2015, 471, 41-47.	1.5	7
52	Composition, structure and distribution of epibenthic communities within a mud volcano field of the northern Gulf of CÃ¡diz in relation to environmental variables and trawling activity. Journal of Sea Research, 2020, 160-161, 101892.	1.6	7
53	On the Systematics and Biodiversity of the Palaeoannelida. Diversity, 2021, 13, 41.	1.7	7
54	On the diversity of the SE Indo-Pacific species of <i>< i>Terebellides</i></i> (Annelida; Trichobranchidae), with the description of a new species. PeerJ, 2016, 4, e2313.	2.0	7

#	ARTICLE	IF	CITATIONS
55	Distribution patterns of molluscan fauna in seagrass beds in the Ensenada de O Grove (Galicia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 619-630.	0.8	6
56	First record of Longosomatidae (Annelida: Polychaeta) from Iceland with a worldwide review of diagnostic characters of the family. Journal of Natural History, 2014, 48, 983-998.	0.5	6
57	Six new species of the genus Armandia Filippi, 1861 (Polychaeta, Opheliidae) from Lizard Island (Great) Tj ETQq1 1 0.784314 rgBT /Overlock 10 6	0.5	6
58	Biodiversity and density of subtidal benthos of an oceanic tropical island (a comparison within the) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.6	6
59	On the Systematics and Biodiversity of the Opheliidae and Scalibregmatidae. Diversity, 2021, 13, 87.	1.7	6
60	Diversity, community structure and habitat use of molluscs in marinas from the Iberian Peninsula and Northern Africa. Ocean and Coastal Management, 2021, 212, 105795.	4.4	6
61	New Records of the Genus Nebalia Leach, 1814 (Phyllocarida, Leptostraca) from the Mediterranean Coast of Turkey, with a Checklist of the Mediterranean Species of Leptostraca. Crustaceana, 2011, 84, 401-409.	0.3	5
62	A new <i>Nebalia</i> species (Crustacea, Phyllocarida, Leptostraca) from the eastern Mediterranean Sea. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 1667-1675.	0.8	5
63	New data on the Opheliidae (Annelida) from Lizard Island (Great Barrier Reef, Australia): five new species of the genus Armandia Filippi, 1861. Zootaxa, 2017, 4290, .	0.5	5
64	Exploring the anatomy of Cossura pygodactylata Jones, 1956 (Annelida, Cossuridae) using micro-computed tomography, with special emphasis on gut architecture. Marine Biodiversity, 2018, 48, 751-761.	1.0	5
65	First record of Periocolodes aequimanus (Crustacea: Amphipoda) in the north-east Atlantic, with remarks on taxonomic characters. Marine Biodiversity Records, 2010, 3, .	1.2	4
66	<p>A new species of Sphaerodoridium LÃ¼tzen, 1961 from Iceland (Polychaeta:) Tj ETQq0 0 0 rgBT /Overlock 10	0.5	4
67	Leptostracans (Crustacea: Phyllocarida) from mud volcanoes at the Gulf of Cadiz (NE Atlantic) with description of a new species of Sarsinebalia Dahl, 1985. European Journal of Taxonomy, 0, 736, 102-136.	0.6	4
68	The Oweniidae (Annelida; Polychaeta) from Lizard Island (Great Barrier Reef, Australia) with the description of two new species of Owenia Delle Chiaje, 1844. Zootaxa, 2015, 4019, 604-20.	0.5	3
69	Two new species of the Suborder Senticaudata (Crustacea: Amphipoda) from the upper continental slope off Galicia (NW Iberian Peninsula). Zootaxa, 2017, 4300, 217.	0.5	3
70	Temporal variation of polychaete assemblages and their bioturbation potential in subtidal sedimentary bottoms. Journal of Sea Research, 2018, 142, 66-78.	1.6	3
71	Systematic re-structure and new species of Sphaerodoridae (Annelida) after morphological revision and molecular phylogenetic analyses of the North East Atlantic fauna. ZooKeys, 2019, 845, 1-97.	1.1	3
72	A new species of Polyopthalmus (Annelida, Opheliidae) from the Arabian Gulf, with an insight on internal anatomy and diversity of the genus. Zootaxa, 2021, 5052, 501-528.	0.5	3

#	ARTICLE	IF	CITATIONS
73	A Review of Coastal Anthropogenic Impacts on Mytilid Mussel Beds: Effects on Mussels and Their Associated Assemblages. <i>Diversity</i> , 2022, 14, 409.	1.7	3
74	First record of <i>Pisione guanche</i> (Polychaeta: Pisionidae) at the Azores archipelago. <i>Marine Biodiversity Records</i> , 2010, 3, .	1.2	2
75	A new species of <i>Ampelisca</i> (Crustacea, Amphipoda) from NW Iberian Peninsula: <i>Ampelisca troncosoi</i> sp. nov.. <i>Helgoland Marine Research</i> , 2012, 66, 319-330.	1.3	2
76	Abundance and fragmentation patterns of the ecosystem engineer <i>Lithophyllum byssoides</i> (Lamarck) Foslie along the Iberian Peninsula Atlantic coast. Conservation and management implications. <i>Journal of Sea Research</i> , 2013, 83, 40-46.	1.6	2
77	Morphology and biology of <i>Laetmonice producta</i> <i>producta</i> Grube (Polychaeta: Aphroditidae) in the Bellingshausen Sea and Antarctic Peninsula (Southern Ocean, Antarctica). <i>Italian Journal of Zoology</i> , 2013, 80, 255-272.	0.6	2
78	Demersal amphipod migrations: spatial patterns in marine shallow waters. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2020, 100, 239-249.	0.8	2
79	Sphaerodorids (Polychaeta, Sphaerodoridae) from the continental margin off NW Iberian Peninsula, with first record of <i>< i>Sphaerodoropsis sibuetae</i></i> and <i>< i>S. amoureuxi</i></i> since original description. <i>Graellsia</i> , 2011, 67, 23-33.	0.2	2
80	Taxonomy and distribution of Pectinariidae (Annelida) from Iceland with a comparative analysis of uncinal morphology. <i>European Journal of Taxonomy</i> , 2020, , .	0.6	2
81	A new species of <i>Synelmis</i> (Annelida: Polychaeta: Pilargidae) from the continental slope off Galicia (north-western Iberian peninsula). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 1117-1120.	0.8	1
82	Caprellidae (Crustacea: Peracarida: Amphipoda) from deep-sea waters off Galicia (NW Iberian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0.5		
83	Taxonomy and distribution of Icelandic Fauveliopsidae (Annelida) collected during the BIOICE project. <i>Journal of Natural History</i> , 2019, 53, 2951-2974.	0.5	1
84	Redescription and first record of <i>Camacho faroensis</i> Myers, 1998 (Crustacea, Amphipoda) from the continental slope off Galicia (NW Iberian Peninsula). <i>Marine Biodiversity</i> , 2019, 49, 897-904.	1.0	1
85	<p>Validation of Owenia vietzezi DÃaz-DÃaz, Parapar & Moreira, a polychaete from the coast of Venezuela (Annelida: Oweniidae)</p>. <i>Zootaxa</i> , 2020, 4729, 145-146.	0.5	1
86	A new species of <i>Heterospio</i> (Annelida, Longosomatidae) from the Indian Ocean. <i>European Journal of Taxonomy</i> , 2016, .	0.6	1
87	First record of the genus <i>Paranebalia</i> Claus, 1880 (Crustacea: Leptostraca) from the Mediterranean Sea. <i>Mediterranean Marine Science</i> , 2017, 18, 332.	1.6	1
88	Long forgotten: <i>< i>Eunice woodwardi</i></i> Baird, 1869 (Annelida, Eunicidae) revisited, with an insight on internal anatomy. <i>PeerJ</i> , 2022, 10, e13126.	2.0	1
89	Influence of Urbanization on Patterns of Variability of <i>Mytilus galloprovincialis</i> Populations. <i>Water</i> (Switzerland), 2022, 14, 1570.	2.7	1
90	Primer registro de <i>Nebalia troncosoi</i> Moreira, Cacabelos & DomÃnguez, 2003 (Crustacea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 0.2		

#	ARTICLE	IF	CITATIONS
91	Distribution patterns of Syllidae (Annelida: Polychaeta) from seagrass (<i>Zostera marina</i> and) Tj ETQq1 1 0.784314 rgBT /Overlock 511-523.	0.6	0
92	Spatio-temporal distribution of leptostracans (Crustacea: Phyllocarida) at the Ensenada de Baiona (Galicia, NW Spain). Frontiers in Marine Science, 0, 3, .	2.5	0
93	Changes in the historical distribution of <i>Littorina littorea</i> (Linnaeus, 1758) along the Atlantic coast of the Iberian Peninsula. Frontiers in Marine Science, 0, 3, .	2.5	0
94	Temporal variation of the family Spionidae (Annelida: Polychaeta) in two subtidal muddy bottoms of the RÃa de AldÃn (Galicia, NW Iberian Peninsula). Frontiers in Marine Science, 0, 3, .	2.5	0
95	Crustacean diversity in subtidal sediments of the highly urbanized RÃa de Ferrol (Galicia, NW Spain). Frontiers in Marine Science, 0, 3, .	2.5	0
96	Primer registro de Phisidia oculata (Langerhans, 1881) (Annelida, Terebellidae) tras la descripciÃ³n original. Graellsia, 2017, 73, 063.	0.2	0
97	New advances in the study of the biodiversity of the SCI "Volcanes de fango del golfo de CÃ¡diz" (southwestern Spanish Margin). Frontiers in Marine Science, 0, 6, .	2.5	0
98	A new species of Ampharete (Annelida: Ampharetidae) from the West Shetland shelf (NE Atlantic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 of Taxonomy, 2019, , .	0.6	0
99	Estudio microtomogrÃ¡fico de la anatomÃa de Laubieriopsis cabiochi (Amoureux, 1982) (Annelida,) Tj ETQq1 1 0.784314 rgBT /Overlock 0.2		