

# Juan Moreira Da Rocha

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3053349/publications.pdf>

Version: 2024-02-01

99

papers

1,065

citations

471509

17

h-index

552781

26

g-index

99

all docs

99

docs citations

99

times ranked

955

citing authors

#	ARTICLE	IF	CITATIONS
1	Long forgotten: <i>Eunice woodwardi</i> Baird, 1869 (Annelida, Eunicidae) revisited, with an insight on internal anatomy. PeerJ, 2022, 10, e13126.	2.0	1
2	Influence of Urbanization on Patterns of Variability of Mytilus galloprovincialis Populations. Water (Switzerland), 2022, 14, 1570.	2.7	1
3	A Review of Coastal Anthropogenic Impacts on Mytilid Mussel Beds: Effects on Mussels and Their Associated Assemblages. Diversity, 2022, 14, 409.	1.7	3
4	On the Systematics and Biodiversity of the Palaeoannelida. Diversity, 2021, 13, 41.	1.7	7
5	On the Systematics and Biodiversity of the Opheliidae and Scalibregmatidae. Diversity, 2021, 13, 87.	1.7	6
6	Assessing environmental pollution levels in marinas. Science of the Total Environment, 2021, 762, 144169.	8.0	23
7	Primer registro de Nebalia troncosoi Moreira, Cacabelos & Domínguez, 2003 (Crustacea: Tj ETQql 1 0.784314_rgBT /Overlock 10		
8	Ecological quality assessment of marinas: An integrative approach combining biological and environmental data. Journal of Environmental Management, 2021, 286, 112237.	7.8	21
9	Evaluating the vulnerability of coralligenous epifauna to macroalgal invasions. Aquatic Conservation: Marine and Freshwater Ecosystems, 2021, 31, 2305-2319.	2.0	9
10	To the Mediterranean and beyond: An integrative approach to evaluate the spreading of Branchiomma luctuosum (Annelida: Sabellidae). Estuarine, Coastal and Shelf Science, 2021, 254, 107357.	2.1	10
11	Diversity, community structure and habitat use of molluscs in marinas from the Iberian Peninsula and Northern Africa. Ocean and Coastal Management, 2021, 212, 105795.	4.4	6
12	A new species of Polyophtalmus (Annelida, Opheliidae) from the Arabian Gulf, with an insight on internal anatomy and diversity of the genus. Zootaxa, 2021, 5052, 501-528.	0.5	3
13	On the diversity of Terebellides (Annelida, Trichobranchidae) in West Africa, seven new species and the redescription of <i>T. africana</i> Augener, 1918 stat. prom.. Zootaxa, 2020, 4771, zootaxa.4771.1.1.	0.5	9
14	<p><strong>Validation of <em>Owenia vieitezi</em> Dáaz-Dáaz, Parapar & Moreira, a polychaete from the coast of Venezuela (Annelida: Oweniidae)</strong></p>. Zootaxa, 2020, 4729, 145-146.	0.5	1
15	Demersal amphipod migrations: spatial patterns in marine shallow waters. Journal of the Marine Biological Association of the United Kingdom, 2020, 100, 239-249.	0.8	2
16	Composition, structure and distribution of epibenthic communities within a mud volcano field of the northern Gulf of Cádiz in relation to environmental variables and trawling activity. Journal of Sea Research, 2020, 160-161, 101892.	1.6	7
17	To name but a few: descriptions of five new species of Terebellides (Annelida, Trichobranchidae) from the North East Atlantic. ZooKeys, 2020, 992, 1-58.	1.1	12
18	Taxonomy and distribution of Pectinariidae (Annelida) from Iceland with a comparative analysis of uncinal morphology. European Journal of Taxonomy, 2020, , .	0.6	2

#	ARTICLE	IF	CITATIONS
19	29 Cold-Water Coral Associated Fauna in the Mediterranean Sea and Adjacent Areas. <i>Coral Reefs of the World</i> , 2019, , 295-333.	0.7	37
20	Can invasive habitat-forming species play the same role as native ones? The case of the exotic marine macroalga <i>Rugulopteryx okamurae</i> in the Strait of Gibraltar. <i>Biological Invasions</i> , 2019, 21, 3319-3334.	2.4	27
21	Taxonomy and distribution of Icelandic Fauveliopsidae (Annelida) collected during the BIOICE project. <i>Journal of Natural History</i> , 2019, 53, 2951-2974.	0.5	1
22	Marinas: An overlooked habitat for exploring the relation among polychaete assemblages and environmental factors. <i>Marine Pollution Bulletin</i> , 2019, 138, 584-597.	5.0	13
23	Redescription and first record of Camacho faroensis Myers, 1998 (Crustacea, Amphipoda) from the continental slope off Galicia (NW Iberian Peninsula). <i>Marine Biodiversity</i> , 2019, 49, 897-904.	1.0	1
24	Systematic re-structure and new species of Sphaerodoridae (Annelida) after morphological revision and molecular phylogenetic analyses of the North East Atlantic fauna. <i>ZooKeys</i> , 2019, 845, 1-97.	1.1	3
25	An integrative approach to the anatomy of <i>Syllis gracilis</i> Grube, 1840 (Annelida) using micro-computed X-ray tomography. <i>PeerJ</i> , 2019, 7, e7251.	2.0	10
26	A new species of Ampharete (Annelida: Ampharetidae) from the West Shetland shelf (NE Atlantic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 of Taxonomy, 2019, , .	0.6	0
27	Estudio microtomográfico de la anatomía de Laubieriopsis cabiochi (Amoureux, 1982) (Annelida,) Tj ETQq1 1 0.784314 rgBT /Overlock		
28	A new species of Ampharete (Annelida: Ampharetidae) from the NW Iberian Peninsula, with a synoptic table comparing NE Atlantic species of the genus. <i>Zoological Journal of the Linnean Society</i> , 2018, 183, 526-555.	2.3	9
29	Exploring the anatomy of Cossura pygodactylata Jones, 1956 (Annelida, Cossuridae) using micro-computed tomography, with special emphasis on gut architecture. <i>Marine Biodiversity</i> , 2018, 48, 751-761.	1.0	5
30	Mobile epifauna of the invasive bryozoan Tricellaria inopinata: is there a potential invasional meltdown?. <i>Marine Biodiversity</i> , 2018, 48, 1169-1178.	1.0	23
31	Caprellidae (Crustacea: Peracarida: Amphipoda) from deep-sea waters off Galicia (NW Iberian) Tj ETQq1 1 0.784314 rgBT /Overlock		
32	Temporal variation of polychaete assemblages and their bioturbation potential in subtidal sedimentary bottoms. <i>Journal of Sea Research</i> , 2018, 142, 66-78.	1.6	3
33	Exploring annelid anatomy using micro-computed tomography: A taxonomic approach. <i>Zoologischer Anzeiger</i> , 2017, 270, 19-42.	0.9	21
34	New data on the Opheliidae (Annelida) from Lizard Island (Great Barrier Reef, Australia): five new species of the genus Armandia Filippi, 1861. <i>Zootaxa</i> , 2017, 4290, .	0.5	5
35	Two new species of the Suborder Senticaudata (Crustacea: Amphipoda) from the upper continental slope off Galicia (NW Iberian Peninsula). <i>Zootaxa</i> , 2017, 4300, 217.	0.5	3
36	First record of the genus Paranebalia Claus, 1880 (Crustacea: Leptostraca) from the Mediterranean Sea. <i>Mediterranean Marine Science</i> , 2017, 18, 332.	1.6	1

#	ARTICLE	IF	CITATIONS
37	Primer registro de <em>Phisidia oculata</em> (Langerhans, 1881) (Annelida, Terebellidae) tras la descripción original. <i>Graellsia</i> , 2017, 73, 063.	0.2	0
38	A new species of the genus <i>Terebellides</i> (Polychaeta, Trichobranchidae) from the Iranian coast. <i>Zootaxa</i> , 2016, 4117, 321-40.	0.5	14
39	Biodiversity and density of subtidal benthos of an oceanic tropical island (a comparison within the) Tj ETQq1 1 0.784314 rgBT <sub>1.6</sub> /Overlock		
40	A new species of <i>Terebellides</i> (Polychaeta: Trichobranchidae) from Scottish waters with an insight into branchial morphology. <i>Marine Biodiversity</i> , 2016, 46, 211-225.	1.0	18
41	A new species of <i>Heterospio</i> (Annelida, Longosomatidae) from the Indian Ocean. <i>European Journal of Taxonomy</i> , 2016, .	0.6	1
42	On the diversity of the SE Indo-Pacific species of <i>Terebellides</i> (Annelida; Trichobranchidae), with the description of a new species. <i>PeerJ</i> , 2016, 4, e2313.	2.0	7
43	A new <i>Nebalia</i> species (Crustacea, Phyllocarida, Leptostraca) from the eastern Mediterranean Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 1667-1675.	0.8	5
44	<p><strong>A new species of <em>Sphaerodoridium</em> Lützen, 1961 from Iceland (Polychaeta:) Tj ETQq0 0 0 rgBT <sub>0.5</sub> /Overlock 10</strong></p>		
45	First record of genus <i>Orbiniella</i> Day, 1954 (Polychaeta: Orbiniidae) in North Atlantic Ocean with the description of a new species. <i>Zootaxa</i> , 2015, 4006, 330-46.	0.5	9
46	Six new species of the genus <i>Armandia</i> Filippi, 1861 (Polychaeta, Opheliidae) from Lizard Island (Great) Tj ETQq0 0 0 rgBT <sub>0.5</sub> /Overlock 10</td>		
47	The Oweniidae (Annelida; Polychaeta) from Lizard Island (Great Barrier Reef, Australia) with the description of two new species of <i>Owenia Delle Chiaje</i> , 1844. <i>Zootaxa</i> , 2015, 4019, 604-20.	0.5	3
48	Population attributes and traits of <i>Siphonaria pectinata</i> (Mollusca: Siphonariidae) in range-edge and non range-edge populations at its Eastern Atlantic northern distribution boundary. <i>Journal of Experimental Marine Biology and Ecology</i> , 2015, 471, 41-47.	1.5	7
49	Diversity and Taxonomy of Ampharetidae (Polychaeta) from Icelandic Waters. <i>Polish Polar Research</i> , 2014, 35, 311-340.	0.9	7
50	Dietary analysis of the marine Amphipoda (Crustacea: Peracarida) from the Iberian Peninsula. <i>Journal of Sea Research</i> , 2014, 85, 508-517.	1.6	84
51	The gastropod <i>Phorcus sauciatus</i> (Koch, 1845) along the north-west Iberian Peninsula: filling historical gaps. <i>Helgoland Marine Research</i> , 2014, 68, 169-177.	1.3	13
52	First record of Longosomatidae (Annelida: Polychaeta) from Iceland with a worldwide review of diagnostic characters of the family. <i>Journal of Natural History</i> , 2014, 48, 983-998.	0.5	6
53	A functional approach to the seasonal variation of benthic mollusc assemblages in an estuarine-like system. <i>Journal of Sea Research</i> , 2014, 85, 73-84.	1.6	7
54	Abundance and fragmentation patterns of the ecosystem engineer <i>Lithophyllum byssoides</i> (Lamarck) Foslie along the Iberian Peninsula Atlantic coast. Conservation and management implications. <i>Journal of Sea Research</i> , 2013, 83, 40-46.	1.6	2

#	ARTICLE	IF	CITATIONS
55	Increasing sea surface temperature and range shifts of intertidal gastropods along the Iberian Peninsula. <i>Journal of Sea Research</i> , 2013, 77, 1-10.	1.6	27
56	Morphology and biology of <i>Laetmonice producta</i> Grube (Polychaeta: Aphroditidae) in the Bellingshausen Sea and Antarctic Peninsula (Southern Ocean, Antarctica). <i>Italian Journal of Zoology</i> , 2013, 80, 255-272.	0.6	2
57	Distribution patterns of molluscan fauna in seagrass beds in the Ensenada de O Grove (Galicia,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 619-630.	0.8	6
58	<i>Nebalia pseudotroncosoi</i> n. sp. (Malacostraca: Leptostraca), from South Korea, with a peculiar sexual dimorphism. <i>Journal of Crustacean Biology</i> , 2013, 33, 124-136.	0.8	8
59	Distribution patterns of Syllidae (Annelida: Polychaeta) from seagrass (<i>Zostera marina</i> and) Tj ETQq1 1 0.784314 rgBT /Overlock 0.6 511-523.	0.6	0
60	Redescription and postmarsupial development of <i>Apseudopsis latreillii</i> (Crustacea: Tanaidacea). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1023-1041.	0.8	9
61	A new species of Leptostraca, <i>Nebalia koreana</i> (Malacostraca: Phyllocarida), from South Korea. <i>Journal of Crustacean Biology</i> , 2012, 32, 641-653.	0.8	9
62	A new species of Ampelisca (Crustacea, Amphipoda) from NW Iberian Peninsula: <i>Ampelisca troncosoi</i> sp. nov.. <i>Helgoland Marine Research</i> , 2012, 66, 319-330.	1.3	2
63	Polychaetes of the genus <i>Ampharete</i> (Polychaeta: Ampharetidae) collected in Icelandic waters during the BIOICE project. <i>Helgoland Marine Research</i> , 2012, 66, 331-344.	1.3	14
64	<i>Apseudopsis adami</i> , a new species of tanaidacean (Crustacea: Peracarida) from the NW Iberian Peninsula: postmarsupial development and remarks on morphological characters. <i>Helgoland Marine Research</i> , 2012, 66, 601-619.	1.3	10
65	Two new species of <i>Sphaerodoropsis</i> Hartman & Fauchald, 1971 (Polychaeta: Sphaerodoridae) from Iceland (BIOICE programme). <i>Marine Biology Research</i> , 2012, 8, 584-593.	0.7	12
66	New Records of the Genus <i>Nebalia</i> Leach, 1814 (Phyllocarida, Leptostraca) from the Mediterranean Coast of Turkey, with a Checklist of the Mediterranean Species of Leptostraca. <i>Crustaceana</i> , 2011, 84, 401-409.	0.3	5
67	Taxonomy and distribution of Terebellides (Polychaeta, Trichobranchidae) in Icelandic waters, with the description of a new species. <i>Zootaxa</i> , 2011, 2983, 1.	0.5	22
68	Peracarid assemblages of <i>Zostera</i> meadows in an estuarine ecosystem (O Grove inlet, NW Iberian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1.3 22		
69	Sphaerodoridae (Annelida: Polychaeta) from the Bellingshausen Sea (Antarctica) with the description of two new species. <i>Polar Biology</i> , 2011, 34, 193-204.	1.2	14
70	Distribution and diversity of the Opheliidae (Annelida, Polychaeta) on the continental shelf and slope of Iceland, with a review of the genus <i>Ophelina</i> in northeast Atlantic waters and description of two new species. <i>Organisms Diversity and Evolution</i> , 2011, 11, 83-105.	1.6	24
71	Taxonomy and distribution of the genus <i>Amphicteis</i> (Polychaeta: Ampharetidae) collected by the BIOICE project in Icelandic waters. <i>Journal of Natural History</i> , 2011, 45, 1477-1499.	0.5	20
72	Sphaerodorids (Polychaeta, Sphaerodoridae) from the continental margin off NW Iberian Peninsula, with first record of <i>Sphaerodoropsis sibuetae</i> and <i>S. amoureuxi</i> since original description. <i>Graellsia</i> , 2011, 67, 23-33.	0.2	2

#	ARTICLE	IF	CITATIONS
73	Temporal dynamics of gastropod fauna on subtidal sandy sediments of the Ensenada de Baiona (NW) Tj ETQq1 1 0.784314 rgBT /Overlock 1.3	rgBT	1
74	First record of <i>Pisione guanche</i> (Polychaeta: Pisionidae) at the Azores archipelago. Marine Biodiversity Records, 2010, 3, .	1.2	2
75	First record of <i>Periocolodes aequimanus</i> (Crustacea: Amphipoda) in the north-east Atlantic, with remarks on taxonomic characters. Marine Biodiversity Records, 2010, 3, .	1.2	4
76	Spatial distribution of benthic macrofauna in subtidal sediments of the RÃa de AldÃn (Galicia,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	rgBT	10
77	Leptostracans (Crustacea: Phyllocarida) from the RÃa de Ferrol (Galicia, NW Iberian Peninsula), with description of a new species of <em>Nebalia</em> Leach, 1814. Scientia Marina, 2009, 73, 269-285.	0.6	15
78	Redescription of <i>Terebellides kerguelensis</i> stat. nov. (Polychaeta: Trichobranchidae) from Antarctic and subantarctic waters. Helgoland Marine Research, 2008, 62, 143-152.	1.3	15
79	Assemblages of peracarid crustaceans in subtidal sediments from the RÃa de AldÃn (Galicia, NW Spain). Helgoland Marine Research, 2008, 62, 289-301.	1.3	45
80	Diversity and temporal variation of peracarid fauna (Crustacea: Peracarida) in the shallow subtidal of a sandy beach: Playa AmÃ©rica (Galicia, NW Spain). Marine Ecology, 2008, 29, 12-18.	1.1	20
81	Revision of three species of <i>Terebellides</i> (Polychaeta: Trichobranchidae) described by C. Hessle in 1917 from the Southern Ocean. Journal of Natural History, 2008, 42, 1261-1275.	0.5	10
82	Diversity and distribution of peracarid crustaceans in shallow subtidal soft bottoms at the Ensenada de Baiona (Galicia, N.W. Spain). Crustaceana, 2008, 81, 1069-1089.	0.3	14
83	DistribuciÃ³n de los poliquetos de fondos blandos en una rÃa gallega (NO EspaÃ±a). Scientia Marina, 2008, 72, 655-667.	0.6	12
84	First occurrence of <i>Nebalia straus</i> Risso, 1827 (Phyllocarida, Leptostraca) in the Levantine Basin (eastern Mediterranean). Crustaceana, 2007, 80, 447-453.	0.3	8
85	A new species of <i>Synelmis</i> (Annelida: Polychaeta: Pilargidae) from the continental slope off Galicia (north-western Iberian peninsula). Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 1117-1120.	0.8	1
86	<i>Nebalia kocatasi</i> sp. nov., a new species of leptostracan (Crustacea: Phyllocarida) from Izmir Bay (Aegean Sea, eastern Mediterranean). Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 1247-1254.	0.8	14
87	Maintenance of chitons on seawalls using crevices on sandstone blocks as habitat in Sydney Harbour, Australia. Journal of Experimental Marine Biology and Ecology, 2007, 347, 134-143.	1.5	51
88	Seawalls do not sustain viable populations of limpets. Marine Ecology - Progress Series, 2006, 322, 179-188.	1.9	76
89	Spatial distribution of soft-bottom polychaete annelids in the Ensenada de Baiona (RÃa de Vigo, Galicia,) Tj ETQq1 1 0.784314 rgBT /Ove 0.6	rgBT	22
90	A new species of <i>Sphaerodoropsis</i> (Polychaeta: Sphaerodoridae) from north-east Atlantic, with comments on other species of the genus. Journal of the Marine Biological Association of the United Kingdom, 2004, 84, 995-1000.	0.8	11

#	ARTICLE	IF	CITATIONS
91	Two new species of <i>Sarsinebalia</i> (Crustacea, Leptostraca) from the Northeast Atlantic, with comments on the genus. <i>Sarsia</i> , 2003, 88, 189-209.	0.5	9
92	Nebalia troncosoi sp. nov., a new species of leptostracan (Crustacea: Phyllocarida: Leptostraca) from Galicia, Iberian Peninsula (north-east Atlantic). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003, 83, 341-350.	0.8	11
93	< i>Pisone parapari</i>n. sp., a New Pisionid from the North-East Atlantic (Polychaeta: Pisionidae). <i>Ophelia</i> , 2000, 52, 177-182.	0.3	7
94	Leptostracans (Crustacea: Phyllocarida) from mud volcanoes at the Gulf of Cadiz (NE Atlantic) with description of a new species of <i>Sarsinebalia</i> Dahl, 1985. <i>European Journal of Taxonomy</i> , 0, 736, 102-136.	0.6	4
95	Spatio-temporal distribution of leptostracans (Crustacea: Phyllocarida) at the Ensenada de Baiona (Galicia, NW Spain). <i>Frontiers in Marine Science</i> , 0, 3, .	2.5	0
96	Changes in the historical distribution of <i>Littorina littorea</i> (Linnaeus, 1758) along the Atlantic coast of the Iberian Peninsula. <i>Frontiers in Marine Science</i> , 0, 3, .	2.5	0
97	Temporal variation of the family Spionidae (Annelida: Polychaeta) in two subtidal muddy bottoms of the RÃa de AldÃ;n (Galicia, NW Iberian Peninsula). <i>Frontiers in Marine Science</i> , 0, 3, .	2.5	0
98	Crustacean diversity in subtidal sediments of the highly urbanized RÃa de Ferrol (Galicia, NW Spain). <i>Frontiers in Marine Science</i> , 0, 3, .	2.5	0
99	New advances in the study of the biodiversity of the SCI "Volcanes de fango del golfo de CÃ¡diz" (southwestern Spanish Margin). <i>Frontiers in Marine Science</i> , 0, 6, .	2.5	0