

Yong In

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3053730/publications.pdf>

Version: 2024-02-01

123
papers

2,036
citations

257450

24
h-index

330143

37
g-index

127
all docs

127
docs citations

127
times ranked

2047
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in Use of Total Knee Arthroplasty in Korea From 2001 to 2010. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 1441-1450.	1.5	141
2	Duloxetine Reduces Pain and Improves Quality of Recovery Following Total Knee Arthroplasty in Centrally Sensitized Patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 64-73.	3.0	99
3	Differences in Patient-Reported Outcomes Between Unicompartmental and Total Knee Arthroplasties: A Propensity Score-Matched Analysis. <i>Journal of Arthroplasty</i> , 2017, 32, 1453-1459.	3.1	84
4	Comparison of treatment with preservative-free versus preserved sodium hyaluronate 0.1% and fluorometholone 0.1% eyedrops after cataract surgery in patients with preexisting dry-eye syndrome. <i>Journal of Cataract and Refractive Surgery</i> , 2015, 41, 756-763.	1.5	63
5	Trends in High Tibial Osteotomy and Knee Arthroplasty Utilizations and Demographics in Korea From 2009 to 2013. <i>Journal of Arthroplasty</i> , 2015, 30, 939-944.	3.1	58
6	Complications Associated With Medial Opening-Wedge High Tibial Osteotomy Using a Locking Plate: A Multicenter Study. <i>Journal of Arthroplasty</i> , 2019, 34, 439-445.	3.1	48
7	Predictive factors for satisfaction after contemporary unicompartmental knee arthroplasty and high tibial osteotomy in isolated medial femorotibial osteoarthritis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 77-83.	2.0	46
8	Factors Affecting Flexion Gap Tightness in Cruciate-Retaining Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2009, 24, 317-321.	3.1	43
9	The Ocular Benefits of Estrogen Replacement Therapy: A Population-Based Study in Postmenopausal Korean Women. <i>PLoS ONE</i> , 2014, 9, e106473.	2.5	43
10	Collagen Augmentation Improves the Quality of Cartilage Repair After Microfracture in Patients Undergoing High Tibial Osteotomy: A Randomized Controlled Trial. <i>American Journal of Sports Medicine</i> , 2017, 45, 1845-1855.	4.2	42
11	Are the Oxford Â® medial unicompartmental knee arthroplasty new instruments reducing the bearing dislocation risk while improving components relationships? A case control study. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 183-187.	2.0	40
12	Intraoperative adjustment of alignment under valgus stress reduces outliers in patients undergoing medial opening-wedge high tibial osteotomy. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017, 137, 1035-1045.	2.4	40
13	Unicompartmental knee arthroplasty is superior to high tibial osteotomy in post-operative recovery and participation in recreational and sports activities. <i>International Orthopaedics</i> , 2019, 43, 2493-2501.	1.9	39
14	How Does Preoperative Central Sensitization Affect Quality of Life Following Total Knee Arthroplasty?. <i>Journal of Arthroplasty</i> , 2020, 35, 2044-2049.	3.1	37
15	Repair of a radial tear in the posterior horn of the lateral meniscus. <i>Knee</i> , 2014, 21, 1185-1190.	1.6	36
16	Condylar-Stabilizing Tibial Inserts Do Not Restore Anteroposterior Stability After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 587-591.	3.1	36
17	Antioxidant and Inflammatory Cytokine in Tears of Patients With Dry Eye Syndrome Treated With Preservative-Free Versus Preserved Eye Drops. , 2014, 55, 5081.		34
18	Arthroscopic fixation of anterior cruciate ligament tibial avulsion fractures using bioabsorbable suture anchors. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2008, 16, 286-289.	4.2	33

#	ARTICLE	IF	CITATIONS
19	Semimembranosus Release as the Second Step of Soft Tissue Balancing in Varus Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2013, 28, 273-278.	3.1	33
20	Central Sensitization Is a Risk Factor for Persistent Postoperative Pain and Dissatisfaction in Patients Undergoing Revision Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 1740-1748.	3.1	32
21	The Minimal Clinically Important Difference (MCID) for the WOMAC and Factors Related to Achievement of the MCID After Medial Opening Wedge High Tibial Osteotomy for Knee Osteoarthritis. <i>American Journal of Sports Medicine</i> , 2021, 49, 2406-2415.	4.2	31
22	Epidemiology of Bearing Dislocations After Mobile-Bearing Unicompartmental Knee Arthroplasty: Multicenter Analysis of 67 Bearing Dislocations. <i>Journal of Arthroplasty</i> , 2020, 35, 265-271.	3.1	30
23	The Leukocyte Esterase Strip Test has Practical Value for Diagnosing Periprosthetic Joint Infection After Total Knee Arthroplasty: A Multicenter Study. <i>Journal of Arthroplasty</i> , 2017, 32, 3519-3523.	3.1	28
24	Lipoma arborescens of the glenohumeral joint: a possible cause of osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2008, 16, 794-796.	4.2	25
25	Are Midterm Patient-Reported Outcome Measures Between Rotating-Platform Mobile-Bearing Prosthesis and Medial-Pivot Prosthesis Different? A Minimum of 5-Year Follow-Up Study. <i>Journal of Arthroplasty</i> , 2017, 32, 824-829.	3.1	25
26	Comparison of Anterior-Stabilized and Posterior-Stabilized Total Knee Arthroplasty in the Same Patients: A Prospective Randomized Study. <i>Journal of Arthroplasty</i> , 2019, 34, 1682-1689.	3.1	24
27	Microfractures Versus a Porcine-Derived Collagen-Augmented Chondrogenesis Technique for Treating Knee Cartilage Defects: A Multicenter Randomized Controlled Trial. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 1612-1624.	2.7	24
28	Agreements between different methods of gap balance estimation in cruciate-retaining total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 60-64.	4.2	23
29	Efficacy and Safety of a Novel Three-Step Medial Release Technique in Varus Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2015, 30, 1542-1547.	3.1	22
30	The Patient's Age and American Society of Anesthesiologists Status Are Reasonable Criteria for Deciding Whether to Perform Same-Day Bilateral TKA. <i>Journal of Arthroplasty</i> , 2015, 30, 770-775.	3.1	21
31	Patients undergoing total knee arthroplasty using a contemporary patella-friendly implant are unaware of any differences due to patellar resurfacing. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 1156-1164.	4.2	21
32	Comparison of Joint Perception Between Posterior-Stabilized and Ultracongruent Total Knee Arthroplasty in the Same Patient. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 44-52.	3.0	21
33	Long-term outcomes of penetrating keratoplasty in keratoconus: analysis of the factors associated with final visual acuities. <i>International Journal of Ophthalmology</i> , 2014, 7, 517-21.	1.1	21
34	Is High-Flexion Total Knee Arthroplasty a Valid Concept? Bilateral Comparison With Standard Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 802-808.	3.1	20
35	Correcting Severe Varus Deformity Using Trial Components During Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 1488-1495.	3.1	20
36	Use of All-polyethylene Tibial Components in Unicompartmental Knee Arthroplasty Increases the Risk of Early Failure. <i>Journal of Knee Surgery</i> , 2017, 30, 807-815.	1.6	19

#	ARTICLE	IF	CITATIONS
37	Effectiveness and tolerability of transdermal buprenorphine patches: a multicenter, prospective, open-label study in Asian patients with moderate to severe chronic musculoskeletal pain. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 337.	1.9	19
38	What Factors Predict Patient Dissatisfaction After Contemporary Medial Opening-Wedge High Tibial Osteotomy?. <i>Journal of Arthroplasty</i> , 2020, 35, 318-324.	3.1	19
39	Does Patient Perception Differ Following Adductor Canal Block and Femoral Nerve Block in Total Knee Arthroplasty? A Simultaneous Bilateral Randomized Study. <i>Journal of Arthroplasty</i> , 2017, 32, 1856-1861.	3.1	18
40	Central sensitization is a risk factor for wound complications after primary total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3419-3428.	4.2	18
41	Large Thigh Girth is a Relative Contraindication for the Subvastus Approach in Primary Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2007, 22, 569-573.	3.1	17
42	Calpain and Caspase-12 Expression in Lens Epithelial Cells of Diabetic Cataracts. <i>American Journal of Ophthalmology</i> , 2016, 167, 31-37.	3.3	17
43	The Patient's Perception Does Not Differ Following Subvastus and Medial Parapatellar Approaches in Total Knee Arthroplasty: A Simultaneous Bilateral Randomized Study. <i>Journal of Arthroplasty</i> , 2016, 31, 112-117.	3.1	17
44	Early experience of lateral hinge fracture during medial opening-wedge high tibial osteotomy: incidence and clinical outcomes. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 161-169.	2.4	17
45	Cruciate-Retaining Stemmed Total Knee Arthroplasty for Supracondylar-Intercondylar Femoral Fractures in Elderly Patients. <i>Journal of Arthroplasty</i> , 2006, 21, 1074-1079.	3.1	16
46	TKA using the subvastus approach and lateral retinacular release in patients with permanent post-traumatic patellar dislocation: a report of two cases. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 254-259.	4.2	16
47	Risk factors and preventive strategy for excessive coronal inclination of tibial plateau following medial opening-wedge high tibial osteotomy. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 561-569.	2.4	16
48	Intra-articular Injection of Type I Atelocollagen to Alleviate Knee Pain: A Double-Blind, Randomized Controlled Trial. <i>Cartilage</i> , 2021, 13, 342S-350S.	2.7	15
49	Superficial and Deep Medial Collateral Ligament Reconstruction for Chronic Medial Instability of the Knee. <i>Arthroscopy Techniques</i> , 2019, 8, e549-e554.	1.3	15
50	Minimal Clinically Important Differences for Patient-Reported Outcomes After TKA Depend on Central Sensitization. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1374-1382.	3.0	15
51	Expression of p53 and caspase-8 in lens epithelial cells of diabetic cataract. <i>Journal of Cataract and Refractive Surgery</i> , 2014, 40, 1102-1108.	1.5	14
52	Direct visualization of aqueous tear secretion from lacrimal gland. <i>Acta Ophthalmologica</i> , 2017, 95, e314-e322.	1.1	14
53	Preemptive Duloxetine Relieves Postoperative Pain and Lowers Wound Temperature in Centrally Sensitized Patients Undergoing Total Knee Arthroplasty: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 2809.	2.4	14
54	Biomechanical comparison of three techniques for fixation of tibial avulsion fractures of the anterior cruciate ligament. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 1470-1478.	4.2	13

#	ARTICLE	IF	CITATIONS
55	Fracture of titanium nitride-coated femoral component after total knee arthroplasty. <i>Knee</i> , 2014, 21, 871-874.	1.6	13
56	Detachment of the tip of a motorized shaver Within the knee joint: a complication of arthroscopic surgery. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2003, 19, e25-e27.	2.7	12
57	Comparison of macular thickness and inflammatory cytokine levels after microincision versus small incision coaxial cataract surgery. <i>Acta Ophthalmologica</i> , 2016, 94, e189-94.	1.1	12
58	2-Octyl Cyanoacrylate Topical Adhesive as an Alternative to Subcuticular Suture for Skin Closure After Total Knee Arthroplasty: A Randomized Controlled Trial in the Same Patient. <i>Journal of Arthroplasty</i> , 2021, 36, 3141-3147.	3.1	12
59	Degree of Preoperative Subchondral Bone Marrow Lesion Is Associated With Postoperative Outcome After Medial Opening Wedge High Tibial Osteotomy. <i>American Journal of Sports Medicine</i> , 2019, 47, 2454-2463.	4.2	11
60	Diagnosis of Central Sensitization and Its Effects on Postoperative Outcomes following Total Knee Arthroplasty: A Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2022, 12, 1248.	2.6	11
61	Recurrent dissociation of the tibial insert after mini-subvastus posterior-stabilized total knee arthroplasty: A case report. <i>Knee</i> , 2011, 18, 461-463.	1.6	10
62	Effect of Total Knee Arthroplasty on Metabolic Syndrome. <i>Journal of Arthroplasty</i> , 2010, 25, 1110-1114.	3.1	9
63	Optical Coherence Tomography Imaging of Human Lacrimal Glands: An In Vivo Study. <i>Ophthalmology</i> , 2015, 122, 2364-2366.	5.2	9
64	Femoral offset guide facilitates accurate and precise femoral tunnel placement for single-bundle anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3505-3512.	4.2	9
65	Preoperative Medial Meniscal Extrusion Is Associated With Patient-Reported Outcomes After Medial Opening Wedge High Tibial Osteotomy. <i>American Journal of Sports Medicine</i> , 2020, 48, 2376-2386.	4.2	9
66	Changes in joint space width over time and risk factors for deterioration of joint space width after medial opening-wedge high tibial osteotomy. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 2513-2524.	2.4	9
67	Efficacy of duloxetine compared with opioid for postoperative pain control following total knee arthroplasty. <i>PLoS ONE</i> , 2021, 16, e0253641.	2.5	9
68	Corneal stromal damage through the eyelid after tightening using intense focused ultrasound. <i>Canadian Journal of Ophthalmology</i> , 2015, 50, e54-e57.	0.7	8
69	Biomechanical comparison of different tendon suturing techniques for three-stranded all-inside anterior cruciate ligament grafts. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1101-1106.	2.0	8
70	A novel method for quantifying the biomechanical parameters of orbital soft tissue using a corneal dynamic scheimpflug analyser: a retrospective study. <i>BMC Ophthalmology</i> , 2019, 19, 53.	1.4	8
71	Direct Visualization of Continuous Meibum Secretion From the Orifices of Meibomian Glands to the Tear Film. <i>Cornea</i> , 2019, 38, 1245-1252.	1.7	8
72	Molecular analysis of the CHST6 gene in Korean patients with macular corneal dystrophy: Identification of three novel mutations. <i>Molecular Vision</i> , 2015, 21, 1201-9.	1.1	8

#	ARTICLE	IF	CITATIONS
73	Lipid layer thickness decrease due to meibomian gland dysfunction leads to tear film instability and reflex tear secretion. <i>Annals of Medicine</i> , 2022, 54, 893-899.	3.8	8
74	Autologous Impaction Bone Grafting for Bone Defects of the Medial Tibia Plateau During Primary Total Knee Arthroplasty: Propensity Score Matched Analysis With a Minimum of 7-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2018, 33, 2465-2470.	3.1	7
75	Patient Expectations and Satisfaction After Medial Opening Wedge High Tibial Osteotomy. <i>Journal of Arthroplasty</i> , 2020, 35, 3467-3473.	3.1	7
76	Cross-pin femoral fixation for hamstring posterior cruciate ligament reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2004, 20, e29-e33.	2.7	6
77	Medial Meniscal Ramp Lesion Repair Through Anterior Portals Using a Medial Collateral Ligament Pie-Crusting Technique. <i>Arthroscopy Techniques</i> , 2021, 10, e1073-e1077.	1.3	6
78	Efficacy and Safety of Intravenous Ferric Carboxymaltose in Patients with Postoperative Anemia Following Same-Day Bilateral Total Knee Arthroplasty: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 1457.	2.4	6
79	Intra-Articular Injection of a Novel DVS Cross-Linked Hyaluronic Acid Manufactured by Biological Fermentation (YYD302) in Patients With Knee Osteoarthritis: A Double-Blind, Randomized, Multicenter, Noninferiority Study. <i>Clinical Therapeutics</i> , 2021, 43, 1843-1860.	2.5	6
80	Can Enoxaparin Reduce Thromboembolism Related Events After Primary TKA In Asian Patients?. <i>Journal of Arthroplasty</i> , 2013, 28, 1862-1867.	3.1	5
81	Fungal hyphae growing into anterior chamber from cornea. <i>Canadian Journal of Ophthalmology</i> , 2014, 49, e151-e154.	0.7	5
82	Infectious Achilles Tendinitis After Local Injection of Human Placental Extracts: A Case Report. <i>Journal of Foot and Ankle Surgery</i> , 2015, 54, 1193-1196.	1.0	5
83	Is Routine Thromboprophylaxis Needed in Korean Patients Undergoing Unicompartmental Knee Arthroplasty?. <i>Journal of Korean Medical Science</i> , 2016, 31, 443.	2.5	5
84	Easy and effective test to evaluate tear-film stability for self-diagnosis of dry eye syndrome: blinking tolerance time (BTT). <i>BMC Ophthalmology</i> , 2020, 20, 438.	1.4	5
85	Centrally sensitized patients undergoing total knee arthroplasty have higher expectations than do non-centrally sensitized patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1257-1265.	4.2	5
86	Intravenous Tranexamic Acid Has Benefit for Reducing Blood Loss after Open-Wedge High Tibial Osteotomy: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 3272.	2.4	5
87	Cross-cultural adaptation and validation of the Korean version of the Central Sensitization Inventory in patients undergoing total knee arthroplasty for knee osteoarthritis. <i>PLoS ONE</i> , 2020, 15, e0242912.	2.5	5
88	Posterior Cruciate Ligament Reconstruction with Retrograde Femoral Technique, Posterior Trans-septal Portal and Full Tibial Tunnel. <i>Arthroscopy Techniques</i> , 2017, 6, e973-e978.	1.3	4
89	The Effect of Corneal Higher Order Aberrations on Postoperative Residual Astigmatism after Toric IOL Implantation. <i>Seminars in Ophthalmology</i> , 2019, 34, 138-145.	1.6	4
90	Income and Education are Independently Associated with Visual Impairment: The Korean National Health and Nutrition Examination Survey 2010-2012. <i>Seminars in Ophthalmology</i> , 2019, 34, 131-136.	1.6	4

#	ARTICLE	IF	CITATIONS
91	Isometric Anterolateral Ligament Reconstruction Using the Semitendinosus Tendon With Suspensory Tibial Fixation. <i>Arthroscopy Techniques</i> , 2020, 9, e941-e945.	1.3	4
92	Total knee arthroplasty in femoral bowing: does patient specific instrumentation have something to add? A randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 321.	1.9	4
93	Is the patient aware of the difference between resurfaced and nonresurfaced patella after bilateral total knee arthroplasty? A systematic review of simultaneous bilateral randomized trials. <i>Knee Surgery and Related Research</i> , 2022, 34, 4.	4.2	4
94	A case of concomitant keratoconus and granular corneal dystrophy type II. <i>Contact Lens and Anterior Eye</i> , 2014, 37, 314-316.	1.7	3
95	Semimembranosus Release for Medial Soft Tissue Balancing Does Not Weaken Knee Flexion Strength in Patients Undergoing Varus Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 2481-2486.	3.1	3
96	A Mutation in ZNF143 as a Novel Candidate Gene for Endothelial Corneal Dysplasia. <i>Journal of Clinical Medicine</i> , 2019, 8, 1174.	2.4	3
97	Variation in Graft Bending Angle During Range of Motion in Single-Bundle Posterior Cruciate Ligament Reconstruction: A 3-Dimensional Computed Tomography Analysis of 2 Techniques. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1183-1194.	2.7	3
98	Association of bone mineral density with the development of knee osteoarthritis in men and women: a cross-sectional study using the fourth and fifth Korea National Health and Nutrition Examination Surveys. <i>Archives of Osteoporosis</i> , 2020, 15, 117.	2.4	3
99	Does central sensitization affect hyperalgesia after staged bilateral total knee arthroplasty? A randomized controlled trial. <i>Journal of International Medical Research</i> , 2020, 48, 030006052093893.	1.0	3
100	Modified hybrid cementing technique reduces stem tip pain and improves patient's satisfaction after revision total knee arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 393.	2.3	3
101	Toric intraocular lens implantation in cataract patients with corneal opacity. <i>BMC Ophthalmology</i> , 2020, 20, 98.	1.4	3
102	Clinical differences between toric intraocular lens (IOL) and monofocal intraocular lens (IOL) implantation when myopia is determined as target refraction. <i>BMC Ophthalmology</i> , 2021, 21, 203.	1.4	3
103	The Effect of Toric Intraocular Lens Implantation in Irregular Corneal Steep and Flat Meridian. <i>Journal of Ophthalmology</i> , 2021, 2021, 1-6.	1.3	3
104	The Correlation between Matrix Metalloproteinase-9 Point-of-Care Immunoassay, Tear Film Osmolarity, and Ocular Surface Parameters. <i>Journal of Ophthalmology</i> , 2022, 2022, 1-7.	1.3	3
105	Intravenous Ferric Carboxymaltose Improves Response to Postoperative Anemia Following Total Knee Arthroplasty: A Prospective Randomized Controlled Trial in Asian Cohort. <i>Journal of Clinical Medicine</i> , 2022, 11, 2357.	2.4	3
106	Operative Treatment of Hallux Valgus. <i>Journal of Korean Foot and Ankle Society</i> , 2014, 18, 48.	0.1	2
107	Corneal swelling caused by conventional and new-design low-Dk soft contact lenses following a 10-day daily wear trial regime. <i>Contact Lens and Anterior Eye</i> , 2014, 37, 38-43.	1.7	2
108	Anterior Synechiolysis with Healon Needle and Ophthalmic Viscosurgical Devices after Anterior Lamellar Dissection in Penetrating Keratoplasty. <i>Seminars in Ophthalmology</i> , 2015, 31, 1-5.	1.6	2

#	ARTICLE	IF	CITATIONS
109	Comparison of implant position and joint awareness between fixed- and mobile-bearing unicompartmental knee arthroplasty: a minimum of five-year follow-up study. <i>International Orthopaedics</i> , 2020, 44, 2329-2336.	1.9	2
110	Measuring Defocus Curves of Monofocal, Multifocal and Extended Depth-of-focus Intraocular Lenses Using Optical Bench Test. <i>Journal of Korean Ophthalmological Society</i> , 2020, 61, 153.	0.2	2
111	Porcine-Derived Collagen-Augmented Chondrogenesis Technique for Treating Knee Cartilage Defects. <i>JBJS Essential Surgical Techniques</i> , 2021, 11, .	0.8	2
112	Alignment adjustment using the Valgus stress technique can increase the surgical accuracy of novice surgeons during medial opening-wedge high Tibial osteotomy. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 585.	1.9	2
113	Influence of increased pain sensitivity on patient-reported outcomes following total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 782-790.	4.2	2
114	A Multicenter, Randomized, Double-Blinded, Parallel-Group, Placebo-Controlled Phase I/IIa Study to Evaluate the Efficacy and Safety of a Single Intra-Articular Injection of YYD302 in Patients with Knee Osteoarthritis. <i>Journal of Clinical Medicine</i> , 2022, 11, 1482.	2.4	2
115	The Changes of Corneal Endothelium in Rabbit according to Storage Temperature and Enucleation Time. <i>Journal of Korean Ophthalmological Society</i> , 2008, 49, 309.	0.2	1
116	Does non-contact or delayed contact of an adjustable-loop femoral button affect knee stability following anterior cruciate ligament reconstruction?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 1407-1415.	2.4	1
117	Symptomatic bilateral massive pulmonary embolism and proximal and distal deep vein thrombosis following arthroscopic meniscus surgery. <i>Medicine (United States)</i> , 2021, 100, e25372.	1.0	1
118	Efficacy and safety of celecoxib combined with JOINS in the treatment of degenerative knee osteoarthritis: study protocol of a randomized controlled trial. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2110240.	2.7	1
119	Comparison of Efficacies in Treating Astigmatism between Toric Intraocular Lens Implantation and Limbal Relaxing Incision. <i>Journal of Korean Ophthalmological Society</i> , 2017, 58, 1225.	0.2	1
120	A Comparison of Three Different Thick Epinucleus Removal Techniques in Cataract Surgery. <i>Seminars in Ophthalmology</i> , 2017, 32, 285-290.	1.6	0
121	Reply. <i>Cornea</i> , 2019, 38, e34-e34.	1.7	0
122	Bone Formation of Cultured Osteoblasts in Bone Defect of Radial Shaft of Rabbit. <i>The Journal of the Korean Orthopaedic Association</i> , 2005, 40, 76.	0.1	0
123	Preventive and Mitigative Effects of Alendronate on Osteolysis induced by Particulate Debris: Quantitative and Comparative Analysis Using Mouse Calvarial Model. <i>The Journal of the Korean Orthopaedic Association</i> , 2005, 40, 216.	0.1	0