

# Silvia Mateos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3053853/publications.pdf>

Version: 2024-02-01

56

papers

2,917

citations

159358

30

h-index

189595

50

g-index

57

all docs

57

docs citations

57

times ranked

2746

citing authors

#	ARTICLE	IF	CITATIONS
1	The XMM-Newton serendipitous survey. <i>Astronomy and Astrophysics</i> , 2009, 493, 339-373.	2.1	414
2	XMM-Newton observation of the Lockman Hole. <i>Astronomy and Astrophysics</i> , 2001, 365, L45-L50.	2.1	307
3	Using the Bright Ultrahard XMM-Newton survey to define an IR selection of luminous AGN based on WISE colours. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 3271-3281.	1.6	251
4	The unresolved hard X-ray background: the missing source population implied by the Chandra and XMM-Newton deep fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 357, 1281-1287.	1.6	176
5	The Subaru/XMM-Newton Deep Survey (SXDS). III. X-ray Data. <i>Astrophysical Journal, Supplement Series</i> , 2008, 179, 124-141.	3.0	160
6	2XMM ultraluminous X-ray source candidates in nearby galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 416, 1844-1861.	1.6	125
7	The cosmological properties of AGN in the XMM-Newton Hard Bright Survey. <i>Astronomy and Astrophysics</i> , 2008, 487, 119-130.	2.1	84
8	Uncovering obscured luminous AGN with WISE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 941-955.	1.6	80
9	XMM-Newton observations of the Lockman Hole IV: spectra of the brightest AGN. <i>Astronomy and Astrophysics</i> , 2005, 444, 79-99.	2.1	79
10	Revisiting the relationship between $6.7^{+1.4}_{-1.4}$ m and $2.3^{+0.4}_{-0.4}$ keV continuum luminosities of AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 449, 1422-1440.	1.6	79
11	High precision X-ray log N vs log S distributions: implications for the obscured AGN population. <i>Astronomy and Astrophysics</i> , 2008, 492, 51-69.	2.1	72
12	The (un)resolved X-ray background in the Lockman Hole. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 352, L28-L33.	1.6	64
13	The XMM-Newton serendipitous survey. <i>Astronomy and Astrophysics</i> , 2007, 469, 27-46.	2.1	59
14	WISE colours and star formation in the host galaxies of radio-loud narrow-line Seyfert 1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 451, 1795-1805.	1.6	57
15	New constraints on the X-ray spectral properties of type 1 active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 417, 992-1012.	1.6	55
16	X-ray spectra of XMM-Newton serendipitous medium flux sources. <i>Astronomy and Astrophysics</i> , 2005, 433, 855-873.	2.1	54
17	XMM-Newton observations of the Lockman Hole. <i>Astronomy and Astrophysics</i> , 2005, 432, 395-400.	2.1	49
18	The XMM-Newton Wide Angle Survey (XWAS): the X-ray spectrum of type-1 AGN. <i>Astronomy and Astrophysics</i> , 2010, 510, A35.	2.1	49

#	ARTICLE	IF	CITATIONS
19	A new, clean catalogue of extragalactic non-nuclear X-ray sources in nearby galaxies. Monthly Notices of the Royal Astronomical Society, 2019, 483, 5554-5573.	1.6	47
20	Studying the relationship between X-ray emission and accretion in AGN using the XMM-Newton Bright Serendipitous Survey. Monthly Notices of the Royal Astronomical Society, 2013, 433, 648-658.	1.6	45
21	X-RAY ABSORPTION, NUCLEAR INFRARED EMISSION, AND DUST COVERING FACTORS OF AGNs: TESTING UNIFICATION SCHEMES. Astrophysical Journal, 2016, 819, 166.	1.6	43
22	The <i>XMM-Newton</i> serendipitous survey. Astronomy and Astrophysics, 2007, 476, 1191-1203.	2.1	40
23	Survival of the Obscuring Torus in the Most Powerful Active Galactic Nuclei. Astrophysical Journal Letters, 2017, 841, L18.	3.0	39
24	Evidence for a large fraction of Compton-thick quasars at high redshift. Monthly Notices of the Royal Astronomical Society: Letters, 2007, 379, L6-L10.	1.2	38
25	The near-to-mid infrared spectrum of quasars. Monthly Notices of the Royal Astronomical Society, 2016, 463, 2064-2078.	1.6	37
26	On the intensity of the extragalactic X-ray background. Monthly Notices of the Royal Astronomical Society, 2000, 316, L13-L16.	1.6	36
27	Statistical evaluation of the flux cross-calibration of the XMM- <i>Newton</i> EPIC cameras. Astronomy and Astrophysics, 2009, 496, 879-889.	2.1	35
28	The XMM large scale structure survey: optical vs. X-ray classifications of active galactic nuclei and the unified scheme. Astronomy and Astrophysics, 2007, 474, 473-489.	2.1	34
29	Torus model properties of an ultra-hard X-ray selected sample of Seyfert galaxies. Monthly Notices of the Royal Astronomical Society, 2019, 486, 4917-4935.	1.6	34
30	Average Fe K\$mathsf{\alpha}\$ emission from distant AGN. Astronomy and Astrophysics, 2008, 492, 71-80.	2.1	33
31	High-precision multi-band measurements of the angular clustering of X-ray sources. Astronomy and Astrophysics, 2009, 500, 749-762.	2.1	30
32	Detectability of low-energy X-ray spectral components in type 1 active galactic nuclei. Monthly Notices of the Royal Astronomical Society, 2012, 423, 2633-2641.	1.6	28
33	<i>XMM-Newton</i> observations of the Lockman Hole. Astronomy and Astrophysics, 2007, 473, 105-120.	2.1	26
34	X-ray absorption in distant type-I QSOs. Astronomy and Astrophysics, 2008, 483, 415-424.	2.1	23
35	The <i>XMM-Newton</i> SSC survey of the Galactic plane. Astronomy and Astrophysics, 2013, 553, A12.	2.1	20
36	<i>Suzaku</i> observation of the LINER NCC 4102. Astronomy and Astrophysics, 2011, 527, A142.	2.1	19

#	ARTICLE	IF	CITATIONS
37	Simultaneous X-ray and optical spectroscopy of the Seyfert galaxy Mrk4993. <i>Astronomy and Astrophysics</i> , 2005, 431, 97-102.	2.1	16
38	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 556, A114.	2.1	12
39	An extreme EXO: a type 2 QSO at $z < i>z \approx 1.87$ . <i>Astronomy and Astrophysics</i> , 2009, 493, 445-451.	2.1	9
40	The XMM-Newton Wide Angle Survey (XWAS). <i>Astronomy and Astrophysics</i> , 2013, 557, A123.	2.1	9
41	A multi-wavelength survey of AGN in the XMM-LSS field. <i>Astronomy and Astrophysics</i> , 2009, 494, 579-589.	2.1	8
42	Swift follow-up of unidentified X-ray sources in the XMM-Newton Slew Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 412, 1853-1869.	1.6	8
43	The XMM-Newton Bright Survey sample of absorbed quasars: X-ray and accretion properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 2580-2598.	1.6	7
44	Submm-bright X-ray-absorbed QSOs at $z \approx 1/4$ : insights into the coevolution of AGN and star formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 448, 75-89.	1.6	7
45	The XMM-Newton Survey Science Centre Medium Sensitivity Survey. <i>Astronomische Nachrichten</i> , 2003, 324, 44-47.	0.6	6
46	Exploring the active galactic nuclei population with extreme X-ray-to-optical flux ratios ( $f_x/f_o > 50$ ). <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 3227-3242.	1.6	5
47	Black-hole masses of type I AGN in the <i>XMM-Newton</i> bright serendipitous survey. <i>Astronomy and Astrophysics</i> , 2013, 549, A119.	2.1	4
48	Disentangling Accretion Disk and Dust Emissions in the Infrared Spectrum of Type 1 AGN. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	1.1	2
49	The bi-variate log N-log S. <i>Astronomische Nachrichten</i> , 2003, 324, 157-157.	0.6	1
50	Searching for absorbed AGN in the 2XMM-Newton pre-release EPIC Serendipitous Source Catalogue. <i>Astronomy and Astrophysics</i> , 2007, 465, 759-764.	2.1	1
51	X-RAY SPECTRA OF XMM-NEWTON AGN FROM MEDIUM AND DEEP SURVEYS. , 2004, , .		1
52	X-ray spectra of XMM-Newton AXIS serendipitous sources. <i>Astronomische Nachrichten</i> , 2003, 324, 48-51.	0.6	0
53	On the arcmin structure of the X-ray Universe. , 2010, , .		0
54	The X-ray Continuum Slope of Quasars. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
55	THE RESOLVED X-RAY BACKGROUND IN THE LOCKMAN HOLE. , 2004, , .	0	0
56	Average Iron Line Emission from Distant AGN. Thirty Years of Astronomical Discovery With UKIRT, 2010, , 273-273.	0.3	0