

Constadina Panagiotopoulos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3055986/publications.pdf>

Version: 2024-02-01

75
papers

2,914
citations

230014

27
h-index

190340

53
g-index

78
all docs

78
docs citations

78
times ranked

4477
citing authors

#	ARTICLE	IF	CITATIONS
1	The FTO rs9939609 Variant Is Associated with Cardiometabolic Disease Risk and Dietary Energy Intakes in Children with Mental Health Disorders. <i>Current Developments in Nutrition</i> , 2022, 6, nzac014.	0.1	1
2	Glomerular Filtration Rate Abnormalities in Children With Type 1 Diabetes. <i>Canadian Journal of Diabetes</i> , 2022, 46, 457-463.e1.	0.4	2
3	Albuminuria screening in children with type 1 diabetes prior to and during the COVID-19 pandemic. <i>Pediatric Research</i> , 2022, 92, 1370-1373.	1.1	5
4	Greater Arterial Stiffness in Children with or without Second-generation Antipsychotic Treatment for Mental Health Disorders: Rigidité Artérielle Plus Importante Chez Les Enfants Avec ou Sans Traitement Par Antipsychotiques de la Deuxième Génération Pour des Troubles de Santé Mentale. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 667-676.	0.9	2
5	Comparison of Clinical and Social Characteristics of Canadian Youth Living With Type 1 and Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2021, 45, 428-435.	0.4	14
6	Treatment-related weight gain and metabolic complications in children with mental health disorders: potential role for lifestyle interventions. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 193-204.	0.9	5
7	Chronic Kidney Disease Prevalence and Glomerular Filtration Rate Trends in Children With Type 1 Diabetes. <i>Journal of the Endocrine Society</i> , 2021, 5, A457-A458.	0.1	1
8	Ambulatory blood pressure and carotid intima media thickness in children with type 1 diabetes. <i>Pediatric Diabetes</i> , 2020, 21, 358-365.	1.2	13
9	Effects of Bisphosphonate Therapy on Bone Mineral Density in Boys with Duchenne Muscular Dystrophy. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , 2020, 13, 117955142097240.	1.0	5
10	High prevalence of plasma lipid abnormalities in human and canine Duchenne and Becker muscular dystrophies depicts a new type of primary genetic dyslipidemia. <i>Journal of Clinical Lipidology</i> , 2020, 14, 459-469.e0.	0.6	18
11	Type 1 Diabetes Mellitus Virtual Patient Network as a Peer Support Community: Protocol for Social Network Analysis and Content Analysis. <i>JMIR Research Protocols</i> , 2020, 9, e18714.	0.5	10
12	Perioperative Hypotensive Crisis in an Adolescent with a Pancreatic VIPoma and MEN1-Gene Variant. <i>Hormone Research in Paediatrics</i> , 2019, 91, 285-289.	0.8	4
13	Type 2 Diabetes in Children and Adolescents. <i>Canadian Journal of Diabetes</i> , 2018, 42, S247-S254.	0.4	63
14	Adherence to a pediatric diabetic ketoacidosis protocol in children presenting to a tertiary care hospital. <i>Pediatric Diabetes</i> , 2018, 19, 333-338.	1.2	8
15	Diet and cardiometabolic side effects in children treated with second-generation antipsychotics. <i>Clinical Nutrition ESPEN</i> , 2018, 23, 205-211.	0.5	14
16	Risperidone But Not Quetiapine Treatment Is Associated With Increased Appetite But Not Satiety Hormones in Children During An Oral Glucose Tolerance Test. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 622-626.	0.7	2
17	Stigma and Its Association With Glycemic Control and Hypoglycemia in Adolescents and Young Adults With Type 1 Diabetes: Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e151.	2.1	67
18	Does parental and adolescent participation in an e-health lifestyle modification intervention improve weight outcomes?. <i>BMC Public Health</i> , 2017, 17, 352.	1.2	23

#	ARTICLE	IF	CITATIONS
19	Acute Kidney Injury in Children With Type 1 Diabetes Hospitalized for Diabetic Ketoacidosis. <i>JAMA Pediatrics</i> , 2017, 171, e170020.	3.3	99
20	Measurement of Pro-Islet Amyloid Polypeptide (1â€“48) in Diabetes and Islet Transplants. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2595-2603.	1.8	34
21	Adrenal insufficiency exists for both swallowed budesonide and fluticasone propionate in the treatment of eosinophilic esophagitis. <i>Journal of Pediatrics</i> , 2016, 174, 281.	0.9	5
22	A Regulatory T-Cell Gene Signature Is a Specific and Sensitive Biomarker to Identify Children With New-Onset Type 1 Diabetes. <i>Diabetes</i> , 2016, 65, 1031-1039.	0.3	59
23	Persistent Albuminuria in Children with Type 2 Diabetes: A Canadian Paediatric Surveillance Program Study. <i>Journal of Pediatrics</i> , 2016, 168, 112-117.	0.9	12
24	Stigma and Its Impact on Glucose Control Among Youth With Diabetes: Protocol for a Canada-Wide Study. <i>JMIR Research Protocols</i> , 2016, 5, e242.	0.5	3
25	Increased Risk of Obesity and Metabolic Dysregulation following 12 Months of Second-Generation Antipsychotic Treatment in Children: A Prospective Cohort Study. <i>Canadian Journal of Psychiatry</i> , 2015, 60, 441-450.	0.9	44
26	Adrenal Suppression in Children Treated With Oral Viscous Budesonide for Eosinophilic Esophagitis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015, 61, 190-193.	0.9	60
27	Obesity and Arterial Stiffness in Children. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 1038-1044.	1.1	123
28	Individual and Household Predictors of Adolescentsâ€™ Adherence to a Web-Based Intervention. <i>Annals of Behavioral Medicine</i> , 2015, 49, 371-383.	1.7	27
29	Effectiveness of an Educational Handbook in Improving Psychiatry Resident Knowledge of Second-Generation Antipsychotics. <i>Academic Psychiatry</i> , 2015, 39, 154-159.	0.4	6
30	Metabolic side effects and pharmacogenetics of second-generation antipsychotics in children. <i>Pharmacogenomics</i> , 2015, 16, 981-996.	0.6	15
31	Ensuring the Safety of Children Treated with Second-Generation Antipsychotics. , 2015, , 65-90.		1
32	Case 2: Generalized swelling in a child with newly diagnosed diabetes mellitus. <i>Paediatrics and Child Health</i> , 2014, 19, 233-234.	0.3	2
33	Cardiovascular risk factors and health behaviours in elementary school-age Inuvialuit and Gwich'in children. <i>Paediatrics and Child Health</i> , 2014, 19, 256-260.	0.3	2
34	Quetiapine Treatment in Youth Is Associated With Decreased Insulin Secretion. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 359-364.	0.7	18
35	Initial Screening of Children Treated with Second-Generation Antipsychotics Points to an Association between Physical Activity and Insulin Resistance. <i>Pediatric Exercise Science</i> , 2014, 26, 455-462.	0.5	6
36	Childhood Obesity and CardiovascularâˆDysfunction. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1309-1319.	1.2	357

#	ARTICLE	IF	CITATIONS
37	Type 2 Diabetes in Children and Adolescents. Canadian Journal of Diabetes, 2013, 37, S163-S167.	0.4	39
38	Le diabète de type 2 chez les enfants et les adolescents. Canadian Journal of Diabetes, 2013, 37, S542-S547.	0.4	0
39	Healthy Buddies [®] Reduces Body Mass Index Score and Waist Circumference in Aboriginal Children Living in Remote Coastal Communities. Journal of School Health, 2013, 83, 605-613.	0.8	42
40	A Population-Based Study of Antipsychotic Prescription Trends in Children and Adolescents in British Columbia, from 1996 to 2011. Canadian Journal of Psychiatry, 2013, 58, 361-369.	0.9	71
41	COMT rs4680 variant and cardiometabolic side effects in children treated with second-generation antipsychotics. FASEB Journal, 2013, 27, .	0.2	0
42	Metabolic Monitoring Training Program Implementation in the Community Setting Was Associated with Improved Monitoring in Second-Generation Antipsychotic-Treated Children. Canadian Journal of Psychiatry, 2012, 57, 292-299.	0.9	24
43	Waist Circumference is a Sensitive Screening Tool for Assessment of Metabolic Syndrome Risk in Children Treated with Second-Generation Antipsychotics. Canadian Journal of Psychiatry, 2012, 57, 34-44.	0.9	47
44	Differing clinical features in Aboriginal vs. non-Aboriginal children presenting with type 2 diabetes. Pediatric Diabetes, 2012, 13, 470-475.	1.2	17
45	The impact of Action Schools! BC on the health of Aboriginal children and youth living in rural and remote communities in British Columbia. International Journal of Circumpolar Health, 2012, 71, 17999.	0.5	38
46	The Centre for Healthy Weights [®] Shapedown BC: A Family-Centered, Multidisciplinary Program that Reduces Weight Gain in Obese Children over the Short-Term. International Journal of Environmental Research and Public Health, 2011, 8, 4662-4678.	1.2	15
47	Evidence-based recommendations for monitoring safety of second-generation antipsychotics in children and youth. Paediatrics and Child Health, 2011, 16, 581-589.	0.3	116
48	Severe amiodarone-induced hypothyroidism in an infant. Pediatric Critical Care Medicine, 2011, 12, e43-e45.	0.2	14
49	Management recommendations for metabolic complications associated with second-generation antipsychotic use in children and youth. Paediatrics and Child Health, 2011, , .	0.3	16
50	Risk Factors for Medication-Induced Diabetes and Type 2 Diabetes. Journal of Pediatrics, 2011, 159, 291-296.	0.9	19
51	Natural Killer Cells From Children With Type 1 Diabetes Have Defects in NKG2D-Dependent Function and Signaling. Diabetes, 2011, 60, 857-866.	0.3	54
52	Barriers and facilitators to implementation of a metabolic monitoring protocol in hospital and community settings for second-generation antipsychotic-treated youth. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2011, 20, 134-41.	0.7	15
53	Management recommendations for metabolic complications associated with second generation antipsychotic use in children and youth. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2011, 20, 234-41.	0.7	20
54	Management recommendations for metabolic complications associated with second-generation antipsychotic use in children and youth. Paediatrics and Child Health, 2011, 16, 575-80.	0.3	19

#	ARTICLE	IF	CITATIONS
55	Evidence-based recommendations for monitoring safety of second-generation antipsychotics in children and youth. <i>Paediatrics and Child Health</i> , 2011, 16, 581-9.	0.3	40
56	Habitual Moderate-to-Vigorous Physical Activity is Inversely Associated With Insulin Resistance in Canadian First Nations Youth. <i>Pediatric Exercise Science</i> , 2010, 22, 254-265.	0.5	15
57	Primary Pulmonary Arterial Hypertension and Autoimmune Polyendocrine Syndrome in a Pediatric Patient. <i>Pediatric Cardiology</i> , 2010, 31, 872-874.	0.6	13
58	Type 2 Diabetes, Medication-Induced Diabetes, and Monogenic Diabetes in Canadian Children. <i>Diabetes Care</i> , 2010, 33, 786-791.	4.3	201
59	Cutting Edge: Increased IL-17 ⁺ Secreting T Cells in Children with New-Onset Type 1 Diabetes. <i>Journal of Immunology</i> , 2010, 185, 3814-3818.	0.4	190
60	First do no harm: promoting an evidence-based approach to atypical antipsychotic use in children and adolescents. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2010, 19, 124-37.	0.7	51
61	Engaging families in research to determine health literacy needs related to the use of second-generation antipsychotics in children and adolescents. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2010, 19, 201-8.	0.7	5
62	Implementing a whole school physical activity and healthy eating model in rural and remote first nations schools: a process evaluation of action schools! BC. <i>Rural and Remote Health</i> , 2010, 10, 1296.	0.4	28
63	A Naturalistic Study of Predictors and Risks of Atypical Antipsychotic Use in an Attention-Deficit/Hyperactivity Disorder Clinic. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2009, 19, 575-582.	0.7	33
64	Increased Prevalence of Obesity and Glucose Intolerance in Youth Treated with Second-Generation Antipsychotic Medications. <i>Canadian Journal of Psychiatry</i> , 2009, 54, 743-749.	0.9	62
65	Prevalence of type 2 diabetes, obesity and the metabolic syndrome among Canadian First Nations children in a remote Pacific coast community. <i>Paediatrics and Child Health</i> , 2009, 14, 79-83.	0.3	5
66	Prevalence of impaired glucose tolerance and the components of metabolic syndrome in Canadian Tsimshian Nation youth. <i>Canadian Journal of Rural Medicine: the Official Journal of the Society of Rural Physicians of Canada = Journal Canadien De La Médecine Rurale: Le Journal Officiel De La Société des Médecins Ruraux / De La Médecine Rurale Du Canada</i> , 2009, 14, 61-7.	0.2	15
67	Aircraft Loading and Freezer Enhancements: Lessons for Medical Research in Remote Communities. <i>Air Medical Journal</i> , 2008, 27, 188-192.	0.3	2
68	Is School-based Screening for Type 2 Diabetes in Youth Warranted in Canada?. <i>Canadian Journal of Diabetes</i> , 2007, 31, 115-116.	0.4	0
69	Skewed X-chromosome inactivation is associated with primary but not secondary ovarian failure. <i>American Journal of Medical Genetics, Part A</i> , 2007, 143A, 945-951.	0.7	12
70	Identification of Novel HLA-A*0201-Restricted Epitopes in Recent-Onset Type 1 Diabetic Subjects and Antibody-Positive Relatives. <i>Diabetes</i> , 2006, 55, 3061-3067.	0.3	83
71	Recognition of HLA Class I-Restricted β -Cell Epitopes in Type 1 Diabetes. <i>Diabetes</i> , 2006, 55, 3068-3074.	0.3	95
72	T-cell epitopes in type 1 diabetes. <i>Current Diabetes Reports</i> , 2004, 4, 87-94.	1.7	18

#	ARTICLE	IF	CITATIONS
73	Identification of a β -Cell-Specific HLA Class I Restricted Epitope in Type 1 Diabetes. Diabetes, 2003, 52, 2647-2651.	0.3	81
74	Newborn complications after intrapartum asphyxia with metabolic acidosis in the preterm fetus. American Journal of Obstetrics and Gynecology, 1995, 172, 805-810.	0.7	77
75	Newborn complications after intrapartum asphyxia with metabolic acidosis in the term fetus. American Journal of Obstetrics and Gynecology, 1994, 170, 1081-1087.	0.7	192