

# Yan Zheng

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3056236/yan-zheng-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60  
papers

3,929  
citations

17  
h-index

62  
g-index

69  
ext. papers

4,427  
ext. citations

5.6  
avg, IF

4.73  
L-index

#	Paper	IF	Citations
60	A comparative analysis on characteristics and mortalities of four key transmission populations on antiretroviral therapy: a retrospective cohort study in Northwest China.. <i>BMC Infectious Diseases</i> , <b>2022</b> , 22, 299	4	
59	LncRNA SAMMSON Mediates Adaptive Resistance to RAF Inhibition in BRAF-Mutant Melanoma Cells. <i>Cancer Research</i> , <b>2021</b> , 81, 2918-2929	10.1	4
58	RAS-association domain family 1A regulates the abnormal cell proliferation in psoriasis via inhibition of Yes-associated protein. <i>Journal of Cellular and Molecular Medicine</i> , <b>2021</b> , 25, 5070-5081	5.6	2
57	Xenobiotic Receptor CAR Is Highly Induced in Psoriasis and Promotes Keratinocyte Proliferation. <i>Journal of Investigative Dermatology</i> , <b>2021</b> , 141, 2895-2907.e7	4.3	0
56	Inhibition of spindle and kinetochore associated complex subunit 3 suppresses the proliferation and invasion and induced the apoptosis of cutaneous melanoma by affecting the PI3K/Akt pathway. <i>Journal of Biochemical and Molecular Toxicology</i> , <b>2021</b> , 35, e22895	3.4	1
55	LPCAT1 Promotes Cutaneous Squamous Cell Carcinoma via EGFR-Mediated Protein Kinase B/p38MAPK Signaling Pathways. <i>Journal of Investigative Dermatology</i> , <b>2021</b> ,	4.3	3
54	Kynureninase contributes to the pathogenesis of psoriasis through pro-inflammatory effect. <i>Journal of Cellular Physiology</i> , <b>2021</b> ,	7	1
53	Long Noncoding RNA CCAT1 Functions as a Competing Endogenous RNA to Upregulate ITGA9 by Sponging MiR-296-3p in Melanoma. <i>Cancer Management and Research</i> , <b>2020</b> , 12, 4699-4714	3.6	8
52	Cytotoxicity of Saikosaponin A targets HEKa cell through apoptosis induction by ROS accumulation and inflammation suppression via NF-B pathway. <i>International Immunopharmacology</i> , <b>2020</b> , 86, 106751	5.8	7
51	LncRNA RP6-65G23.1 accelerates proliferation and inhibits apoptosis via p-ERK1/2/p-AKT signaling pathway on keratinocytes. <i>Journal of Cellular Biochemistry</i> , <b>2020</b> , 121, 4580-4589	4.7	11
50	Mechanism of danshensu-induced inhibition of abnormal epidermal proliferation in psoriasis. <i>European Journal of Pharmacology</i> , <b>2020</b> , 868, 172881	5.3	12
49	Pilar cyst on the dorsum of hand: A case report and review of literature. <i>Medicine (United States)</i> , <b>2020</b> , 99, e21519	1.8	0
48	AR Antagonists Upregulate Expression of GS and GLAST in Rat Hypoxia Model. <i>BioMed Research International</i> , <b>2020</b> , 2020, 2054293	3	
47	Fibulin-3 Has Anti-Tumorigenic Activities in Cutaneous Squamous Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , <b>2019</b> , 139, 1798-1808.e5	4.3	3
46	Low-profile Annular Patch Antenna for Pattern Diversity Applications <b>2019</b> ,		1
45	Cornulin Is Induced in Psoriasis Lesions and Promotes Keratinocyte Proliferation via Phosphoinositide 3-Kinase/Akt Pathways. <i>Journal of Investigative Dermatology</i> , <b>2019</b> , 139, 71-80	4.3	25
44	ERK-mediated phosphorylation regulates SOX10 sumoylation and targets expression in mutant BRAF melanoma. <i>Nature Communications</i> , <b>2018</b> , 9, 28	17.4	43

43	C10orf99 contributes to the development of psoriasis by promoting the proliferation of keratinocytes. <i>Scientific Reports</i> , <b>2018</b> , 8, 8590	4.9	17
42	Yes-associated protein promotes the abnormal proliferation of psoriatic keratinocytes via an amphiregulin dependent pathway. <i>Scientific Reports</i> , <b>2018</b> , 8, 14513	4.9	16
41	An unusual case of multiple cutaneous Rosai-Dorfman disease involving two separate parts of the body. <i>International Journal of Dermatology</i> , <b>2017</b> , 56, 576-578	1.7	2
40	Primary cutaneous diffuse large B cell lymphoma-other successfully treated by the combination of R-CHOP chemotherapy and surgery: A case report and review of literature. <i>Medicine (United States)</i> , <b>2017</b> , 96, e6161	1.8	5
39	Antimicrobial peptide LL-37 promotes YB-1 expression, and the viability, migration and invasion of malignant melanoma cells. <i>Molecular Medicine Reports</i> , <b>2017</b> , 15, 240-248	2.9	19
38	UV-Induced Molecular Signaling Differences in Melanoma and Non-melanoma Skin Cancer. <i>Advances in Experimental Medicine and Biology</i> , <b>2017</b> , 996, 27-40	3.6	52
37	Antimicrobial peptide LL-37 promotes the viability and invasion of skin squamous cell carcinoma by upregulating YB-1. <i>Experimental and Therapeutic Medicine</i> , <b>2017</b> , 14, 499-506	2.1	11
36	Successful treatment of toxic epidermal necrolysis using plasmapheresis: A prospective observational study. <i>Journal of Critical Care</i> , <b>2017</b> , 42, 65-68	4	17
35	Shikonin induces apoptosis of HaCaT cells via the mitochondrial, Erk and Akt pathways. <i>Molecular Medicine Reports</i> , <b>2016</b> , 13, 3009-16	2.9	14
34	Yes-Associated Protein Contributes to the Development of Human Cutaneous Squamous Cell Carcinoma via Activation of RAS. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 1267-1277	4.3	26
33	The progression of CD56 myeloid sarcoma: A case report and literature review. <i>Oncology Letters</i> , <b>2016</b> , 11, 3091-3096	2.6	1
32	Antimicrobial peptide LL-37 promotes the proliferation and invasion of skin squamous cell carcinoma by upregulating DNA-binding protein A. <i>Oncology Letters</i> , <b>2016</b> , 12, 1745-1752	2.6	11
31	Blastic plasmacytoid dendritic cell neoplasm: A case report. <i>Oncology Letters</i> , <b>2015</b> , 9, 1388-1392	2.6	4
30	Wnt/ECatenin and Wnt5a/Ca Pathways Regulate Proliferation and Apoptosis of Keratinocytes in Psoriasis Lesions. <i>Cellular Physiology and Biochemistry</i> , <b>2015</b> , 36, 1890-902	3.9	41
29	NF- $\kappa$ B-induced microRNA-31 promotes epidermal hyperplasia by repressing protein phosphatase 6 in psoriasis. <i>Nature Communications</i> , <b>2015</b> , 6, 7652	17.4	136
28	Interleukin-22 inhibits tazarotene-induced gene 3 expression in HaCaT cells via MAPK-ERK1/2 and JAK2/STAT3 signaling. <i>Journal of Dermatological Science</i> , <b>2015</b> , 80, 162-4	4.3	1
27	Desmoplastic trichoepithelioma: A clinicopathological study of three cases and a review of the literature. <i>Oncology Letters</i> , <b>2015</b> , 10, 2468-2476	2.6	14
26	Dermatofibrosarcoma protuberans with pit-like lesions: A case report and literature review. <i>Oncology Letters</i> , <b>2015</b> , 10, 3765-3768	2.6	2

25	Mice lacking glutamate carboxypeptidase II develop normally, but are less susceptible to traumatic brain injury. <i>Journal of Neurochemistry</i> , <b>2015</b> , 134, 340-53	6	32
24	Interleukin-22 upregulates HB-EGF expression in HaCaT cells via JAK2/STAT3 and ERK1/2 signalling. <i>Experimental Dermatology</i> , <b>2015</b> , 24, 713-4	4	2
23	Interleukin-22 induces interleukin-18 expression from epithelial cells during intestinal infection. <i>Immunity</i> , <b>2015</b> , 42, 321-331	32.3	124
22	LL-37 attenuates inflammatory impairment via mTOR signaling-dependent mitochondrial protection. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2014</b> , 54, 26-35	5.6	5
21	Expressions of oncogenes c-fos and c-myc in skin lesion of cutaneous squamous cell carcinoma. <i>Asian Pacific Journal of Tropical Medicine</i> , <b>2014</b> , 7, 761-4	2.1	10
20	Differential diagnosis of eccrine spiradenoma: A case report. <i>Experimental and Therapeutic Medicine</i> , <b>2014</b> , 8, 1097-1101	2.1	8
19	A signal transduction pathway from TGF- $\beta$ to SKP2 via Akt1 and c-Myc and its correlation with progression in human melanoma. <i>Journal of Investigative Dermatology</i> , <b>2014</b> , 134, 159-167	4.3	36
18	Extranodal natural killer/T-cell lymphoma, nasal type, involving the skin, misdiagnosed as nasosinusitis and a fungal infection: A case report and literature review. <i>Oncology Letters</i> , <b>2014</b> , 8, 2253-2262	2.6	6
17	Activation of Erk and p53 regulates copper oxide nanoparticle-induced cytotoxicity in keratinocytes and fibroblasts. <i>International Journal of Nanomedicine</i> , <b>2014</b> , 9, 4763-72	7.3	39
16	Lymphomatoid papulosis misdiagnosed as pityriasis lichenoides et varioliformis acuta: Two case reports and a literature review. <i>Experimental and Therapeutic Medicine</i> , <b>2014</b> , 8, 1927-1933	2.1	8
15	Overexpression of S100A7 protects LPS-induced mitochondrial dysfunction and stimulates IL-6 and IL-8 in HaCaT cells. <i>PLoS ONE</i> , <b>2014</b> , 9, e92927	3.7	7
14	Psoriasin, a multifunctional player in different diseases. <i>Current Protein and Peptide Science</i> , <b>2014</b> , 15, 836-42	2.8	13
13	Reply to Dr Tomita's letter. <i>Journal of Dermatology</i> , <b>2013</b> , 40, 85	1.6	1
12	Novel clinical and molecular findings in Chinese families with dyschromatosis symmetrica hereditaria. <i>Journal of Dermatology</i> , <b>2012</b> , 39, 556-8	1.6	9
11	Pegylated interferon, but not conventional interferon therapy induced severe skin lesions. <i>Annals of Hepatology</i> , <b>2012</b> , 11, 570-571	3.1	3
10	Upregulation of human DNA binding protein A (dbpA) in gastric cancer cells. <i>Acta Pharmacologica Sinica</i> , <b>2009</b> , 30, 1436-42	8	17
9	Interleukin-22 mediates early host defense against attaching and effacing bacterial pathogens. <i>Nature Medicine</i> , <b>2008</b> , 14, 282-9	50.5	1429
8	Effects of narrow-band ultraviolet B and tazarotene therapy on keratinocyte proliferation and TIG3 expression. <i>Journal of Dermatology</i> , <b>2008</b> , 35, 651-7	1.6	11

7	Microbicidal protein psoriasin is a multifunctional modulator of neutrophil activation. <i>Immunology</i> , <b>2008</b> , 124, 357-67	7.8	77
6	Downregulation of tazarotene induced gene-2 (TIG2) in skin squamous cell carcinoma. <i>European Journal of Dermatology</i> , <b>2008</b> , 18, 638-41	0.8	32
5	Inhibitory effects of paroxetine on the development of atopic dermatitis-like lesions in NC/Nga mice. <i>Journal of Dermatological Science</i> , <b>2007</b> , 47, 244-7	4.3	9
4	Codon usage bias in <i>Chlamydia trachomatis</i> and the effect of codon modification in the MOMP gene on immune responses to vaccination. <i>Biochemistry and Cell Biology</i> , <b>2007</b> , 85, 218-26	3.6	24
3	Interleukin-22, a T(H)17 cytokine, mediates IL-23-induced dermal inflammation and acanthosis. <i>Nature</i> , <b>2007</b> , 445, 648-51	50.4	1486
2	Synergistic effects of acitretin and narrow-band UVB on inducing the expression of heparin-binding epidermal-growth-factor-like growth factor in normal human keratinocytes. <i>Archives of Dermatological Research</i> , <b>2007</b> , 299, 409-13	3.3	11
1	Alteration and significance of heparin-binding epidermal-growth-factor-like growth factor in psoriatic epidermis. <i>Dermatology</i> , <b>2003</b> , 207, 22-7	4.4	14