

Robert S Plumb

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3056527/robert-s-plumb-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

8,738
citations

46
h-index

92
g-index

133
ext. papers

9,626
ext. citations

4.6
avg, IF

5.68
L-index

#	Paper	IF	Citations
130	Global metabolic profiling procedures for urine using UPLC-MS. <i>Nature Protocols</i> , 2010 , 5, 1005-18	18.8	676
129	Global metabolic profiling of animal and human tissues via UPLC-MS. <i>Nature Protocols</i> , 2013 , 8, 17-32	18.8	405
128	High resolution "ultra performance" liquid chromatography coupled to oa-TOF mass spectrometry as a tool for differential metabolic pathway profiling in functional genomic studies. <i>Journal of Proteome Research</i> , 2005 , 4, 591-8	5.6	398
127	A pragmatic and readily implemented quality control strategy for HPLC-MS and GC-MS-based metabonomic analysis. <i>Analyst, The</i> , 2006 , 131, 1075-8	5	398
126	UPLC/MS(E); a new approach for generating molecular fragment information for biomarker structure elucidation. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 1989-94	2.2	393
125	HPLC-MS-based methods for the study of metabonomics. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 817, 67-76	3.2	366
124	Statistical heterospectroscopy, an approach to the integrated analysis of NMR and UPLC-MS data sets: application in metabonomic toxicology studies. <i>Analytical Chemistry</i> , 2006 , 78, 363-71	7.8	304
123	Ultra-performance liquid chromatography coupled to quadrupole-orthogonal time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 2331-7	2.2	291
122	Current practice of liquid chromatography-mass spectrometry in metabolomics and metabonomics. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 87, 12-25	3.5	278
121	Advancing LC Performance with Smaller Particles and Higher Pressure. <i>Analytical Chemistry</i> , 2005 , 77, 460 A-467 A	7.8	252
120	Summary recommendations for standardization and reporting of metabolic analyses. <i>Nature Biotechnology</i> , 2005 , 23, 833-8	44.5	233
119	Ion mobility-derived collision cross section as an additional measure for lipid fingerprinting and identification. <i>Analytical Chemistry</i> , 2015 , 87, 1137-44	7.8	199
118	A rapid screening approach to metabonomics using UPLC and oa-TOF mass spectrometry: application to age, gender and diurnal variation in normal/Zucker obese rats and black, white and nude mice. <i>Analyst, The</i> , 2005 , 130, 844-9	5	195
117	Metabonomics: the use of electrospray mass spectrometry coupled to reversed-phase liquid chromatography shows potential for the screening of rat urine in drug development. <i>Rapid Communications in Mass Spectrometry</i> , 2002 , 16, 1991-6	2.2	182
116	Increasing throughput and information content for in vitro drug metabolism experiments using ultra-performance liquid chromatography coupled to a quadrupole time-of-flight mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 843-8	2.2	176
115	Use of liquid chromatography/time-of-flight mass spectrometry and multivariate statistical analysis shows promise for the detection of drug metabolites in biological fluids. <i>Rapid Communications in Mass Spectrometry</i> , 2003 , 17, 2632-8	2.2	166
114	Novel application of reversed-phase UPLC-oaTOF-MS for lipid analysis in complex biological mixtures: a new tool for lipidomics. <i>Journal of Proteome Research</i> , 2007 , 6, 552-8	5.6	147

113	Ultra-performance LC/TOF MS analysis of medicinal Panax herbs for metabolomic research. <i>Journal of Separation Science</i> , 2008 , 31, 1015-26	3.4	146
112	The use of turbulent flow chromatography/mass spectrometry for the rapid, direct analysis of a novel pharmaceutical compound in plasma. <i>Rapid Communications in Mass Spectrometry</i> , 1997 , 11, 1953-8 ²	3.2	144
111	Metabonomic analysis of mouse urine by liquid-chromatography-time of flight mass spectrometry (LC-TOFMS): detection of strain, diurnal and gender differences. <i>Analyst, The</i> , 2003 , 128, 819-23	5	135
110	A multi-analytical platform approach to the metabonomic analysis of plasma from normal and Zucker (fa/fa) obese rats. <i>Molecular BioSystems</i> , 2006 , 2, 174-83		129
109	HILIC-UPLC-MS for exploratory urinary metabolic profiling in toxicological studies. <i>Analytical Chemistry</i> , 2011 , 83, 382-90	7.8	128
108	Extraction, interpretation and validation of information for comparing samples in metabolic LC/MS data sets. <i>Analyst, The</i> , 2005 , 130, 701-7	5	105
107	A combined (1)H NMR and HPLC-MS-based metabonomic study of urine from obese (fa/fa) Zucker and normal Wistar-derived rats. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 38, 465-71	3.5	101
106	Investigating the human metabolism of acetaminophen using UPLC and exact mass oa-TOF MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 39, 805-10	3.5	98
105	A high-throughput liquid chromatography/tandem mass spectrometry method for screening glutathione conjugates using exact mass neutral loss acquisition. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 798-804	2.2	94
104	Application of a generic fast gradient liquid chromatography tandem mass spectrometry method for the analysis of cytochrome P450 probe substrates. <i>Rapid Communications in Mass Spectrometry</i> , 1998 , 12, 217-24	2.2	87
103	Optimisation and routine use of generic ultra-high flow-rate liquid chromatography with mass spectrometric detection for the direct on-line analysis of pharmaceuticals in plasma. <i>Journal of Chromatography A</i> , 1998 , 828, 199-207	4.5	82
102	Parallel ultra-high flow rate liquid chromatography with mass spectrometric detection using a multiplex electrospray source for direct, sensitive determination of pharmaceuticals in plasma at extremely high throughput. <i>Rapid Communications in Mass Spectrometry</i> , 2000 , 14, 2039-45	2.2	81
101	Ultra performance liquid chromatography-mass spectrometry profiling of bile acid metabolites in biofluids: application to experimental toxicology studies. <i>Analytical Chemistry</i> , 2010 , 82, 5282-9	7.8	79
100	Direct analysis of pharmaceutical compounds in human plasma with chromatographic resolution using an alkyl-bonded silica rod column. <i>Rapid Communications in Mass Spectrometry</i> , 2001 , 15, 986-93	2.2	71
99	¹ H NMR and UPLC-MS(E) statistical heterospectroscopy: characterization of drug metabolites (xenometabolome) in epidemiological studies. <i>Analytical Chemistry</i> , 2008 , 80, 6835-44	7.8	70
98	Generation of ultrahigh peak capacity LC separations via elevated temperatures and high linear mobile-phase velocities. <i>Analytical Chemistry</i> , 2006 , 78, 7278-83	7.8	70
97	Untargeted LC/MS-based metabolic phenotyping (metabonomics/metabolomics): The state of the art. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1117, 136-147	3.2	63
96	The detection of phenotypic differences in the metabolic plasma profile of three strains of Zucker rats at 20 weeks of age using ultra-performance liquid chromatography/orthogonal acceleration time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 2800-6	2.2	61

95	Use of monolithic silica columns to increase analytical throughput for metabolite identification by liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2001 , 15, 152-158	2.2	61
94	Application of ultra performance liquid chromatography-mass spectrometry to profiling rat and dog bile. <i>Journal of Proteome Research</i> , 2009 , 8, 2495-500	5.6	60
93	Multidimensional chromatography coupled to electrospray ionization time-of-flight mass spectrometry as an alternative to two-dimensional gels for the identification and analysis of complex mixtures of intact proteins. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002 , 782, 267-89	3.2	59
92	The application of small porous particles, high temperatures, and high pressures to generate very high resolution LC and LC/MS separations. <i>Journal of Separation Science</i> , 2007 , 30, 1158-66	3.4	58
91	Single dose pharmacokinetics of lamivudine in subjects with impaired renal function and the effect of haemodialysis. <i>British Journal of Clinical Pharmacology</i> , 1998 , 46, 21-7	3.8	55
90	Analysis of polar urinary metabolites for metabolic phenotyping using supercritical fluid chromatography and mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1449, 141-55	4.5	52
89	High-Speed Quantitative UPLC-MS Analysis of Multiple Amines in Human Plasma and Serum via Precolumn Derivatization with 6-Aminoquinolyl-N-hydroxysuccinimidyl Carbamate: Application to Acetaminophen-Induced Liver Failure. <i>Analytical Chemistry</i> , 2017 , 89, 2478-2487	7.8	51
88	Statistical search space reduction and two-dimensional data display approaches for UPLC-MS in biomarker discovery and pathway analysis. <i>Analytical Chemistry</i> , 2006 , 78, 4398-408	7.8	50
87	Metabolic phenotyping reveals a lipid mediator response to ionizing radiation. <i>Journal of Proteome Research</i> , 2014 , 13, 4143-54	5.6	47
86	The application of microbore UPLC/oa-TOF-MS and 1H NMR spectroscopy to the metabonomic analysis of rat urine following the intravenous administration of pravastatin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 845-52	3.5	47
85	Ion mobility spectrometry combined with ultra performance liquid chromatography/mass spectrometry for metabolic phenotyping of urine: Effects of column length, gradient duration and ion mobility spectrometry on metabolite detection. <i>Analytica Chimica Acta</i> , 2017 , 982, 1-8	6.6	46
84	A gender-specific discriminator in Sprague-Dawley rat urine: the deployment of a metabolic profiling strategy for biomarker discovery and identification. <i>Analytical Biochemistry</i> , 2007 , 362, 182-92	3.1	45
83	Quantitative analysis of pharmaceuticals in biological fluids using high-performance liquid chromatography coupled to mass spectrometry: a review. <i>Xenobiotica</i> , 2001 , 31, 599-617	2	45
82	Advances in liquid chromatography coupled to mass spectrometry for metabolic phenotyping. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 61, 181-191	14.6	43
81	Tetrahydrobiopterin and alkylglycerol monooxygenase substantially alter the murine macrophage lipidome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 2431-6	11.5	41
80	Ultra-high flow rate capillary liquid chromatography with mass spectrometric detection for the direct analysis of pharmaceuticals in plasma at sub-nanogram per millilitre concentrations. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 1657-62	2.2	41
79	A metabonomic study of strain- and age-related differences in the Zucker rat. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 2039-45	2.2	39
78	Comprehensive investigation of the influence of acidic, basic, and organic mobile phase compositions on bioanalytical assay sensitivity in positive ESI mode LC/MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 59, 138-50	3.5	38

77	Development of a rapid profiling method for the analysis of polar analytes in urine using HILIC-MS and ion mobility enabled HILIC-MS. <i>Metabolomics</i> , 2019 , 15, 17	4.7	37
76	Comparison of reversed-phase and hydrophilic interaction liquid chromatography for the quantification of ephedrines using medium-resolution accurate mass spectrometry. <i>Journal of Chromatography A</i> , 2013 , 1289, 37-46	4.5	37
75	Ultrahigh-Performance Liquid Chromatography Tandem Mass Spectrometry with Electrospray Ionization Quantification of Tryptophan Metabolites and Markers of Gut Health in Serum and Plasma-Application to Clinical and Epidemiology Cohorts. <i>Analytical Chemistry</i> , 2019 , 91, 5207-5216	7.8	36
74	Intra- and interlaboratory reproducibility of ultra performance liquid chromatography-time-of-flight mass spectrometry for urinary metabolic profiling. <i>Analytical Chemistry</i> , 2012 , 84, 2424-32	7.8	36
73	Comparison of reversed-phase and hydrophilic interaction liquid chromatography for the separation of ephedrines. <i>Journal of Chromatography A</i> , 2012 , 1228, 329-37	4.5	36
72	The rapid identification of drug metabolites using capillary liquid chromatography coupled to an ion trap mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 456-63	2.2	36
71	A rapid and efficient approach to metabolite identification using nuclear magnetic resonance spectroscopy, liquid chromatography/mass spectrometry and liquid chromatography/nuclear magnetic resonance spectroscopy/sequential mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1998 , 12, 2022-2030	2.2	35
70	Ultra high resolution SFC-MS as a high throughput platform for metabolic phenotyping: application to metabolic profiling of rat and dog bile. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 966, 200-7	3.2	33
69	Ultra-performance liquid chromatography/tandem mass spectrometric quantification of structurally diverse drug mixtures using an ESI-APCI multimode ionization source. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 893-902	2.2	33
68	Comparison of the quantification of a therapeutic protein using nominal and accurate mass MS/MS. <i>Bioanalysis</i> , 2012 , 4, 605-15	2.1	31
67	Metabonomic Studies Comparing Capillary and Conventional HPLC-oe-TOF MS for the Analysis of Urine from Zucker Obese Rats. <i>Chromatographia</i> , 2005 , 61, 375-380	2.1	30
66	Addressing the analytical throughput challenges in ADME screening using rapid ultra-performance liquid chromatography/tandem mass spectrometry methodologies. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 2139-52	2.2	29
65	Urinary metabolites of a novel quinoxaline non-nucleoside reverse transcriptase inhibitor in rabbit, mouse and human: identification of fluorine NIH shift metabolites using NMR and tandem MS. <i>Xenobiotica</i> , 2000 , 30, 407-26	2	29
64	Analysis of hexafluoropropylene oxide-dimer acid (HFPO-DA) by Liquid Chromatography-Mass Spectrometry (LC-MS): Review of Current Approaches and Environmental Levels. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 118, 828-839	14.6	27
63	High-Throughput Microbore UPLC-MS Metabolic Phenotyping of Urine for Large-Scale Epidemiology Studies. <i>Journal of Proteome Research</i> , 2015 , 14, 2714-21	5.6	26
62	Development of a Rapid Microbore Metabolic Profiling Ultraperformance Liquid Chromatography-Mass Spectrometry Approach for High-Throughput Phenotyping Studies. <i>Analytical Chemistry</i> , 2016 , 88, 5742-51	7.8	26
61	Use of an atmospheric solids analysis probe (ASAP) for high throughput screening of biological fluids: preliminary applications on urine and bile. <i>Journal of Proteome Research</i> , 2010 , 9, 3590-7	5.6	25
60	A rapid simple approach to screening pharmaceutical products using ultra-performance LC coupled to time-of-flight mass spectrometry and pattern recognition. <i>Journal of Chromatographic Science</i> , 2008 , 46, 193-8	1.4	22

59	The use of capillary high performance liquid chromatography with electrospray mass spectrometry for the analysis of small volume blood samples from serially bled mice to determine the pharmacokinetics of early discovery compounds. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 2366-75	2.2	22
58	A rapid ultra-performance liquid chromatography/tandem mass spectrometric methodology for the in vitro analysis of Pooled and Cocktail cytochrome P450 assays. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 147-54	2.2	21
57	Sub one minute inhibition assays for the major cytochrome P450 enzymes utilizing ultra-performance liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 1345-50	2.2	20
56	The use of preparative high performance liquid chromatography with tandem mass spectrometric directed fraction collection for the isolation and characterisation of drug metabolites in urine by nuclear magnetic resonance spectroscopy and liquid chromatography/sequential mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 2015-24	2.2	20
55	Determination of 4-hydroxytamoxifen in mouse plasma in the pg/mL range by gradient capillary liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2001 , 15, 297-303	2.2	19
54	A comparison of collision cross section values obtained via travelling wave ion mobility-mass spectrometry and ultra high performance liquid chromatography-ion mobility-mass spectrometry: Application to the characterisation of metabolites in rat urine. <i>Journal of Chromatography A</i> , 2019 , 1608, 286-296	4.5	18
53	Investigation of microbore UPLC and nontraditional mobile phase compositions for bioanalytical LC-MS/MS. <i>Bioanalysis</i> , 2012 , 4, 1287-97	2.1	18
52	Rapid analysis of dried blood spot samples with sub-2- μ m LC-MS/MS. <i>Bioanalysis</i> , 2011 , 3, 411-20	2.1	16
51	Rapid detection and identification of counterfeit and [corrected] adulterated products of synthetic phosphodiesterase type-5 inhibitors with an atmospheric solids analysis probe. <i>Drug Testing and Analysis</i> , 2010 , 2, 45-50	3.5	16
50	High-temperature ultra-performance liquid chromatography coupled to hybrid quadrupole time-of-flight mass spectrometry applied to ibuprofen metabolites in human urine. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 4079-85	2.2	16
49	The application of sub-2-microm particle liquid chromatography-operated high mobile linear velocities coupled to orthogonal accelerated time-of-flight mass spectrometry for the analysis of ranitidine and its impurities. <i>Journal of Separation Science</i> , 2006 , 29, 2409-20	3.4	16
48	The potential of serially coupled alkyl-bonded silica monolithic columns for high resolution separations of pharmaceutical compounds in biological fluids. <i>Chromatographia</i> , 2002 , 55, 177-184	2.1	16
47	Tandem mass spectrometry linked fraction collection for the isolation of drug metabolites from biological matrices. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 886-94	2.2	16
46	Addressing the challenge of limited sample volumes in in vitro studies with capillary-scale microfluidic LC-MS/MS. <i>Bioanalysis</i> , 2011 , 3, 873-82	2.1	15
45	N-O glucuronidation: a major human metabolic pathway in the elimination of two novel anti-convulsant drug candidates. <i>Xenobiotica</i> , 2002 , 32, 29-43	2	15
44	The rapid detection and identification of the impurities of simvastatin using high resolution sub 2 microm particle LC coupled to hybrid quadrupole time of flight MS operating with alternating high-low collision energy. <i>Journal of Separation Science</i> , 2007 , 30, 2666-75	3.4	12
43	The application of fast gradient capillary liquid chromatography/mass spectrometry to the analysis of pharmaceuticals in biofluids. <i>Rapid Communications in Mass Spectrometry</i> , 1999 , 13, 865-72	2.2	12
42	Estrogen accelerates heart regeneration by promoting the inflammatory response in zebrafish. <i>Journal of Endocrinology</i> , 2020 , 245, 39-51	4.7	12

41	A novel LC-MS approach for the detection of metabolites in DMPK studies. <i>Bioanalysis</i> , 2010 , 2, 1767-78	2.1	11
40	UPLC/MSE; a new approach for generating molecular fragment information for biomarker structure elucidation. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 2234-2234	2.2	11
39	An integrated ceramic, micro-fluidic device for the LC/MS/MS analysis of pharmaceuticals in plasma. <i>Analyst, The</i> , 2015 , 140, 5546-56	5	10
38	High fat diet causes distinct aberrations in the testicular proteome. <i>International Journal of Obesity</i> , 2020 , 44, 1958-1969	5.5	10
37	Rapid profiling method for the analysis of lipids in human plasma using ion mobility enabled-reversed phase-ultra high performance liquid chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1611, 460597	4.5	10
36	Practical applications of integrated microfluidics for peptide quantification. <i>Bioanalysis</i> , 2015 , 7, 857-67	2.1	9
35	Integration of microfluidic LC with HRMS for the analysis of analytes in biofluids: past, present and future. <i>Bioanalysis</i> , 2015 , 7, 1397-411	2.1	9
34	High Performance Thin-Layer Chromatography of Plant Ecdysteroids Coupled with Desorption Electrospray Ionisation on Mobility Time of Flight High Resolution Mass Spectrometry (HPTLC/DESI/IM/ToFMS). <i>Chromatographia</i> , 2020 , 83, 1029-1035	2.1	8
33	Systematic evaluation of acetone and acetonitrile for use in hydrophilic interaction liquid chromatography coupled with electrospray ionization mass spectrometry of basic small molecules. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 3666-74	2.2	8
32	Urinary metabolites of a novel quinoxaline non-nucleoside reverse transcriptase inhibitor in dog, cynomolgus monkey and mini-pig. <i>Xenobiotica</i> , 1999 , 29, 957-67	2	8
31	Cognitive analysis of metabolomics data for systems biology. <i>Nature Protocols</i> , 2021 , 16, 1376-1418	18.8	8
30	Application of a Novel Mass Spectral Data Acquisition Approach to Lipidomic Analysis of Liver Extracts from Sitaxentan-Treated Liver-Humanized PXB Mice. <i>Journal of Proteome Research</i> , 2019 , 18, 4055-4064	5.6	7
29	A method for the direct injection and analysis of small volume human blood spots and plasma extracts containing high concentrations of organic solvents using reversed-phase 2D UPLC/MS. <i>Analyst, The</i> , 2015 , 140, 1921-31	5	6
28	Development of a high sensitivity bioanalytical method for alprazolam using ultra-performance liquid chromatography/tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2010 , 2, 11-8	3.5	6
27	A validated UPLC-MS/MS assay for the quantification of amino acids and biogenic amines in rat urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1106-1107, 50-57	3.2	6
26	Identification of a novel human circulating metabolite of tenofovir disoproxil fumarate with LC-MS/MS. <i>Bioanalysis</i> , 2015 , 7, 643-52	2.1	5
25	Investigation of basic mobile phases with positive ESI LC-MS for metabolomics studies. <i>Bioanalysis</i> , 2012 , 4, 2833-42	2.1	5
24	Direct analysis of a polar pharmaceutical compound in plasma using ultra-high flow rate liquid chromatography/mass spectrometry with a mixed-mode column. <i>Rapid Communications in Mass Spectrometry</i> , 2001 , 15, 2526-9	2.2	5

23	Liquid chromatography-ion mobility-high resolution mass spectrometry for analysis of pollutants in indoor dust: Identification and predictive capabilities. <i>Analytica Chimica Acta</i> , 2020 , 1125, 29-40	6.6	5
22	High-Throughput Microbore Ultrahigh-Performance Liquid Chromatography-Ion Mobility-Enabled-Mass Spectrometry-Based Proteomics Methodology for the Exploratory Analysis of Serum Samples from Large Cohort Studies. <i>Journal of Proteome Research</i> , 2021 , 20, 1705-1715	5.6	5
21	Capillary ultra performance liquid chromatography-tandem mass spectrometry analysis of tienilic acid metabolites in urine following intravenous administration to the rat. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1087-1088, 142-148	3.2	4
20	Use of Cyclic Ion Mobility Spectrometry (CIM)-Mass Spectrometry to Study the Intramolecular Transacylation of Diclofenac Acyl Glucuronide. <i>Analytical Chemistry</i> , 2021 , 93, 7413-7421	7.8	4
19	Improving LC/MS/MS-based bioanalytical method performance and sensitivity via a hybrid surface barrier to mitigate analyte - Metal surface interactions. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1179, 122825	3.2	4
18	The analysis of acetaminophen (paracetamol) and seven metabolites in rat, pig and human plasma by U(H)PLC-MS. <i>Bioanalysis</i> , 2020 , 12, 485-500	2.1	3
17	Chemical profiling and characterization of phenolic acids, flavonoids, terpene glycosides from <i>Vangueria agrestis</i> using ultra-high-performance liquid chromatography/ion mobility quadrupole time-of-flight mass spectrometry and metabolomics approach. <i>Biomedical Chromatography</i> , 2020 , 34, e4840	1.7	3
16	Hybrid organic/inorganic hybrid surface technology for increasing the performance of LC/MS(MS)-based drug metabolite identification studies: Application to gefitinib and metabolites in mouse plasma and urine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 200, 114076	3.5	3
15	Metabolic Phenotyping Using UPLC/MS and Rapid Microbore UPLC/MS: Determination of the Effect of Different Dietary Regimes on the Urinary Metabolome of the Rat. <i>Chromatographia</i> , 2020 , 83, 853-861	2.1	2
14	UHPLC-MS-Based Lipidomic and Metabonomic Investigation of the Metabolic Phenotypes of Wild Type and Hepatic CYP Reductase Null (HRN) Mice. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 186, 113318	3.5	2
13	Liquid Chromatographic Methods Combined with Mass Spectrometry in Metabolomics 2013 , 145-161		2
12	Rapid determination of the pharmacokinetics and metabolic fate of gefitinib in the mouse using a combination of UPLC/MS/MS, UPLC/QToF/MS, and ion mobility (IM)-enabled UPLC/QToF/MS. <i>Xenobiotica</i> , 2021 , 51, 434-446	2	2
11	Access to the Phospho-proteome via the Mitigation of Peptide-Metal Interactions.. <i>Journal of Chromatography A</i> , 2022 , 1673, 463024	4.5	2
10	Application of hybrid surface technology for improving sensitivity and peak shape of phosphorylated lipids such as phosphatidic acid and phosphatidylserine.. <i>Journal of Chromatography A</i> , 2022 , 1669, 462921	4.5	2
9	CHAPTER 4:Liquid Chromatographic Techniques in Metabolomics. <i>RSC Chromatography Monographs</i> , 2013 , 64-86		1
8	Liquid chromatographic methods combined with mass spectrometry in metabolomics 2020 , 149-169		1
7	The metabolic fate and effects of 2-Bromophenol in male Sprague-Dawley rats. <i>Xenobiotica</i> , 2019 , 49, 1352-1359	2	1
6	High-Throughput UHPLC/MS/MS-Based Metabolic Profiling Using a Vacuum Jacketed Column. <i>Analytical Chemistry</i> , 2021 , 93, 10644-10652	7.8	1

- 5 Proteomic consequences of the deletion of cytochrome P450 (CYP450) reductase in mice. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2021**, 1179, 122803 3.2 1
- 4 High performance Reversed-Phase Thin-Layer Chromatography-Desorption electrospray ionisation - time of flight high resolution mass spectrometric detection and imaging (HPTLC/DESI/ToFMS) of phytoecdysteroids.. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **2022**, 1200, 123265 3.2 0
- 3 Metabolic phenotyping (metabonomics/metabolomics) by liquid chromatography-mass spectrometry **2017**, 245-265
- 2 Themed issue on Emerging technologies in mass spectrometry *Bioanalysis*, **2017**, 9, 1617-1618 2.1
- 1 Supercritical Fluid Chromatography for Metabolic Phenotyping: Potential and Applications **2019**, 205-217