

Ansari S G

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3058015/ansari-s-g-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

2,546
citations

25
h-index

46
g-index

131
ext. papers

2,759
ext. citations

2.9
avg, IF

4.79
L-index

#	Paper	IF	Citations
111	New insight into the growth of monolayer MoS ₂ flakes using an indigenously developed CVD setup: a study on shape evolution and spectroscopy. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 5429-5441	7.8	3
110	Ethyl Acetate Chemical Sensor as Lung Cancer Biomarker Detection Based on Doped Nano-SnO ₂ Synthesized by Sol-Gel Process. <i>IEEE Sensors Journal</i> , 2020 , 20, 12504-12511	4	4
109	ATP fosters the tuning of nanostructured CeO ₂ peroxidase-like activity for promising antibacterial performance. <i>New Journal of Chemistry</i> , 2020 , 44, 11291-11303	3.6	13
108	Feasibility study of doped SnO ₂ nanomaterial for electronic nose towards sensing biomarkers of lung cancer. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 15751-15763	2.1	3
107	Doped SnO Nanomaterials for E-Nose Based Electrochemical Sensing of Biomarkers of Lung Cancer. <i>ACS Omega</i> , 2020 , 5, 27645-27654	3.9	13
106	Synthesis, characterization and device simulation of the thin films of CH ₃ NH ₃ PbI ₃ perovskite absorber and CdS buffer layer 2019 ,		1
105	Synthesis and Characterization of an Efficient Hole-Conductor Free Halide Perovskite CH ₃ NH ₃ PbI ₃ Semiconductor Absorber Based Photovoltaic Device for IOT. <i>Journal of the Electrochemical Society</i> , 2018 , 165, B3023-B3029	3.9	21
104	Electronic Structure, Optical and Transport Properties of Double Perovskite La ₂ NbMnO ₆ : A Theoretical Understanding from DFT Calculations. <i>Journal of Electronic Materials</i> , 2018 , 47, 3615-3621	1.9	22
103	Mechanochemical synthesis of melamine doped TiO ₂ nanoparticles for dye sensitized solar cells application. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 9108-9116	2.1	11
102	Nanostructured Cuprous-Oxide-Based Screen-Printed Electrode for Electrochemical Sensing of Picric Acid. <i>Journal of Electronic Materials</i> , 2018 , 47, 7505-7513	1.9	7
101	MWCNTs functionalization and immobilization with anti-Brucella antibody; towards the development of a nanosensor. <i>Vacuum</i> , 2017 , 146, 623-632	3.7	8
100	Europium doped TiO ₂ : an efficient photoanode material for dye sensitized solar cell. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 6873-6879	2.1	8
99	Human Bone Marrow MSCs form Cartilage and Mineralized Tissue on Chitosan/Polycaprolactone (CS/PCL) Combined Nanofibrous Scaffolds. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 1771-1778	1.3	6
98	Application of pristine and doped SnO nanoparticles as a matrix for agro-hazardous material (organophosphate) detection. <i>Scientific Reports</i> , 2017 , 7, 42510	4.9	17
97	Sol-gel Synthesis of Manganese Doped Titanium Oxide Nanoparticles for Electrochemical Sensing of Hydroquinone. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 2296-301	1.3	5
96	Two-dimensional ytterbium oxide nanodisks based biosensor for selective detection of urea. <i>Biosensors and Bioelectronics</i> , 2017 , 98, 254-260	11.8	47
95	Mechanically exfoliated MoS sheet coupled with conductive polyaniline as a superior supercapacitor electrode material. <i>Journal of Colloid and Interface Science</i> , 2017 , 504, 276-282	9.3	74

94	Facile and sustainable synthesis of carbon-doped ZnO nanostructures towards the superior visible light photocatalytic performance. <i>New Journal of Chemistry</i> , 2017 , 41, 9314-9320	3.6	71
93	Intercalated reduced graphene oxide and its content effect on the supercapacitance performance of the three dimensional flower-like Ni(OH)_2 architecture. <i>New Journal of Chemistry</i> , 2017 , 41, 10467-10475	3.6	16
92	Effect of polyaniline concentration on the photoconversion efficiency of nano-TiO ₂ based dye sensitized solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 3210-3216	2.1	2
91	Application of Amine and Copper Doped Magnesium Oxide Nanoparticles in Electrochemical Immunosensors for Detecting <i>Brucella abortus</i> . <i>Nanoscience and Nanotechnology Letters</i> , 2017 , 9, 1656-1664	0.8	6
90	Influence of Titanium Oxide Nanoparticles on the Physical and Thermomechanical Behavior of Poly Methyl Methacrylate (PMMA): A Denture Base Resin. <i>Science of Advanced Materials</i> , 2017 , 9, 938-944	2.3	24
89	Polyaniline-Functionalized TiO ₂ Nanoparticles as a Suitable Matrix for Hydroquinone Sensor. <i>Science of Advanced Materials</i> , 2017 , 9, 2032-2038	2.3	7
88	Significance of Doping Induced Tailored Zinc Oxide Nanoparticles: Implication on Structural, Morphological and Optical Characteristics. <i>Science of Advanced Materials</i> , 2017 , 9, 2202-2213	2.3	2
87	Effect of Praseodymium on the Characteristics of Nano-ZnO Towards Organophosphate as a Nano-Electrochemical Device. <i>Journal of Nanoelectronics and Optoelectronics</i> , 2016 , 11, 6-11	1.3	3
86	Stromal Cells Attachment, Proliferation and Nano-Mechanical Behavior of High Density Polyethylene/Carbon Nanotubes/Nanoclay as Artificial Hip and Knee Joint Bearing Material. <i>Nanoscience and Nanotechnology Letters</i> , 2016 , 8, 846-852	0.8	1
85	A Special Issue on Biosensors. <i>Sensor Letters</i> , 2016 , 14, 1-3	0.9	3
84	Effect of flower extracts on the photoconversion efficiency of dye sensitized solar cells fabricated with Sn-doped TiO ₂ . <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 5170-5174	2.1	8
83	Electrochemical enzyme-less urea sensor based on nano-tin oxide synthesized by hydrothermal technique. <i>Chemico-Biological Interactions</i> , 2015 , 242, 45-9	5	34
82	Effect of neodymium on the photoconversion efficiency of TiO ₂ based dye sensitized solar cells. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 1737-1742	2.1	11
81	A Label-Free Photoluminescence Genosensor Using Nanostructured Magnesium Oxide for Cholera Detection. <i>Scientific Reports</i> , 2015 , 5, 17384	4.9	14
80	Relief of Oxidative Stress Using Curcumin and Glutathione Functionalized ZnO Nanoparticles in HEK-293 Cell Line. <i>Journal of Biomedical Nanotechnology</i> , 2015 , 11, 1913-26	4	9
79	Fabrication and characterization of a highly sensitive hydroquinone chemical sensor based on iron-doped ZnO nanorods. <i>Dalton Transactions</i> , 2015 , 44, 21081-7	4.3	30
78	Tailoring the Optoelectronic Properties of Nano-Metal Oxides Using Anthocyanins and Lanthanide. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 9548-53	1.3	4
77	Dye Sensitized Solar Cells Fabricated Using Cu-Doped TiO ₂ Nanopowder with Anthocyanin as Sensitizer. <i>Journal of Nanoelectronics and Optoelectronics</i> , 2015 , 10, 290-294	1.3	12

76	Synthesis and Characterization of Gd-Doped ZnO Nanopencils for Acetone Sensing Application. <i>Science of Advanced Materials</i> , 2015 , 7, 1241-1246	2.3	10
75	Vascular Tissue Engineering Using Polycaprolactone Nanofibrous Scaffolds Fabricated via Electrospinning. <i>Science of Advanced Materials</i> , 2015 , 7, 407-413	2.3	7
74	Fabrication and Characterization of Polycaprolactone Micro and Nanofibers for Vascular Tissue Replacement. <i>Science of Advanced Materials</i> , 2015 , 7, 599-605	2.3	5
73	Effect of Inoculum Size and Surface Charges on the Cytotoxicity of ZnO Nanoparticles for Bacterial Cells. <i>Science of Advanced Materials</i> , 2015 , 7, 2515-2522	2.3	3
72	Thermal, creep-recovery and viscoelastic behavior of high density polyethylene/hydroxyapatite nano particles for bone substitutes: effects of gamma radiation. <i>BioMedical Engineering OnLine</i> , 2014 , 13, 125	4.1	8
71	Glucose sensor based on copper oxide nanostructures. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 3569-74	1.3	20
70	Oxidative Stress Control in E. coli and S. aureus Cells Using Amines Adsorbed ZnO. <i>Science of Advanced Materials</i> , 2014 , 6, 1236-1243	2.3	7
69	Fabrication and Characterization of Cholesterol Biosensor Based on Nanoscale Sn-TiO ₂ Thin Films. <i>Sensor Letters</i> , 2014 , 12, 44-49	0.9	2
68	ZnO Nanoparticles: Efficient Material for the Detection of Hazardous Chemical. <i>Sensor Letters</i> , 2014 , 12, 1393-1398	0.9	4
67	A Wearable Wireless Respiration Rate Monitoring System Based on Fiber Optic Sensors. <i>Sensor Letters</i> , 2014 , 12, 1331-1336	0.9	4
66	Embedded Fiber Bragg Grating Based Strain Sensor as Smart Costume for Vital Signal Sensing. <i>Sensor Letters</i> , 2014 , 12, 1669-1674	0.9	5
65	Cholesterol Biosensor Based on Neodymium Doped Manganese Titanate Nanoparticles. <i>Sensor Letters</i> , 2014 , 12, 1495-1501	0.9	7
64	Magnesium oxide grafted carbon nanotubes based impedimetric genosensor for biomedical application. <i>Biosensors and Bioelectronics</i> , 2013 , 50, 406-13	11.8	18
63	Biocompatible nanostructured magnesium oxide-chitosan platform for genosensing application. <i>Biosensors and Bioelectronics</i> , 2013 , 45, 181-8	11.8	32
62	Nanostructured magnesium oxide biosensing platform for cholera detection. <i>Applied Physics Letters</i> , 2013 , 102, 144106	3.4	10
61	Glutathione Coated Zinc Oxide Nanoparticles: A Promising Material for Pesticide Detection. <i>Energy and Environment Focus</i> , 2013 , 2, 101-107		7
60	Tin oxide quantum dot based DNA sensor for pathogen detection. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 1671-8	1.3	17
59	Architectonics of Mesoporous Nanomaterials. <i>Reviews in Advanced Sciences and Engineering</i> , 2013 , 2, 77-89		2

58	Glucose sensing characteristics of Pd-doped tin oxide thin films deposited by plasma enhanced CVD. <i>Sensors and Actuators B: Chemical</i> , 2012 , 168, 149-155	8.5	11
57	Enhanced photocatalytic properties of nanoclustered P-doped TiO ₂ films deposited by advanced atmospheric plasma jet. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 6996-7001	1.3	9
56	Self-assembled monolayer based electrochemical nucleic acid sensor for Vibrio cholerae detection. <i>Journal of Physics: Conference Series</i> , 2012 , 358, 012009	0.3	9
55	Photoconducting properties of a unit nanostructure of ZnO assembled between microelectrodes. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 2406-11	1.3	1
54	One-pot synthesis and characterization of Nb ₂ O ₅ nanopowder. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 7922-6	1.3	7
53	Understanding the effect of flower extracts on the photoconducting properties of nanostructured TiO ₂ . <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 7860-8	1.3	6
52	Effect of Flower Extracts on the Optoelectronic Properties of Cd and Sn Doped TiO ₂ Nanopowder. <i>Science of Advanced Materials</i> , 2012 , 4, 763-770	2.3	3
51	Urea sensing characteristics of titanate nanotubes deposited by electrophoretic deposition method. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 3323-9	1.3	4
50	A novel high yield method for dry functionalization of carbon nanotubes. <i>Journal of Nanoscience and Nanotechnology</i> , 2011 , 11, 3200-7	1.3	
49	Urea Sensing Properties of Cu-Doped Titanate Nanostructures. <i>Advanced Science Letters</i> , 2011 , 4, 3451-3457	1.7	3
48	Characterization of Ruthenium Thin Film on Tantalum by Electrochemical Deposition: Rutherford Backscattering Spectroscopy. <i>Science of Advanced Materials</i> , 2011 , 3, 932-938	2.3	2
47	A simple method to deposit palladium doped SnO ₂ thin films using plasma enhanced chemical vapor deposition technique. <i>Review of Scientific Instruments</i> , 2010 , 81, 113903	1.7	6
46	A novel method for preparing stoichiometric SnO(2) thin films at low temperature. <i>Review of Scientific Instruments</i> , 2009 , 80, 045112	1.7	19
45	Low temperature synthesis and characterization of rosette-like nanostructures of ZnO using solution process. <i>Solid State Sciences</i> , 2009 , 11, 439-443	3.4	51
44	Electrophoretically deposited polyaniline/ZnO nanoparticles for p-n heterostructure diodes. <i>Superlattices and Microstructures</i> , 2009 , 46, 872-880	2.8	87
43	The role of pH variation on the growth of zinc oxide nanostructures. <i>Applied Surface Science</i> , 2009 , 255, 4891-4896	6.7	153
42	Effect of annealing on the conversion of ZnS to ZnO nanoparticles synthesized by the sol-gel method using zinc acetate and thiourea. <i>Metals and Materials International</i> , 2009 , 15, 453-458	2.4	22
41	Preparation of nanofibers consisting of MnO/Mn ₃ O ₄ by using the electrospinning technique: the nanofibers have two band-gap energies. <i>Applied Physics A: Materials Science and Processing</i> , 2009 , 95, 769-776	2.6	30

40	Effect of nanostructure on the urea sensing properties of sol-gel synthesized ZnO. <i>Sensors and Actuators B: Chemical</i> , 2009 , 137, 566-573	8.5	86
39	Fabrication of polyaniline/TiO ₂ heterojunction structure using plasma enhanced polymerization technique. <i>Superlattices and Microstructures</i> , 2009 , 46, 745-751	2.8	19
38	Immobilization of DNA on nano-hydroxyapatite and their interaction with carbon nanotubes. <i>Synthetic Metals</i> , 2009 , 159, 238-245	3.6	26
37	Effect of RF Plasma Power and Deposition Temperature on the Surface Properties of Tin Oxide Deposited by Modified Plasma Enhanced Chemical Vapor Deposition. <i>Science of Advanced Materials</i> , 2009 , 1, 254-261	2.3	7
36	Synthesis and characterization of hydrozincite and its conversion into zinc oxide nanoparticles. <i>Journal of Alloys and Compounds</i> , 2008 , 461, 66-71	5.7	86
35	Effect of hydroxylamine hydrochloride on the floral decoration of zinc oxide synthesized by solution method. <i>Applied Surface Science</i> , 2008 , 254, 2037-2042	6.7	31
34	Catalytic CVD processes of oxidizing species and the prevention of oxidization of heated tungsten filaments by H ₂ . <i>Thin Solid Films</i> , 2008 , 516, 829-831	2.2	10
33	Influence of the silicon surface treatment by plasma etching and scratching on the nucleation of diamond grown in HFCVD - a comparative study. <i>Korean Journal of Chemical Engineering</i> , 2008 , 25, 593-598	2.8	2
32	Urea sensor based on tin oxide thin films prepared by modified plasma enhanced CVD. <i>Sensors and Actuators B: Chemical</i> , 2008 , 132, 265-271	8.5	45
31	Glucose sensor based on nano-baskets of tin oxide templated in porous alumina by plasma enhanced CVD. <i>Biosensors and Bioelectronics</i> , 2008 , 23, 1838-42	11.8	68
30	Effect of annealing temperature on structural and bonded states of titanate nanotube films. <i>Journal of Applied Physics</i> , 2007 , 101, 024314	2.5	35
29	Effect of growth temperature on the morphology and bonded states of SnO ₂ nanobaskets. <i>Applied Surface Science</i> , 2007 , 253, 4668-4672	6.7	21
28	Hydrothermal growth of ZnO on annealed electrodeposited titanate film: Influence of zinc nitrate and methenamine. <i>Applied Surface Science</i> , 2007 , 253, 7197-7202	6.7	12
27	Room temperature synthesis of needle-shaped ZnO nanorods via sonochemical method. <i>Applied Surface Science</i> , 2007 , 253, 7622-7626	6.7	168
26	Low temperature solution synthesis and characterization of ZnO nano-flowers. <i>Materials Research Bulletin</i> , 2007 , 42, 1640-1648	5.1	291
25	Low temperature deposition and effect of plasma power on tin oxide thin films prepared by modified plasma enhanced chemical vapor deposition. <i>Journal of Applied Physics</i> , 2007 , 102, 073537	2.5	9
24	Growth and morphological study of zinc oxide nanoneedles grown on the annealed titanate nanotubes using hydrothermal method. <i>Journal of Applied Physics</i> , 2007 , 102, 084302	2.5	13
23	Magnesium interlayered diamond coating on silicon. <i>International Journal of Refractory Metals and Hard Materials</i> , 2006 , 24, 418-426	4.1	4

22	Rotational and vibrational state distributions of H ₂ activated on a heated tungsten filament. <i>Journal of Applied Physics</i> , 2006 , 99, 043510	2.5	11
21	Electrochemically Deposited Ruthenium Seed Layer Followed by Copper Electrochemical Plating. <i>Electrochemical and Solid-State Letters</i> , 2006 , 9, C19		15
20	Mass-Spectrometric Studies of Catalytic Chemical Vapor Deposition Processes of Organic Silicon Compounds Containing Nitrogen. <i>Japanese Journal of Applied Physics</i> , 2006 , 45, 961-966	1.4	15
19	Immobilization of avidin on the functionalized carbon nanotubes. <i>Synthetic Metals</i> , 2006 , 156, 938-943	3.6	32
18	Electrochemical deposition of copper and ruthenium on titanium. <i>Electrochimica Acta</i> , 2006 , 51, 5445-5457		16
17	H ₂ dilution effect in the Cat-CVD processes of the SiH ₄ /NH ₃ system. <i>Thin Solid Films</i> , 2006 , 501, 31-34	2.2	19
16	Effect of MgO interlayer on diamond film growth on silicon (100). <i>Thin Solid Films</i> , 2006 , 497, 103-108	2.2	4
15	Low melting temperature thin coating of zinc on Si(1 0 0) for diamond film growth. <i>Carbon</i> , 2005 , 43, 858-860	10.4	2
14	Preparation and characterization of FeOOH and Fe ₂ O ₃ by sol-gel method. <i>Journal of Materials Science</i> , 2005 , 40, 3031-3034	4.3	12
13	Technique for the production, preservation, and transportation of H atoms in metal chambers for processings. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2005 , 23, 1728-1731	2.9	20
12	Effect of tungsten/filament on the growth of carbon nanotubes in hot filament chemical vapor deposition system. <i>Journal of Materials Science</i> , 2004 , 39, 5771-5777	4.3	5
11	Nucleation of diamond over nanotube coated Si substrate using hot filament chemical vapor deposition (CVD) system. <i>Korean Journal of Chemical Engineering</i> , 2004 , 21, 262-266	2.8	3
10	Growth kinetics of diamond film with bias enhanced nucleation and H ₂ /CH ₄ /Ar mixture in a hot-filament chemical vapor deposition system. <i>Journal of Crystal Growth</i> , 2004 , 265, 563-570	1.6	7
9	Effect of deposition temperature on the growth of Y ₁ Ba ₂ Cu ₃ O _{7-x} thin film by aerosol assisted chemical vapor deposition using liquid solution sources. <i>Korean Journal of Chemical Engineering</i> , 2003 , 20, 772-775	2.8	2
8	Lonsdaleite diamond growth on reconstructed Si (100) by hot-filament chemical vapor deposition (HFCVD). <i>Korean Journal of Chemical Engineering</i> , 2003 , 20, 1154-1157	2.8	14
7	Influence of O ₂ admixture and sputtering pressure on the properties of ITO thin films deposited on PET substrate using RF reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 2003 , 173, 299-308	4.4	64
6	Effect of substrate temperature on the bonded states of indium tin oxide thin films deposited by plasma enhanced chemical vapor deposition. <i>Thin Solid Films</i> , 2003 , 426, 124-131	2.2	43
5	Effect of MoO ₃ doping and grain size on SnO ₂ -enhancement of sensitivity and selectivity for CO and H ₂ gas sensing. <i>Sensors and Actuators B: Chemical</i> , 2002 , 87, 105-114	8.5	90

4	ITO thin films deposited at different oxygen flow rates on Si(100) using the PEMOCVD method. <i>Surface and Coatings Technology</i> , 2002 , 161, 62-69	4.4	44
3	Characterization of SnO ₂ -based H ₂ gas sensors fabricated by different deposition techniques. <i>Journal of Materials Science: Materials in Electronics</i> , 1997 , 8, 23-27	2.1	42
2	Effect of thickness on H ₂ gas sensitivity of SnO ₂ nanoparticle-based thick film resistors. <i>Journal of Materials Science: Materials in Electronics</i> , 1996 , 7, 267	2.1	13
1	The effect of humidity on an SnO ₂ thick-film planar resistor. <i>Sensors and Actuators B: Chemical</i> , 1994 , 21, 159-163	8.5	19