List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3058727/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A novel recurrent mutation in MITF predisposes to familial and sporadic melanoma. Nature, 2011, 480, 99-103.	27.8	413
2	Antitumor Activity of 3-Ingenyl Angelate. Cancer Research, 2004, 64, 2833-2839.	0.9	239
3	Head and neck cancer: past, present and future. Expert Review of Anticancer Therapy, 2006, 6, 1111-1118.	2.4	199
4	Addition of interleukin-6 inhibition with tocilizumab to standard graft-versus-host disease prophylaxis after allogeneic stem-cell transplantation: a phase 1/2 trial. Lancet Oncology, The, 2014, 15, 1451-1459.	10.7	194
5	Characterization of the Melanoma miRNAome by Deep Sequencing. PLoS ONE, 2010, 5, e9685.	2.5	181
6	Microarray expression profiling in melanoma reveals a BRAF mutation signature. Oncogene, 2004, 23, 4060-4067.	5.9	169
7	Multimodal Polymer Nanoparticles with Combined ¹⁹ F Magnetic Resonance and Optical Detection for Tunable, Targeted, Multimodal Imaging <i>in Vivo</i> . Journal of the American Chemical Society, 2014, 136, 2413-2419.	13.7	160
8	Melanoma cell invasiveness is regulated by miRâ€211 suppression of the BRN2 transcription factor. Pigment Cell and Melanoma Research, 2011, 24, 525-537.	3.3	158
9	Autologous T-cell Therapy for Cytomegalovirus as a Consolidative Treatment for Recurrent Glioblastoma. Cancer Research, 2014, 74, 3466-3476.	0.9	155
10	Novel markers for poor prognosis in head and neck cancer. International Journal of Cancer, 2005, 113, 789-797.	5.1	141
11	Validating Eaton's Hypothesis: Cubane as a Benzene Bioisostere. Angewandte Chemie - International Edition, 2016, 55, 3580-3585.	13.8	126
12	NFIA Controls Telencephalic Progenitor Cell Differentiation through Repression of the Notch Effector Hes1. Journal of Neuroscience, 2010, 30, 9127-9139.	3.6	119
13	Potent Antimalarial Activity of Histone Deacetylase Inhibitor Analogues. Antimicrobial Agents and Chemotherapy, 2008, 52, 1454-1461.	3.2	112
14	What is transforming growth factor-beta (TGF-β)?. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2004, 57, 215-221.	1.1	107
15	Nuclear targeting of the growth hormone receptor results in dysregulation of cell proliferation and tumorigenesis. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 13331-13336.	7.1	100
16	Type I interferons suppress CD4 ⁺ Tâ€cellâ€dependent parasite control during bloodâ€stage <i>Plasmodium</i> infection. European Journal of Immunology, 2011, 41, 2688-2698.	2.9	98
17	Tc17 cells are a proinflammatory, plastic lineage of pathogenic CD8+ T cells that induce GVHD without antileukemic effects. Blood, 2015, 126, 1609-1620.	1.4	98
18	The oligomycin axis of mitochondrial ATP synthase: OSCP and the proton channel. Journal of Bioenergetics and Biomembranes, 2000, 32, 507-515.	2.3	96

GLEN M BOYLE

#	Article	IF	CITATIONS
19	Macrophage Inhibitory Cytokine-1 Is Overexpressed in Malignant Melanoma and Is Associated with Tumorigenicity. Journal of Investigative Dermatology, 2009, 129, 383-391.	0.7	95
20	The Complement C3a Receptor Contributes to Melanoma Tumorigenesis by Inhibiting Neutrophil and CD4+ T Cell Responses. Journal of Immunology, 2016, 196, 4783-4792.	0.8	94
21	Type I Interferons Regulate Immune Responses in Humans with Blood-Stage Plasmodium falciparum Infection. Cell Reports, 2016, 17, 399-412.	6.4	88
22	Topical treatments for skin cancer. Advanced Drug Delivery Reviews, 2020, 153, 54-64.	13.7	87
23	NFIB Mediates BRN2 Driven Melanoma Cell Migration and Invasion Through Regulation of EZH2 and MITF. EBioMedicine, 2017, 16, 63-75.	6.1	85
24	Kallikrein-Related Peptidase 7 Promotes Multicellular Aggregation via the α5β1 Integrin Pathway and Paclitaxel Chemoresistance in Serous Epithelial Ovarian Carcinoma. Cancer Research, 2010, 70, 2624-2633.	0.9	82
25	miR-514a regulates the tumour suppressor NF1 and modulates BRAFi sensitivity in melanoma. Oncotarget, 2015, 6, 17753-17763.	1.8	81
26	Over-expression of Eph and ephrin genes in advanced ovarian cancer: ephrin gene expression correlates with shortened survival. BMC Cancer, 2006, 6, 144.	2.6	80
27	Targeting Adenosine in BRAF-Mutant Melanoma Reduces Tumor Growth and Metastasis. Cancer Research, 2017, 77, 4684-4696.	0.9	80
28	Cross-Platform Array Screening Identifies COL1A2, THBS1, TNFRSF10D and UCHL1 as Genes Frequently Silenced by Methylation in Melanoma. PLoS ONE, 2011, 6, e26121.	2.5	73
29	Secretome from senescent melanoma engages the STAT3 pathway to favor reprogramming of naive melanoma towards a tumor-initiating cell phenotype. Oncotarget, 2013, 4, 2212-2224.	1.8	69
30	Proneural and proneuroendocrine transcription factor expression in cutaneous mechanoreceptor (Merkel) cells and Merkel cell carcinoma. International Journal of Cancer, 2002, 101, 103-110.	5.1	68
31	Design, Synthesis, Potency, and Cytoselectivity of Anticancer Agents Derived by Parallel Synthesis from α-Aminosuberic Acid. Journal of Medicinal Chemistry, 2006, 49, 7611-7622.	6.4	67
32	Gene-expression profiling reveals distinct expression patterns for Classic versus Variant Merkel cell phenotypes and new classifier genes to distinguish Merkel cell from small-cell lung carcinoma. Oncogene, 2004, 23, 2732-2742.	5.9	63
33	Potential molecular targets for inhibiting bone invasion by oral squamous cell carcinoma: a review of mechanisms. Cancer and Metastasis Reviews, 2012, 31, 209-219.	5.9	62
34	Intra-Lesional Injection of the Novel PKC Activator EBC-46 Rapidly Ablates Tumors in Mouse Models. PLoS ONE, 2014, 9, e108887.	2.5	62
35	p53 prevents progression of nevi to melanoma predominantly through cell cycle regulation. Pigment Cell and Melanoma Research, 2010, 23, 781-794.	3.3	59
36	Induction of Senescence in Diterpene Ester–Treated Melanoma Cells via Protein Kinase C–Dependent Hyperactivation of the Mitogen-Activated Protein Kinase Pathway. Cancer Research, 2006, 66, 10083-10091.	0.9	57

GLEN M BOYLE

#	Article	IF	CITATIONS
37	Histone deacetylase inhibitors and malignant melanoma. Pigment Cell & Melanoma Research, 2005, 18, 160-166.	3.6	56
38	Therapy for metastatic melanoma: an overview and update. Expert Review of Anticancer Therapy, 2011, 11, 725-737.	2.4	55
39	Alpha B-Crystallin, a New Independent Marker for Poor Prognosis in Head and Neck Cancer. Laryngoscope, 2005, 115, 1239-1242.	2.0	52
40	H adherin expression reduces invasion of malignant melanoma. Pigment Cell and Melanoma Research, 2009, 22, 296-306.	3.3	52
41	Molecular introduction to head and neck cancer (HNSCC) carcinogenesis. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2004, 57, 595-602.	1.1	50
42	Identification of subunit g of yeast mitochondrial F1F0-ATP synthase, a protein required for maximal activity of cytochrome c oxidase. FEBS Journal, 1999, 262, 315-323.	0.2	49
43	The cubane paradigm in bioactive molecule discovery: further scope, limitations and the cyclooctatetraene complement. Organic and Biomolecular Chemistry, 2019, 17, 6790-6798.	2.8	49
44	Pestalactams A–C: novel caprolactams from the endophytic fungus Pestalotiopsis sp Organic and Biomolecular Chemistry, 2010, 8, 1785.	2.8	48
45	MITF and BRN2 contribute to metastatic growth after dissemination of melanoma. Scientific Reports, 2017, 7, 10909.	3.3	48
46	Influence of ageing, heat shock treatment and in vivo total antioxidant status on gene-expression profile and protein synthesis in human peripheral lymphocytes. Mechanisms of Ageing and Development, 2003, 124, 55-69.	4.6	47
47	Paclitaxel Resistance and Multicellular Spheroid Formation Are Induced by Kallikrein-Related Peptidase 4 in Serous Ovarian Cancer Cells in an Ascites Mimicking Microenvironment. PLoS ONE, 2013, 8, e57056.	2.5	47
48	Histopathological features of clinical perineural invasion of cutaneous squamous cell carcinoma of the head and neck and the potential implications for treatment. Head and Neck, 2014, 36, 1611-1618.	2.0	44
49	Common Strategies To Prevent and Modulate Experimental Cerebral Malaria in Mouse Strains with Different Susceptibilities. Infection and Immunity, 2008, 76, 3312-3320.	2.2	43
50	Expression of p53 Tumor Suppressor Protein in Sun-exposed Skin and Associations with Sunscreen Use and Time Spent Outdoors: A Community-based Study. American Journal of Epidemiology, 2006, 163, 982-988.	3.4	42
51	Expression profiling identifies genes involved in neoplastic transformation of serous ovarian cancer. BMC Cancer, 2009, 9, 378.	2.6	41
52	Pre-emptive and therapeutic adoptive immunotherapy for nasopharyngeal carcinoma: Phenotype and effector function of T cells impact on clinical response. OncoImmunology, 2017, 6, e1273311.	4.6	41
53	Thrombospondin-4 is a putative tumour-suppressor gene in colorectal cancer that exhibits age-related methylation. BMC Cancer, 2010, 10, 494.	2.6	40
54	Screening of Human Primary Melanocytes of Defined Melanocortin-1 Receptor Genotype: Pigmentation Marker, Ultrastructural and UV-Survival Studies. Pigment Cell & Melanoma Research, 2003, 16, 198-207.	3.6	39

GLEN M BOYLE

#	Article	IF	CITATIONS
55	Antiproliferative and Phenotype-Transforming Antitumor Agents Derived from Cysteine. Journal of Medicinal Chemistry, 2004, 47, 2984-2994.	6.4	38
56	Autophagy is required for stem cell mobilization by G-CSF. Blood, 2015, 125, 2933-2936.	1.4	36
57	UVB-Induced Melanocyte Proliferation in Neonatal Mice Driven by CCR2-Independent Recruitment of Ly6clowMHCIIhi Macrophages. Journal of Investigative Dermatology, 2013, 133, 1803-1812.	0.7	34
58	Modification of T Cell Responses by Stem Cell Mobilization Requires Direct Signaling of the T Cell by G-CSF and IL-10. Journal of Immunology, 2014, 192, 3180-3189.	0.8	34
59	Validating Eaton's Hypothesis: Cubane as a Benzene Bioisostere. Angewandte Chemie, 2016, 128, 3644-3649.	2.0	34
60	Isoflavonoid Photoprotection in Mouse and Human Skin Is Dependent on Metallothionein. Journal of Investigative Dermatology, 2006, 126, 198-204.	0.7	32
61	Surfactant Protein Expression in Human Skin: Evidence and Implications. Journal of Investigative Dermatology, 2007, 127, 381-386.	0.7	31
62	PPARγ agonists attenuate proliferation and modulate Wnt/β-catenin signalling in melanoma cells. International Journal of Biochemistry and Cell Biology, 2009, 41, 844-852.	2.8	31
63	The induction of senescence-like growth arrest by protein kinase C-activating diterpene esters in solid tumor cells. Investigational New Drugs, 2010, 28, 575-586.	2.6	30
64	Spatiotemporal Characterization of the Cellular and Molecular Contributors to Liver Fibrosis in a Murine Hepatotoxic-Injury Model. American Journal of Pathology, 2016, 186, 524-538.	3.8	28
65	Stachyonic Acid: A Dengue Virus Inhibitor from <i>Basilicum polystachyon</i> . Chemistry - A European Journal, 2019, 25, 5664-5667.	3.3	27
66	Invasion and metastasis markers in cancers. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2005, 58, 466-474.	1.1	26
67	SerpinB2 inhibits migration and promotes a resolution phase signature in large peritoneal macrophages. Scientific Reports, 2019, 9, 12421.	3.3	26
68	A novel fluorescent marker for assembled mitochondria ATP synthase of yeast. FEBS Letters, 1997, 411, 97-101.	2.8	24
69	Expression profiling correlates with treatment response in women with advanced serous epithelial ovarian cancer. International Journal of Cancer, 2006, 119, 875-883.	5.1	24
70	Cyclooctatetraene: A Bioactive Cubane Paradigm Complement. Chemistry - A European Journal, 2019, 25, 2729-2734.	3.3	24
71	Induction of Metallothionein in Human Skin by Routine Exposure to Sunlight: Evidence for a Systemic Response and Enhanced Induction at Certain Body Sites. Journal of Investigative Dermatology, 2003, 120, 318-324.	0.7	23
72	C5a receptors C5aR1 and C5aR2 mediate opposing pathologies in a mouse model of melanoma. FASEB Journal, 2019, 33, 11060-11071.	0.5	23

#	Article	IF	CITATIONS
73	Expression profiling of cutaneous squamous cell carcinoma with perineural invasion implicates the p53 pathway in the process. Scientific Reports, 2016, 6, 34081.	3.3	21
74	The â€~melanoma-enriched' microRNA miR-4731-5p acts as a tumour suppressor. Oncotarget, 2016, 7, 49677-49687.	1.8	21
75	Loss of T-cadherin (CDH-13) regulates AKT signaling and desensitizes cells to apoptosis in melanoma. Molecular Carcinogenesis, 2014, 53, 635-647.	2.7	20
76	BRN2 expression increases anoikis resistance in melanoma. Oncogenesis, 2020, 9, 64.	4.9	20
77	Gene expression profiling in melanoma identifies novel downstream effectors ofp14ARF. International Journal of Cancer, 2007, 121, 784-790.	5.1	19
78	Neural cell adhesion molecule expression: No correlation with perineural invasion in cutaneous squamous cell carcinoma of the head and neck. Head and Neck, 2009, 31, 802-806.	2.0	19
79	Caelestines Aâ^'D, Brominated Quinolinecarboxylic Acids from the Australian Ascidian <i>Aplidium caelestis</i> . Journal of Natural Products, 2010, 73, 1586-1589.	3.0	19
80	Ssb1 and Ssb2 cooperate to regulate mouse hematopoietic stem and progenitor cells by resolving replicative stress. Blood, 2017, 129, 2479-2492.	1.4	18
81	Activation of PKC supports the anticancer activity of tigilanol tiglate and related epoxytiglianes. Scientific Reports, 2021, 11, 207.	3.3	18
82	IL-1 Contributes to the Anti-Cancer Efficacy of Ingenol Mebutate. PLoS ONE, 2016, 11, e0153975.	2.5	18
83	ls Apaf-1 expression frequently abrogated in melanoma?. Cell Death and Differentiation, 2005, 12, 680-681.	11.2	17
84	The Aromatic Head Group of Spider Toxin Polyamines Influences Toxicity to Cancer Cells. Toxins, 2017, 9, 346.	3.4	17
85	Kunitz type protease inhibitor EgKI-1 from the canine tapeworm Echinococcus granulosus as a promising therapeutic against breast cancer. PLoS ONE, 2018, 13, e0200433.	2.5	17
86	Reduced αBâ€crystallin staining in perineural invasion of head and neck cutaneous squamous cell carcinoma. Otolaryngology - Head and Neck Surgery, 2010, 142, S15-9.	1.9	16
87	New Casbanes and the First <i>trans</i> â€Cyclopropane <i>seco</i> â€Casbane from the Australian Rainforest Plant <i>Croton insularis</i> . Chemistry - A European Journal, 2019, 25, 1525-1534.	3.3	15
88	Androgens alter the heterogeneity of small extracellular vesicles and the small RNA cargo in prostate cancer. Journal of Extracellular Vesicles, 2021, 10, e12136.	12.2	15
89	Optimising intratumoral treatment of head and neck squamous cell carcinoma models with the diterpene ester Tigilanol tiglate. Investigational New Drugs, 2019, 37, 1-8.	2.6	14
90	Donor bone marrow–derived macrophage MHC II drives neuroinflammation and altered behavior during chronic GVHD in mice. Blood, 2022, 139, 1389-1408.	1.4	14

#	Article	lF	CITATIONS
91	Novel epoxy-tiglianes stimulate skin keratinocyte wound healing responses and re-epithelialization via protein kinase C activation. Biochemical Pharmacology, 2020, 178, 114048.	4.4	14
92	Serum Omega-3 and Omega-6 Fatty Acids and Cutaneous p53 Expression in an Australian Population. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 530-536.	2.5	13
93	Furofuran lignans from the Simpson Desert species Eremophila macdonnellii. Fìtoterapìâ, 2018, 126, 93-97.	2.2	13
94	Basimarols A, B, and C, Highly Oxygenated Pimarane Diterpenoids from Basilicum polystachyon. Journal of Natural Products, 2019, 82, 2828-2834.	3.0	13
95	Is Alpha-B Crystallin an Independent Marker for Prognosis in Lung Cancer?. Heart Lung and Circulation, 2013, 22, 759-766.	0.4	11
96	Rhodium atalyzed [4+3] Cycloaddition to Furans: Direct Access to Functionalized Bicyclo[5.3.0]decane Derivatives. European Journal of Organic Chemistry, 2016, 2016, 41-44.	2.4	11
97	Modulation at a distance of proton conductance through the Saccharomyces cerevisiae mitochondrial F1F0-ATP synthase by variants of the oligomycin sensitivity-conferring protein containing substitutions near the C-terminus. Journal of Bioenergetics and Biomembranes, 2000, 32, 595-607.	2.3	10
98	Effect of Novel Marine Nutraceuticals on IL-1α-Mediated TNF-αRelease from UVB-Irradiated Human Melanocyte-Derived Cells. Oxidative Medicine and Cellular Longevity, 2011, 2011, 1-11.	4.0	10
99	Plasticity of melanoma in vivo: murine lesions resulting from Trp53, but not Cdk4 or Arf deregulation, display neural transdifferentiation. Pigment Cell and Melanoma Research, 2013, 26, 731-734.	3.3	10
100	Heterogeneity in Melanoma. Cancers, 2022, 14, 3030.	3.7	10
101	Microarrays and Epidemiology: Not the Beginning of the End but the End of the Beginning…. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 637-638.	2.5	9
102	REST Negatively and ISGF3 Positively Regulate the Human <i>STAT1</i> Gene in Melanoma. Molecular Cancer Therapeutics, 2013, 12, 1288-1298.	4.1	9
103	The First Plant 5,6â€Secosteroid from the Australian Arid Zone Species <i>Frankenia foliosa</i> . European Journal of Organic Chemistry, 2017, 2017, 1498-1501.	2.4	9
104	Heteroatomâ€Interchanged Isomers of Lissoclinamide 5: Copper(II) Complexation, Halide Binding, and Biological Activity. European Journal of Organic Chemistry, 2018, 2018, 1465-1476.	2.4	8
105	The human genome and gene expression profiling. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2006, 59, 902-911.	1.0	7
106	Use of kinase inhibitors against schistosomes to improve and broaden praziquantel efficacy. Parasitology, 2020, 147, 1488-1498.	1.5	7
107	Mechanisms Contributing to Differential Regulation of PAX3 Downstream Target Genes in Normal Human Epidermal Melanocytes versus Melanoma Cells. PLoS ONE, 2015, 10, e0124154.	2.5	7
108	Kunitz type protease inhibitor from the canine tapeworm as a potential therapeutic for melanoma. Scientific Reports, 2019, 9, 16207.	3.3	6

#	Article	IF	CITATIONS
109	New Halimanes from the Australian Rainforest Plant <i>Croton Insularis</i> . European Journal of Organic Chemistry, 2019, 2019, 1058-1060.	2.4	6
110	EBCâ€232 and 323: A Structural Conundrum Necessitating Unification of Five In Silico Prediction and Elucidation Methods. Chemistry - A European Journal, 2020, 26, 11862-11867.	3.3	6
111	ASC Modulates CTL Cytotoxicity and Transplant Outcome Independent of the Inflammasome. Cancer Immunology Research, 2020, 8, 1085-1098.	3.4	6
112	Transcriptional responses of human melanocytes to solar UV. Redox Report, 1999, 4, 307-308.	4.5	5
113	Biomarkers for Cancers of the Head and Neck. Clinical Medicine Ear Nose and Throat, 2008, 1, CMENT.S1051.	0.0	5
114	Novel mouse model for simulating microsurgical tumor excision with facial nerve preservation. Laryngoscope, 2016, 126, E1-5.	2.0	5
115	Kalparinol, a Salvialane (Isodaucane) Sesquiterpenoid Derived from Native Australian <i>Dysphania</i> Species That Suggests a Putative Biogenetic Link to Zerumbone. Journal of Natural Products, 2020, 83, 1473-1479.	3.0	5
116	Unexpected High Levels of BRN2/POU3F2 Expression in Human Dermal Melanocytic Nevi. Journal of Investigative Dermatology, 2020, 140, 1299-1302.e4.	0.7	3
117	Humulene Diepoxides from the Australian Arid Zone Herb Dysphania : Assignment of Aged Hops Constituents. Chemistry - A European Journal, 2020, 26, 1653-1660.	3.3	3
118	Synthetic Tigliane Intermediates Engage Thiols to Induce Potent Cell Line Selective Anti ancer Activity. Chemistry - A European Journal, 2020, 26, 13372-13377.	3.3	3
119	BRN2 in Melanocytic Cell Development, Differentiation, and Transformation. , 2006, , 149-167.		3
120	Ectopic expression of protein kinase C-β sensitizes head and neck squamous cell carcinoma to diterpene esters. Anticancer Research, 2015, 35, 1291-6.	1.1	3
121	Evidence for an Alternatively Spliced MITF Exon 2 Variant. Journal of Investigative Dermatology, 2014, 134, 1166-1168.	0.7	2
122	BRN2 and MITF together impact AXL expression in melanoma. Experimental Dermatology, 2022, 31, 89-93.	2.9	2
123	EBCâ€342: A Novel Tetrahydrofuran Moiety Containing Casbane from the Australian Rainforest. European Journal of Organic Chemistry, 2020, 2020, 1042-1045.	2.4	2
124	Gene Expression Profiling Reveals Two Distinct Subtypes of Merkel Cell Carcinoma. , 2003, , 195-202.		1
125	New Cysteine Derivatives with Antiproliferative Activity on Melanoma Cells. Medicinal Chemistry, 2006, 2, 123-132.	1.5	1
126	Frontispiece: Validating Eaton's Hypothesis: Cubane as a Benzene Bioisostere. Angewandte Chemie - International Edition, 2016, 55, .	13.8	1

#	Article	IF	CITATIONS
127	Anoikis Resistance in Melanoma. , 2021, , 137-160.		1
128	Autophagy Is Required For Long-Term Hematopoietic Stem Cell (HSC) Function and G-CSF-Induced HSC Mobilization. Blood, 2013, 122, 892-892.	1.4	1
129	Reciprocal Regulation of BRN2 and NOTCH1/2 Signaling Synergistically Drives Melanoma Cell Migration and Invasion. Journal of Investigative Dermatology, 2022, 142, 1845-1857.	0.7	1
130	Frontispiz: Validating Eaton's Hypothesis: Cubane as a Benzene Bioisostere. Angewandte Chemie, 2016, 128, .	2.0	0
131	NFIA controls progenitor cell differentiation through repression of the Notch effector Hes1. FASEB Journal, 2010, 24, 65.2.	0.5	Ο
132	SSB1/NABP2 and SSB2/NABP1 Have Essential and Overlapping Roles in Maintaining Hematopoietic Stem and Progenitor Cells. Blood, 2015, 126, 2405-2405.	1.4	0
133	Abstract 1093: The melanoma-enriched microRNA miR-4731 regulates genes involved in cell cycle and the melanosome. , 2016, , .		0
134	Abstract 744: Clinically targetable genomic alterations in acral melanoma. , 2019, , .		0
135	Abstract 4112: Programmed death-1 ligand 2 (PD-L2) on dendritic cells protects T cells from cellular exhaustion during melanoma. , 2019, , .		0