

Glen M Boyle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3058727/publications.pdf>

Version: 2024-02-01

135
papers

6,166
citations

53794

45
h-index

76900

74
g-index

144
all docs

144
docs citations

144
times ranked

10916
citing authors

#	ARTICLE	IF	CITATIONS
1	BRN2 and MITF together impact AXL expression in melanoma. <i>Experimental Dermatology</i> , 2022, 31, 89-93.	2.9	2
2	Donor bone marrow-derived macrophage MHC II drives neuroinflammation and altered behavior during chronic GVHD in mice. <i>Blood</i> , 2022, 139, 1389-1408.	1.4	14
3	Reciprocal Regulation of BRN2 and NOTCH1/2 Signaling Synergistically Drives Melanoma Cell Migration and Invasion. <i>Journal of Investigative Dermatology</i> , 2022, 142, 1845-1857.	0.7	1
4	Heterogeneity in Melanoma. <i>Cancers</i> , 2022, 14, 3030.	3.7	10
5	Anoikis Resistance in Melanoma. , 2021, , 137-160.		1
6	Androgens alter the heterogeneity of small extracellular vesicles and the small RNA cargo in prostate cancer. <i>Journal of Extracellular Vesicles</i> , 2021, 10, e12136.	12.2	15
7	Activation of PKC supports the anticancer activity of tigilanol tiglate and related epoxytiglianes. <i>Scientific Reports</i> , 2021, 11, 207.	3.3	18
8	Unexpected High Levels of BRN2/POU3F2 Expression in Human Dermal Melanocytic Nevi. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1299-1302.e4.	0.7	3
9	Topical treatments for skin cancer. <i>Advanced Drug Delivery Reviews</i> , 2020, 153, 54-64.	13.7	87
10	BRN2 expression increases anoikis resistance in melanoma. <i>Oncogenesis</i> , 2020, 9, 64.	4.9	20
11	Use of kinase inhibitors against schistosomes to improve and broaden praziquantel efficacy. <i>Parasitology</i> , 2020, 147, 1488-1498.	1.5	7
12	EBC-232 and 323: A Structural Conundrum Necessitating Unification of Five In Silico Prediction and Elucidation Methods. <i>Chemistry - A European Journal</i> , 2020, 26, 11862-11867.	3.3	6
13	EBC-342: A Novel Tetrahydrofuran Moiety Containing Casbane from the Australian Rainforest. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 1042-1045.	2.4	2
14	Humulene Diepoxides from the Australian Arid Zone Herb <i>Dysphania</i> : Assignment of Aged Hops Constituents. <i>Chemistry - A European Journal</i> , 2020, 26, 1653-1660.	3.3	3
15	Kalparinol, a Salviolane (Isodaucane) Sesquiterpenoid Derived from Native Australian <i>Dysphania</i> Species That Suggests a Putative Biogenetic Link to Zerumbone. <i>Journal of Natural Products</i> , 2020, 83, 1473-1479.	3.0	5
16	Synthetic Tiglane Intermediates Engage Thiols to Induce Potent Cell Line Selective Anti-Cancer Activity. <i>Chemistry - A European Journal</i> , 2020, 26, 13372-13377.	3.3	3
17	Novel epoxy-tiglianes stimulate skin keratinocyte wound healing responses and re-epithelialization via protein kinase C activation. <i>Biochemical Pharmacology</i> , 2020, 178, 114048.	4.4	14
18	ASC Modulates CTL Cytotoxicity and Transplant Outcome Independent of the Inflammasome. <i>Cancer Immunology Research</i> , 2020, 8, 1085-1098.	3.4	6

#	ARTICLE	IF	CITATIONS
19	C5a receptors C5aR1 and C5aR2 mediate opposing pathologies in a mouse model of melanoma. <i>FASEB Journal</i> , 2019, 33, 11060-11071.	0.5	23
20	Kunitz type protease inhibitor from the canine tapeworm as a potential therapeutic for melanoma. <i>Scientific Reports</i> , 2019, 9, 16207.	3.3	6
21	SerpinB2 inhibits migration and promotes a resolution phase signature in large peritoneal macrophages. <i>Scientific Reports</i> , 2019, 9, 12421.	3.3	26
22	Basimarols A, B, and C, Highly Oxygenated Pimarane Diterpenoids from <i>Basilicum polystachyon</i> . <i>Journal of Natural Products</i> , 2019, 82, 2828-2834.	3.0	13
23	Cyclooctatetraene: A Bioactive Cubane Paradigm Complement. <i>Chemistry - A European Journal</i> , 2019, 25, 2729-2734.	3.3	24
24	The cubane paradigm in bioactive molecule discovery: further scope, limitations and the cyclooctatetraene complement. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 6790-6798.	2.8	49
25	Stachyonic Acid: A Dengue Virus Inhibitor from <i>Basilicum polystachyon</i> . <i>Chemistry - A European Journal</i> , 2019, 25, 5664-5667.	3.3	27
26	New Casbanes and the First <i>trans</i> -Cyclopropane <i>seco</i> -Casbane from the Australian Rainforest Plant <i>Croton insularis</i> . <i>Chemistry - A European Journal</i> , 2019, 25, 1525-1534.	3.3	15
27	New Halimanes from the Australian Rainforest Plant <i>Croton Insularis</i> . <i>European Journal of Organic Chemistry</i> , 2019, 2019, 1058-1060.	2.4	6
28	Optimising intratumoral treatment of head and neck squamous cell carcinoma models with the diterpene ester Tigilanol tiglate. <i>Investigational New Drugs</i> , 2019, 37, 1-8.	2.6	14
29	Abstract 744: Clinically targetable genomic alterations in acral melanoma. , 2019, , .		0
30	Abstract 4112: Programmed death-1 ligand 2 (PD-L2) on dendritic cells protects T cells from cellular exhaustion during melanoma. , 2019, , .		0
31	Heteroatom-Interchanged Isomers of Lissoclinamide 5: Copper(II) Complexation, Halide Binding, and Biological Activity. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 1465-1476.	2.4	8
32	Furofuran lignans from the Simpson Desert species <i>Eremophila macdonnellii</i> . <i>Phytochemistry</i> , 2018, 126, 93-97.	2.2	13
33	Kunitz type protease inhibitor EgKI-1 from the canine tapeworm <i>Echinococcus granulosus</i> as a promising therapeutic against breast cancer. <i>PLoS ONE</i> , 2018, 13, e0200433.	2.5	17
34	Ssb1 and Ssb2 cooperate to regulate mouse hematopoietic stem and progenitor cells by resolving replicative stress. <i>Blood</i> , 2017, 129, 2479-2492.	1.4	18
35	NFIB Mediates BRN2 Driven Melanoma Cell Migration and Invasion Through Regulation of EZH2 and MITF. <i>EBioMedicine</i> , 2017, 16, 63-75.	6.1	85
36	The First Plant 5,6- δ -Secosteroid from the Australian Arid Zone Species <i>Frankenia foliosa</i> . <i>European Journal of Organic Chemistry</i> , 2017, 2017, 1498-1501.	2.4	9

#	ARTICLE	IF	CITATIONS
37	Pre-emptive and therapeutic adoptive immunotherapy for nasopharyngeal carcinoma: Phenotype and effector function of T cells impact on clinical response. <i>Oncolmmunology</i> , 2017, 6, e1273311.	4.6	41
38	MITF and BRN2 contribute to metastatic growth after dissemination of melanoma. <i>Scientific Reports</i> , 2017, 7, 10909.	3.3	48
39	Targeting Adenosine in BRAF-Mutant Melanoma Reduces Tumor Growth and Metastasis. <i>Cancer Research</i> , 2017, 77, 4684-4696.	0.9	80
40	The Aromatic Head Group of Spider Toxin Polyamines Influences Toxicity to Cancer Cells. <i>Toxins</i> , 2017, 9, 346.	3.4	17
41	Validating Eaton's Hypothesis: Cubane as a Benzene Bioisostere. <i>Angewandte Chemie</i> , 2016, 128, 3644-3649.	2.0	34
42	Validating Eaton's Hypothesis: Cubane as a Benzene Bioisostere. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3580-3585.	13.8	126
43	Expression profiling of cutaneous squamous cell carcinoma with perineural invasion implicates the p53 pathway in the process. <i>Scientific Reports</i> , 2016, 6, 34081.	3.3	21
44	The Complement C3a Receptor Contributes to Melanoma Tumorigenesis by Inhibiting Neutrophil and CD4+ T Cell Responses. <i>Journal of Immunology</i> , 2016, 196, 4783-4792.	0.8	94
45	Frontispiece: Validating Eaton's Hypothesis: Cubane as a Benzene Bioisostere. <i>Angewandte Chemie - International Edition</i> , 2016, 55, .	13.8	1
46	Frontispiz: Validating Eaton's Hypothesis: Cubane as a Benzene Bioisostere. <i>Angewandte Chemie</i> , 2016, 128, .	2.0	0
47	Type I Interferons Regulate Immune Responses in Humans with Blood-Stage Plasmodium falciparum Infection. <i>Cell Reports</i> , 2016, 17, 399-412.	6.4	88
48	Rhodium-Catalyzed [4+3] Cycloaddition to Furans: Direct Access to Functionalized Bicyclo[5.3.0]decane Derivatives. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 41-44.	2.4	11
49	Novel mouse model for simulating microsurgical tumor excision with facial nerve preservation. <i>Laryngoscope</i> , 2016, 126, E1-5.	2.0	5
50	Spatiotemporal Characterization of the Cellular and Molecular Contributors to Liver Fibrosis in a Murine Hepatotoxic-Injury Model. <i>American Journal of Pathology</i> , 2016, 186, 524-538.	3.8	28
51	IL-1 Contributes to the Anti-Cancer Efficacy of Ingenol Mebutate. <i>PLoS ONE</i> , 2016, 11, e0153975.	2.5	18
52	The "melanoma-enriched" microRNA miR-4731-5p acts as a tumour suppressor. <i>Oncotarget</i> , 2016, 7, 49677-49687.	1.8	21
53	Abstract 1093: The melanoma-enriched microRNA miR-4731 regulates genes involved in cell cycle and the melanosome. , 2016, , .		0
54	Tc17 cells are a proinflammatory, plastic lineage of pathogenic CD8+ T cells that induce GVHD without antileukemic effects. <i>Blood</i> , 2015, 126, 1609-1620.	1.4	98

#	ARTICLE	IF	CITATIONS
55	Autophagy is required for stem cell mobilization by G-CSF. <i>Blood</i> , 2015, 125, 2933-2936.	1.4	36
56	Mechanisms Contributing to Differential Regulation of PAX3 Downstream Target Genes in Normal Human Epidermal Melanocytes versus Melanoma Cells. <i>PLoS ONE</i> , 2015, 10, e0124154.	2.5	7
57	miR-514a regulates the tumour suppressor NF1 and modulates BRAFi sensitivity in melanoma. <i>Oncotarget</i> , 2015, 6, 17753-17763.	1.8	81
58	SSB1/NABP2 and SSB2/NABP1 Have Essential and Overlapping Roles in Maintaining Hematopoietic Stem and Progenitor Cells. <i>Blood</i> , 2015, 126, 2405-2405.	1.4	0
59	Ectopic expression of protein kinase C- β sensitizes head and neck squamous cell carcinoma to diterpene esters. <i>Anticancer Research</i> , 2015, 35, 1291-6.	1.1	3
60	Intra-Lesional Injection of the Novel PKC Activator EBC-46 Rapidly Ablates Tumors in Mouse Models. <i>PLoS ONE</i> , 2014, 9, e108887.	2.5	62
61	Autologous T-cell Therapy for Cytomegalovirus as a Consolidative Treatment for Recurrent Glioblastoma. <i>Cancer Research</i> , 2014, 74, 3466-3476.	0.9	155
62	Evidence for an Alternatively Spliced MITF Exon 2 Variant. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1166-1168.	0.7	2
63	Histopathological features of clinical perineural invasion of cutaneous squamous cell carcinoma of the head and neck and the potential implications for treatment. <i>Head and Neck</i> , 2014, 36, 1611-1618.	2.0	44
64	Addition of interleukin-6 inhibition with tocilizumab to standard graft-versus-host disease prophylaxis after allogeneic stem-cell transplantation: a phase 1/2 trial. <i>Lancet Oncology</i> , The, 2014, 15, 1451-1459.	10.7	194
65	Modification of T Cell Responses by Stem Cell Mobilization Requires Direct Signaling of the T Cell by G-CSF and IL-10. <i>Journal of Immunology</i> , 2014, 192, 3180-3189.	0.8	34
66	Multimodal Polymer Nanoparticles with Combined ¹⁹ F Magnetic Resonance and Optical Detection for Tunable, Targeted, Multimodal Imaging <i>in Vivo</i> . <i>Journal of the American Chemical Society</i> , 2014, 136, 2413-2419.	13.7	160
67	Loss of T-cadherin (CDH-13) regulates AKT signaling and desensitizes cells to apoptosis in melanoma. <i>Molecular Carcinogenesis</i> , 2014, 53, 635-647.	2.7	20
68	Plasticity of melanoma in vivo: murine lesions resulting from Trp53, but not Cdk4 or Arf deregulation, display neural transdifferentiation. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 731-734.	3.3	10
69	Is Alpha-B Crystallin an Independent Marker for Prognosis in Lung Cancer?. <i>Heart Lung and Circulation</i> , 2013, 22, 759-766.	0.4	11
70	REST Negatively and ISGF3 Positively Regulate the Human <i>STAT1</i> Gene in Melanoma. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 1288-1298.	4.1	9
71	UVB-Induced Melanocyte Proliferation in Neonatal Mice Driven by CCR2-Independent Recruitment of Ly6clowMHCIIhi Macrophages. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1803-1812.	0.7	34
72	Paclitaxel Resistance and Multicellular Spheroid Formation Are Induced by Kallikrein-Related Peptidase 4 in Serous Ovarian Cancer Cells in an Ascites Mimicking Microenvironment. <i>PLoS ONE</i> , 2013, 8, e57056.	2.5	47

#	ARTICLE	IF	CITATIONS
73	Autophagy Is Required For Long-Term Hematopoietic Stem Cell (HSC) Function and G-CSF-Induced HSC Mobilization. <i>Blood</i> , 2013, 122, 892-892.	1.4	1
74	Secretome from senescent melanoma engages the STAT3 pathway to favor reprogramming of naive melanoma towards a tumor-initiating cell phenotype. <i>Oncotarget</i> , 2013, 4, 2212-2224.	1.8	69
75	Potential molecular targets for inhibiting bone invasion by oral squamous cell carcinoma: a review of mechanisms. <i>Cancer and Metastasis Reviews</i> , 2012, 31, 209-219.	5.9	62
76	Therapy for metastatic melanoma: an overview and update. <i>Expert Review of Anticancer Therapy</i> , 2011, 11, 725-737.	2.4	55
77	Melanoma cell invasiveness is regulated by miR-211 suppression of the BRN2 transcription factor. <i>Pigment Cell and Melanoma Research</i> , 2011, 24, 525-537.	3.3	158
78	Effect of Novel Marine Nutraceuticals on IL-1 β -Mediated TNF- α Release from UVB-Irradiated Human Melanocyte-Derived Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2011, 2011, 1-11.	4.0	10
79	Type I interferons suppress CD4 ⁺ T cell-dependent parasite control during blood-stage <i>Plasmodium</i> infection. <i>European Journal of Immunology</i> , 2011, 41, 2688-2698.	2.9	98
80	A novel recurrent mutation in MITF predisposes to familial and sporadic melanoma. <i>Nature</i> , 2011, 480, 99-103.	27.8	413
81	Serum Omega-3 and Omega-6 Fatty Acids and Cutaneous p53 Expression in an Australian Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 530-536.	2.5	13
82	Cross-Platform Array Screening Identifies COL1A2, THBS1, TNFRSF10D and UCHL1 as Genes Frequently Silenced by Methylation in Melanoma. <i>PLoS ONE</i> , 2011, 6, e26121.	2.5	73
83	The induction of senescence-like growth arrest by protein kinase C-activating diterpene esters in solid tumor cells. <i>Investigational New Drugs</i> , 2010, 28, 575-586.	2.6	30
84	Thrombospondin-4 is a putative tumour-suppressor gene in colorectal cancer that exhibits age-related methylation. <i>BMC Cancer</i> , 2010, 10, 494.	2.6	40
85	NFIA Controls Telencephalic Progenitor Cell Differentiation through Repression of the Notch Effector Hes1. <i>Journal of Neuroscience</i> , 2010, 30, 9127-9139.	3.6	119
86	Kallikrein-Related Peptidase 7 Promotes Multicellular Aggregation via the α 5 β 1 Integrin Pathway and Paclitaxel Chemoresistance in Serous Epithelial Ovarian Carcinoma. <i>Cancer Research</i> , 2010, 70, 2624-2633.	0.9	82
87	Characterization of the Melanoma miRNAome by Deep Sequencing. <i>PLoS ONE</i> , 2010, 5, e9685.	2.5	181
88	Reduced β -crystallin staining in perineural invasion of head and neck cutaneous squamous cell carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2010, 142, S15-9.	1.9	16
89	p53 prevents progression of nevi to melanoma predominantly through cell cycle regulation. <i>Pigment Cell and Melanoma Research</i> , 2010, 23, 781-794.	3.3	59
90	Pestalactams A-C: novel caprolactams from the endophytic fungus <i>Pestalotiopsis</i> sp.. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 1785.	2.8	48

#	ARTICLE	IF	CITATIONS
91	Caelestines Aâˆ”D, Brominated Quinolinecarboxylic Acids from the Australian Ascidian <i>Aplidium caelestis</i>. <i>Journal of Natural Products</i> , 2010, 73, 1586-1589.	3.0	19
92	NFIA controls progenitor cell differentiation through repression of the Notch effector Hes1. <i>FASEB Journal</i> , 2010, 24, 65.2.	0.5	0
93	Expression profiling identifies genes involved in neoplastic transformation of serous ovarian cancer. <i>BMC Cancer</i> , 2009, 9, 378.	2.6	41
94	Neural cell adhesion molecule expression: No correlation with perineural invasion in cutaneous squamous cell carcinoma of the head and neck. <i>Head and Neck</i> , 2009, 31, 802-806.	2.0	19
95	Macrophage Inhibitory Cytokine-1 Is Overexpressed in Malignant Melanoma and Is Associated with Tumorigenicity. <i>Journal of Investigative Dermatology</i> , 2009, 129, 383-391.	0.7	95
96	PPARÎ³ agonists attenuate proliferation and modulate Wnt/Î²-catenin signalling in melanoma cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 844-852.	2.8	31
97	Hâ€Cadherin expression reduces invasion of malignant melanoma. <i>Pigment Cell and Melanoma Research</i> , 2009, 22, 296-306.	3.3	52
98	Potent Antimalarial Activity of Histone Deacetylase Inhibitor Analogues. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 1454-1461.	3.2	112
99	Common Strategies To Prevent and Modulate Experimental Cerebral Malaria in Mouse Strains with Different Susceptibilities. <i>Infection and Immunity</i> , 2008, 76, 3312-3320.	2.2	43
100	Biomarkers for Cancers of the Head and Neck. <i>Clinical Medicine Ear Nose and Throat</i> , 2008, 1, CMENT.S1051.	0.0	5
101	Microarrays and Epidemiology: Not the Beginning of the End but the End of the Beginningâ€ . <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 637-638.	2.5	9
102	Nuclear targeting of the growth hormone receptor results in dysregulation of cell proliferation and tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13331-13336.	7.1	100
103	Gene expression profiling in melanoma identifies novel downstream effectors of p14ARF. <i>International Journal of Cancer</i> , 2007, 121, 784-790.	5.1	19
104	Surfactant Protein Expression in Human Skin: Evidence and Implications. <i>Journal of Investigative Dermatology</i> , 2007, 127, 381-386.	0.7	31
105	The human genome and gene expression profiling. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2006, 59, 902-911.	1.0	7
106	Design, Synthesis, Potency, and Cytoselectivity of Anticancer Agents Derived by Parallel Synthesis from Î±-Aminosuberic Acid. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7611-7622.	6.4	67
107	New Cysteine Derivatives with Antiproliferative Activity on Melanoma Cells. <i>Medicinal Chemistry</i> , 2006, 2, 123-132.	1.5	1
108	Isoflavonoid Photoprotection in Mouse and Human Skin Is Dependent on Metallothionein. <i>Journal of Investigative Dermatology</i> , 2006, 126, 198-204.	0.7	32

#	ARTICLE	IF	CITATIONS
109	Over-expression of Eph and ephrin genes in advanced ovarian cancer: ephrin gene expression correlates with shortened survival. <i>BMC Cancer</i> , 2006, 6, 144.	2.6	80
110	Expression profiling correlates with treatment response in women with advanced serous epithelial ovarian cancer. <i>International Journal of Cancer</i> , 2006, 119, 875-883.	5.1	24
111	Induction of Senescence in Diterpene Ester- α -Treated Melanoma Cells via Protein Kinase C-Dependent Hyperactivation of the Mitogen-Activated Protein Kinase Pathway. <i>Cancer Research</i> , 2006, 66, 10083-10091.	0.9	57
112	Head and neck cancer: past, present and future. <i>Expert Review of Anticancer Therapy</i> , 2006, 6, 1111-1118.	2.4	199
113	Expression of p53 Tumor Suppressor Protein in Sun-exposed Skin and Associations with Sunscreen Use and Time Spent Outdoors: A Community-based Study. <i>American Journal of Epidemiology</i> , 2006, 163, 982-988.	3.4	42
114	BRN2 in Melanocytic Cell Development, Differentiation, and Transformation. , 2006, , 149-167.		3
115	Is Apaf-1 expression frequently abrogated in melanoma?. <i>Cell Death and Differentiation</i> , 2005, 12, 680-681.	11.2	17
116	Alpha B-Crystallin, a New Independent Marker for Poor Prognosis in Head and Neck Cancer. <i>Laryngoscope</i> , 2005, 115, 1239-1242.	2.0	52
117	Histone deacetylase inhibitors and malignant melanoma. <i>Pigment Cell & Melanoma Research</i> , 2005, 18, 160-166.	3.6	56
118	Invasion and metastasis markers in cancers. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2005, 58, 466-474.	1.1	26
119	Novel markers for poor prognosis in head and neck cancer. <i>International Journal of Cancer</i> , 2005, 113, 789-797.	5.1	141
120	Gene-expression profiling reveals distinct expression patterns for Classic versus Variant Merkel cell phenotypes and new classifier genes to distinguish Merkel cell from small-cell lung carcinoma. <i>Oncogene</i> , 2004, 23, 2732-2742.	5.9	63
121	Microarray expression profiling in melanoma reveals a BRAF mutation signature. <i>Oncogene</i> , 2004, 23, 4060-4067.	5.9	169
122	What is transforming growth factor-beta (TGF- β)?. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2004, 57, 215-221.	1.1	107
123	Molecular introduction to head and neck cancer (HNSCC) carcinogenesis. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2004, 57, 595-602.	1.1	50
124	Antiproliferative and Phenotype-Transforming Antitumor Agents Derived from Cysteine. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 2984-2994.	6.4	38
125	Antitumor Activity of 3-Inganyl Angelate. <i>Cancer Research</i> , 2004, 64, 2833-2839.	0.9	239
126	Influence of ageing, heat shock treatment and in vivo total antioxidant status on gene-expression profile and protein synthesis in human peripheral lymphocytes. <i>Mechanisms of Ageing and Development</i> , 2003, 124, 55-69.	4.6	47

#	ARTICLE	IF	CITATIONS
127	Screening of Human Primary Melanocytes of Defined Melanocortin-1 Receptor Genotype: Pigmentation Marker, Ultrastructural and UV-Survival Studies. <i>Pigment Cell & Melanoma Research</i> , 2003, 16, 198-207.	3.6	39
128	Induction of Metallothionein in Human Skin by Routine Exposure to Sunlight: Evidence for a Systemic Response and Enhanced Induction at Certain Body Sites. <i>Journal of Investigative Dermatology</i> , 2003, 120, 318-324.	0.7	23
129	Gene Expression Profiling Reveals Two Distinct Subtypes of Merkel Cell Carcinoma. , 2003, , 195-202.		1
130	Proneural and proneuroendocrine transcription factor expression in cutaneous mechanoreceptor (Merkel) cells and Merkel cell carcinoma. <i>International Journal of Cancer</i> , 2002, 101, 103-110.	5.1	68
131	The oligomycin axis of mitochondrial ATP synthase: OSCP and the proton channel. <i>Journal of Bioenergetics and Biomembranes</i> , 2000, 32, 507-515.	2.3	96
132	Modulation at a distance of proton conductance through the <i>Saccharomyces cerevisiae</i> mitochondrial F1F0-ATP synthase by variants of the oligomycin sensitivity-conferring protein containing substitutions near the C-terminus. <i>Journal of Bioenergetics and Biomembranes</i> , 2000, 32, 595-607.	2.3	10
133	Identification of subunit g of yeast mitochondrial F1F0-ATP synthase, a protein required for maximal activity of cytochrome c oxidase. <i>FEBS Journal</i> , 1999, 262, 315-323.	0.2	49
134	Transcriptional responses of human melanocytes to solar UV. <i>Redox Report</i> , 1999, 4, 307-308.	4.5	5
135	A novel fluorescent marker for assembled mitochondria ATP synthase of yeast. <i>FEBS Letters</i> , 1997, 411, 97-101.	2.8	24