

Craig Morgan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3059054/craig-morgan-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

353
papers

17,023
citations

76
h-index

123
g-index

427
ext. papers

20,169
ext. citations

5.8
avg, IF

6.59
L-index

#	Paper	IF	Citations
353	What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and qualitative studies. <i>Psychological Medicine</i> , 2015 , 45, 11-27	6.9	1265
352	Psychological treatments in schizophrenia: I. Meta-analysis of family intervention and cognitive behaviour therapy. <i>Psychological Medicine</i> , 2002 , 32, 763-82	6.9	575
351	Environment and schizophrenia: environmental factors in schizophrenia: childhood trauma--a critical review. <i>Schizophrenia Bulletin</i> , 2007 , 33, 3-10	1.3	382
350	Heterogeneity in incidence rates of schizophrenia and other psychotic syndromes: findings from the 3-center AeSOP study. <i>Archives of General Psychiatry</i> , 2006 , 63, 250-8		375
349	High-potency cannabis and the risk of psychosis. <i>British Journal of Psychiatry</i> , 2009 , 195, 488-91	5.4	371
348	Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , 2006 , 36, 1541-50	6.9	365
347	Proportion of patients in south London with first-episode psychosis attributable to use of high potency cannabis: a case-control study. <i>Lancet Psychiatry</i> , 2015 , 2, 233-8	23.3	338
346	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019 , 6, 427-436	23.3	322
345	Reliability and comparability of psychosis patients' retrospective reports of childhood abuse. <i>Schizophrenia Bulletin</i> , 2011 , 37, 546-53	1.3	309
344	Incidence of schizophrenia and other psychoses in England, 1950-2009: a systematic review and meta-analyses. <i>PLoS ONE</i> , 2012 , 7, e31660	3.7	297
343	Daily use, especially of high-potency cannabis, drives the earlier onset of psychosis in cannabis users. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1509-17	1.3	276
342	What causes psychosis? An umbrella review of risk and protective factors. <i>World Psychiatry</i> , 2018 , 17, 49-66	14.4	239
341	Migration, ethnicity, and psychosis: toward a sociodevelopmental model. <i>Schizophrenia Bulletin</i> , 2010 , 36, 655-64	1.3	219
340	Abnormal cortisol levels during the day and cortisol awakening response in first-episode psychosis: the role of stress and of antipsychotic treatment. <i>Schizophrenia Research</i> , 2010 , 116, 234-42	3.6	219
339	Stress and inflammation reduce brain-derived neurotrophic factor expression in first-episode psychosis: a pathway to smaller hippocampal volume. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1677-1684	4.6	206
338	Social exclusion and mental health: conceptual and methodological review. <i>British Journal of Psychiatry</i> , 2007 , 191, 477-83	5.4	193
337	Psychological treatments in schizophrenia: II. Meta-analyses of randomized controlled trials of social skills training and cognitive remediation. <i>Psychological Medicine</i> , 2002 , 32, 783-91	6.9	191

336	Psychosis and place. <i>Epidemiologic Reviews</i> , 2008 , 30, 84-100	4.1	188
335	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
334	Confirmation that the AKT1 (rs2494732) genotype influences the risk of psychosis in cannabis users. <i>Biological Psychiatry</i> , 2012 , 72, 811-6	7.9	184
333	Life events and psychosis: a review and meta-analysis. <i>Schizophrenia Bulletin</i> , 2013 , 39, 740-7	1.3	184
332	Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , 2007 , 37, 495-503	6.9	173
331	Cortisol and Inflammatory Biomarkers Predict Poor Treatment Response in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1162-70	1.3	166
330	Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , 2007 , 37, 1413-25	6.9	165
329	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 712-22	1.3	164
328	Social networks, support and early psychosis: a systematic review. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 131-46	5.1	161
327	Gender differences in the association between childhood abuse and psychosis. <i>British Journal of Psychiatry</i> , 2009 , 194, 319-25	5.4	157
326	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018 , 75, 36-46	14.5	154
325	Specific and generalized neuropsychological deficits: a comparison of patients with various first-episode psychosis presentations. <i>American Journal of Psychiatry</i> , 2010 , 167, 78-85	11.9	152
324	Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , 2008 , 38, 1701-15	6.9	148
323	Clinical and social determinants of duration of untreated psychosis in the AESOP first-episode psychosis study. <i>British Journal of Psychiatry</i> , 2006 , 189, 446-52	5.4	145
322	The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder. <i>Psychological Medicine</i> , 2010 , 40, 1967-78	6.9	139
321	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. <i>Psychological Medicine</i> , 2014 , 44, 2713-26	6.9	137
320	Pathways to care and ethnicity. 1: Sample characteristics and compulsory admission. Report from the AESOP study. <i>British Journal of Psychiatry</i> , 2005 , 186, 281-9	5.4	136
319	Barriers and facilitators of disclosures of domestic violence by mental health service users: qualitative study. <i>British Journal of Psychiatry</i> , 2011 , 198, 189-94	5.4	131

318	Increased pituitary volume in antipsychotic-free and antipsychotic-treated patients of the AESOP first-onset psychosis study. <i>Neuropsychopharmacology</i> , 2005 , 30, 1923-31	8.7	129
317	Negative pathways to psychiatric care and ethnicity: the bridge between social science and psychiatry. <i>Social Science and Medicine</i> , 2004 , 58, 739-52	5.1	126
316	Antipsychotic treatment resistance in first-episode psychosis: prevalence, subtypes and predictors. <i>Psychological Medicine</i> , 2017 , 47, 1981-1989	6.9	121
315	Childhood adversities and psychosis: evidence, challenges, implications. <i>World Psychiatry</i> , 2016 , 15, 93-102	14.4	118
314	Barriers to participation in mental health research: are there specific gender, ethnicity and age related barriers?. <i>BMC Psychiatry</i> , 2010 , 10, 103	4.2	113
313	Pathways to care and ethnicity. 2: Source of referral and help-seeking. Report from the AESOP study. <i>British Journal of Psychiatry</i> , 2005 , 186, 290-6	5.4	112
312	Childhood bullying and the association with psychosis in non-clinical and clinical samples: a review and meta-analysis. <i>Psychological Medicine</i> , 2012 , 42, 2463-74	6.9	110
311	Social networks and support in first-episode psychosis: exploring the role of loneliness and anxiety. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 359-66	4.5	105
310	Testing the association between the incidence of schizophrenia and social capital in an urban area. <i>Psychological Medicine</i> , 2008 , 38, 1083-94	6.9	104
309	Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 226-35	6.5	102
308	Mortality in schizophrenia and other psychoses: a 10-year follow-up of the SOP first-episode cohort. <i>Schizophrenia Bulletin</i> , 2015 , 41, 664-73	1.3	101
307	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. <i>Psychological Medicine</i> , 2012 , 42, 1037-47	6.9	100
306	Social disadvantage: cause or consequence of impending psychosis?. <i>Schizophrenia Bulletin</i> , 2013 , 39, 1288-95	1.3	96
305	Abnormal cortisol awakening response predicts worse cognitive function in patients with first-episode psychosis. <i>Psychological Medicine</i> , 2011 , 41, 463-76	6.9	91
304	Childhood trauma and cognitive function in first-episode affective and non-affective psychosis. <i>Schizophrenia Research</i> , 2011 , 129, 12-9	3.6	88
303	Clinical, socio-demographic and psychological characteristics in individuals with persistent psychotic experiences with and without a "need for care". <i>World Psychiatry</i> , 2016 , 15, 41-52	14.4	87
302	Childhood maltreatment is associated with increased body mass index and increased C-reactive protein levels in first-episode psychosis patients. <i>Psychological Medicine</i> , 2012 , 42, 1893-901	6.9	85
301	First episode psychosis and ethnicity: initial findings from the AESOP study. <i>World Psychiatry</i> , 2006 , 5, 40-6	14.4	83

300	Is there a link between childhood trauma, cognition, and amygdala and hippocampus volume in first-episode psychosis?. <i>Schizophrenia Research</i> , 2012 , 137, 73-9	3.6	81
299	Combining dimensional and categorical representation of psychosis: the way forward for DSM-V and ICD-11?. <i>Psychological Medicine</i> , 2009 , 39, 1943-55	6.9	79
298	Insight, grey matter and cognitive function in first-onset psychosis. <i>British Journal of Psychiatry</i> , 2010 , 197, 141-8	5.4	79
297	T69. PATHWAYS TO CARE ENCOUNTERS AND DURATION OF UNTREATED PSYCHOSIS IN MINORITY ETHNIC PATIENTS AT FIRST EPISODE OF PSYCHOSIS: A MENTAL HEALTH ELECTRONIC CASE REGISTER STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S231-S231	1.3	78
296	O6.2. ENVIRONMENTAL RISK FACTORS DIFFERENCES AMONG DIAGNOSTIC CATEGORIES IN EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S176-S176	1.3	78
295	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S122-S122	1.3	78
294	O4.8. CAN YOU SPOT EMOTIONS? FACIAL EMOTION RECOGNITION AND GENETIC RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S172-S172	1.3	78
293	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S165-S166	1.3	78
292	5.2 RETHINKING THE COURSE OF PSYCHOTIC DISORDERS: IDENTIFYING LATENT TRAJECTORIES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S6-S6	1.3	78
291	35.1 ONLY A SMALL PROPORTION OF PATIENTS WITH FIRST EPISODE PSYCHOSIS COME VIA PRODROMAL SERVICES: A RETROSPECTIVE SURVEY OF A LARGE UK MENTAL HEALTH PROGRAMME. <i>Schizophrenia Bulletin</i> , 2018 , 44, S58-S58	1.3	78
290	T52. COGNITION, METACOGNITION AND SOCIAL COGNITION AFTER A FIRST EPISODE PSYCHOSIS. PRELIMINARY RESULTS FROM A 5-YEAR-FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S251-S251	1.3	78
289	T170. GENE AND ENVIRONMENT INTERPLAY AMONG DIAGNOSTIC CATEGORIES IN THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S296-S296	1.3	78
288	S126. THE RELATION OF THE PSYCHOSIS CONTINUUM WITH SCHIZOPHRENIA POLYGENIC RISK SCORE AND CANNABIS USE. <i>Schizophrenia Bulletin</i> , 2020 , 46, S83-S83	1.3	78
287	O11.5. EXPLORING SPECIFIC EFFECTS OF TYPE AND TIMING OF EXPOSURE TO CHILDHOOD ADVERSITY AND SYMPTOM DOMAINS IN FIRST EPISODE OF PSYCHOSIS: PRELIMINARY RESULTS FROM THE EUGEI PROJECT. <i>Schizophrenia Bulletin</i> , 2019 , 45, S195-S195	1.3	78
286	35.2 PREVENTING PSYCHOSIS: WHAT, (IF ANYTHING) CAN WE LEARN FROM THE EU-GEI INCIDENCE STUDY?. <i>Schizophrenia Bulletin</i> , 2018 , 44, S58-S58	1.3	78
285	T104. ASSESSING THE UTILITY OF COPULA FUNCTIONS FOR RISK PREDICTION OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S156-S156	1.3	78
284	F220. THREAT ANTICIPATION AND NEGATIVE AFFECT IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S307-S307	1.3	78
283	35.4 A PUBLIC HEALTH APPROACH TO THE PREVENTION OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S59-S59	1.3	78

282	O2.4. THE MISSING PIECE IN THE PUZZLE: COGNITIVE DECLINE IN SCHIZOPHRENIA AND BIPOLAR PATIENTS AFTER THE FIRST EPISODE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S77-S77	1.3	78
281	T131. INCIDENCE OF FIRST-EPISODE PSYCHOSIS IN THE CATCHMENT AREA OF RIBEIRÃO PRETO, BRAZIL. <i>Schizophrenia Bulletin</i> , 2018 , 44, S166-S166	1.3	78
280	Adversity, cannabis use and psychotic experiences: evidence of cumulative and synergistic effects. <i>British Journal of Psychiatry</i> , 2014 , 204, 346-53	5.4	76
279	The structural brain correlates of neurological soft signs in healthy individuals. <i>Cerebral Cortex</i> , 2006 , 16, 1225-31	5.1	76
278	Environmental factors in schizophrenia: the role of migrant studies. <i>Schizophrenia Bulletin</i> , 2006 , 32, 405-8	1.3	76
277	Neighbourhood variation in the incidence of psychotic disorders in Southeast London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 438-45	4.5	74
276	Unemployment, social isolation, achievement-expectation mismatch and psychosis: findings from the AESOP Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 743-51	4.5	74
275	Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). <i>British Journal of Psychiatry</i> , 2012 , 201, 282-90	5.4	73
274	Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. <i>BMC Public Health</i> , 2011 , 11, 861	4.1	73
273	Gray matter abnormalities associated with duration of untreated psychosis. <i>Schizophrenia Research</i> , 2006 , 83, 145-53	3.6	73
272	Self-harm in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008 , 192, 178-84	5.4	71
271	Meta-analysis of associations between childhood adversity and hippocampus and amygdala volume in non-clinical and general population samples. <i>NeuroImage: Clinical</i> , 2017 , 14, 471-479	5.3	70
270	Ten-Year Outcomes of First-Episode Psychoses in the MRC AESOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 379-86	1.8	70
269	Perceptions of disadvantage, ethnicity and psychosis. <i>British Journal of Psychiatry</i> , 2008 , 192, 185-90	5.4	67
268	Aggressive behaviour at first contact with services: findings from the AESOP First Episode Psychosis Study. <i>Psychological Medicine</i> , 2007 , 37, 547-57	6.9	67
267	Anticipated and experienced discrimination amongst people with schizophrenia, bipolar disorder and major depressive disorder: a cross sectional study. <i>BMC Psychiatry</i> , 2014 , 14, 157	4.2	66
266	Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. <i>American Journal of Psychiatry</i> , 2019 , 176, 811-819	11.9	64
265	Cannabis use, gender and age of onset of schizophrenia: data from the AESOP study. <i>Psychiatry Research</i> , 2014 , 215, 528-32	9.9	62

264	Diagnostic change 10 years after a first episode of psychosis. <i>Psychological Medicine</i> , 2015 , 45, 2757-69	6.9	61
263	Interaction Between Functional Genetic Variation of DRD2 and Cannabis Use on Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1171-82	1.3	58
262	Ethnicity and excess mortality in severe mental illness: a cohort study. <i>Lancet Psychiatry</i> , 2017 , 4, 389-399	23.3	55
261	A meta-analysis of ethnic differences in pathways to care at the first episode of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 257-68	6.5	55
260	Threat to valued elements of life: the experience of dementia across three ethnic groups. <i>Gerontologist</i> , 2011 , 51, 39-50	5	54
259	Duration of untreated psychosis and ethnicity in the AESOP first-onset psychosis study. <i>Psychological Medicine</i> , 2006 , 36, 239-47	6.9	53
258	Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2016 , 46, 2799-813	6.9	53
257	Modelling the interplay between childhood and adult adversity in pathways to psychosis: initial evidence from the AESOP study. <i>Psychological Medicine</i> , 2014 , 44, 407-19	6.9	52
256	Trauma and Disasters in Social and Cultural Context 2010 , 155-177		51
255	Association between symptom dimensions and categorical diagnoses of psychosis: a cross-sectional and longitudinal investigation. <i>Schizophrenia Bulletin</i> , 2014 , 40, 111-9	1.3	49
254	Duration of untreated psychosis and neuropsychological function in first episode psychosis. <i>Schizophrenia Research</i> , 2007 , 95, 103-10	3.6	49
253	Illicit substance use and its correlates in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 351-8	6.5	47
252	The social determinants of psychosis in migrant and ethnic minority populations: a public health tragedy. <i>Psychological Medicine</i> , 2009 , 1-5	6.9	46
251	Neurological abnormalities and cognitive ability in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2008 , 193, 197-202	5.4	46
250	Grey matter abnormalities in first-episode schizophrenia and affective psychosis. <i>British Journal of Psychiatry</i> , 2007 , 51, s111-6	5.4	45
249	Impact of childhood adversities on specific symptom dimensions in first-episode psychosis. <i>Psychological Medicine</i> , 2016 , 46, 317-26	6.9	45
248	Schizophrenia and other psychotic disorders in Caribbean-born migrants and their descendants in England: systematic review and meta-analysis of incidence rates, 1950-2013. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1039-55	4.5	44
247	Migration, ethnicity and psychoses: evidence, models and future directions. <i>World Psychiatry</i> , 2019 , 18, 247-258	14.4	44

246	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019 , 49, 1378-1391	6.9	42
245	Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: the SOP-10 study. <i>British Journal of Psychiatry</i> , 2017 , 211, 88-94	5.4	41
244	Subjective memory impairment in older adults: aetiology, salience and help seeking. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 612-20	3.9	40
243	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 302-315	1.3	39
242	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 336-344	1.3	38
241	Caregiving in first-episode psychosis: social characteristics associated with perceived 'burden' and associations with compulsory treatment. <i>Microbial Biotechnology</i> , 2014 , 8, 122-9	3.3	38
240	Bilateral hippocampal increase following first-episode psychosis is associated with good clinical, functional and cognitive outcomes. <i>Psychological Medicine</i> , 2014 , 44, 1279-91	6.9	38
239	Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1489-500	4.5	37
238	Criminal offending and distinguishing features of offenders among persons experiencing a first episode of psychosis. <i>Microbial Biotechnology</i> , 2011 , 5, 15-23	3.3	37
237	"We lost all we had in a second": coping with grief and loss after a natural disaster. <i>World Psychiatry</i> , 2013 , 12, 69-75	14.4	36
236	The prevalence, diagnostic significance and demographic characteristics of Schneiderian first-rank symptoms in an epidemiological sample of first-episode psychoses. <i>Psychopathology</i> , 2009 , 42, 81-91	3.4	35
235	Neuropsychological functioning in first-episode schizophrenia. <i>British Journal of Psychiatry</i> , 2009 , 195, 336-45	5.4	34
234	Impact of Different Childhood Adversities on 1-Year Outcomes of Psychotic Disorder in the Genetics and Psychosis Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 464-75	1.3	33
233	The response of mental health services to domestic violence: a qualitative study of service users' and professionals' experiences. <i>Journal of the American Psychiatric Nurses Association</i> , 2012 , 18, 326-36	1.8	33
232	Minor physical anomalies in patients with first-episode psychosis: their frequency and diagnostic specificity. <i>Psychological Medicine</i> , 2008 , 38, 71-7	6.9	33
231	Only a small proportion of patients with first episode psychosis come via prodromal services: a retrospective survey of a large UK mental health programme. <i>BMC Psychiatry</i> , 2017 , 17, 308	4.2	32
230	Brain derived Neurotrophic Factor (BDNF) is associated with childhood abuse but not cognitive domains in first episode psychosis. <i>Schizophrenia Research</i> , 2014 , 159, 56-61	3.6	32
229	Clinical relevance of appraisals of persistent psychotic experiences in people with and without a need for care: an experimental study. <i>Lancet Psychiatry</i> , 2017 , 4, 927-936	23.3	32

228	Further evidence of a cumulative effect of social disadvantage on risk of psychosis. <i>Psychological Medicine</i> , 2017 , 47, 913-924	6.9	30
227	Interplay between childhood physical abuse and familial risk in the onset of psychotic disorders. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1443-51	1.3	30
226	Psychotic Experiences and Neuropsychological Functioning in a Population-based Sample. <i>JAMA Psychiatry</i> , 2016 , 73, 129-38	14.5	29
225	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017 , 145, 246-253	7.9	29
224	Barriers to participation in mental health research: findings from the Genetics and Psychosis (GAP) Study. <i>International Review of Psychiatry</i> , 2011 , 23, 31-40	3.6	29
223	Evidence of semantic disorganisation using semantic priming in individuals with high schizotypy. <i>Schizophrenia Research</i> , 2006 , 84, 272-80	3.6	29
222	Importance of thinking locally for mental health: data from cross-sectional surveys representing South East London and England. <i>PLoS ONE</i> , 2012 , 7, e48012	3.7	28
221	Ethnic identity, perceptions of disadvantage, and psychosis: findings from the SOP study. <i>Schizophrenia Research</i> , 2010 , 124, 43-8	3.6	28
220	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. <i>Diabetic Medicine</i> , 2017 , 34, 916-924	3.5	27
219	Help-seeking response to subjective memory complaints in older adults: toward a conceptual model. <i>Gerontologist, The</i> , 2013 , 53, 462-73	5	27
218	Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , 2010 , 9, 4-14	0.7	27
217	First-episode psychosis at the West Bologna Community Mental Health Centre: results of an 8-year prospective study. <i>Psychological Medicine</i> , 2012 , 42, 2255-64	6.9	27
216	Duration of prodromal phase and severity of volumetric abnormalities in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007 , 51, s123-7	5.4	26
215	Searching for psychosis: INTREPID (1): systems for detecting untreated and first-episode cases of psychosis in diverse settings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 879-93	4.5	25
214	The development and validation of the Questionnaire on Anticipated Discrimination (QUAD). <i>BMC Psychiatry</i> , 2013 , 13, 297	4.2	23
213	Pre-morbid Conduct Disorder symptoms are associated with cannabis use among individuals with a first episode of psychosis. <i>Schizophrenia Research</i> , 2011 , 126, 81-6	3.6	22
212	Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , 2010 , 16, 219-25	4.6	22
211	Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. <i>Journal of Affective Disorders</i> , 2017 , 210, 174-180	6.6	21

210	Race, ethnicity, and the duration of untreated psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1161-74	4.5	21
209	A systematic review on mediators between adversity and psychosis: potential targets for treatment. <i>Psychological Medicine</i> , 2020 , 50, 1966-1976	6.9	21
208	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 1536-1548	6.9	20
207	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657	4.5	20
206	Outcomes following first-episode psychosis - Why we should intervene early in all ages, not only in youth. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 1055-1063	2.6	20
205	Minority status and mental distress: a comparison of group density effects. <i>Psychological Medicine</i> , 2016 , 46, 3051-3059	6.9	20
204	Different rates of first admissions for psychosis in migrant groups in Paris. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1103-9	4.5	20
203	The effect of the environment on symptom dimensions in the first episode of psychosis: a multilevel study. <i>Psychological Medicine</i> , 2014 , 44, 2419-30	6.9	20
202	Differences in cannabis-related experiences between patients with a first episode of psychosis and controls. <i>Psychological Medicine</i> , 2016 , 46, 995-1003	6.9	20
201	Linear and non-linear associations of symptom dimensions and cognitive function in first-onset psychosis. <i>Schizophrenia Research</i> , 2012 , 140, 221-31	3.6	19
200	Ten-year outcomes in first episode psychotic major depression patients compared with schizophrenia and bipolar patients. <i>Schizophrenia Research</i> , 2016 , 176, 417-422	3.6	19
199	Interaction between cannabis consumption and childhood abuse in psychotic disorders: preliminary findings on the role of different patterns of cannabis use. <i>Microbial Biotechnology</i> , 2018 , 12, 135-142	3.3	18
198	Failure to find association between childhood abuse and cognition in first-episode psychosis patients. <i>European Psychiatry</i> , 2014 , 29, 32-5	6	18
197	Familial risk and childhood adversity interplay in the onset of psychosis. <i>BJPsych Open</i> , 2015 , 1, 6-13	5	18
196	Satisfaction with inpatient treatment for first-episode psychosis among different ethnic groups: a report from the UK AeSOP study. <i>International Journal of Social Psychiatry</i> , 2012 , 58, 98-105	8.5	18
195	Minor physical anomalies across ethnic groups in a first episode psychosis sample. <i>Schizophrenia Research</i> , 2007 , 89, 86-90	3.6	18
194	Meta-analytic approaches to determine gender differences in the age-incidence characteristics of schizophrenia and related psychoses. <i>International Journal of Methods in Psychiatric Research</i> , 2013 , 22, 36-45	4.3	17
193	Exploring the apparent absence of psychosis amongst the Borana pastoralist community of Southern Ethiopia. A mixed method follow-up study. <i>World Psychiatry</i> , 2010 , 9, 98-102	14.4	17

192	Role of Environmental Confounding in the Association between FKBP5 and First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2014 , 5, 84	5	16
191	The culture and identity schedule a measure of cultural affiliation: acculturation, marginalization and schizophrenia. <i>International Journal of Social Psychiatry</i> , 2010 , 56, 540-56	8.5	16
190	The incidence of psychoses in diverse settings, INTREPID (2): a feasibility study in India, Nigeria, and Trinidad. <i>Psychological Medicine</i> , 2016 , 46, 1923-33	6.9	15
189	Risk of psychosis and internal migration: Results from the Bologna First Episode Psychosis study. <i>Schizophrenia Research</i> , 2016 , 173, 90-3	3.6	15
188	Gender differences in neuropsychological performance across psychotic disorders--a multi-centre population based case-control study. <i>PLoS ONE</i> , 2013 , 8, e77318	3.7	15
187	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 623-633	6.9	15
186	Biological and psychosocial risk factors for psychotic major depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 233-45	4.5	14
185	Course and outcome of psychosis in black Caribbean populations and other ethnic groups living in the UK: a systematic review. <i>International Journal of Social Psychiatry</i> , 2012 , 58, 400-8	8.5	14
184	Concepts of madness in diverse settings: a qualitative study from the INTREPID project. <i>BMC Psychiatry</i> , 2016 , 16, 388	4.2	14
183	Neuropsychological function at first episode in treatment-resistant psychosis: findings from the \square SOP-10 study. <i>Psychological Medicine</i> , 2019 , 49, 2100-2110	6.9	14
182	The Maudsley environmental risk score for psychosis. <i>Psychological Medicine</i> , 2020 , 50, 2213-2220	6.9	14
181	The Sociodevelopmental Origins of Psychosis 2010 , 193-213		14
180	High-potency cannabis and incident psychosis: correcting the causal assumption - Authors' reply. <i>Lancet Psychiatry</i> , 2019 , 6, 466-467	23.3	13
179	Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019 , 213, 32-39.6	3.6	13
178	Multidisciplinary research priorities for the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020 , 7, e33	23.3	13
177	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	13
176	A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. <i>Journal of Psychiatric Research</i> , 2020 , 123, 145-150	5.2	13
175	Migration, ethnicity and psychosis143-160		13

174	Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression. <i>Schizophrenia Research</i> , 2019 , 204, 80-89	3.6	13
173	Engineering in Medicine To Address the Challenge of Cancer Drug Resistance: From Micro- and Nanotechnologies to Computational and Mathematical Modeling. <i>Chemical Reviews</i> , 2021 , 121, 3352-3389	68.1	13
172	The influence of risk factors on the onset and outcome of psychosis: What we learned from the GAP study. <i>Schizophrenia Research</i> , 2020 , 225, 63-68	3.6	12
171	Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 627-38	4.5	12
170	Cortisol awakening response is decreased in patients with first-episode psychosis and increased in healthy controls with a history of severe childhood abuse. <i>Schizophrenia Research</i> , 2019 , 205, 38-44	3.6	12
169	The impact of substance use at psychosis onset on First Episode Psychosis course: results from a 1 year follow-up study in Bologna. <i>Schizophrenia Research</i> , 2014 , 153, 60-3	3.6	12
168	Quality of care in psychosis and bipolar disorder from the service user perspective. <i>Qualitative Health Research</i> , 2013 , 23, 1672-85	3.9	12
167	Selective deficits in semantic verbal fluency in patients with a first affective episode with psychotic symptoms and a positive history of mania. <i>Bipolar Disorders</i> , 2009 , 11, 323-9	3.8	12
166	Urbanicity and risk of first-episode psychosis: incidence study in Brazil. <i>British Journal of Psychiatry</i> , 2019 , 215, 726-729	5.4	11
165	Compulsory admission at first presentation to services for psychosis: does ethnicity still matter? Findings from two population-based studies of first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 871-881	4.5	11
164	Self esteem and self agency in first episode psychosis: Ethnic variation and relationship with clinical presentation. <i>Psychiatry Research</i> , 2015 , 227, 213-8	9.9	11
163	Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry</i> , 2017 , 4, 257-260	9.3	11
162	Outcomes elsewhere: course of psychosis in other cultures	198-216	11
161	Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 871-882	1.3	11
160	Childhood abuse and psychotic experiences - evidence for mediation by adulthood adverse life events. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 300-309	5.1	11
159	Social Science Perspectives: A Failure of the Sociological Imagination	2010, 51-64	11
158	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. <i>Lancet Psychiatry</i> , 2019 , 6, 506-517	23.3	10
157	Exposure to conflict and disaster: A national survey on the prevalence of psychotic experiences in Sri Lanka. <i>Schizophrenia Research</i> , 2016 , 171, 79-85	3.6	10

156	Differing patterns of brain structural abnormalities between black and white patients with their first episode of psychosis. <i>Psychological Medicine</i> , 2010 , 40, 1137-47	6.9	10
155	Leveraging Computational Modeling to Understand Infectious Diseases. <i>Current Pathobiology Reports</i> , 2020 , 8, 1-13	2	10
154	Association Between Specific Childhood Adversities and Symptom Dimensions in People With Psychosis: Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 975-985	1.3	10
153	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529	1.3	10
152	Cannabis and psychosis - Authors' reply. <i>Lancet Psychiatry</i> , 2015 , 2, 382	23.3	9
151	Threat, hostility and violence in childhood and later psychotic disorder: population-based case-control study. <i>British Journal of Psychiatry</i> , 2020 , 217, 575-582	5.4	9
150	Authors' reply to 'on the existence of a linguistic distance in schizophrenia'. <i>Psychological Medicine</i> , 2020 , 1-2	6.9	8
149	Early sustained recovery following first episode psychosis: Evidence from the AESOP10 follow-up study. <i>Schizophrenia Research</i> , 2018 , 199, 341-345	3.6	8
148	Childhood adversity and psychosis		8
147	Threatening Life Events and Difficulties and Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2020 , 46, 814-822	2.3	8
146	The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis. <i>Psychiatry Research</i> , 2019 , 272, 618-627	9.9	8
145	East Meets West: Current Mental Health Burdens in Greater China		8
144	Occupation and first episode psychosis in Northern Italy: better outcomes for migrants. <i>Microbial Biotechnology</i> , 2017 , 11, 522-525	3.3	7
143	SEQUENCE: a service user-centred quality of care instrument for mental health services. <i>International Journal for Quality in Health Care</i> , 2015 , 27, 284-90	1.9	7
142	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7
141	The differential effect of illicit drug use on cognitive function in first-episode psychosis and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 400-11	6.5	7
140	Differential relationship between neurological and cognitive dysfunction in first episode psychosis patients and in healthy individuals. <i>Schizophrenia Research</i> , 2012 , 142, 159-64	3.6	7
139	Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. <i>Psychological Medicine</i> , 2020 , 50, 1452-1462	6.9	7

138	Change in incidence rates for psychosis in different ethnic groups in south London: findings from the Clinical Record Interactive Search-First Episode Psychosis (CRIS-FEP) study. <i>Psychological Medicine</i> , 2021 , 51, 300-309	6.9	7
137	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
136	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. <i>Psychological Medicine</i> , 2021 , 51, 2581-2589	6.9	6
135	People meeting ultra high risk for psychosis criteria in the community. <i>World Psychiatry</i> , 2017 , 16, 322-323	14.4	6
134	Assessment of posttraumatic symptoms in patients with first-episode psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 896-8	1.8	6
133	Society, place and space77-94		6
132	Theories of cognition, emotion and the social world: missing links in psychosis219-237		6
131	Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 118-127	1.3	6
130	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	6
129	Sexually dimorphic changes in the amygdala in relation to delusional beliefs in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2008 , 42, 913-9	5.2	5
128	Conceptualising the social world41-57		5
127	Child abuse and psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 238; author reply 238-9	6.5	5
126	All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. <i>Lancet Regional Health - Europe</i> , 2021 , 11, 100228		5
125	Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , 2021 , 51, 2599-2609	6.9	5
124	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107	3.6	5
123	INTREPID II: protocol for a multistudy programme of research on untreated psychosis in India, Nigeria and Trinidad. <i>BMJ Open</i> , 2020 , 10, e039004	3	5
122	Characterizing Chemotherapy-Induced Neutropenia and Monocytopenia Through Mathematical Modelling. <i>Bulletin of Mathematical Biology</i> , 2020 , 82, 104	2.1	5
121	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019 , 49, 2600-2607	6.9	5

120	Psychotic experiences, psychiatric comorbidity and mental health need in the general population: a cross-sectional and cohort study in Southeast London. <i>Psychological Medicine</i> , 2021 , 51, 147-157	6.9	5
119	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	4
118	Pre-morbid fertility in psychosis: findings from the AESOP first episode study. <i>Schizophrenia Research</i> , 2014 , 156, 168-73	3.6	4
117	The role of social care. <i>Psychiatry (Abingdon, England)</i> , 2004 , 3, 29-31		4
116	Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries. <i>PLoS Medicine</i> , 2020 , 17, e1003443	11.6	4
115	The Historical Development of Social Psychiatry 2010 , 1-11		4
114	Families and Psychosis 2010 , 103-116		4
113	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
112	The economic cost of pathways to care in first episode psychosis. <i>International Review of Psychiatry</i> , 2011 , 23, 55-60	3.6	3
111	Adult adversity: do early environment and genotype create lasting vulnerabilities for adult social adversity in psychosis?127-142		3
110	Climate change in psychiatry: periodic fluctuations or terminal trend?11-22		3
109	Social science, psychiatry and psychosis25-40		3
108	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
107	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1674-1684	1.3	3
106	Stress reactivity as a putative mechanism linking childhood trauma with clinical outcomes in individuals at ultra-high-risk for psychosis: Findings from the EU-GEI High Risk Study. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e40	5.1	3
105	Social Support 2010 , 461-476		3
104	Social, Biological and Personal Constructions of Mental Illness 2010 , 39-49		3
103	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015 , 230, 742-3	9.9	2

102	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020 ,	1.3	2
101	O12.4. SOME OF THE INDIVIDUAL DIFFERENCES IN RISK TO DEVELOP PSYCHOSIS AMONG CANNABIS USERS CAN BE EXPLAINED BY WHERE THEY LIVE AND BY THEIR AGE AT FIRST USE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S110-S110	1.3	2
100	Public attitudes, stigma and discrimination against people with mental illness179-197		2
99	Family environment and psychosis112-126		2
98	Social development, urban environment and psychosis. <i>British Journal of Psychiatry</i> , 2005 , 186, 76-7	5.4	2
97	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	2
96	A Randomized Controlled Trial of Renin-Angiotensin-Aldosterone System Inhibitor Management in Patients Admitted in Hospital with COVID-19.. <i>American Heart Journal</i> , 2022 , 247, 76-76	4.9	2
95	The independent and combined influence of schizophrenia polygenic risk score and heavy cannabis use on risk for psychotic disorder: A case-control analysis from the EUGEI study.		2
94	Culture and Its Influence on Diagnosis and Management 2010 , 117-131		2
93	Need for care, adversity exposure and perceived stress in clinical and healthy voice-hearers. <i>Psychological Medicine</i> , 2021 , 51, 1944-1950	6.9	2
92	Possibilities for the future of global mental health: a scenario planning approach. <i>BMC Psychiatry</i> , 2019 , 19, 392	4.2	2
91	Ethnic variations in duration of untreated psychosis: report from the CRIS-FEP study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 931-941	4.5	2
90	Diagnostic stability and outcome after first episode psychosis. <i>Journal of Mental Health</i> , 2021 , 30, 104-1127		2
89	Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	2
88	Mental distress among young people in inner cities: the Resilience, Ethnicity and AdolesCent Mental Health (REACH) study. <i>Journal of Epidemiology and Community Health</i> , 2021 ,	5.1	2
87	Announcing the Lancet Psychiatry Commission on Psychoses in Global Context. <i>Lancet Psychiatry</i> , 2021 , 8, 743-744	23.3	2
86	Social Factors that Influence Child Mental Health 2010 , 285-294		2
85	The Psychiatric Child Protection Interface: Research to Inform Practice 2010 , 483-497		2

84	The Social Epidemiology of Mental Disorder 2010 , 89-101		2
83	T42. JUMPING TO CONCLUSIONS IS ASSOCIATED WITH THE POLYGENIC RISK SCORE FOR INTELLIGENCE BUT NOT FOR SCHIZOPHRENIA. PRELIMINARY FINDINGS FROM THE EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S219-S220	1.3	1
82	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study □ CORRIGENDUM. <i>Psychological Medicine</i> , 2014 , 44, 2727-2727	6.9	1
81	Letter to the editor: Prevention is better than cure: a reply to McKenzie, March et al. and Selten & Cantor-Graae. <i>Psychological Medicine</i> , 2010 , 40, 876-7	6.9	1
80	Qualitative Research Methods 2010 , 77-87		1
79	In this issue. <i>Psychological Medicine</i> . <i>Psychological Medicine</i> , 2008 , 38, 465-6	6.9	1
78	The genetics of schizophrenia, various aspects of psychosis, depression and other mental disorders. <i>Psychological Medicine</i> , 2008 , 38, 1679-80	6.9	1
77	Social factors as a basis for treatment 163-178		1
76	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , 2022 ,	1.3	1
75	Social development, urban environment and psychosis. <i>British Journal of Psychiatry</i> , 2005 , 186, 76-77	5.4	1
74	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021 , 8, e30309	6	1
73	Jumping To Conclusions, General Intelligence, And Psychosis Liability: Findings From The Multi-Centre EU-GEI Case-Control Study		1
72	Common Mental Disorders 2010 , 227-235		1
71	Social Management of Common Mental Disorders 2010 , 439-448		1
70	Fundamental Social Causes of Health Inequalities 2010 , 179-192		1
69	Social Psychiatry in India 2010 , 531-540		1
68	Modern Social Networking and Mental Health 2010 , 477-482		1
67	First-episode Psychosis and Migration in Italy: Results from a Study in the Italian Mental Health Services (Pep-Ita Study). <i>Journal of Immigrant and Minority Health</i> , 2021 , 23, 519-527	2.2	1

66	Procaspase-Activating Compound-1 Synergizes with TRAIL to Induce Apoptosis in Established Granulosa Cell Tumor Cell Line (KGN) and Explanted Patient Granulosa Cell Tumor Cells In Vitro. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
65	Prevalence of conduct problems and social risk factors in ethnically diverse inner-city schools. <i>BMC Public Health</i> , 2021 , 21, 849	4.1	1
64	Understanding Normal and Pathological Hematopoietic Stem Cell Biology Using Mathematical Modelling. <i>Current Stem Cell Reports</i> , 2021 , 7, 109-120	1.8	1
63	Childhood Trauma as a Neglected Factor in Psychotic Experiences and Cognitive Functioning-Reply. <i>JAMA Psychiatry</i> , 2016 , 73, 876-7	14.5	1
62	Management of Renin-Angiotensin-Aldosterone System blockade in patients admitted to hospital with confirmed coronavirus disease (COVID-19) infection (The McGill RAAS-COVID- 19): A structured summary of a study protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 115	2.8	1
61	5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , 2018 , 44, S7-S7	1.3	1
60	T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S158-S159	1.3	1
59	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021 , 11, 423	8.6	1
58	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> , 1-9	6.9	1
57	Ethnicity and power in the mental health system: experiences of white British and black Caribbean people with psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e12	5.1	1
56	Culture and Identity 2010 , 133-140		1
55	Why Psychiatry Has to be Social 2010 , 13-29		1
54	Team Structures in Community Mental Health 2010 , 385-396		1
53	Parental education and youth suicidal behaviours: a systematic review and meta-analysis.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e19	5.1	1
52	Multiscale Model of Antiviral Timing, Potency, and Heterogeneity Effects on an Epithelial Tissue Patch Infected by SARS-CoV-2.. <i>Viruses</i> , 2022 , 14,	6.2	1
51	M116. A SYSTEMATIC REVIEW OF THE PSYCHOLOGICAL AND BIOLOGICAL MEDIATORS BETWEEN ADVERSITY AND PSYCHOSIS: POTENTIAL TARGETS FOR TREATMENT. <i>Schizophrenia Bulletin</i> , 2020 , 46, S179-S179	1.3	0
50	Society and psychosis: future directions and implications 238-251		0
49	Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , 2021 , 238, 188-198	3.6	0

48	T241. INCIDENCE AND SOCIO-DEMOGRAPHIC/CLINICAL CHARACTERISTICS OF PSYCHOTIC DISORDERS IN INDIA, NIGERIA AND TRINIDAD: PRELIMINARY BASELINE FINDINGS FROM INTREPID II. <i>Schizophrenia Bulletin</i> , 2020 , 46, S324-S324	1.3	0
47	Navigating the mental health system: Narratives of identity and recovery among people with psychosis across ethnic groups. <i>Social Science and Medicine</i> , 2021 , 279, 113981	5.1	0
46	S77. JUMPING TO CONCLUSIONS AND FACIAL EMOTION RECOGNITION IMPAIRMENT IN FIRST EPISODE PSYCHOSIS ACROSS EUROPE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S354-S355	1.3	0
45	Which resources help young people to prevent and overcome mental distress in deprived urban areas in Latin America? A protocol for a prospective cohort study. <i>BMJ Open</i> , 2021 , 11, e052339	3	0
44	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021 , 236, 69-79	3.6	0
43	A machine learning approach to differentiate between COVID-19 and influenza infection using synthetic infection and immune response data. <i>Mathematical Biosciences and Engineering</i> , 2022 , 19, 5813-5831 ²¹ 0	2.1	0
42	Substance Use and Early Psychosis Course. <i>European Psychiatry</i> , 2015 , 30, 1762	6	
41	Society and risk of psychosis 2020 , 289-303		
40	Trauma and Migration in First Episode Psychosis. <i>European Psychiatry</i> , 2017 , 41, S66-S66	6	
39	Ethnicity, mortality, and severe mental illness - Authors' reply. <i>Lancet Psychiatry</i> , 2017 , 4, 517-518	23.3	
38	Does Social Disadvantage Explain the Higher Risk of Psychosis in Immigrants? Results from the Eugei Study in London. <i>European Psychiatry</i> , 2017 , 41, S65-S66	6	
37	Migration History and the Onset of Psychotic Disorders. <i>European Psychiatry</i> , 2017 , 41, S66-S67	6	
36	Drug Use, Drug Problems and Drug Addiction: Social Influences and Social Responses 2010 , 259-276		
35	Skunk and psychosis in South East London. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
34	Historical framework for psychiatric nosology. In this issue. <i>Psychological Medicine</i> , 2009 , 39, 1933-4	6.9	
33	Psychological medicine. In this issue. <i>Psychological Medicine</i> , 2008 , 38, 769-70	6.9	
32	Psychological medicine. In this issue. <i>Psychological Medicine</i> , 2008 , 38, 305-6	6.9	
31	Genes and the social environment 58-74		

- 30 The role of social care. *Psychiatry (Abingdon, England)*, **2007**, 6, 347-349
- 29 P01.137 Neurological abnormalities in African-Caribbean and white British first-episode psychosis patients. *European Psychiatry*, **2000**, 15, 356s-357s 6
- 28 Social Psychiatry in the Americas **2010**, 551-558
- 27 Taking Inequality's Measure: Poverty, Displacement, Unemployment and Mental Health **2010**, 341-369
- 26 Globalization and Psychiatry **2010**, 141-153
- 25 Responses to the Onset of Mental Health Problems: Issues and Findings from Research on Illness Behaviour and the Use of Health Services **2010**, 305-319
- 24 Where next for Social Psychiatry? **2010**, 559-563
- 23 Personality Disorder **2010**, 249-257
- 22 Social Psychiatry in Africa: Evidence and Challenges **2010**, 541-550
- 21 Categories and Continuums **2010**, 31-37
- 20 Principles of Social Intervention **2010**, 411-424
- 19 Gender and Reproductive Health **2010**, 321-330
- 18 Social Determinants of Late Life Disorders **2010**, 295-304
- 17 Health Economics and Psychiatry: The Pursuit of Efficiency **2010**, 371-383
- 16 Problem-Solving Therapy for People with Personality Disorders **2010**, 449-459
- 15 Concepts and Challenges in Capturing Dynamics of the Wider Social Environment **2010**, 65-76
- 14 Stigma and Discrimination **2010**, 331-340
- 13 Social Interventions for Psychosis **2010**, 425-437

- 12 Mental Health in Europe: Learning from Differences **2010**, 499-516
- 11 Epidemiology of Migration and Serious Mental Illness: The Example of Migrants to Europe 579-594
- 10 Estimating the incidence of psychosis in diverse settings. *Psychological Medicine*, **2021**, 51, 527-528 6.9
- 9 Traumatic events and psychotic experiences: a nationally representative study in Thailand. *Epidemiology and Psychiatric Sciences*, **2021**, 30, e47 5.1
- 8 Migration history, first episode psychosis and child abuse: Results from the EU-GEI study. *European Psychiatry*, **2021**, 64, S320-S321 6
- 7 Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries **2020**, 17, e1003443
- 6 Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries **2020**, 17, e1003443
- 5 Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries **2020**, 17, e1003443
- 4 Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries **2020**, 17, e1003443
- 3 Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries **2020**, 17, e1003443
- 2 Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries **2020**, 17, e1003443
- 1 The Impact of Coronavirus Disease 2019 on People with and without Severe Mental Illness in Tamil Nadu, India. *World Social Psychiatry*, **2022**, 4, 37 0.5