

# Craig Morgan

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3059054/craig-morgan-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

353  
papers

17,023  
citations

76  
h-index

123  
g-index

427  
ext. papers

20,169  
ext. citations

5.8  
avg, IF

6.59  
L-index

#	Paper	IF	Citations
353	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study.. <i>Psychological Medicine</i> , <b>2022</b> , 1-10	6.9	2
352	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , <b>2022</b> ,	1.3	1
351	A Randomized Controlled Trial of Renin-Angiotensin-Aldosterone System Inhibitor Management in Patients Admitted in Hospital with COVID-19.. <i>American Heart Journal</i> , <b>2022</b> , 247, 76-76	4.9	2
350	A machine learning approach to differentiate between COVID-19 and influenza infection using synthetic infection and immune response data. <i>Mathematical Biosciences and Engineering</i> , <b>2022</b> , 19, 5813-5831 <sup>2,1</sup> <sup>0</sup>		
349	Parental education and youth suicidal behaviours: a systematic review and meta-analysis.. <i>Epidemiology and Psychiatric Sciences</i> , <b>2022</b> , 31, e19	5.1	1
348	Multiscale Model of Antiviral Timing, Potency, and Heterogeneity Effects on an Epithelial Tissue Patch Infected by SARS-CoV-2.. <i>Viruses</i> , <b>2022</b> , 14,	6.2	1
347	The Impact of Coronavirus Disease 2019 on People with and without Severe Mental Illness in Tamil Nadu, India. <i>World Social Psychiatry</i> , <b>2022</b> , 4, 37	0.5	
346	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. <i>Psychological Medicine</i> , <b>2021</b> , 51, 2581-2589	6.9	6
345	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , <b>2021</b> , 51, 1536-1548	6.9	20
344	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , <b>2021</b> , 8, e30309	6	1
343	Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , <b>2021</b> , 238, 188-198	3.6	0
342	All-cause and cause-specific mortality in people with mental disorders and intellectual disabilities, before and during the COVID-19 pandemic: cohort study. <i>Lancet Regional Health - Europe</i> , <b>2021</b> , 11, 100228		5
341	Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , <b>2021</b> , 51, 2599-2609	6.9	5
340	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , <b>2021</b> , 230, 104-107	3.6	5
339	Need for care, adversity exposure and perceived stress in clinical and healthy voice-hearers. <i>Psychological Medicine</i> , <b>2021</b> , 51, 1944-1950	6.9	2
338	First-episode Psychosis and Migration in Italy: Results from a Study in the Italian Mental Health Services (Pep-Ita Study). <i>Journal of Immigrant and Minority Health</i> , <b>2021</b> , 23, 519-527	2.2	1
337	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , <b>2021</b> , 1-9	6.9	3

336	Procaspase-Activating Compound-1 Synergizes with TRAIL to Induce Apoptosis in Established Granulosa Cell Tumor Cell Line (KGN) and Explanted Patient Granulosa Cell Tumor Cells In Vitro. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
335	Association Between Specific Childhood Adversities and Symptom Dimensions in People With Psychosis: Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 975-985	1.3	10
334	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 1674-1684	1.3	3
333	Prevalence of conduct problems and social risk factors in ethnically diverse inner-city schools. <i>BMC Public Health</i> , <b>2021</b> , 21, 849	4.1	1
332	Navigating the mental health system: Narratives of identity and recovery among people with psychosis across ethnic groups. <i>Social Science and Medicine</i> , <b>2021</b> , 279, 113981	5.1	0
331	Understanding Normal and Pathological Hematopoietic Stem Cell Biology Using Mathematical Modelling. <i>Current Stem Cell Reports</i> , <b>2021</b> , 7, 109-120	1.8	1
330	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , <b>2021</b> , 51, 623-633	6.9	15
329	Engineering in Medicine To Address the Challenge of Cancer Drug Resistance: From Micro- and Nanotechnologies to Computational and Mathematical Modeling. <i>Chemical Reviews</i> , <b>2021</b> , 121, 3352-3389	68.1	13
328	Ethnic variations in duration of untreated psychosis: report from the CRIS-FEP study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 56, 931-941	4.5	2
327	Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 118-127	1.3	6
326	Diagnostic stability and outcome after first episode psychosis. <i>Journal of Mental Health</i> , <b>2021</b> , 30, 104-112	1.27	2
325	Psychotic experiences, psychiatric comorbidity and mental health need in the general population: a cross-sectional and cohort study in Southeast London. <i>Psychological Medicine</i> , <b>2021</b> , 51, 147-157	6.9	5
324	Change in incidence rates for psychosis in different ethnic groups in south London: findings from the Clinical Record Interactive Search-First Episode Psychosis (CRIS-FEP) study. <i>Psychological Medicine</i> , <b>2021</b> , 51, 300-309	6.9	7
323	Estimating the incidence of psychosis in diverse settings. <i>Psychological Medicine</i> , <b>2021</b> , 51, 527-528	6.9	
322	Stress reactivity as a putative mechanism linking childhood trauma with clinical outcomes in individuals at ultra-high-risk for psychosis: Findings from the EU-GEI High Risk Study. <i>Epidemiology and Psychiatric Sciences</i> , <b>2021</b> , 30, e40	5.1	3
321	Traumatic events and psychotic experiences: a nationally representative study in Thailand. <i>Epidemiology and Psychiatric Sciences</i> , <b>2021</b> , 30, e47	5.1	
320	Management of Renin-Angiotensin-Aldosterone System blockade in patients admitted to hospital with confirmed coronavirus disease (COVID-19) infection (The McGill RAAS-COVID-19): A structured summary of a study protocol for a randomized controlled trial. <i>Trials</i> , <b>2021</b> , 22, 115	2.8	1
319	Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. <i>Psychological Medicine</i> , <b>2021</b> , 1-10	6.9	2

318	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2021</b> , 1-13	6.9	6
317	Mental distress among young people in inner cities: the Resilience, Ethnicity and AdolesCent Mental Health (REACH) study. <i>Journal of Epidemiology and Community Health</i> , <b>2021</b> ,	5.1	2
316	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 423	8.6	1
315	Announcing the Lancet Psychiatry Commission on Psychoses in Global Context. <i>Lancet Psychiatry</i> , <b>2021</b> , 8, 743-744	23.3	2
314	Which resources help young people to prevent and overcome mental distress in deprived urban areas in Latin America? A protocol for a prospective cohort study. <i>BMJ Open</i> , <b>2021</b> , 11, e052339	3	0
313	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , <b>2021</b> , 236, 69-79	3.6	0
312	Ethnicity and power in the mental health system: experiences of white British and black Caribbean people with psychosis. <i>Epidemiology and Psychiatric Sciences</i> , <b>2021</b> , 30, e12	5.1	1
311	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 4529-4543	15.1	7
310	Migration history, first episode psychosis and child abuse: Results from the EU-GEI study. <i>European Psychiatry</i> , <b>2021</b> , 64, S320-S321	6	
309	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 336-344	1.3	38
308	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2020</b> , 1-10	6.9	7
307	Authors' reply to 'on the existence of a linguistic distance in schizophrenia'. <i>Psychological Medicine</i> , <b>2020</b> , 1-2	6.9	8
306	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. <i>Psychological Medicine</i> , <b>2020</b> , 1-9	6.9	4
305	M116. A SYSTEMATIC REVIEW OF THE PSYCHOLOGICAL AND BIOLOGICAL MEDIATORS BETWEEN ADVERSITY AND PSYCHOSIS: POTENTIAL TARGETS FOR TREATMENT. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S179-S179	1.3	0
304	Multidisciplinary research priorities for the COVID-19 pandemic. <i>Lancet Psychiatry</i> , <b>2020</b> , 7, e33	23.3	13
303	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , <b>2020</b> , 1-9	6.9	13
302	The influence of risk factors on the onset and outcome of psychosis: What we learned from the GAP study. <i>Schizophrenia Research</i> , <b>2020</b> , 225, 63-68	3.6	12
301	A comparison between self-report and interviewer-rated retrospective reports of childhood abuse among individuals with first-episode psychosis and population-based controls. <i>Journal of Psychiatric Research</i> , <b>2020</b> , 123, 145-150	5.2	13

300 Society and risk of psychosis **2020**, 289-303

299	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , <b>2020</b> ,	1.3	2
298	The EUropean Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 645-657	4.5	20
297	Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003443	11.6	4
296	T52. COGNITION, METACOGNITION AND SOCIAL COGNITION AFTER A FIRST EPISODE PSYCHOSIS. PRELIMINARY RESULTS FROM A 5-YEAR-FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S251-S251	1.3	78
295	T170. GENE AND ENVIRONMENT INTERPLAY AMONG DIAGNOSTIC CATEGORIES IN THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S296-S296	1.3	78
294	T241. INCIDENCE AND SOCIO-DEMOGRAPHIC/CLINICAL CHARACTERISTICS OF PSYCHOTIC DISORDERS IN INDIA, NIGERIA AND TRINIDAD: PRELIMINARY BASELINE FINDINGS FROM INTREPID II. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S324-S324	1.3	0
293	S126. THE RELATION OF THE PSYCHOSIS CONTINUUM WITH SCHIZOPHRENIA POLYGENIC RISK SCORE AND CANNABIS USE. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, S83-S83	1.3	78
292	Threatening Life Events and Difficulties and Psychotic Disorder. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 814-822	1.3	8
291	A systematic review on mediators between adversity and psychosis: potential targets for treatment. <i>Psychological Medicine</i> , <b>2020</b> , 50, 1966-1976	6.9	21
290	Leveraging Computational Modeling to Understand Infectious Diseases. <i>Current Pathobiology Reports</i> , <b>2020</b> , 8, 1-13	2	10
289	INTREPID II: protocol for a multistudy programme of research on untreated psychosis in India, Nigeria and Trinidad. <i>BMJ Open</i> , <b>2020</b> , 10, e039004	3	5
288	Threat, hostility and violence in childhood and later psychotic disorder: population-based case-control study. <i>British Journal of Psychiatry</i> , <b>2020</b> , 217, 575-582	5.4	9
287	Characterizing Chemotherapy-Induced Neutropenia and Monocytopenia Through Mathematical Modelling. <i>Bulletin of Mathematical Biology</i> , <b>2020</b> , 82, 104	2.1	5
286	The Maudsley environmental risk score for psychosis. <i>Psychological Medicine</i> , <b>2020</b> , 50, 2213-2220	6.9	14
285	Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. <i>Psychological Medicine</i> , <b>2020</b> , 50, 1452-1462	6.9	7
284	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 517-529	1.3	10
283	Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries <b>2020</b> , 17, e1003443		

282	Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries <b>2020</b> , 17, e1003443		
281	Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries <b>2020</b> , 17, e1003443		
280	Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries <b>2020</b> , 17, e1003443		
279	Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries <b>2020</b> , 17, e1003443		
278	Association of macro-level determinants with adolescent overweight and suicidal ideation with planning: A cross-sectional study of 21 Latin American and Caribbean Countries <b>2020</b> , 17, e1003443		
277	T42. JUMPING TO CONCLUSIONS IS ASSOCIATED WITH THE POLYGENIC RISK SCORE FOR INTELLIGENCE BUT NOT FOR SCHIZOPHRENIA. PRELIMINARY FINDINGS FROM THE EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S219-S220	1.3	1
276	T69. PATHWAYS TO CARE ENCOUNTERS AND DURATION OF UNTREATED PSYCHOSIS IN MINORITY ETHNIC PATIENTS AT FIRST EPISODE OF PSYCHOSIS: A MENTAL HEALTH ELECTRONIC CASE REGISTER STUDY. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S231-S231	1.3	78
275	O6.2. ENVIRONMENTAL RISK FACTORS DIFFERENCES AMONG DIAGNOSTIC CATEGORIES IN EU-GEI STUDY. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S176-S176	1.3	78
274	High-potency cannabis and incident psychosis: correcting the causal assumption - Authors' reply. <i>Lancet Psychiatry</i> , <b>2019</b> , 6, 466-467	23.3	13
273	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. <i>Lancet Psychiatry</i> , <b>2019</b> , 6, 506-517	23.3	10
272	20.3 DNA METHYLATION PROFILING MIGHT SHED LIGHT ON THE BIOLOGY OF CANNABIS ASSOCIATED PSYCHOSIS. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S122-S122	1.3	78
271	Urbanicity and risk of first-episode psychosis: incidence study in Brazil. <i>British Journal of Psychiatry</i> , <b>2019</b> , 215, 726-729	5.4	11
270	O4.8. CAN YOU SPOT EMOTIONS? FACIAL EMOTION RECOGNITION AND GENETIC RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S172-S172	1.3	78
269	Compulsory admission at first presentation to services for psychosis: does ethnicity still matter? Findings from two population-based studies of first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2019</b> , 54, 871-881	4.5	11
268	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , <b>2019</b> , 6, 427-436	23.3	322
267	O3.1. ASSOCIATION OF EXTENT OF CANNABIS USE AND ACUTE INTOXICATION EXPERIENCES IN A MULTI-NATIONAL SAMPLE OF FIRST EPISODE PSYCHOSIS PATIENTS AND CONTROLS. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S165-S166	1.3	78
266	Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , <b>2019</b> , 213, 32-39.6		13
265	Cortisol awakening response is decreased in patients with first-episode psychosis and increased in healthy controls with a history of severe childhood abuse. <i>Schizophrenia Research</i> , <b>2019</b> , 205, 38-44	3.6	12



264	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	3
263	Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. <i>American Journal of Psychiatry</i> , <b>2019</b> , 176, 811-819	11.9	64
262	Migration, ethnicity and psychoses: evidence, models and future directions. <i>World Psychiatry</i> , <b>2019</b> , 18, 247-258	14.4	44
261	O11.5. EXPLORING SPECIFIC EFFECTS OF TYPE AND TIMING OF EXPOSURE TO CHILDHOOD ADVERSITY AND SYMPTOM DOMAINS IN FIRST EPISODE OF PSYCHOSIS: PRELIMINARY RESULTS FROM THE EUGEI PROJECT. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S195-S195	1.3	78
260	Possibilities for the future of global mental health: a scenario planning approach. <i>BMC Psychiatry</i> , <b>2019</b> , 19, 392	4.2	2
259	Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, 871-882	1.3	11
258	The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis. <i>Psychiatry Research</i> , <b>2019</b> , 272, 618-627	9.9	8
257	Neuropsychological function at first episode in treatment-resistant psychosis: findings from the AESOP-10 study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 2100-2110	6.9	14
256	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , <b>2019</b> , 49, 2600-2607	6.9	5
255	Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression. <i>Schizophrenia Research</i> , <b>2019</b> , 204, 80-89	3.6	13
254	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1378-1391	6.9	42
253	Childhood abuse and psychotic experiences - evidence for mediation by adulthood adverse life events. <i>Epidemiology and Psychiatric Sciences</i> , <b>2019</b> , 28, 300-309	5.1	11
252	What causes psychosis? An umbrella review of risk and protective factors. <i>World Psychiatry</i> , <b>2018</b> , 17, 49-66	14.4	239
251	O12.4. SOME OF THE INDIVIDUAL DIFFERENCES IN RISK TO DEVELOP PSYCHOSIS AMONG CANNABIS USERS CAN BE EXPLAINED BY WHERE THEY LIVE AND BY THEIR AGE AT FIRST USE. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S110-S110	1.3	2
250	Early sustained recovery following first episode psychosis: Evidence from the AESOP10 follow-up study. <i>Schizophrenia Research</i> , <b>2018</b> , 199, 341-345	3.6	8
249	Interaction between cannabis consumption and childhood abuse in psychotic disorders: preliminary findings on the role of different patterns of cannabis use. <i>Microbial Biotechnology</i> , <b>2018</b> , 12, 135-142	3.3	18
248	5.2 RETHINKING THE COURSE OF PSYCHOTIC DISORDERS: IDENTIFYING LATENT TRAJECTORIES. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S6-S6	1.3	78
247	35.1 ONLY A SMALL PROPORTION OF PATIENTS WITH FIRST EPISODE PSYCHOSIS COME VIA PRODROMAL SERVICES: A RETROSPECTIVE SURVEY OF A LARGE UK MENTAL HEALTH PROGRAMME. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S58-S58	1.3	78

246	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 36-46	14.5	154
245	5.4 BIOLOGICAL AND EPIDEMIOLOGICAL EXAMINATION OF TRANSDIAGNOSTIC AND SPECIFIC SYMPTOM DIMENSIONS AT PSYCHOSIS ONSET: FINDINGS FROM THE EUGEI STUDY. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S7-S7	1.3	1
244	35.2 PREVENTING PSYCHOSIS: WHAT, (IF ANYTHING) CAN WE LEARN FROM THE EU-GEI INCIDENCE STUDY?. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S58-S58	1.3	78
243	T104. ASSESSING THE UTILITY OF COPULA FUNCTIONS FOR RISK PREDICTION OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S156-S156	1.3	78
242	F220. THREAT ANTICIPATION AND NEGATIVE AFFECT IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S307-S307	1.3	78
241	S77. JUMPING TO CONCLUSIONS AND FACIAL EMOTION RECOGNITION IMPAIRMENT IN FIRST EPISODE PSYCHOSIS ACROSS EUROPE. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S354-S355	1.3	0
240	35.4 A PUBLIC HEALTH APPROACH TO THE PREVENTION OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S59-S59	1.3	78
239	O2.4. THE MISSING PIECE IN THE PUZZLE: COGNITIVE DECLINE IN SCHIZOPHRENIA AND BIPOLAR PATIENTS AFTER THE FIRST EPISODE. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S77-S77	1.3	78
238	T110. FIRST EPISODE PSYCHOTIC PATIENTS WITH A HISTORY OF FREQUENT CANNABIS USE EXPRESS MORE POSITIVE SYMPTOMS AT ILLNESS ONSET THAN THOSE WHO NEVER USED CANNABIS. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S158-S159	1.3	1
237	T131. INCIDENCE OF FIRST-EPISODE PSYCHOSIS IN THE CATCHMENT AREA OF RIBEIRÃO PRETO, BRAZIL. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S166-S166	1.3	78
236	Occupation and first episode psychosis in Northern Italy: better outcomes for migrants. <i>Microbial Biotechnology</i> , <b>2017</b> , 11, 522-525	3.3	7
235	Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. <i>Journal of Affective Disorders</i> , <b>2017</b> , 210, 174-180	6.6	21
234	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. <i>Diabetic Medicine</i> , <b>2017</b> , 34, 916-924	3.5	27
233	Antipsychotic treatment resistance in first-episode psychosis: prevalence, subtypes and predictors. <i>Psychological Medicine</i> , <b>2017</b> , 47, 1981-1989	6.9	121
232	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 302-315	1.3	39
231	Ethnicity and excess mortality in severe mental illness: a cohort study. <i>Lancet Psychiatry</i> , <b>2017</b> , 4, 389-399	23.3	55
230	Meta-analysis of associations between childhood adversity and hippocampus and amygdala volume in non-clinical and general population samples. <i>NeuroImage: Clinical</i> , <b>2017</b> , 14, 471-479	5.3	70
229	Further evidence of a cumulative effect of social disadvantage on risk of psychosis. <i>Psychological Medicine</i> , <b>2017</b> , 47, 913-924	6.9	30



228	Only a small proportion of patients with first episode psychosis come via prodromal services: a retrospective survey of a large UK mental health programme. <i>BMC Psychiatry</i> , <b>2017</b> , 17, 308	4.2	32
227	People meeting ultra high risk for psychosis criteria in the community. <i>World Psychiatry</i> , <b>2017</b> , 16, 322-323	4.4	6
226	Trauma and Migration in First Episode Psychosis. <i>European Psychiatry</i> , <b>2017</b> , 41, S66-S66	6	
225	Ethnicity, mortality, and severe mental illness - Authors' reply. <i>Lancet Psychiatry</i> , <b>2017</b> , 4, 517-518	23.3	
224	Does Social Disadvantage Explain the Higher Risk of Psychosis in Immigrants? Results from the Eugei Study in London. <i>European Psychiatry</i> , <b>2017</b> , 41, S65-S66	6	
223	Migration History and the Onset of Psychotic Disorders. <i>European Psychiatry</i> , <b>2017</b> , 41, S66-S67	6	
222	Clinical relevance of appraisals of persistent psychotic experiences in people with and without a need for care: an experimental study. <i>Lancet Psychiatry</i> , <b>2017</b> , 4, 927-936	23.3	32
221	Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: the SOP-10 study. <i>British Journal of Psychiatry</i> , <b>2017</b> , 211, 88-94	5.4	41
220	Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry</i> , <b>2017</b> , 4, 257-260	6.3	11
219	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , <b>2017</b> , 145, 246-253	7.9	29
218	Childhood adversities and psychosis: evidence, challenges, implications. <i>World Psychiatry</i> , <b>2016</b> , 15, 93-102	4.4	118
217	Outcomes following first-episode psychosis - Why we should intervene early in all ages, not only in youth. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2016</b> , 50, 1055-1063	2.6	20
216	The incidence of psychoses in diverse settings, INTREPID (2): a feasibility study in India, Nigeria, and Trinidad. <i>Psychological Medicine</i> , <b>2016</b> , 46, 1923-33	6.9	15
215	Minority status and mental distress: a comparison of group density effects. <i>Psychological Medicine</i> , <b>2016</b> , 46, 3051-3059	6.9	20
214	Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2016</b> , 51, 627-38	4.5	12
213	Risk of psychosis and internal migration: Results from the Bologna First Episode Psychosis study. <i>Schizophrenia Research</i> , <b>2016</b> , 173, 90-3	3.6	15
212	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 712-22	1.3	164
211	Impact of Different Childhood Adversities on 1-Year Outcomes of Psychotic Disorder in the Genetics and Psychosis Study. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 464-75	1.3	33

210	Exposure to conflict and disaster: A national survey on the prevalence of psychotic experiences in Sri Lanka. <i>Schizophrenia Research</i> , <b>2016</b> , 171, 79-85	3.6	10
209	Psychotic Experiences and Neuropsychological Functioning in a Population-based Sample. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 129-38	14.5	29
208	Biological and psychosocial risk factors for psychotic major depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2016</b> , 51, 233-45	4.5	14
207	Concepts of madness in diverse settings: a qualitative study from the INTREPID project. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 388	4.2	14
206	Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. <i>Psychological Medicine</i> , <b>2016</b> , 46, 2799-813	6.9	53
205	Ten-year outcomes in first episode psychotic major depression patients compared with schizophrenia and bipolar patients. <i>Schizophrenia Research</i> , <b>2016</b> , 176, 417-422	3.6	19
204	Impact of childhood adversities on specific symptom dimensions in first-episode psychosis. <i>Psychological Medicine</i> , <b>2016</b> , 46, 317-26	6.9	45
203	Differences in cannabis-related experiences between patients with a first episode of psychosis and controls. <i>Psychological Medicine</i> , <b>2016</b> , 46, 995-1003	6.9	20
202	Childhood Trauma as a Neglected Factor in Psychotic Experiences and Cognitive Functioning-Reply. <i>JAMA Psychiatry</i> , <b>2016</b> , 73, 876-7	14.5	1
201	Clinical, socio-demographic and psychological characteristics in individuals with persistent psychotic experiences with and without a "need for care". <i>World Psychiatry</i> , <b>2016</b> , 15, 41-52	14.4	87
200	Schizophrenia and other psychotic disorders in Caribbean-born migrants and their descendants in England: systematic review and meta-analysis of incidence rates, 1950-2013. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2015</b> , 50, 1039-55	4.5	44
199	What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and qualitative studies. <i>Psychological Medicine</i> , <b>2015</b> , 45, 11-27	6.9	1265
198	Substance Use and Early Psychosis Course. <i>European Psychiatry</i> , <b>2015</b> , 30, 1762	6	
197	Self esteem and self agency in first episode psychosis: Ethnic variation and relationship with clinical presentation. <i>Psychiatry Research</i> , <b>2015</b> , 227, 213-8	9.9	11
196	SEQUenCE: a service user-centred quality of care instrument for mental health services. <i>International Journal for Quality in Health Care</i> , <b>2015</b> , 27, 284-90	1.9	7
195	Proportion of patients in south London with first-episode psychosis attributable to use of high potency cannabis: a case-control study. <i>Lancet Psychiatry</i> , <b>2015</b> , 2, 233-8	23.3	338
194	Cortisol and Inflammatory Biomarkers Predict Poor Treatment Response in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 1162-70	1.3	166
193	Cannabis and psychosis - Authors' reply. <i>Lancet Psychiatry</i> , <b>2015</b> , 2, 382	23.3	9

192	Gender differences in the association between childhood physical and sexual abuse, social support and psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2015</b> , 50, 1489-500	4.5	37
191	Interaction Between Functional Genetic Variation of DRD2 and Cannabis Use on Risk of Psychosis. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 1171-82	1.3	58
190	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , <b>2015</b> , 230, 742-3	9.9	2
189	Mortality in schizophrenia and other psychoses: a 10-year follow-up of the BOP first-episode cohort. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 664-73	1.3	101
188	Familial risk and childhood adversity interplay in the onset of psychosis. <i>BJPsych Open</i> , <b>2015</b> , 1, 6-13	5	18
187	Diagnostic change 10 years after a first episode of psychosis. <i>Psychological Medicine</i> , <b>2015</b> , 45, 2757-69	6.9	61
186	Ten-Year Outcomes of First-Episode Psychoses in the MRC BOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , <b>2015</b> , 203, 379-86	1.8	70
185	Searching for psychosis: INTREPID (1): systems for detecting untreated and first-episode cases of psychosis in diverse settings. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2015</b> , 50, 879-93	4.5	25
184	Social networks and support in first-episode psychosis: exploring the role of loneliness and anxiety. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 359-66	4.5	105
183	The impact of substance use at psychosis onset on First Episode Psychosis course: results from a 1 year follow-up study in Bologna. <i>Schizophrenia Research</i> , <b>2014</b> , 153, 60-3	3.6	12
182	Daily use, especially of high-potency cannabis, drives the earlier onset of psychosis in cannabis users. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 1509-17	1.3	276
181	Brain derived Neurotrophic Factor (BDNF) is associated with childhood abuse but not cognitive domains in first episode psychosis. <i>Schizophrenia Research</i> , <b>2014</b> , 159, 56-61	3.6	32
180	Anticipated and experienced discrimination amongst people with schizophrenia, bipolar disorder and major depressive disorder: a cross sectional study. <i>BMC Psychiatry</i> , <b>2014</b> , 14, 157	4.2	66
179	Failure to find association between childhood abuse and cognition in first-episode psychosis patients. <i>European Psychiatry</i> , <b>2014</b> , 29, 32-5	6	18
178	Adversity, cannabis use and psychotic experiences: evidence of cumulative and synergistic effects. <i>British Journal of Psychiatry</i> , <b>2014</b> , 204, 346-53	5.4	76
177	Different rates of first admissions for psychosis in migrant groups in Paris. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 1103-9	4.5	20
176	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 729-36	1.3	186
175	Association between symptom dimensions and categorical diagnoses of psychosis: a cross-sectional and longitudinal investigation. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 111-9	1.3	49

174	Interplay between childhood physical abuse and familial risk in the onset of psychotic disorders. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 1443-51	1.3	30
173	Caregiving in first-episode psychosis: social characteristics associated with perceived 'burden' and associations with compulsory treatment. <i>Microbial Biotechnology</i> , <b>2014</b> , 8, 122-9	3.3	38
172	A meta-analysis of ethnic differences in pathways to care at the first episode of psychosis. <i>Acta Psychiatrica Scandinavica</i> , <b>2014</b> , 130, 257-68	6.5	55
171	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study □ CORRECTED. <i>Psychological Medicine</i> , <b>2014</b> , 44, 2727-2727	6.9	1
170	Modelling the interplay between childhood and adult adversity in pathways to psychosis: initial evidence from the AESOP study. <i>Psychological Medicine</i> , <b>2014</b> , 44, 407-19	6.9	52
169	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. <i>Psychological Medicine</i> , <b>2014</b> , 44, 2713-26	6.9	137
168	The effect of the environment on symptom dimensions in the first episode of psychosis: a multilevel study. <i>Psychological Medicine</i> , <b>2014</b> , 44, 2419-30	6.9	20
167	Bilateral hippocampal increase following first-episode psychosis is associated with good clinical, functional and cognitive outcomes. <i>Psychological Medicine</i> , <b>2014</b> , 44, 1279-91	6.9	38
166	Role of Environmental Confounding in the Association between FKBP5 and First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , <b>2014</b> , 5, 84	5	16
165	Cannabis use, gender and age of onset of schizophrenia: data from the AESOP study. <i>Psychiatry Research</i> , <b>2014</b> , 215, 528-32	9.9	62
164	Pre-morbid fertility in psychosis: findings from the AESOP first episode study. <i>Schizophrenia Research</i> , <b>2014</b> , 156, 168-73	3.6	4
163	Race, ethnicity, and the duration of untreated psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 1161-74	4.5	21
162	The development and validation of the Questionnaire on Anticipated Discrimination (QUAD). <i>BMC Psychiatry</i> , <b>2013</b> , 13, 297	4.2	23
161	Life events and psychosis: a review and meta-analysis. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 740-7	1.3	184
160	Social disadvantage: cause or consequence of impending psychosis?. <i>Schizophrenia Bulletin</i> , <b>2013</b> , 39, 1288-95	1.3	96
159	Social networks, support and early psychosis: a systematic review. <i>Epidemiology and Psychiatric Sciences</i> , <b>2013</b> , 22, 131-46	5.1	161
158	Help-seeking response to subjective memory complaints in older adults: toward a conceptual model. <i>Gerontologist, The</i> , <b>2013</b> , 53, 462-73	5	27
157	"We lost all we had in a second": coping with grief and loss after a natural disaster. <i>World Psychiatry</i> , <b>2013</b> , 12, 69-75	14.4	36

156	Meta-analytic approaches to determine gender differences in the age-incidence characteristics of schizophrenia and related psychoses. <i>International Journal of Methods in Psychiatric Research</i> , <b>2013</b> , 22, 36-45	4.3	17
155	Quality of care in psychosis and bipolar disorder from the service user perspective. <i>Qualitative Health Research</i> , <b>2013</b> , 23, 1672-85	3.9	12
154	Gender differences in neuropsychological performance across psychotic disorders--a multi-centre population based case-control study. <i>PLoS ONE</i> , <b>2013</b> , 8, e77318	3.7	15
153	The differential effect of illicit drug use on cognitive function in first-episode psychosis and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , <b>2012</b> , 125, 400-11	6.5	7
152	Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). <i>British Journal of Psychiatry</i> , <b>2012</b> , 201, 282-90	5.4	73
151	Differential relationship between neurological and cognitive dysfunction in first episode psychosis patients and in healthy individuals. <i>Schizophrenia Research</i> , <b>2012</b> , 142, 159-64	3.6	7
150	Confirmation that the AKT1 (rs2494732) genotype influences the risk of psychosis in cannabis users. <i>Biological Psychiatry</i> , <b>2012</b> , 72, 811-6	7.9	184
149	Is there a link between childhood trauma, cognition, and amygdala and hippocampus volume in first-episode psychosis?. <i>Schizophrenia Research</i> , <b>2012</b> , 137, 73-9	3.6	81
148	Linear and non-linear associations of symptom dimensions and cognitive function in first-onset psychosis. <i>Schizophrenia Research</i> , <b>2012</b> , 140, 221-31	3.6	19
147	Incidence of schizophrenia and other psychoses in England, 1950-2009: a systematic review and meta-analyses. <i>PLoS ONE</i> , <b>2012</b> , 7, e31660	3.7	297
146	Importance of thinking locally for mental health: data from cross-sectional surveys representing South East London and England. <i>PLoS ONE</i> , <b>2012</b> , 7, e48012	3.7	28
145	Subjective memory impairment in older adults: aetiology, salience and help seeking. <i>International Journal of Geriatric Psychiatry</i> , <b>2012</b> , 27, 612-20	3.9	40
144	Course and outcome of psychosis in black Caribbean populations and other ethnic groups living in the UK: a systematic review. <i>International Journal of Social Psychiatry</i> , <b>2012</b> , 58, 400-8	8.5	14
143	The response of mental health services to domestic violence: a qualitative study of service users' and professionals' experiences. <i>Journal of the American Psychiatric Nurses Association</i> , <b>2012</b> , 18, 326-36	1.8	33
142	Satisfaction with inpatient treatment for first-episode psychosis among different ethnic groups: a report from the UK AeSOP study. <i>International Journal of Social Psychiatry</i> , <b>2012</b> , 58, 98-105	8.5	18
141	Childhood bullying and the association with psychosis in non-clinical and clinical samples: a review and meta-analysis. <i>Psychological Medicine</i> , <b>2012</b> , 42, 2463-74	6.9	110
140	Childhood maltreatment is associated with increased body mass index and increased C-reactive protein levels in first-episode psychosis patients. <i>Psychological Medicine</i> , <b>2012</b> , 42, 1893-901	6.9	85
139	First-episode psychosis at the West Bologna Community Mental Health Centre: results of an 8-year prospective study. <i>Psychological Medicine</i> , <b>2012</b> , 42, 2255-64	6.9	27

138	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. <i>Psychological Medicine</i> , <b>2012</b> , 42, 1037-47	6.9	100
137	Pre-morbid Conduct Disorder symptoms are associated with cannabis use among individuals with a first episode of psychosis. <i>Schizophrenia Research</i> , <b>2011</b> , 126, 81-6	3.6	22
136	Childhood trauma and cognitive function in first-episode affective and non-affective psychosis. <i>Schizophrenia Research</i> , <b>2011</b> , 129, 12-9	3.6	88
135	Assessment of posttraumatic symptoms in patients with first-episode psychosis. <i>Journal of Nervous and Mental Disease</i> , <b>2011</b> , 199, 896-8	1.8	6
134	Barriers and facilitators of disclosures of domestic violence by mental health service users: qualitative study. <i>British Journal of Psychiatry</i> , <b>2011</b> , 198, 189-94	5.4	131
133	Criminal offending and distinguishing features of offenders among persons experiencing a first episode of psychosis. <i>Microbial Biotechnology</i> , <b>2011</b> , 5, 15-23	3.3	37
132	Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. <i>BMC Public Health</i> , <b>2011</b> , 11, 861	4.1	73
131	Threat to valued elements of life: the experience of dementia across three ethnic groups. <i>Gerontologist, The</i> , <b>2011</b> , 51, 39-50	5	54
130	Abnormal cortisol awakening response predicts worse cognitive function in patients with first-episode psychosis. <i>Psychological Medicine</i> , <b>2011</b> , 41, 463-76	6.9	91
129	Reliability and comparability of psychosis patients' retrospective reports of childhood abuse. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 546-53	1.3	309
128	The economic cost of pathways to care in first episode psychosis. <i>International Review of Psychiatry</i> , <b>2011</b> , 23, 55-60	3.6	3
127	Barriers to participation in mental health research: findings from the Genetics and Psychosis (GAP) Study. <i>International Review of Psychiatry</i> , <b>2011</b> , 23, 31-40	3.6	29
126	Stress and inflammation reduce brain-derived neurotrophic factor expression in first-episode psychosis: a pathway to smaller hippocampal volume. <i>Journal of Clinical Psychiatry</i> , <b>2011</b> , 72, 1677-1684	4.6	206
125	Illicit substance use and its correlates in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , <b>2010</b> , 121, 351-8	6.5	47
124	Drug Use, Drug Problems and Drug Addiction: Social Influences and Social Responses <b>2010</b> , 259-276		
123	The culture and identity schedule a measure of cultural affiliation: acculturation, marginalization and schizophrenia. <i>International Journal of Social Psychiatry</i> , <b>2010</b> , 56, 540-56	8.5	16
122	The varying impact of type, timing and frequency of exposure to childhood adversity on its association with adult psychotic disorder. <i>Psychological Medicine</i> , <b>2010</b> , 40, 1967-78	6.9	139
121	Differing patterns of brain structural abnormalities between black and white patients with their first episode of psychosis. <i>Psychological Medicine</i> , <b>2010</b> , 40, 1137-47	6.9	10



120	Letter to the editor: Prevention is better than cure: a reply to McKenzie, March et al. and Selten & Cantor-Graae. <i>Psychological Medicine</i> , <b>2010</b> , 40, 876-7	6.9	1
119	Migration, ethnicity, and psychosis: toward a sociodevelopmental model. <i>Schizophrenia Bulletin</i> , <b>2010</b> , 36, 655-64	1.3	219
118	Translating the epidemiology of psychosis into public mental health: evidence, challenges and future prospects. <i>Journal of Public Mental Health</i> , <b>2010</b> , 9, 4-14	0.7	27
117	Specific and generalized neuropsychological deficits: a comparison of patients with various first-episode psychosis presentations. <i>American Journal of Psychiatry</i> , <b>2010</b> , 167, 78-85	11.9	152
116	Ethnic identity, perceptions of disadvantage, and psychosis: findings from the SOP study. <i>Schizophrenia Research</i> , <b>2010</b> , 124, 43-8	3.6	28
115	Abnormal cortisol levels during the day and cortisol awakening response in first-episode psychosis: the role of stress and of antipsychotic treatment. <i>Schizophrenia Research</i> , <b>2010</b> , 116, 234-42	3.6	219
114	Exploring the apparent absence of psychosis amongst the Borana pastoralist community of Southern Ethiopia. A mixed method follow-up study. <i>World Psychiatry</i> , <b>2010</b> , 9, 98-102	14.4	17
113	Insight, grey matter and cognitive function in first-onset psychosis. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 141-8	5.4	79
112	Qualitative Research Methods <b>2010</b> , 77-87		1
111	Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , <b>2010</b> , 16, 219-25	4.6	22
110	Barriers to participation in mental health research: are there specific gender, ethnicity and age related barriers?. <i>BMC Psychiatry</i> , <b>2010</b> , 10, 103	4.2	113
109	Culture and Its Influence on Diagnosis and Management <b>2010</b> , 117-131		2
108	Social Psychiatry in the Americas <b>2010</b> , 551-558		
107	Common Mental Disorders <b>2010</b> , 227-235		1
106	Taking Inequality's Measure: Poverty, Displacement, Unemployment and Mental Health <b>2010</b> , 341-369		
105	Globalization and Psychiatry <b>2010</b> , 141-153		
104	Responses to the Onset of Mental Health Problems: Issues and Findings from Research on Illness Behaviour and the Use of Health Services <b>2010</b> , 305-319		
103	Where next for Social Psychiatry? <b>2010</b> , 559-563		

- 102 Social Management of Common Mental Disorders **2010**, 439-448 1
- 101 Personality Disorder **2010**, 249-257
- 100 Social Psychiatry in Africa: Evidence and Challenges **2010**, 541-550
- 99 Fundamental Social Causes of Health Inequalities **2010**, 179-192 1
- 98 Categories and Continuums **2010**, 31-37
- 97 Principles of Social Intervention **2010**, 411-424
- 96 Gender and Reproductive Health **2010**, 321-330
- 95 Social Determinants of Late Life Disorders **2010**, 295-304
- 94 Health Economics and Psychiatry: The Pursuit of Efficiency **2010**, 371-383
- 93 Social Psychiatry in India **2010**, 531-540 1
- 92 Problem-Solving Therapy for People with Personality Disorders **2010**, 449-459
- 91 Concepts and Challenges in Capturing Dynamics of the Wider Social Environment **2010**, 65-76
- 90 Stigma and Discrimination **2010**, 331-340
- 89 Social Interventions for Psychosis **2010**, 425-437
- 88 Mental Health in Europe: Learning from Differences **2010**, 499-516
- 87 Modern Social Networking and Mental Health **2010**, 477-482 1
- 86 The Historical Development of Social Psychiatry **2010**, 1-11 4
- 85 Culture and Identity **2010**, 133-140 1

84	Trauma and Disasters in Social and Cultural Context <b>2010</b> , 155-177		51
83	The Sociodevelopmental Origins of Psychosis <b>2010</b> , 193-213		14
82	Why Psychiatry Has to be Social <b>2010</b> , 13-29		1
81	Social Factors that Influence Child Mental Health <b>2010</b> , 285-294		2
80	Team Structures in Community Mental Health <b>2010</b> , 385-396		1
79	Social Support <b>2010</b> , 461-476		3
78	The Psychiatric Child Protection Interface: Research to Inform Practice <b>2010</b> , 483-497		2
77	East Meets West: Current Mental Health Burdens in Greater China <b>2010</b> , 517-530		8
76	Social, Biological and Personal Constructions of Mental Illness <b>2010</b> , 39-49		3
75	Social Science Perspectives: A Failure of the Sociological Imagination <b>2010</b> , 51-64		11
74	The Social Epidemiology of Mental Disorder <b>2010</b> , 89-101		2
73	Families and Psychosis <b>2010</b> , 103-116		4
72	The social determinants of psychosis in migrant and ethnic minority populations: a public health tragedy. <i>Psychological Medicine</i> , <b>2009</b> , 1-5	6.9	46
71	Neuropsychological functioning in first-episode schizophrenia. <i>British Journal of Psychiatry</i> , <b>2009</b> , 195, 336-45	5.4	34
70	Combining dimensional and categorical representation of psychosis: the way forward for DSM-V and ICD-11?. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1943-55	6.9	79
69	Gender differences in the association between childhood abuse and psychosis. <i>British Journal of Psychiatry</i> , <b>2009</b> , 194, 319-25	5.4	157
68	Ethnicity, social disadvantage and psychotic-like experiences in a healthy population based sample. <i>Acta Psychiatrica Scandinavica</i> , <b>2009</b> , 119, 226-35	6.5	102
67	Selective deficits in semantic verbal fluency in patients with a first affective episode with psychotic symptoms and a positive history of mania. <i>Bipolar Disorders</i> , <b>2009</b> , 11, 323-9	3.8	12

66	High-potency cannabis and the risk of psychosis. <i>British Journal of Psychiatry</i> , <b>2009</b> , 195, 488-91	5.4	371
65	Skunk and psychosis in South East London. <i>European Psychiatry</i> , <b>2009</b> , 24, 1-1	6	
64	The prevalence, diagnostic significance and demographic characteristics of Schneiderian first-rank symptoms in an epidemiological sample of first-episode psychoses. <i>Psychopathology</i> , <b>2009</b> , 42, 81-91	3.4	35
63	Historical framework for psychiatric nosology. In this issue. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1933-4	6.9	
62	Sexually dimorphic changes in the amygdala in relation to delusional beliefs in first episode psychosis. <i>Journal of Psychiatric Research</i> , <b>2008</b> , 42, 913-9	5.2	5
61	Psychosis and place. <i>Epidemiologic Reviews</i> , <b>2008</b> , 30, 84-100	4.1	188
60	Psychological medicine. In this issue. <i>Psychological Medicine</i> , <b>2008</b> , 38, 769-70	6.9	
59	Minor physical anomalies in patients with first-episode psychosis: their frequency and diagnostic specificity. <i>Psychological Medicine</i> , <b>2008</b> , 38, 71-7	6.9	33
58	Psychological medicine. In this issue. <i>Psychological Medicine</i> , <b>2008</b> , 38, 305-6	6.9	
57	Cumulative social disadvantage, ethnicity and first-episode psychosis: a case-control study. <i>Psychological Medicine</i> , <b>2008</b> , 38, 1701-15	6.9	148
56	In this issue. Psychological Medicine. <i>Psychological Medicine</i> , <b>2008</b> , 38, 465-6	6.9	1
55	Testing the association between the incidence of schizophrenia and social capital in an urban area. <i>Psychological Medicine</i> , <b>2008</b> , 38, 1083-94	6.9	104
54	The genetics of schizophrenia, various aspects of psychosis, depression and other mental disorders. <i>Psychological Medicine</i> , <b>2008</b> , 38, 1679-80	6.9	1
53	Self-harm in first-episode psychosis. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 178-84	5.4	71
52	Perceptions of disadvantage, ethnicity and psychosis. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 185-90	5.4	67
51	Neurological abnormalities and cognitive ability in first-episode psychosis. <i>British Journal of Psychiatry</i> , <b>2008</b> , 193, 197-202	5.4	46
50	Unemployment, social isolation, achievement-expectation mismatch and psychosis: findings from the AESOP Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2008</b> , 43, 743-51	4.5	74
49	Minor physical anomalies across ethnic groups in a first episode psychosis sample. <i>Schizophrenia Research</i> , <b>2007</b> , 89, 86-90	3.6	18

48	Duration of untreated psychosis and neuropsychological function in first episode psychosis. <i>Schizophrenia Research</i> , <b>2007</b> , 95, 103-10	3.6	49
47	The role of social care. <i>Psychiatry (Abingdon, England)</i> , <b>2007</b> , 6, 347-349		
46	Neighbourhood variation in the incidence of psychotic disorders in Southeast London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2007</b> , 42, 438-45	4.5	74
45	Environment and schizophrenia: environmental factors in schizophrenia: childhood trauma--a critical review. <i>Schizophrenia Bulletin</i> , <b>2007</b> , 33, 3-10	1.3	382
44	Duration of prodromal phase and severity of volumetric abnormalities in first-episode psychosis. <i>British Journal of Psychiatry</i> , <b>2007</b> , 51, s123-7	5.4	26
43	Neighbourhood-level effects on psychoses: re-examining the role of context. <i>Psychological Medicine</i> , <b>2007</b> , 37, 1413-25	6.9	165
42	Social exclusion and mental health: conceptual and methodological review. <i>British Journal of Psychiatry</i> , <b>2007</b> , 191, 477-83	5.4	193
41	Grey matter abnormalities in first-episode schizophrenia and affective psychosis. <i>British Journal of Psychiatry</i> , <b>2007</b> , 51, s111-6	5.4	45
40	Parental separation, loss and psychosis in different ethnic groups: a case-control study. <i>Psychological Medicine</i> , <b>2007</b> , 37, 495-503	6.9	173
39	Aggressive behaviour at first contact with services: findings from the AESOP First Episode Psychosis Study. <i>Psychological Medicine</i> , <b>2007</b> , 37, 547-57	6.9	67
38	The structural brain correlates of neurological soft signs in healthy individuals. <i>Cerebral Cortex</i> , <b>2006</b> , 16, 1225-31	5.1	76
37	Heterogeneity in incidence rates of schizophrenia and other psychotic syndromes: findings from the 3-center AeSOP study. <i>Archives of General Psychiatry</i> , <b>2006</b> , 63, 250-8		375
36	Clinical and social determinants of duration of untreated psychosis in the AESOP first-episode psychosis study. <i>British Journal of Psychiatry</i> , <b>2006</b> , 189, 446-52	5.4	145
35	Gray matter abnormalities associated with duration of untreated psychosis. <i>Schizophrenia Research</i> , <b>2006</b> , 83, 145-53	3.6	73
34	Evidence of semantic disorganisation using semantic priming in individuals with high schizotypy. <i>Schizophrenia Research</i> , <b>2006</b> , 84, 272-80	3.6	29
33	Duration of untreated psychosis and ethnicity in the AESOP first-onset psychosis study. <i>Psychological Medicine</i> , <b>2006</b> , 36, 239-47	6.9	53
32	Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , <b>2006</b> , 36, 1541-50	6.9	365
31	Child abuse and psychosis. <i>Acta Psychiatrica Scandinavica</i> , <b>2006</b> , 113, 238; author reply 238-9	6.5	5

30	Environmental factors in schizophrenia: the role of migrant studies. <i>Schizophrenia Bulletin</i> , <b>2006</b> , 32, 405-8	1.3	76
29	First episode psychosis and ethnicity: initial findings from the AESOP study. <i>World Psychiatry</i> , <b>2006</b> , 5, 40-6	14.4	83
28	Pathways to care and ethnicity. 1: Sample characteristics and compulsory admission. Report from the AESOP study. <i>British Journal of Psychiatry</i> , <b>2005</b> , 186, 281-9	5.4	136
27	Pathways to care and ethnicity. 2: Source of referral and help-seeking. Report from the AESOP study. <i>British Journal of Psychiatry</i> , <b>2005</b> , 186, 290-6	5.4	112
26	Social development, urban environment and psychosis. <i>British Journal of Psychiatry</i> , <b>2005</b> , 186, 76-7	5.4	2
25	Increased pituitary volume in antipsychotic-free and antipsychotic-treated patients of the AESOP first-onset psychosis study. <i>Neuropsychopharmacology</i> , <b>2005</b> , 30, 1923-31	8.7	129
24	Social development, urban environment and psychosis. <i>British Journal of Psychiatry</i> , <b>2005</b> , 186, 76-77	5.4	1
23	Negative pathways to psychiatric care and ethnicity: the bridge between social science and psychiatry. <i>Social Science and Medicine</i> , <b>2004</b> , 58, 739-52	5.1	126
22	The role of social care. <i>Psychiatry (Abingdon, England)</i> , <b>2004</b> , 3, 29-31		4
21	Psychological treatments in schizophrenia: I. Meta-analysis of family intervention and cognitive behaviour therapy. <i>Psychological Medicine</i> , <b>2002</b> , 32, 763-82	6.9	575
20	Psychological treatments in schizophrenia: II. Meta-analyses of randomized controlled trials of social skills training and cognitive remediation. <i>Psychological Medicine</i> , <b>2002</b> , 32, 783-91	6.9	191
19	P01.137 Neurological abnormalities in African-Caribbean and white British first-episode psychosis patients. <i>European Psychiatry</i> , <b>2000</b> , 15, 356s-357s	6	
18	Society, place and space77-94		6
17	Outcomes elsewhere: course of psychosis in other cultures198-216		11
16	Public attitudes, stigma and discrimination against people with mental illness179-197		2
15	Society and psychosis: future directions and implications238-251		0
14	Migration, ethnicity and psychosis143-160		13
13	Adult adversity: do early environment and genotype create lasting vulnerabilities for adult social adversity in psychosis?127-142		3



12	Theories of cognition, emotion and the social world: missing links in psychosis219-237	6
11	Climate change in psychiatry: periodic fluctuations or terminal trend?11-22	3
10	Social science, psychiatry and psychosis25-40	3
9	Genes and the social environment58-74	
8	Childhood adversity and psychosis95-111	8
7	Conceptualising the social world41-57	5
6	Family environment and psychosis112-126	2
5	Social factors as a basis for treatment163-178	1
4	Jumping To Conclusions, General Intelligence, And Psychosis Liability: Findings From The Multi-Centre EU-GEI Case-Control Study	1
3	The independent and combined influence of schizophrenia polygenic risk score and heavy cannabis use on risk for psychotic disorder: A case-control analysis from the EUGEI study.	2
2	Epidemiology of Migration and Serious Mental Illness: The Example of Migrants to Europe579-594	
1	Synergistic effects of childhood adversity and polygenic risk in first-episode psychosis: the EU-GEI study. <i>Psychological Medicine</i> ,1-9	6.9 1