Mnica Santn

List of Publications by Citations

Source: https://exaly.com/author-pdf/3059244/monica-santin-publications-by-citations.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 118 4,837 38 h-index g-index citations papers 6.18 122 2.9 5,552 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
118	Prevalence and age-related variation of Cryptosporidium species and genotypes in dairy calves. <i>Veterinary Parasitology</i> , 2004 , 122, 103-17	2.8	323
117	Microsporidiosis: Enterocytozoon bieneusi in domesticated and wild animals. <i>Research in Veterinary Science</i> , 2011 , 90, 363-71	2.5	237
116	Enterocytozoon bieneusi genotype nomenclature based on the internal transcribed spacer sequence: a consensus. <i>Journal of Eukaryotic Microbiology</i> , 2009 , 56, 34-8	3.6	200
115	Prevalence of species and genotypes of Cryptosporidium found in 1-2-year-old dairy cattle in the eastern United States. <i>Veterinary Parasitology</i> , 2006 , 135, 105-12	2.8	177
114	A longitudinal study of cryptosporidiosis in dairy cattle from birth to 2 years of age. <i>Veterinary Parasitology</i> , 2008 , 155, 15-23	2.8	176
113	Cryptosporidium bovis n. sp. (Apicomplexa: Cryptosporidiidae) in cattle (Bos taurus). <i>Journal of Parasitology</i> , 2005 , 91, 624-9	0.9	160
112	Subtyping Cryptosporidium ubiquitum,a zoonotic pathogen emerging in humans. <i>Emerging Infectious Diseases</i> , 2014 , 20, 217-24	10.2	148
111	Cryptosporidium ubiquitum n. sp. in animals and humans. Veterinary Parasitology, 2010, 172, 23-32	2.8	136
110	Prevalence of Cryptosporidium species and genotypes in mature dairy cattle on farms in eastern United States compared with younger cattle from the same locations. <i>Veterinary Parasitology</i> , 2007 , 145, 260-6	2.8	130
109	Host Specificity of Enterocytozoon bieneusi and Public Health Implications. <i>Trends in Parasitology</i> , 2019 , 35, 436-451	6.4	119
108	Development of a new PCR protocol to detect and subtype Blastocystis spp. from humans and animals. <i>Parasitology Research</i> , 2011 , 109, 205-12	2.4	119
107	Cryptosporidium ryanae n. sp. (Apicomplexa: Cryptosporidiidae) in cattle (Bos taurus). <i>Veterinary Parasitology</i> , 2008 , 156, 191-8	2.8	117
106	Prevalence and molecular characterization of Cryptosporidium and Giardia species and genotypes in sheep in Maryland. <i>Veterinary Parasitology</i> , 2007 , 146, 17-24	2.8	113
105	Clinical and subclinical infections with Cryptosporidium in animals. <i>New Zealand Veterinary Journal</i> , 2013 , 61, 1-10	1.7	95
104	Cryptosporidium xiaoi n. sp. (Apicomplexa: Cryptosporidiidae) in sheep (Ovis aries). <i>Veterinary Parasitology</i> , 2009 , 164, 192-200	2.8	93
103	Molecular characterization of Enterocytozoon bieneusi in cattle indicates that only some isolates have zoonotic potential. <i>Parasitology Research</i> , 2004 , 92, 328-34	2.4	93
102	Detection of concurrent infection of dairy cattle with Blastocystis, Cryptosporidium, Giardia, and Enterocytozoon by molecular and microscopic methods. <i>Parasitology Research</i> , 2012 , 111, 1349-55	2.4	91

(2012-2007)

101	Distribution of Cryptosporidium parvum subtypes in calves in eastern United States. <i>Parasitology Research</i> , 2007 , 100, 701-6	2.4	91
100	Prevalence of Giardia duodenalis genotypes in pre-weaned dairy calves. <i>Veterinary Parasitology</i> , 2004 , 124, 179-86	2.8	91
99	Cryptosporidium, Giardia and Enterocytozoon bieneusi in cats from Bogota (Colombia) and genotyping of isolates. <i>Veterinary Parasitology</i> , 2006 , 141, 334-9	2.8	89
98	Prevalence and genotypes of Giardia duodenalis in post-weaned dairy calves. <i>Veterinary Parasitology</i> , 2005 , 130, 177-83	2.8	80
97	Contamination of Atlantic coast commercial shellfish with Cryptosporidium. <i>Parasitology Research</i> , 2003 , 89, 141-5	2.4	62
96	Enterocytozoon bieneusi genotypes in dairy cattle in the eastern United States. <i>Parasitology Research</i> , 2005 , 97, 535-8	2.4	58
95	Enterocytozoon bieneusi, giardia, and Cryptosporidium infecting white-tailed deer. <i>Journal of Eukaryotic Microbiology</i> , 2015 , 62, 34-43	3.6	55
94	Enterocytozoon bieneusi in mature dairy cattle on farms in the eastern United States. <i>Parasitology Research</i> , 2007 , 102, 15-20	2.4	55
93	Zoonotic and genetically diverse subtypes of Blastocystis in US pre-weaned dairy heifer calves. <i>Parasitology Research</i> , 2019 , 118, 575-582	2.4	55
92	A zoonotic genotype of Enterocytozoon bieneusi in horses. <i>Journal of Parasitology</i> , 2010 , 96, 157-61	0.9	48
91	First report of Enterocytozoon bieneusi from dairy cattle in Argentina. <i>Veterinary Parasitology</i> , 2014 , 199, 112-5	2.8	47
90	A longitudinal study of Giardia duodenalis genotypes in dairy cows from birth to 2 years of age. <i>Veterinary Parasitology</i> , 2009 , 162, 40-5	2.8	46
89	Giardia duodenalis and Cryptosporidium spp. in the intestinal contents of ringed seals (Phoca hispida) and bearded seals (Erignathus barbatus) in Nunavik, Quebec, Canada. <i>Journal of Parasitology</i> , 2008 , 94, 1161-3	0.9	46
88	A longitudinal study of Enterocytozoon bieneusi in dairy cattle. <i>Parasitology Research</i> , 2009 , 105, 141-4	2.4	45
87	Prevalence and genotypes of Giardia duodenalis in 1-2 year old dairy cattle. <i>Veterinary Parasitology</i> , 2006 , 140, 217-22	2.8	45
86	Species of Cryptosporidium detected in weaned cattle on cow-calf operations in the United States. <i>Veterinary Parasitology</i> , 2010 , 170, 187-92	2.8	44
85	First detection of microsporidia in dairy calves in North America. <i>Parasitology Research</i> , 2003 , 90, 383-6	2.4	44
84	Prevalence and genotypes of Enterocytozoon bieneusi in weaned beef calves on cow-calf operations in the USA. <i>Parasitology Research</i> , 2012 , 110, 2033-41	2.4	41

83	Prevalence of Microsporidia, Cryptosporidium spp., and Giardia spp. in beavers (Castor canadensis) in Massachusetts. <i>Journal of Zoo and Wildlife Medicine</i> , 2006 , 37, 492-7	0.9	41
82	First report of Enterocytozoon bieneusi in pigs in Brazil. <i>Parasitology International</i> , 2015 , 64, 18-23	2.1	38
81	Enterocytozoon bieneusi Genotypes in Dogs in Bogota, Colombia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008 , 79, 215-217	3.2	38
80	Detection of Cryptosporidium felis and Giardia duodenalis Assemblage F in a cat colony. <i>Veterinary Parasitology</i> , 2006 , 140, 44-53	2.8	37
79	Genetic characterization of Cryptosporidium isolates from ringed seals (Phoca hispida) in Northern Quebec, Canada. <i>Journal of Parasitology</i> , 2005 , 91, 712-6	0.9	36
78	Cryptosporidium and Giardia in Ruminants. <i>Veterinary Clinics of North America - Food Animal Practice</i> , 2020 , 36, 223-238	4.6	35
77	New findings of Enterocytozoon bieneusi in beef and dairy cattle in Brazil. <i>Veterinary Parasitology</i> , 2016 , 216, 46-51	2.8	34
76	Prevalence of Giardia duodenalis genotypes in adult dairy cows. Veterinary Parasitology, 2007, 147, 205	-9 .8	32
75	Next generation amplicon sequencing improves detection of Blastocystis mixed subtype infections. <i>Infection, Genetics and Evolution</i> , 2019 , 73, 119-125	4.5	31
74	Multilocus genotyping of Giardia duodenalis in lambs from Spain reveals a high heterogeneity. <i>Research in Veterinary Science</i> , 2012 , 93, 836-42	2.5	31
73	Infectivity of Cryptosporidium parvum oocysts after storage of experimentally contaminated apples. <i>Journal of Food Protection</i> , 2010 , 73, 1824-9	2.5	30
72	Blastocystis in domesticated and wild mammals and birds. Research in Veterinary Science, 2021, 135, 26	0-282	30
71	Molecular Characterization of Enterocytozoon bieneusi in Wild Carnivores in Spain. <i>Journal of Eukaryotic Microbiology</i> , 2018 , 65, 468-474	3.6	30
70	Interlaboratory validation of an improved method for detection of Cyclospora cayetanensis in produce using a real-time PCR assay. <i>Food Microbiology</i> , 2018 , 69, 170-178	6	28
69	Prevalence of Enterocytozoon bieneusi in post-weaned dairy calves in the eastern United States. <i>Parasitology Research</i> , 2004 , 93, 287-9	2.4	28
68	Blastocystis tropism in the pig intestine. <i>Parasitology Research</i> , 2014 , 113, 1465-72	2.4	27
67	Molecular identification of Enterocytozoon bieneusi, Cryptosporidium, and Giardia in Brazilian captive birds. <i>Parasitology Research</i> , 2017 , 116, 487-493	2.4	26
66	Giardia and Cryptosporidium species and genotypes in coyotes (Canis latrans). <i>Journal of Zoo and Wildlife Medicine</i> , 2006 , 37, 141-4	0.9	26

(2019-2004)

dama, from three localities across central and western Spain: relationship to host density and park management. <i>Journal of Parasitology</i> , 2004 , 90, 1378-86	0.9	26	
subtype distribution in domestic and captive wild bird species from Brazil using next generation amplicon sequencing. <i>Parasite Epidemiology and Control</i> , 2020 , 9, e00138	2.6	25	
Prevalence of Giardia duodenalis assemblages in weaned cattle on cow-calf operations in the United States. <i>Veterinary Parasitology</i> , 2012 , 183, 231-6	2.8	25	
A large scale molecular study of Giardia duodenalis in horses from Colombia. <i>Veterinary Parasitology</i> , 2013 , 196, 31-6	2.8	25	
A multiplex polymerase chain reaction assay to simultaneously distinguish Cryptosporidium species of veterinary and public health concern in cattle. <i>Veterinary Parasitology</i> , 2009 , 166, 32-7	2.8	23	
Zoonotic Enterocytozoon bieneusi genotypes found in brazilian sheep. <i>Research in Veterinary Science</i> , 2016 , 107, 196-201	2.5	22	
Widespread presence of human-pathogenic Enterocytozoon bieneusi genotypes in chickens. <i>Veterinary Parasitology</i> , 2016 , 217, 108-12	2.8	22	
Epidemiology of Microsporidia in Human Infections 2014 , 135-164		21	
Glucagon-like peptide 2 therapy reduces negative effects of diarrhea on calf gut. <i>Journal of Dairy Science</i> , 2013 , 96, 1793-802	4	21	
Intragenotypic variations in the Cryptosporidium sp. cervine genotype from sheep with implications for public health. <i>Journal of Parasitology</i> , 2007 , 93, 668-72	0.9	21	
CD40 agonist antibody mediated improvement of chronic Cryptosporidium infection in patients with X-linked hyper IgM syndrome. <i>Clinical Immunology</i> , 2012 , 143, 152-61	9	20	
Molecular characterization of Cryptosporidium in Brazilian sheep. <i>Veterinary Parasitology</i> , 2011 , 175, 360-2	2.8	20	
Enterocytozoon bieneusi genotypes in dogs in Bogota, Colombia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008 , 79, 215-7	3.2	20	
A new and highly divergent Enterocytozoon bieneusi genotype isolated from a renal transplant recipient. <i>Journal of Clinical Microbiology</i> , 2012 , 50, 2176-8	9.7	19	
Molecular and immunohistochemical detection of assemblage E, Giardia duodenalis in scouring North Dakota calves. <i>Veterinary Parasitology</i> , 2008 , 157, 196-202	2.8	19	
Occurrence and genetic diversity of Enterocytozoon bieneusi (Microsporidia) in owned and sheltered dogs and cats in Northern Spain. <i>Parasitology Research</i> , 2019 , 118, 2979-2987	2.4	18	
Mind the Gap: New Full-Length Sequences of Subtypes Generated via Oxford Nanopore Minion Sequencing Allow for Comparisons between Full-Length and Partial Sequences of the Small Subunit of the Ribosomal RNA Gene. <i>Microorganisms</i> , 2021 , 9,	4.9	18	
Pomegranate peel extract alters the microbiome in mice and dysbiosis caused by infection. <i>Food Science and Nutrition</i> , 2019 , 7, 2565-2576	3.2	17	
	management. Journal of Parasitology, 2004, 90, 1378-86 subtype distribution in domestic and captive wild bird species from Brazil using next generation amplicon sequencing. Parasite Epidemiology and Control, 2020, 9, e00138 Prevalence of Giardia duodenalis assemblages in weaned cattle on cow-calf operations in the United States. Veterinary Parasitology, 2012, 183, 231-6 A large scale molecular study of Giardia duodenalis in horses from Colombia. Veterinary Parasitology, 2013, 196, 31-6 A multiplex polymerase chain reaction assay to simultaneously distinguish Cryptosporidium species of veterinary and public health concern in cattle. Veterinary Parasitology, 2009, 166, 32-7 Zoonotic Enterocytozoon bieneusi genotypes found in brazilian sheep. Research in Veterinary Science, 2016, 107, 196-201 Widespread presence of human-pathogenic Enterocytozoon bieneusi genotypes in chickens. Veterinary Parasitology, 2016, 217, 108-12 Epidemiology of Microsporidia in Human Infections 2014, 135-164 Glucagon-like peptide 2 therapy reduces negative effects of diarrhea on calf gut. Journal of Dairy Science, 2013, 96, 1793-802 Intragenotypic variations in the Cryptosporidium sp. cervine genotype from sheep with implications for public health. Journal of Parasitology, 2007, 93, 668-72 CD40 agonist antibody mediated improvement of chronic Cryptosporidium infection in patients with X-linked hyper IgM syndrome. Clinical Immunology, 2012, 143, 152-61 Molecular characterization of Cryptosporidium in Brazilian sheep. Veterinary Parasitology, 2011, 175, 360-2 Enterocytozoon bieneusi genotypes in dogs in Bogota, Colombia. American Journal of Tropical Medicine and Hygiene, 2008, 79, 215-7 A new and highly divergent Enterocytozoon bieneusi genotype isolated from a renal transplant recipient. Journal of Clinical Microbiology, 2012, 50, 2176-8 Molecular and immunohistochemical detection of assemblage E, Giardia duodenalis in scouring North Dakota calves. Veterinary Parasitology, 2008, 157, 196-202 Occurrence and genetic diversity of	dama, from three localities across central and western Spain: relationship to host density and park management. <i>Journal of Parasitology</i> , 2004, 90, 1378-86 subtype distribution in domestic and captive wild bird species from Brazil using next generation amplicon sequencing. <i>Parasite Epidemiology and Control</i> , 2020, 9, e00138 Prevalence of Giardia duodenalis assemblages in weaned cattle on cow-calf operations in the United States. <i>Veterinary Parasitology</i> , 2012, 183, 231-6 A large scale molecular study of Giardia duodenalis in horses from Colombia. <i>Veterinary Parasitology</i> , 2013, 196, 31-6 A multiplex polymerase chain reaction assay to simultaneously distinguish Cryptosporidium species of veterinary and public health concern in cattle. <i>Veterinary Parasitology</i> , 2009, 166, 32-7 Zoonotic Enterocytozoon bieneusi genotypes found in brazilian sheep. <i>Research in Veterinary Science</i> , 2016, 107, 196-201 Widespread presence of human-pathogenic Enterocytozoon bieneusi genotypes in chickens. <i>Veterinary Parasitology</i> , 2016, 217, 108-12 Epidemiology of Microsporidia in Human Infections 2014, 135-164 Clucagon-like peptide 2 therapy reduces negative effects of diarrhea on calf gut. <i>Journal of Dairy Science</i> , 2013, 96, 1793-802 Entragenotypic variations in the Cryptosporidium sp. cervine genotype from sheep with implications for public health. <i>Journal of Parasitology</i> , 2007, 93, 668-72 CD40 agonist antibody mediated improvement of chronic Cryptosporidium infection in patients with X-linked hyper IgM syndrome. <i>Clinical Immunology</i> , 2012, 143, 152-61 Molecular characterization of Cryptosporidium in Brazilian sheep. <i>Veterinary Parasitology</i> , 2011, 175, 360-2 Enterocytozoon bieneusi genotypes in dogs in Bogota, Colombia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 79, 215-7 A new and highly divergent Enterocytozoon bieneusi genotype isolated from a renal transplant recipient. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2176-8 Molecular and immunohistochemical detection of assemblage E, Giard	dama, from three localities across central and western Spain: relationship to host density and park management. Journal of Parasitology, 2004, 90, 1378-86 subtype distribution in domestic and captive wild bird species from Brazil using next generation amplicon sequencing. Parasite Epidemiology and Control, 2020, 9, e00138 Prevalence of Glardia duodenalis assemblages in weaned cattle on cow-calf operations in the United States. Veterinary Parasitology, 2012, 183, 231-6 A large scale molecular study of Glardia duodenalis in horses from Colombia. Veterinary Parasitology, 2013, 196, 31-6 A multiplex polymerase chain reaction assay to simultaneously distinguish Cryptosporidium species of veterinary and public health concern in cattle. Veterinary Parasitology, 2009, 166, 32-7 Zoonotic Enterocytozoon bieneusl genotypes found in brazilian sheep. Research in Veterinary Science, 2016, 107, 196-201 Widespread presence of human-pathogenic Enterocytozoon bieneusl genotypes in chickens. Veterinary Parasitology, 2016, 217, 108-12 Epidemiology of Microsporidia in Human Infections 2014, 135-164 Clucagon-like peptide 2 therapy reduces negative effects of diarrhea on calf gut. Journal of Dairy Science, 2013, 96, 1793-802 Intragenotypic variations in the Cryptosporidium sp. cervine genotype from sheep with implications for public health. Journal of Parasitology, 2007, 93, 668-72 CD40 agonist antibody mediated improvement of chronic Cryptosporidium infection in patients with X-linked hyper IgM syndrome. Clinical Immunology, 2012, 143, 152-61 Molecular characterization of Cryptosporidium in Brazilian sheep. Veterinary Parasitology, 2011, 175, 360-2 Enterocytozoon bieneusi genotypes in dogs in Bogota, Colombia. American Journal of Tropical Medicine and Hygiene, 2003, 79, 215-7 A new and highly divergent Enterocytozoon bieneusi genotype isolated from a renal transplant recipient. Journal of Clinical Microbiology, 2012, 50, 2176-8 Molecular and immunohistochemical detection of assemblage E, Giardia duodenalis in scouring

47	Cryptosporidium parvum GP60 subtypes in dairy cattle from Buenos Aires, Argentina. <i>Research in Veterinary Science</i> , 2014 , 96, 311-4	2.5	17	
46	Wide Genetic Diversity of in White-Tailed Deer () from Maryland, USA. <i>Microorganisms</i> , 2021 , 9,	4.9	16	
45	Detection of Assemblage A, Giardia duodenalis and Eimeria spp. in alpacas on two Maryland farms. <i>Veterinary Parasitology</i> , 2008 , 153, 203-8	2.8	15	
44	Use of next-generation amplicon sequencing to study Blastocystis genetic diversity in a rural human population from Mexico. <i>Parasites and Vectors</i> , 2019 , 12, 566	4	15	
43	Age distribution and seasonal dynamics of abomasal helminths in wild red deer from central Spain. <i>Journal of Parasitology</i> , 2008 , 94, 1031-7	0.9	13	
42	Persistence of Escherichia coli introduced into streambed sediments with goose, deer and bovine animal waste. <i>Letters in Applied Microbiology</i> , 2012 , 55, 345-53	2.9	12	
41	Blastocystis sp. Subtype Diversity in Wild Carnivore Species from Spain. <i>Journal of Eukaryotic Microbiology</i> , 2020 , 67, 273-278	3.6	12	
40	Identification of Multiple Subtypes in Domestic Animals From Colombia Using Amplicon-Based Next Generation Sequencing. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 732129	3.1	12	
39	Onchocercosis in red deer (Cervus elaphus) from Spain. <i>Journal of Parasitology</i> , 2001 , 87, 1213-5	0.9	11	
38	Next-generation sequencing reveals wide genetic diversity of Blastocystis subtypes in chickens including potentially zoonotic subtypes. <i>Parasitology Research</i> , 2021 , 120, 2219-2231	2.4	11	
37	Enterocytozoon bieneusi (Microsporidia): Identification of novel genotypes and evidence of transmission between sympatric wild boars (Sus scrofa ferus) and Iberian pigs (Sus scrofa domesticus) in Southern Spain. <i>Transboundary and Emerging Diseases</i> , 2020 , 67, 2869-2880	4.2	10	
36	Molecular characterization of Cryptosporidium spp. in poultry from Brazil. <i>Research in Veterinary Science</i> , 2018 , 118, 331-335	2.5	10	
35	Adhesive-tape recovery combined with molecular and microscopic testing for the detection of Cryptosporidium oocysts on experimentally contaminated fresh produce and a food preparation surface. <i>Parasitology Research</i> , 2013 , 112, 1567-74	2.4	9	
34	Gene expression during excystation of Cryptosporidium parvum oocysts. <i>Parasitology Research</i> , 2011 , 109, 509-13	2.4	9	
33	Identical ITS-1 and ITS-2 sequences suggest Spiculopteragia asymmetrica and Spiculopteragia quadrispiculata (Nematoda: Trichostrongylidae) constitute morphologically distinct variants of a single species. <i>Journal of Parasitology</i> , 2002 , 88, 417-8	0.9	9	
32	Effects of Enterococcus faecalis CECT 7121 on Cryptosporidium parvum infection in mice. <i>Parasitology Research</i> , 2016 , 115, 3239-44	2.4	9	
31	Changes in the levels of Cryspovirus during in vitro development of Cryptosporidium parvum. <i>Parasitology Research</i> , 2015 , 114, 2063-8	2.4	8	
30	Comparison of microscopy and PCR for detection of three species of Encephalitozoon in feces. Journal of Eukaryotic Microbiology, 2003, 50 Suppl, 572-3	3.6	8	

(2003-2003)

29	Detection of Encephalitozoon hellem in feces of experimentally infected chickens. <i>Journal of Eukaryotic Microbiology</i> , 2003 , 50 Suppl, 574-5	3.6	8
28	Occurrence and Genetic Diversity of Protist Parasites in Captive Non-Human Primates, Zookeepers, and Free-Living Sympatric Rats in the CEdoba Zoo Conservation Centre, Southern Spain. <i>Animals</i> , 2021 , 11,	3.1	8
27	Reducing gut effects from Cryptosporidium parvum infection in dairy calves through prophylactic glucagon-like peptide 2 therapy or feeding of an artificial sweetener. <i>Journal of Dairy Science</i> , 2017 , 100, 3004-3018	4	7
26	First identification of genotypes of Enterocytozoon bieneusi (Microsporidia) among symptomatic and asymptomatic children in Mozambique. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008419	4.8	7
25	Experimental infection with Cryptosporidium parvum IIaA21G1R1 subtype in immunosuppressed mice. <i>Veterinary Parasitology</i> , 2012 , 190, 411-7	2.8	7
24	Cryptosporidium pig genotype II diagnosed in pigs from the state of Rio De Janeiro, Brazil. <i>Journal of Parasitology</i> , 2011 , 97, 146-7	0.9	7
23	Seasonal changes in prevalence and intensity of Hypoderma actaeon in Cervus elaphus from central Spain. <i>Medical and Veterinary Entomology</i> , 2001 , 15, 204-7	2.4	6
22	Use of Oxford Nanopore MinION to generate full-length sequences of the Blastocystis small subunit (SSU) rRNA gene. <i>Parasites and Vectors</i> , 2020 , 13, 595	4	6
21	Correlation between in vitro and in vivo infectivity of Leishmania infantum clones. <i>Journal of Eukaryotic Microbiology</i> , 2001 , 48, 616-21	3.6	5
20	Pharyngeal bot flies in Cervus elaphus in central Spain: prevalence and population dynamics. <i>Journal of Parasitology</i> , 2000 , 86, 33-7	0.9	5
19	Gut microbiota profiles in diarrheic patients with co-occurrence of Clostridioides difficile and Blastocystis. <i>PLoS ONE</i> , 2021 , 16, e0248185	3.7	5
18	Elaeophorosis in red deer from Spain. <i>Journal of Wildlife Diseases</i> , 2000 , 36, 779-82	1.3	4
17	Molecular Detection and Characterization of sp. and in Cattle in Northern Spain. <i>Veterinary Sciences</i> , 2021 , 8,	2.4	4
16	Evaluation of Fecal Indicators and Pathogens in a Beef Cattle Feedlot Vegetative Treatment System. <i>Journal of Environmental Quality</i> , 2017 , 46, 169-176	3.4	3
15	Coccidia and Other Protozoa 2019 , 1015-1027		3
14	Assessment of next generation amplicon sequencing of the beta-giardin gene for the detection of assemblages and mixed infections. <i>Food and Waterborne Parasitology</i> , 2020 , 21, e00098	6	3
13	RT-PCR specific for Cryspovirus is a highly sensitive method for detecting Cryptosporidium parvum oocysts. <i>Food and Waterborne Parasitology</i> , 2016 , 5, 14-20	6	3
12	First report of Giardia in coyotes (Canis latrans). <i>Journal of Eukaryotic Microbiology</i> , 2003 , 50 Suppl, 709	3.6	3

11	A highly divergent 33 kDa Cryptosporidium parvum antigen. <i>Journal of Parasitology</i> , 2014 , 100, 527-31	0.9	2
10	Investigation of neglected protists Blastocystis sp. and Dientamoeba fragilis in immunocompetent and immunodeficient diarrheal patients using both conventional and molecular methods. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009779	4.8	2
9	A highly sensitive method for detecting Cryptosporidium parvum oocysts recovered from source and finished water using RT-PCR directed to Cryspovirus RNA. <i>Journal of Microbiological Methods</i> , 2019 , 156, 77-80	2.8	1
8	A hybrid sequencing and assembly strategy for generating culture free Giardia genomes. <i>Current Research in Microbial Sciences</i> , 2022 , 3, 100114	3.3	1
7	Enhanced detection of Giardia duodenalis mixed assemblage infections in pre-weaned dairy calves using next generation sequencing <i>Veterinary Parasitology</i> , 2022 , 304, 109702	2.8	O
6	A simple molecular method to identify and quantify genera of gastrointestinal nematodes of cattle. <i>Parasitology Research</i> , 2021 , 120, 3979-3986	2.4	
5	An Illumina MiSeq-Based Amplicon Sequencing Method for the Detection of Mixed Parasite Infections Using the Blastocystis SSU rRNA Gene as an Example. <i>Methods in Molecular Biology</i> , 2021 , 2369, 67-82	1.4	
4	First identification of genotypes of Enterocytozoon bieneusi (Microsporidia) among symptomatic and asymptomatic children in Mozambique 2020 , 14, e0008419		
3	First identification of genotypes of Enterocytozoon bieneusi (Microsporidia) among symptomatic and asymptomatic children in Mozambique 2020 , 14, e0008419		

First identification of genotypes of Enterocytozoon bieneusi (Microsporidia) among symptomatic and asymptomatic children in Mozambique **2020**, 14, e0008419