

Tzyy Haur Chong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3059810/publications.pdf>

Version: 2024-02-01

80
papers

4,079
citations

109264

35
h-index

118793

62
g-index

81
all docs

81
docs citations

81
times ranked

3363
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Characterization of membrane wetting phenomenon by ionic liquid via ultrasonic time-domain reflectometry (UTDR). <i>Journal of Membrane Science</i> , 2022, 641, 119949. | 4.1 | 4 |
| 2 | Layer-by-layer aided β -cyclodextrin nanofilm for precise organic solvent nanofiltration. <i>Journal of Membrane Science</i> , 2022, 652, 120466. | 4.1 | 29 |
| 3 | Biocarriers facilitated gravity-driven membrane filtration of domestic wastewater in cold climate: Combined effect of temperature and periodic cleaning. <i>Science of the Total Environment</i> , 2022, 833, 155248. | 3.9 | 7 |
| 4 | A review on spacers and membranes: Conventional or hybrid additive manufacturing?. <i>Water Research</i> , 2021, 188, 116497. | 5.3 | 46 |
| 5 | Anti-fouling piezoelectric PVDF membrane: Effect of morphology on dielectric and piezoelectric properties. <i>Journal of Membrane Science</i> , 2021, 620, 118818. | 4.1 | 35 |
| 6 | Development of a quorum quenching-column to control biofouling in reverse osmosis water treatment processes. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 94, 188-194. | 2.9 | 6 |
| 7 | Direct membrane filtration of municipal wastewater: Linking periodical physical cleaning with fouling mechanisms. <i>Separation and Purification Technology</i> , 2021, 259, 118125. | 3.9 | 25 |
| 8 | Enhancing performance of biocarriers facilitated gravity-driven membrane (GDM) reactor for decentralized wastewater treatment: Effect of internal recirculation and membrane packing density. <i>Science of the Total Environment</i> , 2021, 762, 144104. | 3.9 | 26 |
| 9 | Ethanol recovery from dilute aqueous solution by perstraction using supported ionic liquid membrane (SILM). <i>Journal of Cleaner Production</i> , 2021, 298, 126811. | 4.6 | 12 |
| 10 | Membrane filtration of manganese (II) remediated-microalgae: Manganese (II) removal, extracellular organic matter, and membrane fouling. <i>Algal Research</i> , 2021, 55, 102279. | 2.4 | 5 |
| 11 | 3D Printing of Multilayered and Multimaterial Electronics: A Review. <i>Advanced Electronic Materials</i> , 2021, 7, 2100445. | 2.6 | 119 |
| 12 | Potential of Printed Electrodes for Electrochemical Impedance Spectroscopy (EIS): Toward Membrane Fouling Detection. <i>Advanced Electronic Materials</i> , 2021, 7, 2100043. | 2.6 | 26 |
| 13 | Centrifugal reverse osmosis (CRO) â a novel energy-efficient membrane process for desalination near local thermodynamic equilibrium. <i>Journal of Membrane Science</i> , 2021, 637, 119630. | 4.1 | 6 |
| 14 | Incorporation of barium titanate nanoparticles in piezoelectric PVDF membrane. <i>Journal of Membrane Science</i> , 2021, 640, 119861. | 4.1 | 32 |
| 15 | Fouling and mitigation mechanisms during direct microfiltration and ultrafiltration of primary wastewater. <i>Journal of Water Process Engineering</i> , 2021, 44, 102331. | 2.6 | 13 |
| 16 | Fouling mitigation in reverse osmosis processes with 3D printed sinusoidal spacers. <i>Water Research</i> , 2021, 207, 117818. | 5.3 | 25 |
| 17 | Characterizing spatial distribution of fouling on flat-sheet membranes in a pilot-scale gravity-driven membrane reactor for seawater pretreatment. <i>Journal of Water Process Engineering</i> , 2021, 44, 102436. | 2.6 | 7 |
| 18 | Impact of isolated dissolved organic fractions from seawater on biofouling in reverse osmosis (RO) desalination process. <i>Water Research</i> , 2020, 168, 115198. | 5.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Integration of an anaerobic fluidized-bed membrane bioreactor (MBR) with zeolite adsorption and reverse osmosis (RO) for municipal wastewater reclamation: Comparison with an anoxic-aerobic MBR coupled with RO. <i>Chemosphere</i> , 2020, 245, 125569. | 4.2 | 30 |
| 20 | Impact of salt accumulation in the bioreactor on the performance of nanofiltration membrane bioreactor (NF-MBR)+Reverse osmosis (RO) process for water reclamation. <i>Water Research</i> , 2020, 170, 115352. | 5.3 | 19 |
| 21 | Layer-by-layer assembly based low pressure biocatalytic nanofiltration membranes for micropollutants removal. <i>Journal of Membrane Science</i> , 2020, 615, 118514. | 4.1 | 61 |
| 22 | Gravity-driven membrane (GDM) filtration of algae-polluted surface water. <i>Journal of Water Process Engineering</i> , 2020, 36, 101257. | 2.6 | 25 |
| 23 | Characterization of colloidal fouling in forward osmosis via ultrasonic time- (UTDR) and frequency-domain reflectometry (UFDR). <i>Journal of Membrane Science</i> , 2020, 602, 117969. | 4.1 | 15 |
| 24 | Mitigation of membrane fouling in a seawater-driven forward osmosis system for waste activated sludge thickening. <i>Journal of Cleaner Production</i> , 2019, 241, 118373. | 4.6 | 21 |
| 25 | Biocarriers facilitated gravity-driven membrane (GDM) reactor for wastewater reclamation: Effect of intermittent aeration cycle. <i>Science of the Total Environment</i> , 2019, 694, 133719. | 3.9 | 34 |
| 26 | Fouling behavior of isolated dissolved organic fractions from seawater in reverse osmosis (RO) desalination process. <i>Water Research</i> , 2019, 159, 385-396. | 5.3 | 54 |
| 27 | Design and development of layer-by-layer based low-pressure antifouling nanofiltration membrane used for water reclamation. <i>Journal of Membrane Science</i> , 2019, 584, 309-323. | 4.1 | 80 |
| 28 | Quorum quenching in anaerobic membrane bioreactor for fouling control. <i>Water Research</i> , 2019, 156, 159-167. | 5.3 | 91 |
| 29 | A comparison of gravity-driven membrane (GDM) reactor and biofiltration+ GDM reactor for seawater reverse osmosis desalination pretreatment. <i>Water Research</i> , 2019, 154, 72-83. | 5.3 | 31 |
| 30 | Spacer vibration for fouling control of submerged flat sheet membranes. <i>Separation and Purification Technology</i> , 2019, 210, 719-728. | 3.9 | 36 |
| 31 | Online monitoring of transparent exopolymer particles (TEP) by a novel membrane-based spectrophotometric method. <i>Chemosphere</i> , 2019, 220, 107-115. | 4.2 | 3 |
| 32 | Enhancing fouling mitigation of submerged flat-sheet membranes by vibrating 3D-spacers. <i>Separation and Purification Technology</i> , 2019, 215, 70-80. | 3.9 | 44 |
| 33 | Recycling rainwater by submerged gravity-driven membrane (GDM) reactors: Effect of hydraulic retention time and periodic backwash. <i>Science of the Total Environment</i> , 2019, 654, 10-18. | 3.9 | 34 |
| 34 | Modeling of NF/RO membrane fouling and flux decline using real-time observations. <i>Journal of Membrane Science</i> , 2019, 576, 66-77. | 4.1 | 39 |
| 35 | Numerical model-based analysis of energy-efficient reverse osmosis (EERO) process: Performance simulation and optimization. <i>Desalination</i> , 2019, 453, 10-21. | 4.0 | 17 |
| 36 | Relating transport modeling to nanofiltration membrane fabrication: Navigating the permeability-selectivity trade-off in desalination pretreatment. <i>Journal of Membrane Science</i> , 2018, 554, 26-38. | 4.1 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A review of fouling indices and monitoring techniques for reverse osmosis. <i>Desalination</i> , 2018, 434, 169-188. | 4.0 | 98 |
| 38 | Design and modeling of novel low-pressure nanofiltration hollow fiber modules for water softening and desalination pretreatment. <i>Desalination</i> , 2018, 439, 58-72. | 4.0 | 27 |
| 39 | The feasibility of nanofiltration membrane bioreactor (NF-MBR)+reverse osmosis (RO) process for water reclamation: Comparison with ultrafiltration membrane bioreactor (UF-MBR)+RO process. <i>Water Research</i> , 2018, 129, 180-189. | 5.3 | 87 |
| 40 | Prototype aquaporin-based forward osmosis membrane: Filtration properties and fouling resistance. <i>Desalination</i> , 2018, 445, 75-84. | 4.0 | 52 |
| 41 | Process economics and operating strategy for the energy-efficient reverse osmosis (EERO) process. <i>Desalination</i> , 2018, 443, 70-84. | 4.0 | 22 |
| 42 | Improved performance of gravity-driven membrane filtration for seawater pretreatment: Implications of membrane module configuration. <i>Water Research</i> , 2017, 114, 59-68. | 5.3 | 62 |
| 43 | Comparison of solid, liquid and powder forms of 3D printing techniques in membrane spacer fabrication. <i>Journal of Membrane Science</i> , 2017, 537, 283-296. | 4.1 | 66 |
| 44 | Effects of spacer orientations on the cake formation during membrane fouling: Quantitative analysis based on 3D OCT imaging. <i>Water Research</i> , 2017, 110, 1-14. | 5.3 | 45 |
| 45 | Gravity-driven microfiltration pretreatment for reverse osmosis (RO) seawater desalination: Microbial community characterization and RO performance. <i>Desalination</i> , 2017, 418, 1-8. | 4.0 | 50 |
| 46 | Physiological Responses of Salinity-Stressed <i>Vibrio</i> sp. and the Effect on the Biofilm Formation on a Nanofiltration Membrane. <i>Environmental Science & Technology</i> , 2017, 51, 1249-1258. | 4.6 | 50 |
| 47 | Fundamentals of low-pressure nanofiltration: Membrane characterization, modeling, and understanding the multi-ionic interactions in water softening. <i>Journal of Membrane Science</i> , 2017, 521, 18-32. | 4.1 | 128 |
| 48 | 3D printing by selective laser sintering of polypropylene feed channel spacers for spiral wound membrane modules for the water industry. <i>Virtual and Physical Prototyping</i> , 2016, 11, 151-158. | 5.3 | 68 |
| 49 | The involvement of lectins and lectin-like humic substances in biofilm formation on RO membranes - is TEP important?. <i>Desalination</i> , 2016, 399, 61-68. | 4.0 | 12 |
| 50 | Analyzing the Evolution of Membrane Fouling via a Novel Method Based on 3D Optical Coherence Tomography Imaging. <i>Environmental Science & Technology</i> , 2016, 50, 6930-6939. | 4.6 | 79 |
| 51 | The potential to enhance membrane module design with 3D printing technology. <i>Journal of Membrane Science</i> , 2016, 499, 480-490. | 4.1 | 238 |
| 52 | Critical flux of gum arabic: Implications for fouling and fractionation performance of membranes. <i>Food and Bioproducts Processing</i> , 2016, 97, 41-47. | 1.8 | 2 |
| 53 | The effect of different surface conditioning layers on bacterial adhesion on reverse osmosis membranes. <i>Desalination</i> , 2016, 387, 1-13. | 4.0 | 36 |
| 54 | Online monitor for the reverse osmosis spiral wound module – Development of the canary cell. <i>Desalination</i> , 2015, 368, 48-59. | 4.0 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Energy-efficient reverse osmosis desalination: Effect of retentate recycle and pump and energy recovery device efficiencies. <i>Desalination</i> , 2015, 366, 15-31. | 4.0 | 36 |
| 56 | The efficacy of tannic acid in controlling biofouling by <i>Pseudomonas aeruginosa</i> is dependent on nutrient conditions and bacterial density. <i>International Biodeterioration and Biodegradation</i> , 2015, 104, 74-82. | 1.9 | 13 |
| 57 | Energy-efficient desalination by forward osmosis using responsive ionic liquid draw solutes. <i>Environmental Science: Water Research and Technology</i> , 2015, 1, 341-347. | 1.2 | 84 |
| 58 | Biofouling control potential of tannic acid, ellagic acid, and epigallocatechin against <i>Pseudomonas aeruginosa</i> and reverse osmosis membrane multispecies community. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 30, 204-211. | 2.9 | 14 |
| 59 | Prediction of reverse osmosis fouling using the feed fouling monitor and salt tracer response technique. <i>Journal of Membrane Science</i> , 2015, 475, 433-444. | 4.1 | 21 |
| 60 | Energy-efficient reverse osmosis desalination process. <i>Journal of Membrane Science</i> , 2015, 473, 177-188. | 4.1 | 69 |
| 61 | Colloidal metastability and membrane fouling – Effects of crossflow velocity, flux, salinity and colloid concentration. <i>Journal of Membrane Science</i> , 2014, 469, 174-187. | 4.1 | 25 |
| 62 | Biofouling in reverse osmosis processes: The roles of flux, crossflow velocity and concentration polarization in biofilm development. <i>Journal of Membrane Science</i> , 2014, 467, 116-125. | 4.1 | 45 |
| 63 | Development of a new technique to predict reverse osmosis fouling. <i>Journal of Membrane Science</i> , 2013, 448, 12-22. | 4.1 | 21 |
| 64 | The fouling potential of colloidal silica and humic acid and their mixtures. <i>Journal of Membrane Science</i> , 2013, 433, 112-120. | 4.1 | 48 |
| 65 | Dynamics of biofilm formation under different nutrient levels and the effect on biofouling of a reverse osmosis membrane system. <i>Biofouling</i> , 2013, 29, 319-330. | 0.8 | 44 |
| 66 | Impact of membrane bioreactor operating conditions on fouling behavior of reverse osmosis membranes in MBR-RO processes. <i>Desalination</i> , 2013, 311, 37-45. | 4.0 | 39 |
| 67 | Monitoring membrane biofouling via ultrasonic time-domain reflectometry enhanced by silica dosing. <i>Journal of Membrane Science</i> , 2013, 428, 24-37. | 4.1 | 65 |
| 68 | Flux-Dependent Fouling Phenomena in Membrane Bioreactors under Different Food to Microorganisms (F/M) Ratios. <i>Separation Science and Technology</i> , 2013, 48, 840-848. | 1.3 | 9 |
| 69 | Strategic Co-Location in a Hybrid Process Involving Desalination and Pressure Retarded Osmosis (PRO). <i>Membranes</i> , 2013, 3, 98-125. | 1.4 | 53 |
| 70 | Fouling reduction in MBR-RO processes: the effect of MBR F/M ratio. <i>Desalination and Water Treatment</i> , 2013, 51, 4829-4838. | 1.0 | 5 |
| 71 | Role of initially formed cake layers on limiting membrane fouling in membrane bioreactors. <i>Bioresource Technology</i> , 2012, 118, 589-593. | 4.8 | 28 |
| 72 | Colloidal interactions and fouling of NF and RO membranes: A review. <i>Advances in Colloid and Interface Science</i> , 2011, 164, 126-143. | 7.0 | 559 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Fouling propensity of forward osmosis: investigation of the slower flux decline phenomenon. <i>Water Science and Technology</i> , 2010, 61, 927-936. | 1.2 | 127 |
| 74 | Implications of critical flux and cake enhanced osmotic pressure (CEOP) on colloidal fouling in reverse osmosis: Modeling approach. <i>Desalination and Water Treatment</i> , 2009, 8, 68-90. | 1.0 | 24 |
| 75 | The effect of imposed flux on biofouling in reverse osmosis: Role of concentration polarisation and biofilm enhanced osmotic pressure phenomena. <i>Journal of Membrane Science</i> , 2008, 325, 840-850. | 4.1 | 122 |
| 76 | Implications of critical flux and cake enhanced osmotic pressure (CEOP) on colloidal fouling in reverse osmosis: Experimental observations. <i>Journal of Membrane Science</i> , 2008, 314, 101-111. | 4.1 | 115 |
| 77 | Implications of enhancing critical flux of particulates by AC fields in RO desalination and reclamation. <i>Desalination</i> , 2008, 220, 371-379. | 4.0 | 15 |
| 78 | Fouling in reverse osmosis: Detection by non-invasive techniques. <i>Desalination</i> , 2007, 204, 148-154. | 4.0 | 23 |
| 79 | Enhanced concentration polarization by unstirred fouling layers in reverse osmosis: Detection by sodium chloride tracer response technique. <i>Journal of Membrane Science</i> , 2007, 287, 198-210. | 4.1 | 78 |
| 80 | Thermodynamics and kinetics for mixed calcium carbonate and calcium sulfate precipitation. <i>Chemical Engineering Science</i> , 2001, 56, 5391-5400. | 1.9 | 132 |