

# Bruno Fedrizzi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3060060/publications.pdf>

Version: 2024-02-01

89  
papers

2,007  
citations

218381  
26  
h-index

276539  
41  
g-index

90  
all docs

90  
docs citations

90  
times ranked

1939  
citing authors

#	ARTICLE	IF	CITATIONS
1	Regional microbial signatures positively correlate with differential wine phenotypes: evidence for a microbial aspect to terroir. <i>Scientific Reports</i> , 2015, 5, 14233.	1.6	219
2	Effects of <i>Torulaspora delbrueckii</i> and <i>Saccharomyces cerevisiae</i> mixed cultures on fermentation and aroma of Amarone wine. <i>European Food Research and Technology</i> , 2012, 235, 303-313.	1.6	114
3	First Identification of 4- <i>S</i> -Glutathionyl-4-methylpentan-2-one, a Potential Precursor of 4-Mercapto-4-methylpentan-2-one, in Sauvignon Blanc Juice. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 991-995.	2.4	95
4	Effect of Nitrogen Supplementation and <i>Saccharomyces</i> Species on Hydrogen Sulfide and Other Volatile Sulfur Compounds in Shiraz Fermentation and Wine. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 4948-4955.	2.4	90
5	Effects of noble rot on must composition and aroma profile of Amarone wine produced by the traditional grape withering protocol. <i>Food Chemistry</i> , 2012, 130, 370-375.	4.2	59
6	Aging Effects and Grape Variety Dependence on the Content of Sulfur Volatiles in Wine. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 10880-10887.	2.4	54
7	<i>Centella asiatica</i> (Gotu kola) as a neuroprotectant and its potential role in healthy ageing. <i>Trends in Food Science and Technology</i> , 2018, 79, 88-97.	7.8	51
8	Ethyl propionate derivatisation for the analysis of varietal thiols in wine. <i>Journal of Chromatography A</i> , 2013, 1312, 104-110.	1.8	49
9	Hydrogen sulfide and its roles in <i>Saccharomyces cerevisiae</i> in a winemaking context. <i>FEMS Yeast Research</i> , 2017, 17, .	1.1	46
10	Degradation studies of cholecalciferol (vitamin D3) using HPLC-DAD, UHPLC-MS/MS and chemical derivatization. <i>Food Chemistry</i> , 2017, 219, 373-381.	4.2	46
11	Development of reliable analytical tools for evaluating the influence of reductive winemaking on the quality of Lugana wines. <i>Analytica Chimica Acta</i> , 2012, 732, 194-202.	2.6	44
12	Influence of harvesting technique and maceration process on aroma and phenolic attributes of Sauvignon blanc wine. <i>Food Chemistry</i> , 2015, 183, 181-189.	4.2	42
13	Influence of Fermentation Temperature, Yeast Strain, and Grape Juice on the Aroma Chemistry and Sensory Profile of Sauvignon Blanc Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 8902-8912.	2.4	41
14	Gas chromatography-mass spectrometry determination of 3-mercaptohexan-1-ol and 3-mercaptohexyl acetate in wine. <i>Analytica Chimica Acta</i> , 2007, 596, 291-297.	2.6	40
15	Hydrogen sulfide production during yeast fermentation causes the accumulation of ethanethiol, S-ethyl thioacetate and diethyl disulfide. <i>Food Chemistry</i> , 2016, 209, 341-347.	4.2	40
16	Evolution of Volatile Sulfur Compounds during Wine Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 8017-8024.	2.4	37
17	Concurrent quantification of light and heavy sulphur volatiles in wine by headspace solid-phase microextraction coupled with gas chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 707-714.	0.7	34
18	Model Aging and Oxidation Effects on Varietal, Fermentative, and Sulfur Compounds in a Dry Botrytized Red Wine. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 1804-1813.	2.4	33

#	ARTICLE	IF	CITATIONS
19	Variation of Some Fermentative Sulfur Compounds in Italian "Millesimato" Classic Sparkling Wines during Aging and Storage on Lees. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 9716-9722.	2.4	31
20	Indications of the prominent role of elemental sulfur in the formation of the varietal thiol 3-mercaptohexanol in Sauvignon blanc wine. <i>Food Research International</i> , 2017, 98, 79-86.	2.9	31
21	Characterization of an Antioxidant and Antimicrobial Extract from Cool Climate, White Grape Marc. <i>Antioxidants</i> , 2019, 8, 232.	2.2	31
22	Grape cluster microclimate influences the aroma composition of Sauvignon blanc wine. <i>Food Chemistry</i> , 2016, 210, 640-647.	4.2	29
23	The role of yeast <i>ARO8</i> , <i>ARO9</i> and <i>ARO10</i> genes in the biosynthesis of 3-(methylthio)-1-propanol from L-methionine during fermentation in synthetic grape medium. <i>FEMS Yeast Research</i> , 2019, 19, .	1.1	29
24	The effect of linoleic acid on the Sauvignon blanc fermentation by different wine yeast strains. <i>FEMS Yeast Research</i> , 2016, 16, fow050.	1.1	27
25	Antioxidant activity and phenolic profiles of Sauvignon Blanc wines made by various maceration techniques. <i>Australian Journal of Grape and Wine Research</i> , 2015, 21, 57-68.	1.0	26
26	Enhancement of Chardonnay antioxidant activity and sensory perception through maceration technique. <i>LWT - Food Science and Technology</i> , 2016, 65, 152-157.	2.5	26
27	Hyphenated gas chromatography-mass spectrometry analysis of 3-mercaptohexan-1-ol and 3-mercaptohexyl acetate in wine. <i>Analytica Chimica Acta</i> , 2008, 621, 38-43.	2.6	25
28	Identification of intermediates involved in the biosynthetic pathway of 3-mercaptohexan-1-ol conjugates in yellow passion fruit ( <i>Passiflora edulis</i> f. <i>flavicarpa</i> ). <i>Phytochemistry</i> , 2012, 77, 287-293.	1.4	25
29	Stable Isotope Ratios and Aroma Profile Changes Induced Due to Innovative Wine Dealcoholisation Approaches. <i>Food and Bioprocess Technology</i> , 2014, 7, 62-70.	2.6	25
30	Lipid oxidation and vitamin D3 degradation in simulated whole milk powder as influenced by processing and storage. <i>Food Chemistry</i> , 2018, 261, 149-156.	4.2	25
31	Development of volatile organic compounds and their glycosylated precursors in tamarillo ( <i>Solanum</i> ) Tj ETQq1 1 0.784314 rgBT /Ove 128046.	4.2	25
32	The interactions of wine polysaccharides with aroma compounds, tannins, and proteins, and their importance to winemaking. <i>Food Hydrocolloids</i> , 2022, 123, 107150.	5.6	25
33	The polysaccharides of winemaking: From grape to wine. <i>Trends in Food Science and Technology</i> , 2021, 111, 731-740.	7.8	23
34	Metabolite characterization of fifteen by-products of the coffee production chain: From farm to factory. <i>Food Chemistry</i> , 2022, 369, 130753.	4.2	23
35	Aroma Impact of Ascorbic Acid and Glutathione Additions to Sauvignon blanc at Harvest to Supplement Sulfur Dioxide. <i>American Journal of Enology and Viticulture</i> , 2014, 65, 388-393.	0.9	21
36	Pre-fermentation addition of grape tannin increases the varietal thiols content in wine. <i>Food Chemistry</i> , 2015, 166, 56-61.	4.2	20

#	ARTICLE	IF	CITATIONS
37	Induction of grape botrytization during withering affects volatile composition of Recioto di Soave, a "passito"-style wine. <i>European Food Research and Technology</i> , 2013, 236, 853-862.	1.6	18
38	Pre-fermentation fining effects on the aroma chemistry of Marlborough Sauvignon blanc press fractions. <i>Food Chemistry</i> , 2016, 208, 326-335.	4.2	18
39	Optimization of Ecofriendly Extraction of Bioactive Monomeric Phenolics and Useful Flavor Precursors from Grape Waste. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 5060-5067.	3.2	17
40	First evidence of the presence of S-cysteinylated and S-glutathionylated precursors in tannins. <i>Food Chemistry</i> , 2013, 141, 1196-1202.	4.2	16
41	Addition of volatile sulfur compounds to yeast at the early stages of fermentation reveals distinct biological and chemical pathways for aroma formation. <i>Food Microbiology</i> , 2020, 89, 103435.	2.1	15
42	Synthesis of alkyl sulfonic acid aldehydes and alcohols, putative precursors to important wine aroma thiols. <i>Tetrahedron Letters</i> , 2015, 56, 1728-1731.	0.7	14
43	The yeast TUM1 affects production of hydrogen sulfide from cysteine treatment during fermentation. <i>FEMS Yeast Research</i> , 2016, 16, fow100.	1.1	14
44	Identification of Floral Volatiles and Pollinator Responses in Kiwifruit Cultivars, <i>Actinidia chinensis</i> var. <i>chinensis</i> . <i>Journal of Chemical Ecology</i> , 2018, 44, 406-415.	0.9	14
45	Co-evolution as Tool for Diversifying Flavor and Aroma Profiles of Wines. <i>Frontiers in Microbiology</i> , 2018, 9, 910.	1.5	14
46	D-optimal design of an untargeted HS-SPME-GC-TOF metabolite profiling method. <i>Analyst</i> , 2012, 137, 3725.	1.7	12
47	Convenient synthesis of deuterium labelled sesquiterpenes. <i>Tetrahedron Letters</i> , 2016, 57, 4496-4499.	0.7	12
48	Identification of Vitamin D3 Oxidation Products Using High-Resolution and Tandem Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 1442-1455.	1.2	12
49	Ultrasound assisted extraction and quantification of targeted bioactive compounds of <i>Centella asiatica</i> (Gotu Kola) by UHPLC-MS/MS MRM tandem mass spectroscopy. <i>Food Chemistry</i> , 2022, 371, 131187.	4.2	12
50	A single run liquid chromatography-tandem mass spectrometry method for the analysis of varietal thiols and their precursors in wine. <i>Journal of Chromatography A</i> , 2021, 1658, 462603.	1.8	12
51	Effectiveness of isotopically labelled and non-isotopically labelled internal standards in the gas chromatography/mass spectrometry analysis of sulfur compounds in wines: use of a statistically based matrix comprehensive approach. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 1167-1172.	0.7	11
52	Influence of oxygen availability during skin-contact maceration on the formation of precursors of 3-mercaptohexan-1-ol in Müller-Thurgau and Sauvignon Blanc grapes. <i>Australian Journal of Grape and Wine Research</i> , 2013, 19, n/a-n/a.	1.0	11
53	Novel technological strategies to enhance tropical thiol precursors in winemaking by-products. <i>Food Chemistry</i> , 2016, 207, 16-19.	4.2	11
54	Identification of in situ flower volatiles from kiwifruit ( <i>Actinidia chinensis</i> var. <i>deliciosa</i> ) cultivars and their male pollenisers in a New Zealand orchard. <i>Phytochemistry</i> , 2017, 141, 61-69.	1.4	10

#	ARTICLE	IF	CITATIONS
55	Facile gas chromatography-tandem mass spectrometry stable isotope dilution method for the quantification of sesquiterpenes in grape. <i>Journal of Chromatography A</i> , 2018, 1537, 91-98.	1.8	10
56	A new analytical method to measure S-methyl-L-methionine in grape juice reveals the influence of yeast on dimethyl sulfide production during fermentation. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 6944-6953.	1.7	10
57	Characterization of free and glycosidically bound volatile compounds from tamarillo ( <i>Solanum</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock and Technology, 2020, 124, 109178.	2.5	10
58	A novel LC-HRMS method reveals cysteinyl and glutathionyl polysulfides in wine. <i>Talanta</i> , 2020, 218, 121105.	2.9	10
59	Industrial scale fining influences the aroma and sensory profile of Sauvignon blanc. <i>LWT - Food Science and Technology</i> , 2017, 80, 423-429.	2.5	8
60	Iterative synthetic strategies and gene deletion experiments enable the first identification of polysulfides in <i>Saccharomyces cerevisiae</i> . <i>Chemical Communications</i> , 2019, 55, 8868-8871.	2.2	8
61	<i>Saccharomyces cerevisiae</i> FLO1 Gene Demonstrates Genetic Linkage to Increased Fermentation Rate at Low Temperatures. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 1039-1048.	0.8	7
62	Efficient Total Synthesis of (±)-Isoguaiaicin and (±)-Isogalbulin. <i>Synlett</i> , 2017, 28, 1449-1452.	1.0	7
63	The GLO1 Gene Is Required for Full Activity of O-Acetyl Homoserine Sulfhydrylase Encoded by MET17. <i>ACS Chemical Biology</i> , 2017, 12, 414-421.	1.6	7
64	The impact of postharvest ultra-violet light irradiation on the thiol content of Sauvignon blanc grapes. <i>Food Chemistry</i> , 2019, 271, 747-752.	4.2	7
65	Elucidation of Endogenous Aroma Compounds in Tamarillo ( <i>Solanum betaceum</i> ) Using a Molecular Sensory Approach. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 9362-9375.	2.4	7
66	A convenient synthesis of amino acid-derived precursors to the important wine aroma 3-sulfanylhexan-1-ol (3SH). <i>Tetrahedron Letters</i> , 2020, 61, 151663.	0.7	6
67	Effect of antioxidant supplementation on the polysulfides of white wines. <i>LWT - Food Science and Technology</i> , 2020, 134, 110132.	2.5	5
68	Fermentation of Sauvignon blanc grape marc extract yields important wine aroma 3-sulfanylhexan-1-ol (3SH). <i>LWT - Food Science and Technology</i> , 2020, 131, 109653.	2.5	5
69	Free and Glycosidic Volatiles in Tamarillo ( <i>Solanum betaceum</i> Cav. syn. <i>Cyphomandra</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock Agricultural and Food Chemistry, 2021, 69, 4518-4532.	2.4	5
70	Time course accumulation of polysulfides in Chardonnay and model juice fermentations. <i>Food Chemistry</i> , 2022, 371, 131341.	4.2	5
71	Analysis of Aroma Compounds in Wine. , 0, , 173-225.		4
72	Sulfur Compounds in Still and Sparkling Wines and in Grappa: Analytical and Technological Aspects. <i>ACS Symposium Series</i> , 2011, , 215-228.	0.5	4

#	ARTICLE	IF	CITATIONS
73	Sauvignon Blanc aroma and sensory profile modulation from high fining rates. <i>Australian Journal of Grape and Wine Research</i> , 2017, 23, 359-367.	1.0	4
74	A Horticultural Medium Established from the Rapid Removal of Phytotoxins from Winery Grape Marc. <i>Horticulturae</i> , 2019, 5, 69.	1.2	4
75	Polysulfides accumulation in white wines produced from different oenological yeasts. <i>Journal of Food Composition and Analysis</i> , 2022, 111, 104632.	1.9	4
76	Evaluation of the Impact of an Archaic Protocol on White Wine Free Aroma Compounds. <i>ACS Symposium Series</i> , 2012, , 117-131.	0.5	3
77	Scalable synthesis of the aroma compounds d6- $\delta^2$ -ionone and d6- $\delta^2$ -cyclocitral for use as internal standards in stable isotope dilution assays. <i>Tetrahedron Letters</i> , 2020, 61, 152642.	0.7	3
78	Aroma and Sensory Profiles of Sauvignon Blanc Wines from Commercially Produced Free Run and Pressed Juices. <i>Beverages</i> , 2021, 7, 29.	1.3	3
79	Simultaneous extraction, derivatisation and analysis of varietal thiols and their non-volatile precursors from beer. <i>LWT - Food Science and Technology</i> , 2022, , 113563.	2.5	3
80	Unraveling the Mystery of 3-Sulfanylhexas-1-ol: The Evolution of Methodology for the Analysis of Precursors to 3-Sulfanylhexas-1-ol in Wine. <i>Foods</i> , 2022, 11, 2050.	1.9	3
81	Synthesis and Use of Ethyl 6-Acetyloxyhexanoate as an Internal Standard: An Interdisciplinary Experiment for an Undergraduate Chemistry Laboratory. <i>Journal of Chemical Education</i> , 2020, 97, 3847-3851.	1.1	2
82	First use of grape waste-derived building blocks to yield antimicrobial materials. <i>Food Chemistry</i> , 2022, 370, 131025.	4.2	2
83	Synthesis of d6-deuterated analogues of aroma molecules- $\delta^2$ -damascenone, $\delta^2$ -damascone and safranal. <i>Results in Chemistry</i> , 2022, 4, 100264.	0.9	2
84	Attempts to Create Products with Increased Health-Promoting Potential Starting with Pinot Noir Pomace: Investigations on the Process and Its Methods. <i>Foods</i> , 2022, 11, 1999.	1.9	2
85	Stereoselective Synthesis of the Spirocyclic Ring System of the Sesquiterpene Spirolepechinene. <i>Asian Journal of Organic Chemistry</i> , 2019, 8, 462-465.	1.3	1
86	Effect of holding temperature on the thiol potential of machine-harvested Sauvignon Blanc grapes. <i>Australian Journal of Grape and Wine Research</i> , 2021, 27, 453-457.	1.0	1
87	Contribution of Grape Skins and Yeast Choice on the Aroma Profiles of Wines Produced from Pinot Noir and Synthetic Grape Musts. <i>Fermentation</i> , 2021, 7, 168.	1.4	1
88	Under-Vine Management To Modulate Wine Chemical Profile. <i>ACS Symposium Series</i> , 2015, , 161-189.	0.5	0
89	Inter-regional survey of the New Zealand Pinot noir fermentative sulfur compounds profile. <i>Journal of the Science of Food and Agriculture</i> , 2021, 101, 947-951.	1.7	0